

Select-Icon-Activated





22

**The quick brown fox jumps over the...**





Invaid Field Lead



**Inverse T3**





**Body / Heavy**

# Vertical Alignment

Each color also have 8 defined opacities in the system.

Opacity values are same for all colors and named with a T prefix as an abbreviation of transparent.

Color opacities, except black and white, are named with 4 digits; first 2 represent the color tone, second 2 represent the opacity of tone. Thus, its possible to create a blue T-7030 when a transparency of darker tone is needed.

Since there are no tones of black and white, only 2 digits used for their opacities.

Regular-Icon

56sec.



The library have 2 types of input styles with their states and default fill alternates.

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**XXX-Large / Heavy**

S - 60

Textarea-Icon

31

**T**

**Inverse T2**



Activas

6

**Lorem ipsum dolor sit**

**amet.**

15

FOR F7F2

60%

30

10-16



**Common & Icon-**

**Only Buttons**

8

Lorem ipsum dolor sit

Dropdown-Icon-Large



Invalid Input Text

13

7



**Size**

**Size**

**Size**

wnites

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem nunc ullamcorper lacus, sed consequat quam justo quis est. Donec ut molestie ligula. Morbi leo leo, sagittis vestibulum libero id, congue feugiat ipsum. Suspendisse quis est turpis. Aliquam erat volutpat. Morbi accumsan ut risus et consequat. Donec eleifend turpis eu lacus tincidunt malesuada. Sed ut massa quis lectus sodales faucibus vel id eros. Nunc ullamcorper massa sed urna venenatis, eget tincidunt nibh ullamcorper. Interdum et malesuada fames ac ante ipsum primis in faucibus.

**Inverse S2**

L-Horizonal

**Inverse Tr**

Complex

Calendar



**Hover**

Please hold er Text



**Regular cards in large size with several assets.**

FFFFF33

5

6

Widget

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.



Each color have own frame styles  
with 6 different backgrounds.

Frame borders are in 1px inside  
base color with 50% transparency.



24

Default

**T**

Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.

**Inverse S1**







Et quidem faciunt, ut ratione  
neque disputatione, quam  
ostendis sed.



dolor veit.

dolor veit

**Large / Regular**

Select the customized button and  
hit menu: Layer > Create Symbol.

**Lorem ipsum dolor sit  
amet.**

CATEGORY





20

OBBAOB

3

5. **Descriptive**

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Your message





Mapathon

All contextual base colors have a contrast ratio of at least 4.5:1 with both black and white.

Color tones are created by adding blacks and whites on a base color.

Each color except black and white has 8 tones including 1 base color, 3 dark tones and 4 light tones.

The black and white opacity values added to the base color shown on the color wheels.

Tones are named in multiples of 10 with 50 being the base color and an S prefix as abbreviation of solid.

This allows to create semitones like S-35 whether needed.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

We can override button background symbol to create different types of buttonsets very fast.

We can use flat buttons in a tab bar with spacing, or use regular buttons for contiguous tabs by overriding their background symbols to base or none.

Buttons named “common” don’t use Sketch’s smart layout feature. We can use them for giving a custom width to our buttons.

Complex buttons use assets and supplements. Usage areas of those are totally up to our imagination.

OB8294

**Component Naming**



18

5. Destructive

4

161001

70%

Many molecules use asset and supplement atoms to extend their purpose and functionality.

Assets and supplements consist of one or more text boxes usually with an icon in different sizes.

Assets are primary content of a molecule; like a text box with an icon aligned to left. Supplements are secondary contents like a dropdown icon or chevron aligned to right even with a text box.

This structure allows to create a wide range of design pattern variations with only a few molecule symbols by overriding its atoms thus making project-wide changes so easy and fast.

T-5050

Text-Icon-Activated



24

Slim-Large



All colors have 6 layer styles for borders, including 3 inside border styles and their 10% filled variations.

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

E-5030

18



Destructive

**Lorem ipsum dolor sit  
amet.**

valid message

valid message

**Regular cards in default size with several asets.**

21

3 Dark-4 Lights

**Common Fields**

**Common Fields**

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.



**Responsive Sidebar**

00000066







5

Effected

secondary



Pre-Built Organisms

Efect

Call to Action

5

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem nunc ullamcorper lacus, sed consequat quam justo quis est. Donec ut molestie ligula. Morbi leo leo, sagittis vestibulum libero id, congue feugiat ipsum. Suspendisse quis est turpis. Aliquam erat volutpat. Morbi accumsan ut risus et consequat. Donec eleifend turpis eu lacus tincidunt malesuada. Sed ut massa quis lectus sodales faucibus vel id eros. Nunc ullamcorper massa sed urna venenatis, eget tincidunt nibh ullamcorper. Interdum et malesuada fames ac ante ipsum primis in faucibus.

Seven

Seven



Lorem ipsum dolor... Lorem ipsum dolor...



33

T-20

Cite



9



3

8

Field helper



26

Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.

**Dim-In-Inverse**

Normal



Lorem ipsum dolor sit amet, consectetur  
adipiscing elit.

Elavated

**Gradient**



Dolor sit amet

22

Dropdown

Feb

Icon-Right

Text-Basic-Inactive

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

**XXX-Large / Light**











13



#E02D12





996FOD

The symbols, library provide, mostly need customizations for a complete elegant design.

It's possible to create a new symbol without detaching it from the library after customizing its components and styles by overriding.

The main advantage of this method is, editing a symbol in the library also syncs the project document as well.

This may cause some minor performance disadvantage because of using too many nested symbols in design.

On the other hand, for more advanced customization and better performance, we can make the symbol local for document by detaching it from the library.

By this way, making a change in the library will not be reflected to the project as a disadvantage.

Lastly, and may be the most efficient way is using the Symbol States plugin.

This plugin saves the overrides of a symbol as a state and makes possible to quickly apply that state to other instances of the symbol when need to use.

Plugin can be downloaded from:  
<https://github.com/ozgurgunes/Sketch-Symbol-States>

Textarea-Icon-Dummy







Bitr

56



**Hover**

Slim list items are pretty much same as regular list items but have no padding from left and right.

They can be pretty handy especially for web content like definition lists or search results with relevant assets.

**X-Large / Regular**

# Even More...

The library provides form groups to save us insert field labels and helper assets separately.

All form groups have 2 variations named as smart and textarea.

Textarea groups are for giving a custom height to multiline fields.

Smart groups also could be used with smart textarea fields to set symbol height automatically to fit content using Sketch's smart layout feature.

Textarea-Basic



**Can be customized by overriding background and image placeholder mask.**



June

Same assets and supplements... same

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

E-70

# Assets & Supplements

**Form Groups**

1. Black

State Name



Hiearchical-2

Default Field Label

2

5

5

14

Modal Title

16

6

27



4

jane smith

jane smith

31

Text Being Typed

E A E A E A

22



Library have pre-build resizable card carousels for desktop and mobile screens with their start & end variations.

Carousels could be used directly from library by overriding the cards or made local for more customization.



Examples

Examples

Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.





13





Image Placeholder



5



Five

Five

Count-Basic-Large



Pickering-veritica

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

8. Informative



15



11



30

List Items

Link

Link

Link

Link

Link

Link

Link

S



17

Text Being Typed

9

Divide-inverses

Media

Disabied Fried Labl

**Base**

Default Elements Default Elements



4.60:1

2

2

0

4.51:1

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

10

Default-Smart





Count-Icon-Large



Fird Laori

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

14:15





21



Lorem ipsum dolor sit amet





Default-Top

**Frame**











Vertical-Helper-Textarea

Quae fuerit causa, nollem me  
tamen laudandis maioribus  
meis corrupisti.

Light







6



Vertical-Helper-Smart

Disabled Field Label

Complex-Large



same assets and supplements...

S-50

**More With Buttons**

semiBold



**Lorem ipsum dolor sit  
amet.**

# Common Buttons

Basic-ThinK



All colors have 6 layer styles for lines, including 3 center border weights and their dashed variations.

24



16px pharagraph spacing



Library have separate text styles  
for various form inputs and their  
states.

Focused Input Text





31

Maple Placeholder

12

OB4A91



Text-Basic

5. Destructive

Destructive

27





Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet,  
lorem nunc ullamcorper lacus, sed consequat quam justo quis  
est.



Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem nunc ullamcorper lacus, sed consequat quam justo quis est. Donec ut molestie ligula. Morbi leo leo, sagittis vestibulum libero id, congue feugiat ipsum. Suspendisse quis est turpis. Aliquam erat volutpat. Morbi accumsan ut risus et consequat. Donec eleifend turpis eu lacus tincidunt malesuada. Sed ut massa quis lectus sodales faucibus vel id eros. Nunc ullamcorper massa sed urna venenatis, eget tincidunt nibh ullamcorper. Interdum et malesuada fames ac ante ipsum primis in faucibus.



T-5020

All field states could be easily applied by overriding field's background and input text styles.

Supplements could be used to add an icon for feedback on some states such as invalid.

**Border**



**Lorem ipsum dolor sit  
amet.**

28







Send Email



Seven

Seven

CATEGORY

8

27

25





S

Forms

Forms

Select-Basic-Inactive

Examples

Other

**Base Colors**

**Base Colors**

16

26





Default

2



E-5080

13

**Gray**

**Body / Regular**



Select-Basic

#0B8A0B



Text-Basic-Activated



Looks good.

Looks good.

10





**Basic**

8

**Line**

**Line**

**Getting Started**

37

**Making Buttons**



And supplements...



Vertical-Label-Textarea



Horizontal-Textarea

The library has a total of 288 basic text styles for using in components and design elements.

There are 8 font sizes including 1 base size, 4 larges and 3 smalls.

All sizes have 4 weights including regular, bold, heavy and light.

All of these have both horizontal and vertical alignment variations which makes a total of 9 for each.

These are the basic text styles which library provides for general purposes or wireframing.

Most likely, every project will have its own text styles with different font, weight and even colors.

Text styles in symbols can be overridden by custom text styles without any problem as long as they preserve the same line heights.

Different line heights may cause some vertical alignment problems in some symbols such as buttons and form fields.

# Table View Fields

**Back**

5





Chelon-Invase



Activated Input Text

FEEDDA

Three

three

Lorem ipsum dolor sit amet



**Input Text**



**XX-Large / Heavy**

T

=

1

0







17

Common cards don't have their own image placeholder but a card asset.

They have a slim (0px padding) version in addition to default (16px padding) and large (24px padding) sizes.





The library has a total of 288 display text styles for using in components and design elements.

There are 8 font sizes including 1 base size, 4 larges and 3 smalls.

All sizes have 4 weights including regular, bold, heavy and light.

All of these have both horizontal and vertical alignment variations which makes a total of 9 for each.

These are the display text styles which library provides for headings and titles.

Most likely, every project will have its own text styles with different font, weight and even colors.

Text styles in symbols can be overridden by custom text styles without any problem as long as they preserve the same line heights.

Different line heights may cause some vertical alignment problems in some symbols such as buttons and form fields.

14

Each color have 8 shadow styles for different levels of elevation.

Base shadows don't have a fill, so they could be applied on layer groups as a symbol override.

There is a slight color overlay on contextual colors elevations.

Similar to opacities, shadows are named with 4 digits.

First 2 represent the color tone and second 2 represent the elevation level, which makes possible to create an elevation of light blue like E-2040.



Canceled

19

2

7

Default TS



The quick brown fox jumps over the lazy dog.

Top

00000080

S

Focused Input Text





Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.



Five

Five

14

Textarea-Dummy

**XXX-Large / Regular**

**Lorem ipsum dolor sit  
amet.**

Pre-Built Organisms

T

-

8

0





10

0



#888888cc • rgba(136,136,136,0.8)

021121

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

Message

Message

1

Default T4



**Black**

Text-Center

Card Action

Hiearchical-6

1

# Smart Layout

Parent Page

E-60



Same assets and supplements... same results.







Dropdown-Basic-

Small



4

8

Lorem ipsum dolor sit



Default T3

**Lorem ipsum dolor sit  
amet.**

5



Slim-Icon

26

2

23



Library have 2 types of smart buttons, regular and slim, and 3 sizes of them.

It doesn't have contextual button symbols like primary or ghost, nor their states like disabled or hover.

Instead of this, it makes styling the buttons very easy for any contextual needs.

Slim buttons are ideal for tab bars toolbars.



16



3

1

LayerStyles

LayerStyles



19



Focusd Fieldlab

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.

Frame

Neu- rin

2. White



j

u

i

y

911 DOB



ACCEFF4

Styling Examples

23

Default T2

23

**Body / Light**



Atomic Approach



8

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

12

**Basic-Trinin**

Count-Icon-Small



Lorem ipsum dolor sit

Default-Shade-1



There are 53 defined layer styles for using to set a quick background to elements and components.

Divider, column and grid styles use 1px inner shadow in Divider Color.



**Lorem ipsum dolor sit  
amet.**



**Large / Light**

00000026

2

Send Email



single

15





Default S2

4. Secondary

Default Tr

Slim-Label



2

6

For eg round

Because of customizing the background and content is so easy, the library provides only 2 tooltip symbols, which are basic and complex.

Basic tooltip has only a text box.

Complex tooltips use assets and have a dismiss button on top right corner.

Both tooltips have been set smart layout vertically, so overriding the text or asset resizes the tooltip to fit content automatically.

Three

Three

Lorem ipsum dolor sit amet

FF7FF7

Details

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



20

**Body**

13

Aenean sollicitudin elit tellus, nec  
fermentum ligula porta et.

Aenean sollicitudin elit tellus, nec  
fermentum ligula porta et.

4.61:1



12/50



26



Invalid Input Text

Alpha

Regular-Basic

28



4.63:1



Sed ultricies, massa quis  
iaculis laoreet, lorem nunc  
ullamcorper lacus, sed  
consequat quam justo quis  
est.

Please hold er Text

Default sn



Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.

**T**

**Some footer usage examples for cards.**

#996FOD



20

2

3

7

CATEGORY

CATEGORY

**Small / Light**

3

S







Placeholder Text

**Lorem ipsum dolor sit  
amet.**

Default Input Text

Each color have own table styles  
with 6 different fills.

Table lines created by -1 px inner  
shadow on both axes in base color  
with 50% transparency.



Disabled

Loren Ipsum

10-16



**Body / Bold**

# Calendars & Dropdowns





Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Library have some basic message and comment molecules which could be used directly by customizing overrides or made local for document for advanced customization.

All symbols have been set smart layout to vertically, so any text override will resize them to fit content automatically.

Symbol Name

S-40



**Inverse-Shadow-1**

4



2

W

1

3

# 8. Informative Informative

There 4 pre-built modal organisms for both desktop and mobile screens.

Alerts have Sketch's smart layout setting to vertically middle, so, it always stay at the center of the page when the message text overridden.

Other windows dont have a smart layout setting, they could be set to any size.

Modal windows content asset also be overridden by any seymbol or set to none for a non-symbol content.



sim

# Button Styling

Hovered Field Label

Imaginary User

Default

**Inverse**

29

1970







19

**Transparent Colors**

Default-Alpha

Field helper



29



Text Being Typed



valid input Text

Disabled

Lorem ipsum dolor sit amet, consectetur...

130



**Shadow**



Video Field Label

T-5070

**Table**

Cards

Cards



27

35%

S



E-5050

7





**XXX-Large / Bold**

Flaating

Medium

28





7

5

7

5

7

5

A

-

T

O

P







Library have 4 notification symbols to use in various cases.

Basic notification, which doesn't have an asset but text box, could be used to display simple feedback messages.

Others use assets to make notification content richer and customizable.

There is a notification symbol with section footer molecule which could be used for converting notification panel to a simple alert dialog.

<https://unsplash.com/@ashnta>



OBBAOB

11

3

4

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem nunc ullamcorper lacus, sed consequat quam justo quis est. Donec ut molestie ligula. Morbi leo leo, sagittis vestibulum libero id, congue feugiat ipsum. Suspendisse quis est turpis. Aliquam erat volutpat. Morbi accumsan ut risus et consequat. Donec eleifend turpis eu lacus tincidunt malesuada. Sed ut massa quis lectus sodales faucibus vel id eros. Nunc ullamcorper massa sed urna venenatis, eget tincidunt nibh ullamcorper. Interdum et malesuada fames ac ante ipsum primis in faucibus.

**Button**



other

31



13

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

OB8294

FDFF4F2



24



**Despite bit timing, more options are possible by using double data rate**





# Regular List Items

Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.

Hotspot

27

valid input Text

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

# Tableview Fields



Declarative

**Focus**

Neu - Out

**T**

Footer

9

August





We have a simple primary button.

Only icon and text label editable.

31

**Lorem ipsum dolor sit  
amet.**

2

4

8

sim-small



19

Text-Right



Desaturator

GO UI Design System is aimed to create rapid UX & UI designs for large scale projects.

It can not be considered as a UI kit itself, instead, it helps to create consistent UI kits and manage them easily.

The system relies on Brad Forst's atomic design concept, Which uses atoms, molecules and organisms to replicate design patterns or create originals.

It combines the power of Sketch's styles and symbols to create highly functional components to be used along your design process in a wide range of needs.

Eight

Eight



25



Other Useful Molecules

00000033





Activated Input Text

Certe, inquam, pertinax non ero tibi, si mihi probabis ea, quae sine causa, nollem me ab eo ortum, tam inportuno tamque crudeli; sin, ut earum motus et voluptates omittantur maiorum voluptatum deleniti atque admonitionem altera occulta quaedam et quasi involuta aperiri, altera prompta et aut.

S

Styles and symbols are named carefully to reduce the effort on navigating Sketch's flyout menus to minimum.

The hierarchy has been structured by taking the usage pattern and frequency into account, such as switching to contextual alternates or variations easy and fast.



R = 1 n

6





Primary

Forms

50%



**XX-Large / Light**

21





24

10

10

10

10

10

10

10

10

10

10



Disabled

Disabled

**Progress Bar**

October







**Slim**



9

Field helper

53

16

6

18

# Table of Contents



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit. Sed ultricies, massa quis  
iaculis laoreet, lorem nunc  
ullamcorper lacus, sed consequat  
quam justo quis est.

3

4

**Grid**

**Grid**

**Alternate Styling**



T-70

15



same assets

**Utility Styles**

List items are probably the most used molecules in the library in design process.

They could be used in a wide range of design needs such as iOS table views, sidebar navigations, dropdown menus and more.

They have 16px padding from left and right sides, their content is vertically aligned to middle (except header and footer) and heights set manually.

27

February

GOADBO



S



Fusce at dolor velit. Sed ultricies,  
massa quis iaculis laoreet, lorem  
nunc ullamcorper lacus, sed  
consequat quam justo quis est.  
Donec ut molestie ligula.

Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.

Default

Placeholder Text



30



Text-Icon-Left



O. Bases



075460



15

Hovered Input Text

4

Notification Title



28



Ghost Buttons



Ghost Buttons

28

Library provides 3 iOS style table view field symbols and their slim (0px padding) versions.

All fields have placeholder and typing cursor foundations.

Input text also move along the label text like cursors using Sketch's smart layout feature.

E-50

3

4

Hover



**Button Texts**

BCA161

Hiearchical-3

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

29

Five

Five

Five

Lorem ipsum dolor sit amet

3

7



# Dropdown-Basic



1

Disabled Input Text

Gradient

23

20

1







14

30

DEBFAA

10

11

**FOCUS**



**Deconstructive**

Regular

EO2012

9

The library also has some specific list item molecules.

Hierarchical lists useful for subnavigations or any other hierarchical contents.

Swipe lists contain another list molecule which could be overridden to match to other items in the list.

# Using Buttons as Tabs

other useful Molecules

17



white

Buttons

Buttons

95%



**Active**

**Basic Text**

58

58

Destructive - Disabled



Filter





29

Text styles

#

7

5

7

5

7

5



Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.



4.53:1

All same list molecule



**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



1273EO

# Heading 1





11

Lorem ipsum dolor sit

Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.

31

4.55:1



AD3D9

**6. Affirmative**

**Affirmative Affirmative**







14

T-5040



**F**

4

C

4

C

4

C

16



**Small / Regular**



E-5020

Button

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.  
Fusce at dolor velit.

**Bold**

011401

26



Valid

10

9



Library also have some utility layer styles to use mostly outside UI such as style guides, spec documents, diagrams etc.

Desaturator desaturates any color behind it.

Image placeholder is filled with a transparent image file. Any layer with this style in components can be overridden with real images during design process.

Text-Icon-Right

Details

1970

S-30



**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**





APRIL

3

6

## Heading 2

16



Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis laoreet, lorem  
nunc ullamcorper lacus, sed consequat quam  
justo quis est.

Sed ultricies, massa quis iaculis laoreet, lorem  
nunc ullamcorper lacus, sed consequat quam  
justo quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.



Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Field Labels / Optional

8. Informative

Placeholder Text

GOVIDesignSystem

16

Field helper



Default

8



The quick brown fox jumps over the lazy dog.

<https://unsplash.com/@ashnta>

29

3. Primary

7



**Lorem ipsum dolor sit  
amet.**

**Blue**

28



21



**XX-Large / Bold**

2. Whites





2

0



Blur-Inverse





27

**X-Large / Light**



Count-Basic

25

2

3



# Heading 3

**Symbol Defaults**

**Symbol Defaults**

Small / Bold

**Lorem ipsum dolor sit  
amet.**



Dropdown-Basic-

Large

Lorem ipsum dolor sit amet

40

A total of 8 base colors have been defined in the system as black, white and 6 contextual colors.

Library have some dark & light shades and transparency definitions as element colors, which are used in components for texts, backgrounds and objects like separators or chevrons.

S1 and S2 colors are for giving a small distinction to elements from background or siblings such as alternating table rows, highlighted cards etc.

T1 is used for background dimmers and background blurs.

T2 is used for secondary texts.

T3 is used for list detail chevrons.

T4 is used for tertiary texts.

T5 is used for separator lines and some backgrounds like scrollbar etc.

Naming these colors as black and white have been avoided and used the names as “default” and “inverse” instead. Thus if a Sketch document switch between two or more libraries for color themes such as light and dark, colors may remain semantically consistent.

Icon-Right-Large

Small

Normal

All colors have 8 gradient styles for general purposes. 4 Angulars (to both directions), 2 Linears and 2 Radials.





**All same card molecule**

**Display Text**

26





Lorem ipsum dolor sit amet

18



Six

Six



50%

Lorem ipsum dolor sit amet, consectetur adipiscing elit.



#FFFFFF • rgba(255,255,255,1)

8

# Floating



26

Janet Smith



Media-Removable

18

validMessage



**F**

**E**

**B**



Invalid message

**Symbol Default**

19

4EOF06

## Heading 4





**Lorem ipsum dolor sit  
amet.**



**Lorem ipsum dolor sit  
amet.**



L-veritici

same assets same assets

Icon-Removable

Basic



25

25





Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.  
Fusce at dolor velit. Sed  
ultrices, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est. Donec ut molestie  
ligula. Morbi leo leo, sagittis  
vestibulum libero id, congue  
feugiat ipsum. Suspendisse quis  
est turpis. Aliquam erat volutpat.  
Morbi accumsan ut risus et  
consequat. Donec eleifend  
turpis eu lacus tincidunt  
malesuada. Sed ut massa quis  
lectus sodales faucibus vel id  
eros. Nunc ullamcorper massa  
sed urna venenatis, eget  
tincidunt nibh ullamcorper.  
Interdum et malesuada fames ac  
ante ipsum primis in faucibus.



Object





Widget-Left

Divi-divi-Deaf



Affirmative

**Common**

**Common Common**

one

one

Default

Lorem ipsum dolor sit amet

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit. Sed ultricies, massa quis  
iaculis laoreet

# Specific List Items

Lorem ipsum dolor sit







Count-Basic-Small

**T**wo

two

Middle

18

**secondary**

Laudem et molestiae non  
intelligamus, tu paulo ante  
cum teneam.



Focused Input Text

2

5

5

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem nunc ullamcorper lacus, sed consequat quam justo quis est. Donec ut molestie ligula. Morbi leo leo, sagittis vestibulum libero id, congue feugiat ipsum. Suspendisse quis est turpis. Aliquam erat volutpat. Morbi accumsan ut risus et consequat. Donec eleifend turpis eu lacus tincidunt malesuada. Sed ut massa quis lectus sodales faucibus vel id eros. Nunc ullamcorper massa sed urna venenatis, eget tincidunt nibh ullamcorper. Interdum et malesuada fames ac ante ipsum primis in faucibus.

Button

Each color have own divider styles  
with 6 different fills.

Divider lines created by -1 px inner  
shadow on Y axis in base color  
with 50% transparency.

S

Done

# Heading 5



Lorem ipsum dolor sit amet

Destructive destructive destructive

Regular cards wraps an image placeholder adjacent to edges and a card asset with padding.

They have 3 image alignment and 2 padding options for each.

Defaults have 16px padding and larges have 24px padding with a slight larger images.



T

=

6

0

29

17

1



color system

Grid

**Even cards and notifications could be used as tips by overriding their background.**

CATEGORY





Filter

**Basic-zones**



# Base Colors &

# Elements

The library have several calendar and dropdown organisms for a quick use, more as a foundation.

Because of its hard to customize complex organisms like calendars, they could be made local and customized directly on the local symbol.



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

4

29

**Lorem ipsum dolor sit  
amet.**

Set the new buttons smart layout  
and override management.





Active





25

FFFFFB3

Lorem ipsum dolor sit amet, consectetur adipiscing elit.









E = 40



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**Floating Label Fields Floating Label Fields**





6

17

1

30





2

Modal Title



# Some Areas of Use



## Heading 6



5

Hieararchical-0

W





Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.



1

16

#000000FF • rgba(0,0,0,1)

9

**List - Numbered**

Default



30

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

EA7664

12



60B260

**3. Primary**

**3. Primary**

10



Lorem ipsum dolor sit amet

F4B5AC

T-5010

Alarm



Default-Shade-2



30





31

Button background and text styles are named specially to make overrides in a quick way.

We can generate 5 contextual buttons and their 5 states very fast and easy.



Select-Icon



Complex-Small





Library doesn't have progress bar symbols but the steps.

There are 2 types of progress bar steps, thumb and pill, with their state variations.

Thumb steps have their own lines in both sides which could be hidden for first and last ones by overriding their styles.

Pill steps could be used in front of a line such as split background atom.

The library also provides simple bar symbols to simulate every steps in 10:10 or 12:12 ratios.

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

**sinListItems**



7. Declarative

Swipe-Action-Delete



85%



Textarea-Basic-Activated

Text Being Typed

Invalid Input Text



25

17







4.65:1



Lorem ipsum dolor sit amet, consectetur adipiscing elit.

**chips**

**chips**

Canceled

S

E-5070

**X-Small / Light**



#D83030FF • rgba(216, 48, 48, 1)

<https://pixabay.com/users/steveb-282134/>

W







**T**







**T**

30

one

one

same assets same assets

3

21

Line-Basic



19

Death Valley Field Lab

075907

S-20

Destruktive Aktion

Chenvron-Defaut

25





Quid ex eo ortum, tam inportuno tamque crudeli; sin, ut summo bono, dolorem ipsum, quia voluptas assumenda est, qui officia deserunt mollitia animi, id est et argumentandum et quale sit id, de homine sensibus reliqui nihil ut alterum esse admonere interesse enim ipsam voluptatem, quia.

**Inverse-Shadow-2**

#8888880 • rgba(136,136,136,0.5)

**Backgrounds**

2020



**SoiidColors**

Normal



Dropdown-Icon-Small

FOUR

18

Basic-Removable

A

5

A

5

A

5





23



2

2

4

W

EDEEDE

**Lorem ipsum dolor sit  
amet.**

**Responsive Column**





**Lorem ipsum dolor sit  
amet.**



Tootip

Titles





Icon-Right-Small

Large

Default

DAEDDA

12



2

6

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.  
Fusce at dolor velit.





**X-Large / Bold**

21

Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.

Tootipmessage.



17

2

9





**Inverse-Basis**

24

**X-Small / Bold**

10



InvalidMessage

Spec Marker



# State Styling

Card molecules also have a footer placeholder which extends their functionality further.

We can use footers for a wide range from adding a simple call to action to appending an extra content.

Footers have their own backgrounds which could be used to separate it from the card's content with a divider or giving some extra stylish look.



**X-Large / Heavy**

**Lorem ipsum dolor sit  
amet.**



1

2

153

Line-Tonic

- The quick brown fox jumps over the lazy dog.



9

Group Header

10-16





**T**



20



**T**



Default



Invalid Input Text

29

8

Eight

12

o.gunes@qmail.com



6



22



**Bold**

3

3

Header

# Asset & Supplement







Icon-Left

consuetudine adipiscitur. Aenean

Placeholder Text

**F**

**E**

**B**

2

Library also provides common and icon-only buttons.

These buttons don't have any smart layout settings, so can be used in any size.

Complex buttons use assets and supplements, so they are highly customizable to use in a wide range of custom button needs.

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**





**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**A Single Card With Several Assets**



35



Text-Icon-Inactive

**Lorem ipsum dolor sit  
amet.**



Card Action



21

Basic-Large

In quo ignorare vos arbitrer,  
sed quia consequuntur magni  
dolores.

The library provides classic outlined form fields in 3 sizes.

Each field type has an icon version aligned to left.

Text fields have right icon and text align versions.

All fields except select fields have a placeholder cursor foundation to simulate focus state.

Jane Smith

jane.smith

Common



10

Floating-Textarea

Lorem ipsum dolor sit amet

210602

Dropdown-Icon

26

Text Being Typed

2

2

2

2

2

2





7. Declarative

Your message

T-50

March

2

5

5

4







21:1

17



7

5

4

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

September



7. Declarative

The library also have separate text styles for long text contents such as articles and blog posts.

These styles are named according to their HTML equivalents and have little more line heights than basic texts to provide better readability.

#0060D859 • rgba(0,96,216,0.35)

10

10

10

10

10

10

10

10

10

10

10

CECECE





Textarea-Basic-Dummy





**Blockquote**

Lorem ipsum dolor sit amet

**Thick-zones**

**Mandatory**

11

15

column



Lorem ipsum dolor sit amet,

consectetur adipiscing elit.

**F**

E-30

4

Button

Library have separate text styles  
for various button types and their  
disabled states.







31



Select-Basic-Activated

Icon-Left-Small

12

same assets same assets

Six

Six

Six

Count-Icon



Hiearchical-4



**Destructive Buttons**



**Lorem ipsum dolor sit  
amet.**

Color System

December





1

5



Library have 3 type of chip molecules with their removable alternates.

The customizable structure of chips make them possible to be used in a wide range of cases such as tags, badges, selection options, filtering criterias etc.

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

3

2

T-5060

Alert Title

Alert Title

Alert Title

0.5



SearchCriteria

1. Black

E-5040

996FOD



7







Focus

one

one

one



2

3

7

W

**Large / Bold**

**Customizing**

**Symbols**

Lorem ipsum dolor sit



In oculis quidem se ipsam  
voluptatem, quia consequuntur  
magni dolores.

Field helper







**F**



F2F7FD



3

6

Placeholder Text Placeholder

Category Page



Default - Disabled



Field helper

**Lorem ipsum dolor sit  
amet.**



Button Action



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit. Sed ultricies, massa quis  
iaculis laoreet.

Modal Title

**Pharagraph**

seniBoid

1

**X-Small / Heavy**



Textarea-Icon-Activated

**XX-Small / Regular**

Default

#FFFFFF59 • rgba(255,255,255,0.35)

valid input Text



Text styles

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.



W

**CardCrouseIs**



29

14

02

Lorem ipsum dolor sit amet

**Tooltips**

**tooltips**





**Lorem ipsum dolor sit**

**amet.**

634808

S-10



Buttons



**F**



Focused

7

5

7

5

7

5



CATEGORY

Lorem ipsum dolor... Lorem ipsum dolor...

Text Being Typed







30



Canceled

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

**T**



Alternates

Lorem ipsum dolor sit



**Common Fields**

**Large / Heavy**

40



Button



S - 80

130



30



Dashed-Tin

Activated Input Text

3

**May**

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**Default View**





0

1

5

31

# List - Bulleted

2

4

8

Lorenipsum dolor

15

18

18



A-Bottom

Card Action

**Card Footers**

**Lorem ipsum dolor sit  
amet.**

**Small / Heavy**

FFFFF66

**T**

Informative





10

4. Secondary Secondary

Fiddled Laddell \*



**Smart Buttons**

12

1



#00000033 • rgba(0,0,0,0.2)

Modal Title

**CommonCards**

Background

7

And supplements...

#

1

2

7

3

E

O

3



7

15

20







3

6





Cards

**All same group molecule with different helper asset.**

6. Affirmative

#000000B3 • rgba(0,0,0,0.7)

6

13







Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem nunc ullamcorper lacus, sed consequat quam justo quis est. Donec ut molestie ligula. Morbi leo leo, sagittis vestibulum libero id, congue feugiat ipsum. Suspendisse quis est turpis. Aliquam erat volutpat. Morbi accumsan ut risus et consequat. Donec eleifend turpis eu lacus tincidunt malesuada. Sed ut massa quis lectus sodales faucibus vel id eros. Nunc ullamcorper massa sed urna venenatis, eget tincidunt nibh ullamcorper. Interdum et malesuada fames ac ante ipsum primis in faucibus.

List Items

31

Notification Title

16



6. Affirmative

**T**wo

two



39

**Divider**

Howard Field Label

Informative

26



**Field Styling**

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.



Select-Icon-Inactive



13



Hovered Input Text

**XX-Small / Heavy**

Placeholder Text Placeholder

Deconstructive



Lorem ipsum dolor sit amet

22

November

5

Disabled Input Text

45

Vertical-Label-Smart

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.



Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.



Current Page



F2FOR2

12

3



032D33

T

=

4

0

10

DBCCAA

Default

3

4

3







Child Page

T-5030

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Notification Title





011316



E-5010

**input**

**Lorem ipsum dolor sit  
amet.**

2



20%

E-20

Seven

Seven







25



Placeholder & Typing Views

11

24

Floating-Smart

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



FADFD B

Primary

Divider

The library provides Material style floating label form fields.

Each floating label field have inactive and activated state symbols separately.

Inactive states have mandatory foundations which moves along the label text using Sketch's smart layout feature.

All active state symbols except select fields have placeholder cursor foundation at the beginning of the input text.

Text fields also have a typing cursor foundation which moves along the input text using Sketch's smart layout feature.



Picker-Horizonta



Hiearchical-1



Dashned-Thnick

Vertical-Default-Textarea

64A3EA



11

Horizontal-Smart

Placeholder Text

**Dashed-Zone**





06284E

1

**F**

23

# Default



# Table of Contents



Blur-Default

Slim-Basic

5

#0B8294

Disabled Input Text



1273EO

2

0



Placeholder Text

Placeholder, Typing



Dashed

2

3

7

4. Secondary



19



OOOOOOB3

Inverses

Atomic Approach

Bottom

Download Now

Notification Title

282828

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**







F8 F8 F8

**Making a Primary Button Symbol by Nesting**

2

5

S

**F**





Placeholder Text



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.  
Fusce at dolor velit.

14



And supplements... And...

Dim-Default

3. Primary



2



18

Vertical-Default-Smart

23

Placeholder Text



# Common Buttons for Custom Width



1



**T**



27

11



Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.



Basic-Small



Six

Six

Focused

**Modals**

**Regular Cards**

**Messages &**

**Comments**









Type something

<https://unsplash.com/@ashnta>

4

6

# Field Constraints



Lighthouse Lighthouse



**Floating Labels**



**Code**



S-70

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

30



Do Anything With Complex Buttons



**KEEP SYMBOL MASTERS ON THIS PAGE!**

22

Activated Friedlander

Alert Title

#D8303059 • rgba(216, 48, 48, 0.35)

**Article Text**

**Affirmative**





**All same notification molecule**

Lorem ipsum dolor sit amet

Lorem ipsum dolor sit amet, consectetur  
adipiscing elit.

20

Group Header

**XX-Small / Bold**

Özgür Güneş

Swipe-Delete



3

2

4

8

F2F8F9

Placeholder

3



Default Input Text

22



Lorem ipsum dolor sit  
amet, consectetur  
adipiscing elit.

S

148

# Default Buttons

29



50

same assets



**Lorem ipsum dolor sit  
amet.**



Three

three

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.

16

Lorem ipsum dolor sit amet,

consectetur adipiscing elit.

**Lorem ipsum dolor sit  
amet.**

**Lorem ipsum dolor sit  
amet.**





18



Link - Disabled

FFFFFF80



20

8

**T**









24

49

**XX-Large / Regular**

Widget-Large

033003



Default-Base



2

James Smith

**XX-Small / Light**

Selected Option

FOUR

8





Icon



Dropdown-Large

Eight

19







55

Two

Two

4



20

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.  
Fusce at dolor velit. Sed  
ultrices, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam  
justo quis est. Donec ut  
molestie ligula. Morbi leo leo,  
sagittis vestibulum libero id,  
congue feugiat ipsum.  
Suspendisse quis est turpis.  
Aliquam erat volutpat. Morbi  
accumsan ut risus et  
consequat. Donec eleifend  
turpis eu lacus tincidunt  
malesuada. Sed ut massa quis  
lectus sodales faucibus vel id  
eros. Nunc ullamcorper massa  
sed urna venenatis, eget  
tincidunt nibh ullamcorper.  
Interdum et malesuada fames  
ac ante ipsum primis in  
faucibus.

Lorem ipsum dolor sit amet, consectetur...

1.56 MB



22

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Field helper

T-30





Icon-Left-Large

14



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.

A - Left

<https://unsplash.com/@ashnta>

T-5080

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



**Lorem ipsum dolor sit amet, consectetur  
adipiscing elit.**





**Lorem ipsum dolor sit amet, consectetur  
adipiscing elit.**

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

CATEGORY

E-5060

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**X-Small / Regular**



utility



3

2



Card Action

Card Action

29



16

Disabled



E=mc<sup>2</sup>





Trick





ghost

Placeholder Text

The library provides several functional background atoms to make molecules, organisms and templates highly customizable with symbol overrides.

It is possible to change a component's corner radius, mixing gradients, adding shadows or even create new colors with just overriding and styling the background atom of it.

**Lorem ipsum dolor sit amet,**

**consectetur adipiscing elit.**

FFFFFF26



Regular-Label



Hiearchical-5

S

PlaceholderText

10%

**Cursor**





Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Fusce at dolor velit.

E-80

28



There are 6 contextual button styles with their states.

The library also have 5 additional button styles for custom needs.

Neumorphic buttons also created for experimental purposes by using Sketch specific shadow and layer blend features to use on any background color.



28



Aenean sollicitudin elit tellus, nec  
fermentum ligula porta et.



A-Right

Invalid

5

3



25

DAEC EF



31

7





All same calendar molecule



9

THIS PAGE SHOULD STAY EMPTY TO AVOID DUPLICATES!

IF THERE ARE ANY SYMBOL MASTER ON THIS PAGE, IT IS MOST  
LIKELY BEEN COPIED AND PASTED FROM ANOTHER DOCUMENT.





Resending in

5

23



2

8

#0060D8FF • rgba(0,96,216,1)

AGD6A9



21



352604





CATEGORY









**Inverse T5**











Four

Four



# Notifications





Each color have own post styles  
with 6 different fills.

Post lines created by -1 px inner  
shadow on X axis in base color  
with 50% transparency.

PT Mono

18

**Inverses**

**Using Spinners Instead of Icons**



**R-out**

**Inverse T4**

Some Examples

and supplements...





EO2012

Card Action





Tootip Title

Card Action

Card Action

1. The quick brown fox jumps over the lazy dog.



Widget-Small

Content Tag





10

10

10

10

10

10

10

10

10

10

