# 





#### **AGENDA**



- Amazon Machine Image (AMI)
- Snapshot









#### What is AMI?











- An Amazon Machine Image (AMI) is used for the launching an virtual instances in the AWS environment.
- AMI are like templates that are configured with an operating system and other software, which determine the user's operating environment.
- You can copy an AMI. So you can launch multiple instances from a single AMI with the same configuration.






EC<sub>2</sub>










O

Types of AMIs









## **Snapshot**What is Snapshot?






- It is a point-in-time copy of your Amazon EBS Volume/Instance
- Snapshots are used for the purpose of
  - Backup
  - Copying AMI for creating multiple instances with the same features.
  - Creating a new Volume



Features of the Snapshot



- Source from Volume or Instance
- Stored in Amazon S3
- Incremental storage
- Data Lifecycle Manager (DLM)








O

Lifecycle of Snapshot










Incremental Backups

32 GIB vs. 16 GIB







State 3 - 2 GiB added

Vol 1

6 GiB

= 12 GiB

Snapshot A = 10 GB


Snapshot B = 4 GB Changed + Referred 6 GB Snapshot A

Snapshot C = 2 GB Added + Referred 6 GB Snapshot A + 4 GB Snapshot B



O

Data Lifecycle Manager (Amazon DLM)






**RETENTION=5** 







Data Lifecycle Manager (Amazon DLM)





TUESDAY 03:00 AM

WEDNESDAY 03:00 AM

THURSDAY FRIDAY 03:00 AM 03:00 AM
















**TUESDAY** 03:00 AM

03:00 AM

WEDNESDAY THURSDAY FRIDAY 03:00 AM 03:00 AM















03:00 AM



WEDNESDAY 03:00 AM

THURSDAY FRIDAY 03:00 AM 03:00 AM

SATURDAY **SUNDAY** 03:00 AM 03:00 AM
























Data Lifecycle Manager (Amazon DLM)- Backup and Restore





#### Snapshot AWS Backup





AWS Backup is fully managed service that centralizes the all backup process in your project including.





#### Encryption of Root Device via Snapshot




- Root device (volume) cannot be encrypted after creation. "How to encrypt unencrypted volume after after creation" is a common question that can be asked in certification exams!
  - Take snapshot of unencrypted volume.
  - Copying the unencrypted Snapshot,
  - You are able to encrypt this Snapshot while coping
  - Create an encrypted volume from this copied Snapshot.



#### Golden AMI



- A golden AMI is an AMI that contains security patches, configuration, and agents required to by an organization. A "just enough OS" (jeOS) is the most basic golden AMI.
- It may also contain specific software components that make it easier and faster to start-up an instance.







#### Let's get our hands dirty!

- Create Snapshots
- Make Public The Snapshot
- Data Life Cycle Manager
- Creating AMI from the Snapshot
- Creating Volume from the Snapshot
- Creating an Image from Instance





## THANKS!

**Any questions?** 

