Seldon Manifolds — Theory

The Geometry of Reachable Futures

Matthew Parslow
Independent Researcher

Draft — draft-2026-08-28
28 August 2026

DRAFT — draft-2026-08-28 (28 August 2026). This document is under active revision and is circulated for comment, not as a finished result. Definitions, numbering and claims may change between drafts; cite the version string above if referring to it. Sections marked as falsifiability commitments are the intended points of attack.

Abstract

Graphic Equalisation requires only admissible continuation and deterministic collapse. It does not require a graph or containing frame to represent unrealised futures as an object. This paper studies the additional structure that appears when a frame represents the futures that remain distinguishably reachable under counterfactual admissible interventions and represented future boundary conditions. The resulting object is the *Seldon manifold*: a frame-relative, horizon-relative, resolution-relative representation of reachable future state or history.

The construction is deterministic at substrate level. A Seldon manifold is not a probability distribution over multiple outcomes of one causally complete antecedent. It is a representation of different deterministic continuations obtained under different admissible interventions, future interactions, or unresolved containing conditions represented by the frame. If all causally relevant future conditions and interventions are fixed, the represented continuation collapses to one trajectory.

The manifold need not be smooth or continuous; "manifold" denotes structured reachable geometry. Its dimensions are instantiated only where represented, its values are discrete at operative resolution, and its quantisation may change dynamically. Two distinctions are developed at length: what such a projection is a projection *over* — the *undetermined*, which collapse has yet to fix, as against the *undisclosed*, which is realised but not held by this frame — and *causal depth*, the additional determining structure supplied by containing frames rather than by earlier times. Goals, where represented, define acceptable subsets; Muchness measures retained distinguishable future possibility; irreversibility removes reachable distinctions; and control deforms the reachable geometry. No primitive is added to graphhood.

1 Scope and relationship to prior work

Reachable sets, viability kernels, capture basins, invariant sets, dynamic programming, Hamilton–Jacobi reachability, and model-predictive control are established parts of control theory and applied mathematics (Bellman, 1957; Aubin, 1990, 1991; Mitchell et al., 2005; Bansal et al., 2017; Rawlings et al., 2017); this paper claims none of them as new, and its contribution is their placement inside the Graphic Equalisation frame architecture, stated in full in Section 21.

2 Dependency on Graphic Equalisation

Reading for the claim. As in the foundational paper, the components used here are individually established and cited as such; the claim is their arrangement, which is not reachable by evaluating those components separately, since they are stipulated to be known. The composition's own falsifiability commitment is stated in the foundational paper and is inherited here.

Let

$$G_t = (g_t, r_t, \Gamma_t)$$

be a realised graph in individuating frame W_k, and write

$$\mathcal{F}_{k,t} = (G_t, W_k).$$

Graphic Equalisation supplies a deterministic realised transition once the causally complete antecedent configuration is fixed. It also distinguishes immediate admissible possibility from realised collapse:

$$G_t \longrightarrow \mathcal{A}(\mathcal{F}_t) \xrightarrow{\mathcal{C}_t} G_{t+1}.$$

This paper asks what follows when a frame represents recursively reachable continuations over a horizon rather than only the realised next step.

3 Determinism and counterfactual reachability

Proposition 3.1 (Deterministic reachability)**.** *A Seldon manifold does not require stochastic substrate dynamics. For a fixed causally complete antecedent configuration and a fixed future sequence of admissible interventions and containing interactions, Graphic Equalisation yields one realised continuation. Multiple points or histories in a Seldon manifold correspond to different counterfactual future conditions represented by the frame, not multiple random outcomes of one identical complete cause.*

Let $\mathbf{u} = (u_t, \ldots, u_{t+h-1})$ denote an admissible intervention sequence and $\mathbf{b} = (b_t, \ldots, b_{t+h-1})$ a represented sequence of future boundary conditions or containing interactions. For a deterministic transition law T, a future history is generated recursively by

$$G_{j+1} = T(G_j, u_j, b_j).$$

The frame need not know which $\mathbf{b}$ will be realised. Its uncertainty about that sequence may be represented probabilistically if useful, but probability is an epistemic overlay on the reachable family rather than a primitive of the Graph Law.

Corollary 3.2 (Singleton under complete fixing)**.** *If the frame fixes the causally complete antecedent, all future interventions, and all causally operative future containing conditions over horizon h, then the Seldon manifold contains one distinguishable continuation at that resolution.*

This distinction is important because classical reachability and viability theory often permit disturbances, controls, or differential inclusions to generate sets of possible states (Aubin, 1991; Mitchell et al., 2005). The Seldon construction can represent the same set-valued geometry without interpreting that set as fundamental stochasticity.

4 Standing of the construction

Before the definitions, a boundary on what is being claimed, because the natural reading of what follows is stronger than the position of this paper.

Remark (Succession does not require an observer). Realised change, and the succession its enabling-order carries, exist independently of any frame representing them. Graphic Equalisation withholds even a ratchet-mechanism over the changes — succession is a relation carried by which change enables which, not an engine the substrate runs — but that order is substrate-level regardless of any observer. Seldon manifolds, by contrast, are *optional observer or agent machinery* for representing reachable unresolved continuations. Nature does not have to run a Seldon manifold in order to evolve.

Remark (The horizon is doubly observer-relative). The horizon h is not a substrate quantity. By Graphic Equalisation's Axiom on time, the substrate has succession and no time dimension; a temporal dimension exists only where a frame instantiates one to represent that succession. So h is measured in a dimension the observing frame constructed, and indexes a manifold the same frame constructed. Both the ruler and the thing measured are observer machinery, and neither is a claim about what the world contains.

Remark (Higher machinery is frame-relative, not substrate-required). The same holds of every construct in this paper and its successors: manifolds, undetermined counts, inferred futures, Narrative, and Narrativium are first-class quantities *only in frames that instantiate the relations defining them.* They are not universal substrate requirements, and their absence from a frame is not a deficiency of that frame's dynamics.

These remarks are load-bearing for the falsifiability commitments in Section 22: a claim about what an agent's representation supports is not a claim about what the world must contain.

5 Dimensions, values, and resolution

Definition 5.1 (Represented dimension)**.** *A dimension D of a Seldon representation exists in frame $\mathcal{F}$ only where the frame instantiates the relation needed to distinguish values along D. If that relation is absent, D is undefined in that frame; it is not present with value zero.*

Thus

$$D : \text{NULL} \longrightarrow D \in \mathcal{F}$$

is a dimensional instantiation, whereas

$$D = 0$$

is a value statement made only after D exists. This preserves the dimension/value distinction established by Graphic Equalisation.

Definition 5.2 (Resolution)**.** *Resolution ρ specifies which distinctions on instantiated dimensions the frame currently treats as distinguishable in represented future structure.*

Resolution is discrete but may vary dynamically:

$$\rho = \rho(x, h, t, D).$$

No globally fixed lattice, common scale, or continuous coordinate system is assumed. A grounding may map integer state indices into arbitrary physical scales.

Let $\sim_\rho$ denote "indistinguishable at resolution ρ". The quotient

$$\mathcal{Q}_\rho(X) = X/\!\sim_\rho$$

collects states or histories into the distinctions the frame can currently resolve.

Remark (These are the aperture, decomposed). What the foundational papers call a frame's *aperture* — the bound on what it can distinguish at all — appears here under several names rather than one. The horizon h bounds how far forward it reaches, the resolution ρ how finely it

separates what it reaches, and the represented dimension set which properties it can separate along; a blind spot (Definition 9.4) is a further deficit again, and not a coarser reading of the same one (Remark 9).

The decomposition is deliberate and should not be collapsed back. An aperture is not one dial: two frames may match on resolution and differ on horizon, or share both and differ on which dimensions they instantiate at all, and those are different limitations with different consequences. Different agents accordingly hold different manifolds of the same situation — not better and worse approximations to one manifold, since there is no frame-free manifold for them to approximate.

This extends to everything defined over a manifold and not only to its extent. A field is defined where the frame instantiates the dimension it is a field of, and is NULL elsewhere rather than large, so two frames may agree on which futures are reachable and still disagree on what those futures cost, or on whether cost is a thing they represent at all.

6 The Seldon manifold

Definition 6.1 (Seldon manifold)**.** *For frame $\mathcal{F}_t$, horizon h, and resolution ρ, the Seldon manifold*

$$\boxed{\mathcal{S}_{h,\rho}(\mathcal{F}_t)}$$

is the structured representation, at resolution ρ, of future states or histories reachable from $\mathcal{F}_t$ over horizon h under the admissible counterfactual intervention sequences and represented future containing conditions carried by that frame.

Equivalently, if $\mathcal{U}_{t:h}$ is the represented family of admissible intervention sequences and $\mathcal{B}_{t:h}$ the represented family of future boundary-condition sequences, then schematically

$$\boxed{\mathcal{S}_{h,\rho}(\mathcal{F}_t) = \mathcal{Q}_\rho(\{\mathcal{H}_{t:t+h}(\mathbf{u},\mathbf{b}) : \mathbf{u} \in \mathcal{U}_{t:h},\ \mathbf{b} \in \mathcal{B}_{t:h}\})\,.}$$

The term *manifold* is operational rather than differential-geometric. Depending on the grounding, $\mathcal{S}$ may be represented as a reachable set, graph, viability kernel, capture basin, branching history structure, automaton, cell complex, or another object preserving the relevant reachability relations. Viability kernels and reachable sets are therefore direct mathematical predecessors (Aubin, 1990, 1991; Szolnoki, 2000; Mitchell et al., 2005).

Proposition 6.2 (Immediate possibility is not future geometry)**.** *Γ_t constrains local admissibility, whereas $\mathcal{S}_{h,\rho}(\mathcal{F}_t)$ represents recursively reachable structure over a non-zero horizon. The two coincide only in a grounding where the chosen horizon and representation reduce reachability to one local transition.*

7 Projection and recursion

The Seldon manifold may be viewed as a projection of recursively composed admissible transitions, but the future transition structure must be generated from each counterfactual successor rather than read as though the actual future were already known. Thus a schematic recursion is

$$\mathcal{S}_{h+1,\rho}(\mathcal{F}_t) = \mathcal{Q}_\rho\left(\bigcup_{\delta \in \mathcal{A}(\mathcal{F}_t)} \text{Extend}\left(\delta, \mathcal{S}_{h,\rho}(\mathcal{F}_{t+1}^{(\delta)})\right)\right),$$

with boundary contingencies included in δ or in the successor frame as required by the grounding.

This is extensional. It does not require an implementation to enumerate every individual trajectory. Dynamic programming already exploits recursive state structure rather than recomputing complete histories independently (Bellman, 1957); set-based reachability methods

similarly represent families of trajectories through shared geometric structure (Mitchell et al., 2005; Bansal et al., 2017).

8 Dynamic quantisation and temporal foveation

Hypothesis 8.1 (Adaptive resolution)**.** *For bounded representation, an effective future model assigns finer distinction where additional resolution materially changes reachable, acceptable, or controllable outcomes, and coarser distinction where refinement would not alter any operative decision.*

Thus $\rho(x, h, D)$ may increase where unresolved distinctions become decision-relevant. Near and distant horizons may use different quantisation, as may relevant and irrelevant spatial, causal, or conceptual regions. New dimensions may also be instantiated when a previously absent distinction becomes operative; this is not a change from value zero but a change in representational dimension.

Adaptive mesh refinement provides an established computational analogue: resolution is recursively concentrated where local error estimates justify the additional cost (Berger and Oliger, 1984). The Seldon hypothesis differs in criterion—decision relevance rather than numerical truncation error—but shares the principle that uniform resolution is not mandatory.

The efficiency reading above is the weaker of two, and the stronger one is what the rest of this paper rests on. A frame at resolution ρ does not occupy a point that it represents coarsely; it occupies a cell, and at its own grain there is no finer fact about where it is. Its destination is a region in the same sense — movement is toward *there*, not to a coordinate — which is why the acceptable manifold was a region from the outset rather than a target with a tolerance band.

The distinction from a probabilistic reading matters and is easily lost. A distribution over states represents uncertainty about a point that exists; a cell represents the absence of a finer fact at that grain. The first has a hidden variable and the second does not, and only the first can be resolved without changing the grain.

This is where the analogy to adaptive mesh refinement stops, and the stopping point is interpretive rather than mechanical. A mesh refines toward a solution that exists independently of it, with error measured against that solution. Dynamic quantisation has no such referent: the cells are generated by the frame rather than sampled from an assumed continuum, so at a frame's own grain there is nothing for its regions to be approximations to. That is what allows two frames to hold genuinely different manifolds of one situation rather than differently-accurate approximations to a manifold neither of them has.

The generating pressure has to come from the right gate, and the foundational paper is strict about which. What falls below a frame's aperture never enters and is *absent*, leaving no direct residual — so refinement cannot be driven by a finer signal arriving, which would presuppose exactly the finer referent being denied. It is driven instead by incoherence at the grain already held: a cell whose occupants are observed to yield inconsistent successors has admitted something its change grammar cannot reconcile, and that failure is detectable without anything finer than a cell ever being observed. Splitting such a cell is licensed by what did enter and could not cohere, per dimension.

The mechanism so described is available from the literature already cited, and none of it is claimed here: error-driven refinement is adaptive mesh refinement's own criterion (Berger and Oliger, 1984), inconsistency-driven splitting of aggregated states is variable-resolution discretisation (Munos and Moore, 2002), and description length supplies a stopping rule (Rissanen, 1978). What is not available there is the interpretation — that no referent continuum stands behind the grain — and that interpretation, not the refinement machinery, is what this construction adds here.

9 Unresolved structure, and the present as a limit

Graphic Equalisation distinguishes four states of a dimension in a frame: NULL (not instantiated), undetermined (instantiated, no value realised), undisclosed (realised, not held by this frame), and resolved. That distinction is what the horizon-dependence of a Seldon manifold is actually about, and *which* of the two middle states is at issue determines which object one is talking about.

Definition 9.1 (Undetermined count)**.** *For frame $\mathcal{F}$ and projected horizon h, let*

$$U_{\mathcal{F}}(h)$$

be the number, or more generally the structure, of instantiated undetermined *dimensions in the frame's projection at that horizon — dimensions for which no value has been realised. NULL dimensions are excluded, being no variables at all;* undisclosed *dimensions are also excluded, being already determined.*

Remark (A manifold and a blind spot are different deficits)*.* A Seldon manifold is a projection over the *undetermined*: it represents continuations that have not been realised, and its width is the structure of what collapse has yet to fix. A blind spot (Definition 9.4) is a limitation over the *undisclosed*: the value exists and this frame does not hold it.

The two are frequently conflated under "uncertainty" and behave differently under every operation that matters. Undisclosed structure can be obtained — by observation, by another frame's report, or by inference from surrounding relations. Undetermined structure cannot be obtained by any of those, because there is nothing yet to obtain; it is settled only by collapse. A frame that improves its access reduces the second and leaves the first untouched.

Proposition 9.2 (The present is $U_{\mathcal{F}} = 0$)**.** *The present is the collapse boundary at which every instantiated undetermined dimension relevant to that collapse has been determined,*

$$\boxed{U_{\mathcal{F}} = 0,}$$

and as the projected horizon approaches the present,

$$U_{\mathcal{F}}(h) \longrightarrow 0.$$

Future distance in a Seldon manifold is therefore not merely geometric resolution. The operative quantity is *undetermined* structure — not what the frame has failed to observe, but what has not yet been settled.

Definition 9.3 (Observer-relative determinability)**.** *Let $D_{\mathcal{F}}(h)$ be the fraction, or measure, of determining structure resolved in-frame at horizon h, with*

$$\lim_{h \to 0^+} D_{\mathcal{F}}(h) = 1, \qquad D_{\mathcal{F}}(0) = 1.$$

Remark (What is changing, and what is not)*.* The Graph Law is deterministic throughout, at every horizon. What varies with h is how much determining structure is *resolved in-frame*. It is therefore incorrect to say that the universe becomes more deterministic as the present is approached; determinism is not a quantity that varies. The observer's determinability does.

Consistently with Graphic Equalisation's distinction between *determinable* and *determined*, a continuation may be fully determinable from present structure without having been realised. The manifold represents determinable continuations; collapse produces determined ones.

Definition 9.4 (Blind spot)**.** *A frame may fail to observe a projected region directly while still constraining its continuation through relations around it. Three states must therefore be distinguished:*

$$\boxed{\textit{directly resolved} \neq \textit{unresolved} \neq \textit{occluded but inferable.}}$$

A blind spot is a limitation of access, not a hole in reality, and an occluded-but-inferable region is not epistemically equivalent to an unapproached one. Collapsing the two discards the surrounding constraint.

All three states in Definition 9.4 concern the *undisclosed*: in each case a value has been realised and the question is only how much of it this frame can reach. None of them is a statement about the undetermined, and a projection that mixes the two will report a manifold width that no amount of observation could ever reduce, or an occlusion that no observation could ever resolve.

10 Reachability rather than point prediction

Point prediction seeks

$$\widehat{\mathcal{F}}_{t+h} \approx \mathcal{F}_{t+h}.$$

The Seldon formulation instead asks which futures remain reachable under the represented counterfactual family:

$$\mathcal{F}_{t+h} \in \mathcal{S}_{h,\rho}(\mathcal{F}_t).$$

This emphasis is close to viability and Hamilton–Jacobi reachability, where the central objects are sets of states that can remain safe, reach targets, or avoid undesirable regions under admissible inputs (Aubin, 1991; Mitchell et al., 2005; Bansal et al., 2017). A point forecast can still be useful, but it is a statistic or selected continuation over the reachable structure rather than the primary object.

11 Acceptable futures

Goals are optional represented capabilities.

Definition 11.1 (Acceptable manifold)**.** *Where a frame represents goals, viability conditions, risk bounds, or constraints,*

$$\boxed{\mathcal{G}_{h,\rho}(\mathcal{F}_t) \subseteq \mathcal{S}_{h,\rho}(\mathcal{F}_t)}$$


is the subset of reachable futures satisfying them.

This overlaps directly with viability kernels and feasible regions in constrained control and model-predictive control (Aubin, 1991; Rawlings et al., 2017; Cunis and Kolmanovsky, 2021). The Seldon terminology is broader because the acceptable subset may be defined over any represented future distinctions, not only a conventional continuous state space.

Figure 1 draws the construction.

Proposition 11.2 (Minimum intervention in a safe interior)**.** *Suppose the represented no-intervention alternative exists and its continuation remains within the acceptable manifold over the decision horizon. If every non-trivial intervention has non-negative cost and no independent objective rewards intervention itself, then a positive-cost intervention cannot dominate the no-intervention alternative solely by preserving acceptability.*

Remark. "No intervention" here is an instantiated alternative with a defined consequence, not NULL (Definition 5.1); the proposition does not identify absence with a zero-valued action.



Minimum intervention. If the no-intervention continuation stays inside $\mathcal{G}$ over the decision horizon, and every non-trivial intervention has non-negative cost, then intervening cannot dominate simply by preserving acceptability.

OBSERVER MACHINERY. This is a representation a frame may construct, not a structure the world contains. The temporal ratchet runs without it; nature does not have to compute a reachable set in order to evolve. Horizon distance here is unresolved structure ($U_{\mathcal{F}}(h) \to 0$ as $h \to 0$), not geometric distance — and the law is deterministic at every h.

THEORY FIGURE. The reachable set drawn here is not instrumented in the reference substrate: one call site audits ONE candidate trajectory, and the admissible-move enumeration is never composed with a deformation metric. Until they are joined, this geometry is a claim about what such a composition would compute — not a picture of a measurement.

Figure 1: The Seldon manifold, its acceptable subset, and the minimum-intervention proposition. The reachable set is a representation a frame may construct (Remark 4), not a structure the world contains.

12 Goal direction

Where local direction is meaningful, let $\mathbf{g}_t$ be a represented preferred direction through the acceptable region. A grounding may write

$$\mathbf{v}_{\mathcal{S}} \cdot \mathbf{g}_t > 0$$

for progress. No differentiable structure is required by the substrate; a graph grounding may instead use an ordering or directed edge relation.

13 Fields over the manifold

The manifold as defined says which continuations are reachable. It does not say they are equally easy, and they are not. A manifold therefore admits scalar fields over it, as many as the frame instantiates, and the geometry of those fields carries as much as the extent does. Which fields a frame holds is a fact about its requirements rather than about the substrate, on the same optional-machinery discipline that governs represented dimensions generally (Remark 4). Three are named below because the companion papers supply them and the rest of this account uses them; the set is illustrative and not closed.

Definition 13.1 (Cost field and contours)**.** *Where the frame instantiates the relevant dimension, let $C_{\mathcal{F}}$ assign to each continuation in $\mathcal{S}_{h,\rho}(\mathcal{F}_t)$ the cost, in that frame's terms, of reaching it; where it does not, the field is* NULL *there rather than large (Definition 5.1). Its sublevel sets $\{C_{\mathcal{F}} \leq k\}$ are the within-budget regions and their boundaries the* contours*. A* basin *is a region closed under cheapest successors — every continuation in it has its cheapest successors in it — and minimal with that property, so that leaving one requires paying above the cheap flow within it.*

Remark (Relation to prior work on cost landscapes)*.* A scalar field over states summarising the cost of reaching them is standard: read forward it is the label of a shortest-path computation,

and its dual read backward, cost-to-go over continuations, is the value function of dynamic programming (Bellman, 1957). Sublevel sets of a Lyapunov function as invariant regions of attraction are textbook (Genesio et al., 1985), and the volume of a basin has since been made a quantitative stability measure (Menck et al., 2013). Descent on a potential with local minima as the characteristic failure is the artificial potential field (Khatib, 1986), and the standard remedy already uses the mathematics named next (Rimon and Koditschek, 1992). A graded field over an agent's own reachable trajectories is older than either, and the earliest is also the closest: the driver's *field of safe travel* is spatial, organism-relative, and bounded by what the driver can still do (Gibson and Crooks, 1938). The developmental-landscape metaphor is a separate lineage with several inequivalent rigorous constructions (Zhou and Li, 2016).

The *topology* of such a field is likewise solved, with one caveat about which version applies. How sublevel-set topology changes at critical points is the content of Morse theory (Milnor, 1963), whose hypotheses — a smooth function with non-degenerate critical points — this paper's object does not meet, its values being discrete at operative resolution. The applicable machinery is therefore the discrete form (Forman, 1998), with persistence and the merge tree for basins coalescing under a rising threshold (Edelsbrunner et al., 2002; Carr et al., 2010). This paper relies on that work and adds nothing to it.

Two properties of the cost field matter for what follows. The first is that it has a default direction of travel, and the reason is not that doing nothing is free. It is the companion law's: continuations reusing surviving structure are the cheapest, and that structure carries the frame along rather than holding it at a point, so a frame that does nothing is carried down its cheapest continuation. The descent is where the narrative goes — a pattern the foundational paper holds at the strength the evidence supports rather than a universal of the substrate.

The second is that basins are where the substrate's persistence phenomena live. A frame inside one returns to it under every cheap continuation and leaves only by paying the ridge; structural lock-in is a basin read from above, and the *capacity contour* is the contour beyond which the required payment exceeds what the frame has — a different object from the projection horizon h, which bounds depth rather than payment. Whether a basin holds a given frame is therefore a property of the basin against that frame's capacity, which is why one landscape confines one frame and not another.

The second field, and what a trap is

A cost field alone is not the whole of it, and taking any fixed set of fields for the whole is the error the construction most invites. Cost is a flow — what reaching a continuation takes — while what may matter equally is the state left behind it: the capacity a frame expects to hold *after* arriving. That field is not new here. It is the companion paper's Narrativium, and this paper takes it from there rather than defining a second one: write $N_{\mathcal{F}}$ for its value over the continuations in $\mathcal{S}_{h,\rho}(\mathcal{F}_t)$, subject to the same instantiation condition as $C_{\mathcal{F}}$. The flow/state contrast, the construction of N as a measure over a reachable deformation set, and its deformation-class typing all belong to that paper; what is used here is only that the field exists over the same manifold as the cost field.

The two collapse into one field wherever capacity is purely depletive, so that what remains is what was held less what was spent. The companion account establishes no such law and exhibits transitions that net-gain, so the fields are not in general reducible to one another — though it also names groundings that do supply a conserved accounting, and there the two coincide. What their divergence buys is the representation of two cases a single field cannot carry: an expensive continuation that raises capacity, and a cheap one that lowers it.

Definition 13.2 (Trap)**.** *For frame $\mathcal{F}$, a* trap *is a basin of $C_{\mathcal{F}}$ along whose cheap descent $N_{\mathcal{F}}$ falls below the cost of the ridge — so that by the time the frame would leave, it can no longer pay to. The direction is the descent's, not time's, and the condition is a comparison rather than*

a monotonicity: capacity merely declining is not enough, and capacity declining from a great height may never reach the threshold. A basin is a place the cheap path returns to; a trap is a basin whose occupancy erodes the means of leaving it. The comparison is between the two fields and cannot be stated within either.

Remark (Relation to prior work on capacity fields and traps). A second field measuring what an agent can still do is well occupied. Attainable utility preservation penalises change in an agent's ability to achieve each of a set of auxiliary objectives (Turner et al., 2020); power is a state functional averaging attainable value over a distribution of objectives, with theorems that, under certain environmental symmetries, average-optimal policies tend to *end up* in option-preserving states for most reward functions — a claim about destinations, which its authors are explicit does not carry to the actions taken along the way (Turner et al., 2021); relative reachability measures how much of the state space survives an action, relative to a baseline (Krakovna et al., 2018); and empowerment is a task-independent scalar of what an agent can still cause and detect (Klyubin et al., 2005). In economics the pairing is older: a second state variable that current action rewrites, with unstable steady states separating basins, is the structure of rational addiction — whose authors claim priority for exactly that bistability (Becker and Murphy, 1988) — and the specific reason offered above for non-collapse, that expenditure can raise capacity, is the human-capital production function (Ben-Porath, 1967). Combining two separately specified scalar functions at runtime, through a quadratic program that mediates their conflict, is ordinary control practice (Ames et al., 2017).

The trap is likewise named elsewhere, repeatedly, and named as a cross-field object: a habitat cheap by cue on which fitness declines is an ecological trap or attractive sink (Robertson and Hutto, 2006; Delibes et al., 2001), which is precisely a cost field and a capacity field pulling apart; the economic case is the poverty trap (Azariadis and Stachurski, 2005).

What is left after that is narrower than an earlier draft of this section claimed, and the two retractions are worth stating rather than quietly dropping. It is not that the capacity field is primitive: empowerment is already independent of any auxiliary objective, and the companion paper constructs N from a reachable set. Nor is it that the trap is cross-field: the ecological literature has that, and it is only the potential-field local minimum — where the descent itself stalls — that the cross-field definition distinguishes it from. What survives is that both fields are carried over *one frame's represented* reachable set under the instantiation condition, which is the commitment set out below rather than a claim standing beside it.

Deformability, and the price of changing the field

The landscape is also something to change: a frame does not only descend a field, it re-shapes the field others descend. Representing that needs one more thing, because contours show where the narrative goes and say nothing about which parts of the terrain will move.

Definition 13.3 (Deformability)**.** *For frame $\mathcal{F}$, the* deformability *of a region is the cost, in that frame's terms, of altering the fields over it — of changing what continuations there cost, or what capacity they leave. Write it $\mathcal{D}_{\mathcal{F}}$: a field in its own right over the same manifold, under the same instantiation condition, and frame-relative like the others, measuring what this frame can move rather than what is movable.*

This is the structure one level up. Changing a landscape is priced, and changing what it costs to change a landscape is priced again; each level is defined whether or not anything can reach it. What finite capacity bounds is not which levels exist but which a frame can act at, so the regress is operationally truncated rather than definitionally terminated — and a frame instantiating no capacity dimension has no economy here to truncate it.

Remark (Relation to prior work on pricing structural change). Pricing the alteration of a system rather than action within it is a mature subfield, and the attractive part of it — that a small

alteration can produce a large change in where the descent leads — is a theorem there rather than an observation, in a sharper form than is convenient here. Under k-implementation an interested party pays to deform a payoff structure so that a desired outcome becomes the agents' own cheap path; and because the payments are promises attached to profiles that rational players then do not choose, k can be zero — the deformation is credible and never actually paid for (Monderer and Tennenholtz, 2004). Shortest-path network interdiction fuses this with the cost field directly: cost over a graph of futures, a budgeted adversary altering arc costs, and a bilevel max–min selection of the budgeted alteration that most lengthens the evader's cheap descent (Israeli and Wood, 2002). Policy teaching modifies an agent's reward function under an incentive budget (Zhang et al., 2009); performance potentials price a perturbation of a Markov process as a field over states (Cao and Chen, 1997; Cao, 1998); agents seeking states of high future capacity combine that field with the last (Salge et al., 2014), and an organism altering its environment so as to change the selective landscape it subsequently faces is niche construction (Odling-Smee et al., 2003). Outside formal control, resilience theory separates *adaptability* — which for its authors covers movement between basins *and* purposeful reshaping of the stability landscape — from *transformability*, which is the introduction of new state variables and so a different space rather than a different landscape over the same one (Walker et al., 2004); and a formal terrain taxonomy over reachable futures — shelters, glades, lakes, backwaters, trenches — has been built from stability-robust variants of viability kernels and capture basins (Heitzig et al., 2016).

The one-dimensional case

The construction is easiest to hold, and hardest to dodge, in one dimension. A zero-dimensional manifold is a point and carries no reachable structure, so one instantiated dimension is the first case in which any of this says anything; and if the fields can be shown not to collapse there, the objection that a second field is only bookkeeping over a rich state space has nowhere to stand.

Take altitude. The manifold is an interval of altitudes reachable within the horizon, at whatever grain the frame's instrument and its purposes fix. The cost field is the energy of getting to each of them, and it is asymmetric in the way the construction predicts rather than by stipulation: climbing is paid for, descending is not, because gravity is surviving structure that carries the frame along its cheap continuation. A frame that does nothing descends, literally.

The capacity field is not that field renamed, and altitude is the cleanest available demonstration of why, because it is stored energy and remaining agency at once and the two come apart at the top. An aircraft's rate of climb falls with altitude and reaches zero at its ceiling; near it, the airspeed envelope narrows between the stall below and the compressibility limit above, until the range of admissible speeds is a few knots wide. High altitude is therefore a great deal of potential energy and very little capacity to change anything — high on one field and low on the other, on the same scalar, with no second dimension available to explain it away. Both non-collapse cases the construction needs are exhibited here in this one dimension: a climb is an expensive continuation that raises capacity, and a glider's descent is a free one that lowers it.

The trap is then the ordinary case rather than a contrived one, and it is where people die. A gliding frame descends for free; its reach is its altitude times its glide ratio, so its capacity to arrive anywhere falls continuously while nothing about the cost field marks the descent as costly and nothing about being airborne stops being acceptable. Past the altitude at which no landing site remains within reach, the frame is still flying, still inside every limit it holds, and can no longer pay to leave. The same shape appears powered: an aircraft whose climb capacity has fallen below the gradient the terrain ahead requires — on a hot day at elevation, where the air is thinner than the altimeter's reading of it — is in a region it is not leaving, and was in it well before anything observable said so. This is exactly the failure of the inertia principle set out in Section 21, in the smallest setting that can carry it.

The remaining field is instructive here by being mostly absent. A frame cannot move the terrain, so deformability is NULL across almost all of an altitude manifold, and where it is not




Figure 2: A one-dimensional manifold. A gliding frame descends its cost field for nothing while its capacity field falls; the trap is entered at a^*, where the reach remaining drops below the cost of leaving. The acceptable region is respected on both sides of a^*, so a discipline reading acceptability alone has no trigger to fire.

— jettisoning weight, extending a glide, calling for an approach that changes what counts as a landing site — it is precisely the interesting part. That a field can be null over most of its own manifold is the instantiation discipline working, not a defect in it (Definition 5.1).

Two limits keep the example honest. The same dimension supports a grounding in which the fields do collapse: a frame spending propellant to hold altitude is paying flow for state with no conversion available, and there cost and capacity are one field, exactly as the construction allows. And the grain is a frame's, not the terrain's — an altimeter reads pressure, an aircraft flies density, and a frame whose instantiated dimension is the first is not thereby wrong about the second so much as not representing it at all.

What is actually claimed

The fields are prior art, individually and in pairs, and their topology belongs to discrete Morse theory and persistence. What is offered here is an arrangement, one commitment underneath it, and one consequence that follows from carrying two fields at once.

The arrangement is a flow, a state, and a meta: what a continuation costs, what capacity it leaves, and what altering either would cost — carried together over one reachable set, all frame-relative, with a trap defined across fields. It is stated as flow/state/meta rather than as three because the set of fields is not closed, and a fourth would extend the arrangement without disturbing it. The bookkeeping against the nearest neighbours is worth doing explicitly, since it is what decides whether the arrangement survives at all. Empowerment-based work holds capacity and its deformation, but no cost field over a horizon-bounded reachable set (Salge et al., 2014). Interdiction holds cost and its deformation, but no capacity field, and retains an objective model of the graph (Israeli and Wood, 2002). Resilience theory holds all three informally, over a landscape treated as objective (Walker et al., 2004). The viability terrain taxonomy comes closest of any of them, carrying cost-like and capacity-like structure over reachable futures, with the constraint region again a given of the model rather than a frame's representation (Heitzig et al., 2016). The recurring difference is not the count of fields but the next paragraph.

The commitment is that the fields are frame-relative in the strong sense: they exist only where a frame instantiates them, and there is no observer-free version of which a frame's version is a coarse reading. This is narrower than, and should not be confused with, the indexical claim that no frame is privileged — which the companion papers make about quantities that are substrate-level for all that, the change-budget among them. The strong sense is what the neighbouring formalisms decline. Belief-space value functions are observer-relative over an objective state space (Kaelbling et al., 1998); the individual's *field* of affordances is organism-

relative and long established (Warren, 1984; Rietveld and Kiverstein, 2014); the difficulty of an agent being inside what it models is named (Demski and Garrabrant, 2019). But a complete model is retained somewhere in each, and where the extension was seen it was declined in parentheses: a treatment permitting each player "a completely different conception of what game is actually being played, which may have very little relationship to the actual underlying game" adds immediately "although we still assume that the modeler's game corresponds to the actual game" (Halpern and Rêgo, 2014).

The consequence is a limitation of a result this paper otherwise leans on. Holding a control constant while the acceptable region is respected, and acting only where it would cease to be, is Aubin's inertia principle, conceded in full in Section 21. A trap is exactly where that discipline fails. Inside one, acceptability is respected throughout, so nothing triggers; meanwhile capacity falls below the cost of the ridge, and by the time the region is finally threatened the intervention the principle would then call for can no longer be paid for. The failure is invisible to a single field, since nothing about the cost landscape has changed — it is statable only because capacity is carried alongside cost. Proposition 11.2 is conditional for the same reason: minimum intervention is minimum *sufficient* intervention, and a positive-cost intervention can dominate no-intervention when the no-intervention continuation is a trap lying wholly inside $\mathcal{G}$.

What the commitment costs is stated in Section 8, and it costs less than an earlier draft of this section claimed. A fixed grain does not by itself restore an observer-free object: it makes a finer distinction *definable*, which is not the same as making a finer fact obtain, and the denial of the latter is available to a fixed-grain frame too. Nor is a generated grain immune to the objection, since it is likewise coarse relative to its own next refinement. What a frame-generated grain buys is not the possibility of the commitment but its self-sufficiency: a frame holding its grain fixed must import from outside itself the standard by which that grain was set. The dependency is therefore one this construction uses, not one it requires.

14 Muchness

Definition 14.1 (Muchness)**.** *Muchness*

$$\boxed{\mathcal{M}(\mathcal{F}_t; h, \rho) \in \mathbb{Z}}$$

is a frame-relative discrete measure of materially distinguishable future possibility retained within $\mathcal{S}_{h,\rho}(\mathcal{F}_t)$*.*

A grounding supplies a discrete measure

$$\mu_{\mathcal{M}} : \mathcal{Q}_\rho(\mathcal{S}) \to \mathbb{Z}$$

that preserves the distinctions relevant to the claimed domain. It may count distinguishable states, equivalence classes, connected reachable regions, retained capability classes, or use another integer index. Muchness therefore measures *how much distinguishable future remains*, not how strongly the frame can alter that future.

Proposition 14.2 (Resolution and dimension dependence)**.** *Muchness is not meaningful without the frame, represented dimensions, horizon, and resolution that determine which future distinctions exist and which count as distinct.*

The term *Muchness* and its role are specific to this framework. Classical reachable-set and viability theory provide the geometry from which such a measure can be constructed but do not identify this quantity under that name.

15 Irreversibility

Definition 15.1 (Irreversible contraction)**.** *An intervention is irreversible relative to frame, horizon, dimensions, and resolution when it makes previously distinguishable valuable future regions unreachable and no admissible continuation within the stated horizon restores them.*

Where the Muchness dimension is instantiated before and after the intervention, a simple discrete contraction measure is

$$I_{\mathcal{F}}(u) = \max\Big(0, \mathcal{M}_t - \mathcal{M}_{t+1}^{(u)}\Big).$$

Here 0 is a legitimate value on an existing irreversibility dimension, not absence of the dimension (Definition 5.1).

The option value of preserving reversible choices under uncertain future information has a long history in economics (Arrow and Fisher, 1974; Henry, 1974; Dixit and Pindyck, 1994). The present definition is more primitive: it identifies irreversibility structurally with loss of reachable distinctions. No substrate-level probability distribution is required. If a frame overlays probabilities on unresolved future conditions, an expected irreversibility statistic is an epistemic derived quantity, not part of the deterministic Graph Law.

Proposition 15.2 (Reversibility preference)**.** *If two interventions achieve the same represented objective to equivalent tolerance and otherwise differ only in that one preserves a strict superset of potentially valuable future distinctions, any represented valuation assigning non-negative value to retained optionality weakly prefers the more reversible intervention.*

16 Control as manifold deformation

Definition 16.1 (Control)**.** *Where intervention is represented, control is deformation of reachable future geometry:*

$$u : \mathcal{S} \mapsto \mathcal{S}'.$$

A controller need not predict one exact future trajectory. It may succeed by deforming reachable geometry so that realised collapse remains inside an acceptable region while preserving useful future distinctions. This set-oriented view is close to viability regulation, reachability-based safety control, and constrained model-predictive control (Aubin, 1991; Mitchell et al., 2005; Rawlings et al., 2017; Cunis and Kolmanovsky, 2021).

17 Competing deformation

What several processes share is the substrate graph and its admissibility rules, not a manifold: under the commitment of Section 13 there is no observer-free manifold for them to deform in common. Each process deforms the graph, and a frame individuating that graph holds its own manifold of the result. The composition below is therefore over deformations, read off in one frame's terms. A local additive approximation

$$\Delta\mathcal{S} \approx \sum_i \Delta\mathcal{S}_i$$

may be useful where interactions are approximately separable. More generally,

$$\Delta\mathcal{S} = \Phi(u_1, \ldots, u_n; G, \Gamma, W).$$

Dynamic-game reachability provides established mathematics for reachable sets under interacting or adversarial controls (Mitchell et al., 2005). The Seldon statement is more general and does not require zero-sum or game-theoretic valuation.

This shared-arena case differs from one graph individuated by several frames: each individuating frame carries its own represented dimensions, resolution, and reachable geometry unless a containing relation explicitly couples them.

18 Reachability compression

Let $\{\gamma_i\}$ be an explicit family of trajectories.

Hypothesis 18.1 (Reachability compression)**.** *For task classes in which many trajectories are equivalent with respect to the operative distinctions at resolution ρ, a representation of their shared reachable geometry can have lower decision-relevant description complexity than explicit trajectory enumeration:*

$$L(\mathcal{S}) \ll L(\{\gamma_i\}).$$

This hypothesis is compatible with the general minimum-description-length principle that useful models exploit shared regularity rather than restating each observation independently (Rissanen, 1978). It is also reflected constructively in set-based reachability methods, which compute or approximate reachable regions without storing every individual trajectory (Mitchell et al., 2005; Maidens et al., 2013). The stronger claim that Seldon representations systematically achieve lower *decision-relevant* description cost is specific to this paper and remains falsifiable.

19 Relationship to Narrativium and Narrative

The present paper distinguishes retained distinguishable future possibility ($\mathcal{M}$) from the capacity to deform it (N); the contrast is set out in full in the companion Narrativium paper, which develops N. Narrative is also unnecessary for defining $\mathcal{S}$, but where a containing frame carries operative history-bearing state, that state may orient the manifold; this is the subject of Narrative Momentum.

20 Causal depth is not temporal distance

The ordinary picture of time,

$$\text{history} \to \text{now} \to \text{future},$$


is misleading as a picture of what determines a continuation, and the correction is structural rather than presentational.

Determination has two components. One is *succession*: the order realised changes carry through their enabling-relations, which is what makes a time dimension meaningful at all. The other is *structural depth*: relations instantiated in containing frames, which are present now and are not earlier in time.

Figure 3 contrasts the two pictures directly.

Remark (The tilt)*.* Replacing time by structure entirely would be a 90° rotation of the causal picture and is not what is claimed. The correct adjustment is closer to a 45° change of causal vector: succession still runs, and additional determining structure is reached by depth rather than by reaching further back.

Remark (No dependent clocks: a subframe need not be slaved to its container)*.* Because depth and succession are orthogonal, structural containment carries no temporal subordination. A frame's time is its own change-count (Graphic Equalisation, Axiom on time), and with no global clock there is nothing for a contained frame's clock to be slaved to; each frame counts its own changes. The intuition that a contained process runs *within* its container's time is the assumption of a dependent clock, and it is a property of embodiments that happen to



The tilt. Replacing time by structure entirely would be a 90° rotation, and is not the claim. Succession still runs. What changes is where the *additional* determining structure is found — in containing frames, instantiated now, rather than in temporal states that no longer exist. Roughly a 45° change of causal vector, not a 90° replacement of time by structure.

On the axis. The left panel's "time" is the ordinary picture's own assumption. The right panel has succession and no time dimension: succession is a relation between realised collapses, and a *time dimension* is what an inferring frame constructs to represent it.

THEORY FIGURE. The manifold is observer machinery — a representation a frame may construct, not a structure the world contains. The ratchet runs without it. Nothing in this diagram is instrumented in the reference substrate.

Figure 3: The ordinary picture of time against the causal picture. Left: past states drawn as though still extant and the future drawn as a region already there — neither of which any frame holds. Right: succession forward, structural depth through containing frames at roughly 45°, and the manifold as observer machinery ahead of the present.

share one, not a substrate fact. Consequently a subframe can run *faster* than its superframe — accumulate more proper time over the same stretch — when more of the fixed change-budget falls in it. This does not exceed c: the change-rate c is the same in every frame (Graphic Equalisation, c as the change-to-time rate), and what is free is the *ratio* of change-counts between frames, the distribution of the budget across regions, not the per-change rate. A gravitational subframe's ratio is bounded by its physics and a computational subframe's by its throughput; the substrate imposes no dependent-clock law, and the achievable ratio is an engineering fact of the embodiment.

The complement holds equally, and completes the picture: dependence is not *forbidden* either. A subframe *may* be driven — ticked by a containing frame, and by one several levels above it — so its clock is then slaved to that superframe's; this is the coupled, locally synchronous case, and it is a coupling paid for, not a substrate necessity. Clock-coupling between a subframe and a container is therefore a free parameter running from fully independent (asynchronous) to fully ticked (synchronous), and nothing compulsory fixes where a given subframe sits. Reality samples the whole range, which is Graphic Equalisation's globally-asynchronous, locally-synchronous structure read on the clock: bound and driven subframes are ticked; uncoupled ones run their own change.

Proposition 20.1 (Depth comes from superframes, not from historical frames)**.** *Where a continuation is determinable beyond what $\mathcal{F}_0$ resolves, the additional determining structure is supplied by containing frames*

$$\mathcal{F}_0 \subset \mathcal{F}_1 \subset \mathcal{F}_2 \subset \cdots ,$$

potentially without a privileged terminal frame. It is not *supplied by retained temporal snapshots: by Graphic Equalisation's history principle, past states influence the present only where they survive as present structure.*

This matters for what an explanation is permitted to assume. A theory that located

determining structure in earlier temporal states would require arbitrarily deep access to a past that no frame holds. Locating it in containing frames requires only structure that is instantiated now.

21 Positioning and novelty

The paper's relationship to established work can be summarised as follows.

Established prior art.
Reachable sets, viability kernels, invariant and capture sets, dynamic programming, model-predictive feasible sets, Hamilton–Jacobi reachability, adaptive numerical resolution, and option value under irreversibility are established (Bellman, 1957; Aubin, 1991; Mitchell et al., 2005; Berger and Oliger, 1984; Arrow and Fisher, 1974; Rawlings et al., 2017).

Structural synthesis.
The Seldon manifold treats these set-valued future structures as a frame-relative representation generated downstream of deterministic Graphic Equalisation and evaluated only on instantiated dimensions at operative discrete resolution.

Specific contributions.
The terminology and formal roles of the Seldon manifold and Muchness; the explicit separation of local admissibility, counterfactual reachable geometry, deterministic collapse, Muchness, and Narrativium; dimension-instantiation discipline (NULL is not zero); and the decision-relevant reachability-compression hypothesis are claims of this framework.

It is worth being precise about the difference from a reachable set specifically, since that is the nearest established object and the one a reader will substitute if the distinction is not drawn.

A reachable set is an extent, and membership in it is binary: a state is attainable within the horizon or it is not. On the account given here that extent is the *support* of the structure rather than the structure — the manifold is that support together with the fields of Section 13 over it, and the fields carry what the extent cannot. Three differences follow, in increasing order of how badly the substitution misleads.

The fields are graded where membership is binary, and the grading is not a refinement of the membership question but a replacement for it. Surviving structure prices continuations rather than removing them, so a continuation whose price exceeds anything a frame can pay remains in the set and is excluded by cost, not by admissibility. A reachable set has no way to represent that state of affairs, and a construction that only computed extents would be answering a question this account holds to be the wrong one.

The manifold carries where a frame *goes*, not only where it *could*. An extent is indifferent between its members; a cost field has a descent direction, so the construction projects an uninterrupted trajectory rather than merely bounding one. That is a different kind of prediction and is what makes basins, lock-in and the horizon expressible at all.

And the manifold prices its own modification. A reachable set is computed for a system taken as given; deformability is a field over the same manifold recording what altering the generating structure would cost, so the representation includes the terms on which it can itself be changed. This is the point at which the object stops resembling a reachability computation, because the recursion — landscape, cost of re-shaping it, cost of changing that — is internal to the construction rather than external to it, and is bounded by the same finite capacity throughout.

A fourth difference is about use rather than structure. A reachable set answers a question of *possibility* and carries no preference at all; what is done with it is left entirely outside. A manifold carrying fields supports a decision, and supports more than one: a frame may hold a non-dominated position across its fields, or satisfice on an acceptable region and act only on

projected departure, or scalarise into a single objective where it has one. Which discipline applies is the frame's, not the construction's, and the paper claims none of them as its own — each is established work, and the acceptable-region form in particular is developed in the viability literature this paper already depends on. What the construction contributes is the object the discipline runs on: the fields, frame-represented and unscalarised unless the frame scalarises them.

It is worth being explicit about how much of this belongs to that literature. Holding a control constant while the region is respected, acting only where it would cease to be, and acting then by the pointwise-minimal admissible change is Aubin's *inertia principle*, and the resulting trajectories his *heavy viable solutions* (Aubin and Frankowska, 1989; Aubin, 1991; Aubin et al., 2011); the engineering form, acting on a projected rather than observed departure, is self-triggered control (Tabuada, 2007; Heemels et al., 2012). That the trigger is *projected* rather than measured is what makes the forward structure necessary rather than ornamental: a discipline that waits for observed departure needs a boundary test on the current state and nothing more, and would not require a manifold at all. Acting on a projection is what buys the interval in which cheap options still exist, and it is also what exposes the discipline to being wrong in a way a measured trigger is not — the projection may be mistaken, and acting on it spends capacity that a frame with a better manifold would have kept. Nor do the obvious extensions escape it. A constraint region that changes over time, or co-evolves with the system it constrains, is treated there as a viability tube and by mutational analysis (Aubin, 1999); and responding by altering the dynamics rather than steering within them is native to it as well, through viability multipliers and the promotion of fixed coefficients into controls (Aubin et al., 2011). The re-shaping of a landscape, which might have looked like this construction's own contribution, is not.

One thing the fields do buy against that literature, and it is a limitation of the inertia principle rather than a rival to it. The principle acts when the acceptable region would otherwise cease to be respected; a trap (Definition 13.2) is a region in which acceptability is respected throughout while capacity falls below the cost of leaving, so the trigger never fires, and when it eventually does the response can no longer be afforded. Nothing about the cost landscape changes, so a single field cannot express the failure; it is visible only where capacity is carried alongside cost.

What is left is narrower and is epistemic rather than mathematical. In that literature the constraint region is a given of the model — it may vary, it may co-evolve — but it is not a representation the frame holds and may have wrong. There is no residual between the region as represented and the region as it is, and so no mechanism by which a frame discovers its own constraints were mis-specified and revises them, which is what the substrate's residual and minting machinery supplies. That is a claim about where the region comes from rather than about what to do once it is given, and it should be weighed knowing that adaptive and learning-based treatments of safe control press on exactly this point.

Stated positively rather than by subtraction, what the construction offers is machinery for seeing the shape of a frame's potential futures and then working on that shape: not a method for reaching an outcome, but a representation general enough to carry whichever outcomes a frame holds and whichever discipline it applies to them. Its generality is its content. It fixes no fields, since those are what the frame instantiates; it fixes no objective, since acceptability is represented rather than given; and it fixes no rule for acting, since holding a region, ranking by dominance and scalarising are all available to a frame that represents what it needs to. And because the acceptable region is itself represented, what a frame is optimising for is as revisable as how it gets there — which is the same point as the epistemic one above, seen from the other side.

None of which displaces the established work: where the question genuinely is one of extent, the existing machinery answers it and answers it better, and the fields above are defined over

exactly the sets that machinery computes. The claim is not that these tools are insufficient for their own question, nor that the decision disciplines above are this paper's — they are not. It is narrower: that a frame acting on its own future needs fields over the reachable set and not only the set, that which fields those are is its own affair, and that among them may be one pricing the alteration of the rest.

22 Falsifiability commitments

1. **Descent predicts trajectory.** Fails if the continuations a frame actually takes, absent intervention, are not the cheap ones — if the descent direction of the cost field does not predict where an uninterrupted frame goes.

2. **Basins and persistence.** Fails if persistence in a region can be exhibited with no corresponding basin, or a basin with no corresponding persistence.

3. **The two fields come apart.** Fails if expected capacity after an action is always the capacity before it less the cost, so that no expensive continuation ever raises capacity and no cheap one lowers it. This is the condition on which the trap is definable at all.

4. **Traps defeat inertia.** Fails if no grounding exhibits a region in which acceptability is preserved throughout while the capacity to leave falls below the cost of leaving — that is, if minimum-sufficient intervention never requires acting from inside an acceptable region.

5. **Deterministic counterfactual typing.** Fails if the Seldon construction requires multiple fundamentally random realised outcomes from one causally complete antecedent rather than multiple deterministic continuations under differing represented future conditions.

6. **Reachability utility.** Fails for a claimed task class if reachable geometry cannot preserve distinctions needed for prediction or control that trajectory-level representation preserves.

7. **Dimension/value typing.** Fails if an absent future dimension must be represented as the numerical value zero rather than remaining undefined until instantiated.

8. **Adaptive resolution.** Fails as an efficiency hypothesis if decision-directed refinement gives no advantage over uniform refinement in the claimed class.

9. **Muchness distinction.** Fails if retained distinguishable possibility and capacity to deform that possibility cannot be independently varied in any grounding.

10. **Irreversibility.** Fails for a claimed grounding if supposedly deleted reachable distinctions are always restorable without crossing an additional constraint or expending additional compatible capability.

11. **Reachability compression.** Fails if explicit trajectory representations consistently achieve equal or lower decision-relevant description cost for the claimed task families.

23 Conclusion

Graphic Equalisation supplies deterministic admissible continuation and collapse. The Seldon manifold is the structured geometry of unrealised counterfactual continuation that remains reachable:

$$\boxed{\Gamma \to \text{admissible possibility} \to \mathcal{S} \to \text{reachable geometry} \xrightarrow{\mathcal{C}} \text{realised history.}}$$

The distinction between reachable geometry and realised history is essential: the manifold contains counterfactual futures because the frame has not fixed all future interventions and containing conditions, not because the Graph Law is stochastic.

The future, in this framework, is not primarily a destination. It is a reachable geometry.

References

Aaron D. Ames, Xiangru Xu, Jessy W. Grizzle, and Paulo Tabuada. Control barrier function based quadratic programs for safety critical systems. *IEEE Transactions on Automatic Control*, 62(8):3861–3876, 2017.

Kenneth J. Arrow and Anthony C. Fisher. Environmental preservation, uncertainty, and irreversibility. *The Quarterly Journal of Economics*, 88(2):312–319, 1974. doi:10.2307/1883074.

Jean-Pierre Aubin and Hélène Frankowska. *Dynamic Regulation of Controlled Systems, Inertia Principle and Heavy Viable Solutions*. IIASA Working Paper WP-89-086, Laxenburg, 1989.

Jean-Pierre Aubin, Alexandre M. Bayen, and Patrick Saint-Pierre. *Viability Theory: New Directions*. Springer, Berlin, 2nd edition, 2011.

Jean-Pierre Aubin. A survey of viability theory. *SIAM Journal on Control and Optimization*, 28(4):749–788, 1990. doi:10.1137/0328044.

Jean-Pierre Aubin. *Viability Theory*. Birkhäuser, Boston, 1991.

Jean-Pierre Aubin. *Mutational and Morphological Analysis: Tools for Shape Evolution and Morphogenesis*. Birkhäuser, Boston, 1999.

Costas Azariadis and John Stachurski. Poverty traps. In *Handbook of Economic Growth*, volume 1, pages 295–384. Elsevier, 2005.

Somil Bansal, Mo Chen, Sylvia Herbert, and Claire J. Tomlin. Hamilton–Jacobi reachability: A brief overview and recent advances. In *2017 IEEE 56th Annual Conference on Decision and Control*, pages 2242–2253, 2017.

Gary S. Becker and Kevin M. Murphy. A theory of rational addiction. *Journal of Political Economy*, 96(4):675–700, 1988.

Richard Bellman. *Dynamic Programming*. Princeton University Press, Princeton, 1957.

Yoram Ben-Porath. The production of human capital and the life cycle of earnings. *Journal of Political Economy*, 75(4):352–365, 1967.

Marsha J. Berger and Joseph Oliger. Adaptive mesh refinement for hyperbolic partial differential equations. *Journal of Computational Physics*, 53(3):484–512, 1984. doi:10.1016/0021-9991(84)90073-1.

Xi-Ren Cao and Han-Fu Chen. Perturbation realization, potentials, and sensitivity analysis of Markov processes. *IEEE Transactions on Automatic Control*, 42(10):1382–1393, 1997.

Xi-Ren Cao. The relations among potentials, perturbation analysis, and Markov decision processes. *Discrete Event Dynamic Systems*, 8(1):71–87, 1998.

Hamish Carr, Jack Snoeyink, and Michiel van de Panne. Flexible isosurfaces: simplifying and displaying scalar topology using the contour tree. *Computational Geometry*, 43(1):42–58, 2010.

Torbjørn Cunis and Ilya Kolmanovsky. Viability, viscosity, and storage functions in model-predictive control with terminal constraints. *Automatica*, 131:109748, 2021.

Miguel Delibes, Pablo Gaona, and Pablo Ferreras. Effects of an attractive sink leading into maladaptive habitat selection. *The American Naturalist*, 158(3):277–285, 2001.

Abram Demski and Scott Garrabrant. Embedded agency. arXiv:1902.09469, 2019.

Avinash K. Dixit and Robert S. Pindyck. *Investment under Uncertainty*. Princeton University Press, Princeton, 1994.

Herbert Edelsbrunner, David Letscher, and Afra Zomorodian. Topological persistence and simplification. *Discrete & Computational Geometry*, 28(4):511–533, 2002.

Robin Forman. Morse theory for cell complexes. *Advances in Mathematics*, 134(1):90–145, 1998.

Roberto Genesio, Michele Tartaglia, and Antonio Vicino. On the estimation of asymptotic stability regions. *IEEE Transactions on Automatic Control*, 30(8):747–755, 1985.

James J. Gibson and Laurence E. Crooks. A theoretical field-analysis of automobile-driving. *American Journal of Psychology*, 51(3):453–471, 1938.

Joseph Y. Halpern and Leandro C. Rêgo. Extensive games with possibly unaware players. *Mathematical Social Sciences*, 70:42–58, 2014.

W. P. M. H. Heemels, K. H. Johansson, and P. Tabuada. An introduction to event-triggered and self-triggered control. In *Proceedings of the 51st IEEE Conference on Decision and Control*, pages 3270–3285, 2012.

Jobst Heitzig, Tim Kittel, Jonathan F. Donges, and Nora Molkenthin. Topology of sustainable management of dynamical systems with desirable states. *Earth System Dynamics*, 7(1):21–50, 2016.

Claude Henry. Investment decisions under uncertainty: The "irreversibility effect." *American Economic Review*, 64(6):1006–1012, 1974.

Eitan Israeli and R. Kevin Wood. Shortest-path network interdiction. *Networks*, 40(2):97–111, 2002.

Leslie Pack Kaelbling, Michael L. Littman, and Anthony R. Cassandra. Planning and acting in partially observable stochastic domains. *Artificial Intelligence*, 101(1–2):99–134, 1998.

Oussama Khatib. Real-time obstacle avoidance for manipulators and mobile robots. *International Journal of Robotics Research*, 5(1):90–98, 1986.

Alexander S. Klyubin, Daniel Polani, and Chrystopher L. Nehaniv. Empowerment: a universal agent-centric measure of control. In *IEEE Congress on Evolutionary Computation*, pages 128–135, 2005.

Victoria Krakovna, Laurent Orseau, Ramana Kumar, Miljan Martic, and Shane Legg. Penalizing side effects using stepwise relative reachability. arXiv:1806.01186, 2018.

John N. Maidens, Shahab Kaynama, Ian M. Mitchell, Meeko M. K. Oishi, and Guy A. Dumont. Lagrangian methods for approximating the viability kernel in high-dimensional systems. *Automatica*, 49(7):2017–2029, 2013. doi:10.1016/j.automatica.2013.03.020.

Peter J. Menck, Jobst Heitzig, Norbert Marwan, and Jürgen Kurths. How basin stability complements the linear-stability paradigm. *Nature Physics*, 9(2):89–92, 2013.

John Milnor. *Morse Theory*. Annals of Mathematics Studies 51. Princeton University Press, Princeton, NJ, 1963.

Ian M. Mitchell, Alexandre M. Bayen, and Claire J. Tomlin. A time-dependent Hamilton–Jacobi formulation of reachable sets for continuous dynamic games. *IEEE Transactions on Automatic Control*, 50(7):947–957, 2005. doi:10.1109/TAC.2005.851439.

Dov Monderer and Moshe Tennenholtz. k-implementation. *Journal of Artificial Intelligence Research*, 21:37–62, 2004.

Rémi Munos and Andrew Moore. Variable resolution discretization in optimal control. *Machine Learning*, 49(2–3):291–323, 2002.

F. John Odling-Smee, Kevin N. Laland, and Marcus W. Feldman. *Niche Construction: The Neglected Process in Evolution*. Princeton University Press, Princeton, NJ, 2003.

James B. Rawlings, David Q. Mayne, and Moritz M. Diehl. *Model Predictive Control: Theory, Computation, and Design*. Nob Hill Publishing, 2nd edition, 2017.

Erik Rietveld and Julian Kiverstein. A rich landscape of affordances. *Ecological Psychology*, 26(4):325–352, 2014.

Elon Rimon and Daniel E. Koditschek. Exact robot navigation using artificial potential functions. *IEEE Transactions on Robotics and Automation*, 8(5):501–518, 1992.

Jorma Rissanen. Modeling by shortest data description. *Automatica*, 14(5):465–471, 1978. doi:10.1016/0005-1098(78)90005-5.

Bruce A. Robertson and Richard L. Hutto. A framework for understanding ecological traps and an evaluation of existing evidence. *Ecology*, 87(5):1075–1085, 2006.

Christoph Salge, Cornelius Glackin, and Daniel Polani. Changing the environment based on empowerment as intrinsic motivation. *Entropy*, 16(5):2789–2819, 2014.

Dietmar Szolnoki. Viability kernels and control sets. *ESAIM: Control, Optimisation and Calculus of Variations*, 5:175–185, 2000.

Paulo Tabuada. Event-triggered real-time scheduling of stabilizing control tasks. *IEEE Transactions on Automatic Control*, 52(9):1680–1685, 2007.

Alexander Matt Turner, Dylan Hadfield-Menell, and Prasad Tadepalli. Conservative agency via attainable utility preservation. In *AAAI/ACM Conference on AI, Ethics, and Society*, 2020. arXiv:1902.09725.

Alexander Matt Turner, Logan Smith, Rohin Shah, Andrew Critch, and Prasad Tadepalli. Optimal policies tend to seek power. In *Advances in Neural Information Processing Systems*, 2021. arXiv:1912.01683.

Brian Walker, C. S. Holling, Stephen R. Carpenter, and Ann Kinzig. Resilience, adaptability and transformability in social–ecological systems. *Ecology and Society*, 9(2):5, 2004.

William H. Warren. Perceiving affordances: visual guidance of stair climbing. *Journal of Experimental Psychology: Human Perception and Performance*, 10(5):683–703, 1984.

Haoqi Zhang, David C. Parkes, and Yiling Chen. Policy teaching through reward function learning. In *ACM Conference on Electronic Commerce*, pages 295–304, 2009.

Peijie Zhou and Tiejun Li. Construction of the landscape for multi-stable systems. *Journal of Chemical Physics*, 144:094109, 2016.