


# LINUX TERMINALI

SİBER GÜVENLİĞİN  
MUTFAK TEZGAHI

Hız, Kontrol ve  
Esnekliğin Merkezi










# TEMEL DOSYA SİSTEMİ HİYERARŞİSİ (FHS)



- /bin: Temel komut binary dosyaları.
- /boot: Sistemin boot edilmesi için gerekli değişmez veriler.
- /dev: Cihazların bulunduğu dosyalar.
- /etc: Local sistemimiz için gerekli sistem dosyaları.
- /home: Kullanıcı dizinleri.
- /lib: Paylaştırılmış kütüphaneler.
- /mnt: Geçici bağlantı noktası.
- /proc: Dosya Sisteminin Process (işlem) bilgileri.
- /root: 'root' kullanıcısının kök dizini.
- /sbin: Önemli sistem çalıştırılabilir dosyaları.
- /tmp: Geçici saklama alanı.
- /usr: İkincil ana hiyerarşi (uygulama programlarını içerir)
- /var: Değişken veri bölgesi.






User

Most used



Get Started



Get Skype



Maps



People



Calculator



Alarms & Clock

Life at a glance



Calendar



Mail



Microsoft Edge



Photos



Cortana



Weather



Phone Compa...



OneNote

Play and explore



Xbox



Music



Movies & TV



Money



News



Store



Microsoft Solitaire Collection



Get Office

File Explorer

Settings

Power

All apps



Tablet mode



Rotation lock



Connect



VPN

Search the web and Windows







Boxes




Calculator



Cheese



Evolution



Files



Firefox



Pidgin Internet ...



Red Hat Subscr...



Rhythmbox



Settings



Smart Card Ma...



Software



Sundry




Text Editor





TigerVNC Viewer



Utilities



Videos



Red Hat

Enterprise Linux

Red Hat

```
1 Dec 23 10:15:01 kali sshd[1234]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.1.45 user=root
2 Dec 23 10:15:03 kali sshd[1234]: Failed password for root from 192.168.1.45 port 54322 ssh2
3 Dec 23 10:15:05 kali sshd[1235]: Failed password for root from 192.168.1.45 port 54324 ssh2
4 Dec 23 10:15:08 kali sshd[1236]: Failed password for invalid user admin from 192.168.1.45 port 54326 ssh2
5 Dec 23 10:15:10 kali sshd[1237]: Failed password for invalid user guest from 192.168.1.45 port 54328 ssh2
6 Dec 23 10:20:44 kali sshd[1250]: Accepted password for ozan from 192.168.1.10 port 49152 ssh2
7 Dec 23 10:21:12 kali sudo:      ozan : TTY=pts/0 ; PWD=/home/ozan ; USER=root ; COMMAND=/usr/bin/apt update
8 Dec 23 10:22:05 kali sudo:      ozan : TTY=pts/0 ; PWD=/home/ozan ; USER=root ; COMMAND=/usr/sbin/useradd -m yeni_stajyer
9 Dec 23 10:23:01 kali groupadd[2045]: group added to /etc/group: name=yeni_stajyer, GID=1001
10 Dec 23 10:23:01 kali useradd[2045]: new user: name=yeni_stajyer, UID=1001, GID=1001, home=/home/yeni_stajyer, shell=/bin/bash
11 Dec 23 10:25:40 kali sudo:      ozan : TTY=pts/0 ; PWD=/home/ozan ; USER=root ; COMMAND=/usr/bin/cat /etc/shadow
```

# CAT /VAR/LOG/AUTH.LOG | GREP -E 'SESSION OPENED|SESSION CLOSED'

```
ubuntu@thm-vm:~$  
ubuntu@thm-vm:~$  
ubuntu@thm-vm:~$ cat /var/log/auth.log | grep -E 'session opened|session closed'  
2025-08-12T16:13:37.342676+00:00 thm-vm su[1178]: pam_unix(su:session): session closed for user root  
2025-08-12T16:13:37.345370+00:00 thm-vm sudo: pam_unix(sudo:session): session closed for user root  
2025-08-12T16:14:26.006420+00:00 thm-vm sudo: pam_unix(sudo:session): session opened for user root(uid=0) by ubuntu(uid=1000)  
2025-08-12T16:14:26.015173+00:00 thm-vm su[1194]: pam_unix(su:session): session opened for user root(uid=0) by ubuntu(uid=0)  
2025-08-12T16:14:34.064688+00:00 thm-vm su[1194]: pam_unix(su:session): session closed for user root  
2025-08-12T16:14:34.067373+00:00 thm-vm sudo: pam_unix(sudo:session): session closed for user root  
2025-08-12T16:15:01.042323+00:00 thm-vm CRON[1205]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T16:15:01.048009+00:00 thm-vm CRON[1205]: pam_unix(cron:session): session closed for user root  
2025-08-12T16:17:01.054999+00:00 thm-vm CRON[1210]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T16:17:01.060592+00:00 thm-vm CRON[1210]: pam_unix(cron:session): session closed for user root  
2025-08-12T16:25:01.085683+00:00 thm-vm CRON[1214]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T16:25:01.098603+00:00 thm-vm CRON[1214]: pam_unix(cron:session): session closed for user root  
2025-08-12T16:35:01.108915+00:00 thm-vm CRON[1218]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T16:35:01.117105+00:00 thm-vm CRON[1218]: pam_unix(cron:session): session closed for user root  
2025-08-12T16:41:22.366285+00:00 thm-vm sudo: pam_unix(sudo:session): session opened for user root(uid=0) by ubuntu(uid=1000)  
2025-08-12T16:41:30.229791+00:00 thm-vm sudo: pam_unix(sudo:session): session closed for user root  
2025-08-12T16:45:01.125638+00:00 thm-vm CRON[1361]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T16:45:01.130974+00:00 thm-vm CRON[1361]: pam_unix(cron:session): session closed for user root  
2025-08-12T16:55:01.140036+00:00 thm-vm CRON[1383]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T16:55:01.145177+00:00 thm-vm CRON[1383]: pam_unix(cron:session): session closed for user root  
2025-08-12T17:05:01.153967+00:00 thm-vm CRON[1411]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T17:05:01.159400+00:00 thm-vm CRON[1411]: pam_unix(cron:session): session closed for user root  
2025-08-12T17:15:01.168415+00:00 thm-vm CRON[1415]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T17:15:01.174182+00:00 thm-vm CRON[1415]: pam_unix(cron:session): session closed for user root  
2025-08-12T17:17:01.182177+00:00 thm-vm CRON[1419]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T17:17:01.188367+00:00 thm-vm CRON[1419]: pam_unix(cron:session): session closed for user root  
2025-08-12T17:25:01.197604+00:00 thm-vm CRON[1423]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T17:25:01.203327+00:00 thm-vm CRON[1423]: pam_unix(cron:session): session closed for user root  
2025-08-12T17:35:01.212637+00:00 thm-vm CRON[1428]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T17:35:01.219033+00:00 thm-vm CRON[1428]: pam_unix(cron:session): session closed for user root  
2025-08-12T17:45:01.227894+00:00 thm-vm CRON[1433]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)  
2025-08-12T17:45:01.233150+00:00 thm-vm CRON[1433]: pam_unix(cron:session): session closed for user root
```





# Özet ve Karşılaştırma Tablosu

| Kriter                     | Grafik Arayüz (GUI)                     | Linux Terminal (CLI)                 |
|----------------------------|-----------------------------------------|--------------------------------------|
| <b>Hız</b>                 | Manuel adımlar nedeniyle yavaştır       | Tek komut zinciriyle çok hızlıdır    |
| <b>Esneklik</b>            | Önceden tanımlı seçeneklerle sınırlıdır | İstenilen şekilde zincirlenebilir    |
| <b>Büyük Veri Analizi</b>  | Binlerce satırda verimsizleşir          | Büyük log dosyalarında çok etkilidir |
| <b>Şeffaflık</b>           | Sonucu gösterir, süreci gizler          | Verinin her aşamasını gösterir       |
| <b>Zincirleme İşlemler</b> | Zor veya mümkün değil                   | Pipe (                               |



**Pipe (|):** Bir komutun çıktısını diğerine "taşıma bandı" gibi aktarır.

Komut1 | Komut2 | Komut3

**Yönlendirme (> , >>):**

Analiz sonuçlarını "paketleyip" dosyalara kaydeder.

> Çıktıyı bir dosyaya yazar (üzerine yazar)

>> Çıktıyı dosyanın sonuna ekle

**PIPE |**  
ve


**YÖNLENDİRME >  
>>**






# BAZI TEMEL KOMUTLAR

- cat: Malzemeleri kilerden tezgâha döker (dosya okuma).
- grep: Çürükleri ayıklayan süzgeçtir (filtreleme).
- sort: Malzemeleri sıraya dizer (sıralama).
- uniq: Tekrar edenleri temizler (tekilleştirme).





```
ubuntu@thm-vm:~$ cat /var/log/auth.log
2025-08-12T16:13:37.342676+00:00 thm-vm su[1178]: pam_unix(su:session): session closed for user root
2025-08-12T16:13:37.345370+00:00 thm-vm sudo: pam_unix(sudo:session): session closed for user root
2025-08-12T16:14:26.004955+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
2025-08-12T16:14:26.006420+00:00 thm-vm sudo: pam_unix(sudo:session): session opened for user root(uid=0) by ubuntu(uid=1000)
2025-08-12T16:14:26.014086+00:00 thm-vm su[1194]: (to root) root on pts/1
2025-08-12T16:14:26.015173+00:00 thm-vm su[1194]: pam_unix(su:session): session opened for user root(uid=0) by ubuntu(uid=0)
2025-08-12T16:14:34.064688+00:00 thm-vm su[1194]: pam_unix(su:session): session closed for user root
2025-08-12T16:14:34.067373+00:00 thm-vm sudo: pam_unix(sudo:session): session closed for user root
2025-08-12T16:15:01.042323+00:00 thm-vm CRON[1205]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T16:15:01.048009+00:00 thm-vm CRON[1205]: pam_unix(cron:session): session closed for user root
2025-08-12T16:17:01.054999+00:00 thm-vm CRON[1210]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T16:17:01.060592+00:00 thm-vm CRON[1210]: pam_unix(cron:session): session closed for user root
2025-08-12T16:25:01.085683+00:00 thm-vm CRON[1214]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T16:25:01.098603+00:00 thm-vm CRON[1214]: pam_unix(cron:session): session closed for user root
2025-08-12T16:35:01.108915+00:00 thm-vm CRON[1218]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T16:35:01.117105+00:00 thm-vm CRON[1218]: pam_unix(cron:session): session closed for user root
2025-08-12T16:41:22.362003+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/apt install zip unzip
2025-08-12T16:41:22.366285+00:00 thm-vm sudo: pam_unix(sudo:session): session opened for user root(uid=0) by ubuntu(uid=1000)
2025-08-12T16:41:30.229791+00:00 thm-vm sudo: pam_unix(sudo:session): session closed for user root
2025-08-12T16:45:01.125638+00:00 thm-vm CRON[1361]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T16:45:01.130974+00:00 thm-vm CRON[1361]: pam_unix(cron:session): session closed for user root
2025-08-12T16:55:01.140036+00:00 thm-vm CRON[1383]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T16:55:01.145177+00:00 thm-vm CRON[1383]: pam_unix(cron:session): session closed for user root
2025-08-12T16:57:14.041403+00:00 thm-vm passwd[1388]: password changed for user root
2025-08-12T16:57:22.894189+00:00 thm-vm passwd[1389]: password changed for user root
2025-08-12T17:05:01.153967+00:00 thm-vm CRON[1411]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T17:05:01.159400+00:00 thm-vm CRON[1411]: pam_unix(cron:session): session closed for user root
2025-08-12T17:15:01.168415+00:00 thm-vm CRON[1415]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T17:15:01.174182+00:00 thm-vm CRON[1415]: pam_unix(cron:session): session closed for user root
2025-08-12T17:17:01.182177+00:00 thm-vm CRON[1419]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T17:17:01.188367+00:00 thm-vm CRON[1419]: pam_unix(cron:session): session closed for user root
2025-08-12T17:25:01.197604+00:00 thm-vm CRON[1423]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T17:25:01.203327+00:00 thm-vm CRON[1423]: pam_unix(cron:session): session closed for user root
2025-08-12T17:35:01.212637+00:00 thm-vm CRON[1428]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T17:35:01.219033+00:00 thm-vm CRON[1428]: pam_unix(cron:session): session closed for user root
2025-08-12T17:45:01.227894+00:00 thm-vm CRON[1433]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2025-08-12T17:45:01.233150+00:00 thm-vm CRON[1433]: pam_unix(cron:session): session closed for user root
```



Try  
Hack  
Me



ubuntu



```
2025-12-21T12:59:38.191107+00:00 thm-vm (systemd): pam_unix(systemd-user:session): session opened for user ubuntu(uid=1000) by ubuntu(uid=0)
ubuntu@thm-vm:~$ cat /var/log/auth.log | grep "sshd" | grep -E 'Accepted|Failed'
2025-08-13T13:38:41.597588+00:00 thm-vm sshd[2917]: Accepted publickey for ubuntu from 10.14.97.15 port 51134 ssh2: RSA SHA256:oj8xLijWySiv2Jzh/N9DIlu
pm+hMm9zZJ6hw6LMDEHc
2025-08-13T13:44:21.720473+00:00 thm-vm sshd[875]: Accepted publickey for ubuntu from 10.14.97.15 port 51185 ssh2: RSA SHA256:oj8xLijWySiv2Jzh/N9DIlu
pm+hMm9zZJ6hw6LMDEHc
2025-08-13T13:59:39.616123+00:00 thm-vm sshd[884]: Accepted publickey for ubuntu from 10.14.97.15 port 51268 ssh2: RSA SHA256:oj8xLijWySiv2Jzh/N9DIlu
pm+hMm9zZJ6hw6LMDEHc
2025-08-13T15:56:18.903048+00:00 thm-vm sshd[1176]: Failed password for root from 10.14.94.82 port 57696 ssh2
2025-08-13T15:56:31.754409+00:00 thm-vm sshd[1192]: Failed password for invalid user admin from 10.14.94.82 port 57697 ssh2
2025-08-13T15:56:36.311951+00:00 thm-vm sshd[1192]: Failed password for invalid user admin from 10.14.94.82 port 57697 ssh2
2025-08-13T15:56:47.119851+00:00 thm-vm sshd[1194]: Failed password for invalid user support from 10.14.94.82 port 57698 ssh2
2025-08-13T15:56:51.194083+00:00 thm-vm sshd[1194]: Failed password for invalid user support from 10.14.94.82 port 57698 ssh2
2025-08-13T15:57:01.783976+00:00 thm-vm sshd[1196]: Failed password for root from 10.14.94.82 port 57700 ssh2
2025-08-13T17:49:04.943954+00:00 thm-vm sshd[1270]: Accepted publickey for ubuntu from 10.14.97.15 port 52725 ssh2: RSA SHA256:oj8xLijWySiv2Jzh/N9DIlu
pm+hMm9zZJ6hw6LMDEHc
2025-08-28T14:02:10.027441+00:00 thm-vm sshd[716]: Accepted publickey for ubuntu from 10.14.105.255 port 51152 ssh2: RSA SHA256:oj8xLijWySiv2Jzh/N9DI
upm+hMm9zZJ6hw6LMDEHc
2025-12-21T12:35:26.435560+00:00 thm-vm sshd[1101]: Accepted password for ubuntu from 10.82.92.80 port 50050 ssh2
2025-12-21T12:40:54.552306+00:00 thm-vm sshd[1333]: Accepted password for ubuntu from 10.82.119.212 port 53300 ssh2
2025-12-21T12:42:21.625331+00:00 thm-vm sshd[1414]: Accepted password for ubuntu from 10.82.80.193 port 41890 ssh2
2025-12-21T12:42:44.138332+00:00 thm-vm sshd[1483]: Accepted password for ubuntu from 10.82.121.150 port 45698 ssh2
2025-12-21T12:59:38.139077+00:00 thm-vm sshd[1577]: Accepted password for ubuntu from 10.82.121.150 port 40338 ssh2
ubuntu@thm-vm:~$
```

```
ubuntu@thm-vm:~$ cat /var/log/auth.log | grep -E '(passwd|useradd|usermod|userdel)\['
2025-08-12T16:57:14.041403+00:00 thm-vm passwd[1388]: pam_unix(passwd:chauthtok): password changed for ubuntu
2025-08-12T16:57:22.894189+00:00 thm-vm passwd[1389]: pam_unix(passwd:chauthtok): password changed for ubuntu
2025-08-13T18:04:10.580438+00:00 thm-vm useradd[1451]: new group: name=xerxes, GID=1001
2025-08-13T18:04:10.580683+00:00 thm-vm useradd[1451]: new user: name=xerxes, UID=1001, GID=1001, home=/home/xerxes, shell=/bin/sh, from=/dev/pts/1
2025-08-13T18:04:29.425939+00:00 thm-vm usermod[1458]: add 'xerxes' to group 'sudo'
2025-08-13T18:04:29.426146+00:00 thm-vm usermod[1458]: add 'xerxes' to shadow group 'sudo'
2025-08-28T14:02:07.694443+00:00 thm-vm passwd[580]: password for 'ubuntu' changed by 'root'
2025-12-21T12:35:18.206045+00:00 thm-vm passwd[587]: password for 'ubuntu' changed by 'root'
ubuntu@thm-vm:~$
```

```
ubuntu@thm-vm:~$ cat /var/log/auth.log | grep -E 'COMMAND='
2025-08-12T16:14:26.004955+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
2025-08-12T16:41:22.362003+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/apt install zip unzip
2025-08-13T13:38:46.064902+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
2025-08-13T13:44:26.547263+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
2025-08-13T14:00:02.853647+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
2025-08-13T18:01:21.499330+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
2025-08-13T18:35:28.361941+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
2025-08-13T18:37:03.855455+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
2025-08-13T18:52:11.728704+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
2025-08-28T14:02:45.407083+00:00 thm-vm sudo: ubuntu : TTY=pts/0 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
2025-08-28T14:04:40.826854+00:00 thm-vm sudo: root : TTY=pts/1 ; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/su
ubuntu@thm-vm:~$
```



# Ağın Gözcüleri: Savunmacının Radarları

Bir sistemi korumak, sadece içeride neler olduğunu bilmek değil; ağa giren ve çıkan trafiği de sürekli izlemektir. Linux'ta bazı temel ağ komutları, savunmacılar için birer erken uyarı sistemi görevi görür.

## ◆ 1. Kimlik ve Durum Kontrolü: `ifconfig` / `ip a`

# Ne işe yarar?

## Ağ arayüzlerini listeler

## IP ve MAC adreslerini gösterir

## Arayüzün aktif olup olmadığını belirtir


## Savunmacı Gözüyle Anlamı:

## PROMISC (Promiscuous Mode) görülmesi

→ Sistem üzerinde trafik dinleme (sniffing) ihtimali

## Beklenmeyen arayüzler (tun0, tap0)

→ VPN tüneli veya gizli bağlantı şüphesi







## ◆ 2. Kapıdaki Nöbetçiler: netstat / ss

Ne işe yarar?

- Aktif bağlantıları gösterir
- Dinlenen portları listeler
- Hangi uygulamanın hangi IP ile konuştuğunu gösterir

Savunmacı Gözüyle Anlamı:

- Tanımadık bir dış IP'ye giden ESTABLISHED bağlantı
- → Reverse shell veya veri sızıntısı ihtimali
- Beklenmeyen açık portlar (örn. 4444, 1337)
- → Backdoor veya kötü amaçlı servis

```
alf@server:~  
ss -tatu  
Connections (servers and established)  
Local Address          Foreign Address  
0.0.0.0:ssh             0.0.0.0:*  
0 server:ssh           192.168.1.48:59476  
0 [::]:mysql            [::]:*  
0 [::]:ssh              [::]:*  
0 0.0.0.0:slingshot     0.0.0.0:*  
0 0.0.0.0:7091          0.0.0.0:*  
0 0.0.0.0:bootpc        0.0.0.0:*  
0 [::]:25087            [::]:*  
0 server:dhcpv6-client  [::]:*  
0 [::]:59809            [::]:*
```





### ◆ 3. Yol ve Mesafe Analizi

ping & traceroute

Ne işe yarar?

- ping: Hedefin erişilebilirliğini ölçer
- traceroute: Paketlerin izlediği yolu gösterir

Savunmacı Gözüyle Anlamı:

- Ping sürelerinde ani artışlar
- → Trafik yoğunluğu, DoS ihtimali
- Traceroute yolunun değişmesi
- → Man-in-the-Middle (MITM) şüphesi

