CYBERVSI

External Network VAPT Report

Illustrative perimeter security assessment deliverable

SAMPLE / FICTIONAL

Target: Documentation-only IP range 198.51.100.0/27

Assessment window: 08-12 September 2026

Report date: 18 September 2026

Classification: Public sample

CONNECT@CYBERVSI.COM

Executive Summary

Assess a fictional internet-facing perimeter for exposed services, unsafe configuration, and attack paths that require remediation.

This sample presents security findings as inputs to the organization’s risk-management process. Business impact and remediation priority should be adjusted using the owner’s threat model, data sensitivity, and operating context.

Risk overview

Severity	Count	Recommended handling
Critical	1	Immediate containment and executive notification
Medium	1	Plan remediation in the current engineering cycle
Informational	1	Track as a defense-in-depth improvement

Priority actions

1. Restrict the highest-risk attack path.
2. Apply the recommended configuration or code correction.
3. Review related components for the same root cause.
4. Retest and record closure evidence.

Assessment Parameters

Item	Sample detail
Objective	Assess a fictional internet-facing perimeter for exposed services, unsafe configuration, and attack paths that require remediation.
Scope	Documentation-only IP range 198.51.100.0/27
Approach	Time-boxed black-box and authenticated testing. Manual validation was supported by security tooling; scanner output alone was not treated as a confirmed finding.
Test accounts	Two fictional standard-user roles and one read-only administrative role
Limitations	No source-code review, social engineering, denial-of-service, persistence, destructive actions, or third-party infrastructure testing
Standards reference	OWASP WSTG v4.2, NIST SP 800-115, PCI SSC Penetration Testing Guidance, and FIRST CVSS v3.1

Rules of engagement

Testing was authorized only for the listed fictional targets during the stated window. Stop conditions included service instability, evidence of access to out-of-scope data, or contact from the designated incident owner. Evidence collection was minimized and credentials were not retained in the report.

Testing Coverage

Test ID	Control area	Result
NET-DISC	Host discovery within approved range	Completed
NET-SVC	Port and service validation	Completed
NET-TLS	TLS protocol and cipher review	Finding raised
NET-ADMIN	Administrative exposure review	Finding raised
NET-AUTH	Approved authentication checks	Finding raised
NET-PATCH	Externally observable patch indicators	Completed
NET-SEG	Network segmentation evidence	Not tested
NET-VALID	Manual false-positive validation	Completed

Result definitions

Completed means the planned checks were performed. Finding raised means at least one validated issue is documented. No finding means no issue was confirmed within the assessment constraints; it does not guarantee absence of vulnerabilities. Not tested must be explained in the limitations section.

Findings Summary

ID	Finding	Severity	CVSS
NET-001	Internet-facing administrator portal accepts default credentials	Critical	9.8
NET-002	Legacy TLS protocol and cipher support	Medium	N/A
NET-003	Detailed SSH product banner	Informational	N/A

Severity approach

CyberVSI reports the CVSS v3.1 Base score and vector where the framework is appropriate. Configuration and defense-in-depth observations may be marked N/A instead of forcing a misleading score. Technical severity is an input to risk assessment; the system owner should apply threat, asset criticality, data sensitivity, compensating controls, and regulatory context before accepting business risk.

Internet-facing administrator portal accepts default credentials

CRITICAL	CVSS 3.1 9.8	NET-001

Classification	CWE-1392 | External attack surface
CVSS vector	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Affected asset

198.51.100.24:8443 (documentation-only range)

Description

The fictional appliance administrator portal was reachable from the internet and accepted the vendor-documented default credential pair supplied in the rules of engagement.

Business impact

An unauthenticated remote attacker could obtain administrative control of the appliance, change security policy, access configuration secrets, or disrupt connectivity.

Reproduction and fictional evidence

```
1. Browse to https://198.51.100.24:8443. 2. Submit the approved default test credential. 3. Dashboard returned 200 OK and displayed Administrator role. 4. Log out immediately; no configuration was changed.
```

Recommended remediation

Immediately rotate the credential and review authentication logs. Restrict the portal to a management network or VPN, require MFA, remove default accounts where supported, and continuously monitor external exposure.

Validation: Re-test the affected flow after the fix and confirm that equivalent endpoints enforce the same control.

Legacy TLS protocol and cipher support

MEDIUM	CVSS N/A	NET-002

Classification	CWE-326 | NIST SP 800-52r2 alignment
CVSS vector	Not assigned - cryptographic configuration

Affected asset
198.51.100.18:443

Description
The service accepts TLS 1.0 and a static-RSA CBC cipher suite that falls below a modern transport-security baseline.

Business impact
Legacy protocol support expands downgrade and cryptographic exposure and may conflict with organizational or regulatory requirements. Exploitability depends on client behavior and network position.

Reproduction and fictional evidence

```
Protocol handshake accepted: TLSv1.0. Accepted suite:
TLS_RSA_WITH_AES_128_CBC_SHA. Certificate validation and TLS 1.2 remained
functional.
```

Recommended remediation
Disable TLS 1.0 and 1.1 and static-RSA suites. Prefer TLS 1.2 or 1.3 with approved AEAD suites, validate required legacy clients, and repeat protocol and cipher enumeration after rollout.

Validation: Re-test the affected flow after the fix and confirm that equivalent endpoints enforce the same control.

Detailed SSH product banner

INFORMATIONAL	CVSS N/A	NET-003

Classification	CWE-200 | Service hardening
CVSS vector	Not assigned - informational exposure

Affected asset
198.51.100.29:22

Description
The SSH service reveals a product, version, and internal build label before authentication.

Business impact
The banner assists fingerprinting but does not by itself provide access. Patch status and access controls remain the primary security controls.

Reproduction and fictional evidence

```
Connection banner: SSH-2.0-ExampleSSH_8.1p1-demo-build. Authentication was not attempted because credentials were outside scope.
```

Recommended remediation
Reduce custom build detail where operationally practical, maintain supported versions and patching, restrict source networks, and monitor authentication attempts. Do not treat banner suppression as a substitute for remediation.

Validation: Re-test the affected flow after the fix and confirm that equivalent endpoints enforce the same control.

Remediation Roadmap

Timeframe	Recommended action	Owner
0-7 days	Contain the high-risk path and confirm monitoring coverage	Application or infrastructure owner
8-30 days	Implement durable fixes and review equivalent components	Engineering and security
31-60 days	Complete hardening items, retest, and retain closure evidence	Security governance

Retest expectations

A retest should confirm that the original proof no longer succeeds, the root cause is corrected, and the fix does not introduce a regression. Residual risk and accepted exceptions should be documented by the system owner.

Appendix

Methodology references

OWASP Web Security Testing Guide v4.2: https://wstg.owasp.org/v4.2/
NIST SP 800-115: https://doi.org/10.6028/NIST.SP.800-115
FIRST CVSS v3.1: https://www.first.org/cvss/v3.1/specification-document
PCI SSC Penetration Testing Guidance:
https://listings.pcisecuritystandards.org/documents/Penetration-Testing-Guidance-v1_1.pdf

Sample data notice

All company names, systems, domains, IP addresses, user accounts, timestamps, request fragments, findings, and evidence in this document are fictional. This document demonstrates the intended CyberVSI reporting format and is not proof of a completed assessment.

CyberVSI
connect@cybervsi.com
service.cybervsi.com