Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	0	1	0	0	1	0%
Scenarios	0	1	0	0	1	0%
Steps	0	1	0	17	18	0%

Overall Duration: 0h 00m 00s

Table of Contents

1. Register User

1. Verify user registration flow

Detailed Results Report

Feature: Register User							
I want to use this tem			D (1.14				
Passed: 0	Failed: 1	Undefined: 0	Duration: .14s				
Scenario: Verify user registration flow							
Passed: 0	Failed: 1	Undefined: 17	Duration: .14s				
Given Launch browser 0.14s							
java.lang.ExceptionInInitializerError at cucumber.deps.com.thoughtworks.xstream.XStream.setupConverters(XStream.java:820) at cucumber.deps.com.thoughtworks.xstream.XStream. <init>(XStream.java:574) at cucumber.deps.com.thoughtworks.xstream.XStream.<init>(XStream.java:530) at cucumber.runtime.xstream.LocalizedXStreams\$LocalizedXStream.<init> (LocalizedXStreams.java:50) at cucumber.runtime.xstream.LocalizedXStreams.newXStream(LocalizedXStreams.java:37) at cucumber.runtime.stepDefinitionMatch.runStep(StepDefinitionMatch.java:37) at cucumber.runtime.StepDefinitionMatch.runStep(StepDefinitionMatch.java:37) at cucumber.runtime.model.StepContainer.runStep(StepContainer.java:39) at cucumber.runtime.model.StepContainer.runStep(StepContainer.java:34) at cucumber.runtime.model.StepContainer.runStep(StepContainer.java:34) at coughthub.mkolisnyk.cucumber.runner.ExtendedExecutionUnitRunner.run (ExtendedExecutionUnitRunner.java:32) at com.github.mkolisnyk.cucumber.runner.ExtendedFeatureRunner.runChild (ExtendedFeatureRunner.java:81) at com.github.mkolisnyk.cucumber.runner.ExtendedFeatureRunner.runChild (ExtendedFeatureRunner.java:23) at org.junit.runners.ParentRunner\$.run(ParentRunner.java:290) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:28) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:28) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:28) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:28) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:268) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:363) at cucumber.runtime.junit.FeatureRunner.run(FeatureRunner.java:70)</init></init></init>							

```
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.runChild(ExtendedCucumber
java:108)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.runChild(ExtendedCucumber.
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java;288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.run(ExtendedCucumber.java:
148)
at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.
java:69)
at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
at .Given Launch browser(src/test/java/features/RegisterUser.feature:7)
Caused by: java.lang.reflect.InaccessibleObjectException: Unable to make field private final
java.util.Comparator java.util.TreeMap.comparator accessible: module java.base does not
"opens java.util" to unnamed module @1055e4af
at java.base/java.lang.reflect.AccessibleObject.checkCanSetAccessible(AccessibleObject.java:
at java.base/java.lang.reflect.AccessibleObject.checkCanSetAccessible(AccessibleObject.java:
at java.base/java.lang.reflect.Field.checkCanSetAccessible(Field.java:177)
at java.base/java.lang.reflect.Field.setAccessible(Field.java:171)
at cucumber.deps.com.thoughtworks.xstream.core.util.Fields.locate(Fields.java:39)
at cucumber.deps.com.thoughtworks.xstream.converters.collections.TreeMapConverter.
<clinit>(TreeMapConverter.java:50)
at cucumber.deps.com.thoughtworks.xstream.XStream.setupConverters(XStream.java:820)
at cucumber.deps.com.thoughtworks.xstream.XStream.<init>(XStream.java:574)
at cucumber.deps.com.thoughtworks.xstream.XStream.<init>(XStream.java:530)
at cucumber.runtime.xstream.LocalizedXStreams$LocalizedXStream.<init>
(LocalizedXStreams.java:50)
at cucumber.runtime.xstream.LocalizedXStreams.newXStream(LocalizedXStreams.java:37)
at cucumber.runtime.xstream.LocalizedXStreams.get(LocalizedXStreams.jaya:29)
at cucumber.runtime.StepDefinitionMatch.runStep(StepDefinitionMatch.java:37)
at cucumber.runtime.ExtendedRuntime.runStep(ExtendedRuntime.java:319)
at cucumber.runtime.model.StepContainer.runStep(StepContainer.java:44)
at cucumber.runtime.model.StepContainer.runSteps(StepContainer.java:39)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:44)
at com.github.mkolisnyk.cucumber.runner.ExtendedExecutionUnitRunner.run
(ExtendedExecutionUnitRunner.java:32)
at com.github.mkolisnyk.cucumber.runner.ExtendedFeatureRunner.runChild
(ExtendedFeatureRunner.java:81)
at com.github.mkolisnyk.cucumber.runner.ExtendedFeatureRunner.runChild
(ExtendedFeatureRunner.java:23)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
```

```
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
  at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
  at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
  at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
  at cucumber.runtime.junit.FeatureRunner.run(FeatureRunner.java:70)
  {f at\ com.github.mkolisnyk.cucumber.runner. Extended Cucumber.run Child} (Extended Cucumber.
  at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.runChild(ExtendedCucumber.
  at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
  at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
  at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
  at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)
  at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
  at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.run(ExtendedCucumber.java:
  148)
  at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
  at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.
  java:69)
  at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)
  at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
  at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:
  at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
  at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
  And Verify that 'ENTER ACCOUNT INFORMATION' is visible
Back to Table of Contents
```