DailyForge — Phase 1 MVP Build Plan

Prepared for: Prashob | **Date:** March 31, 2026 | **Timeline:** Weeks 1–2

Stack

- **Frontend:** React (Vite) + PWA
- **Backend:** Node.js + Express
- **Database:** PostgreSQL on Railway.app
- **Auth:** JWT (email/password)
- **Yoga data:** NotebookLM MCP (4 books indexed)
- **UI design:** Google Stitch MCP

Key Decisions (Locked)

Decision	Choice
Exercise alternatives	Defaults only in Phase 1. Alternatives added in Phase 2.
Mid-workout swaps	Allowed. "Save this choice?" prompt after completing swapped exercise.
Yoga pose seeding	Use NotebookLM MCP to extract and seed poses in Phase 1.
Database	Railway PostgreSQL from day 1.
UI design tool	Google Stitch via MCP for screen generation.

Week 1: Backend + Database + Seed Data

Day 1–2: Project Scaffold + Database

Tasks:

- Initialize Node.js + Express backend
- Initialize Vite React frontend
- Set up PostgreSQL on Railway.app
- Create all database tables (see schema below)
- Implement JWT auth: register + login endpoints

Database Tables:

```
users           → id, email, password_hash, name, created_at
workouts        → id, day_of_week, type, name, phase
workout_slots   → id, workout_id, order, default_exercise_id, muscle_group,
exercise_type
slot_alternatives → id, slot_id, exercise_id, priority (EMPTY in Phase 1)
user_slot_prefs → id, user_id, slot_id, chosen_exercise_id, updated_at
exercises       → id, name, description, url, muscle_groups, exercise_type,
source, difficulty, tags, notes, created_at
sessions        → id, user_id, workout_id, date, duration, completed
session_exercises → id, session_id, exercise_id, slot_id, sets, reps, weight
habits          → id, user_id, name, category, type, target, order, active
habit_entries   → id, habit_id, date, completed, value
```

Day 3–4: Seed Workout Data

Tasks:

- Seed 7-day weekly split into `workouts` table:
  - Monday: Upper Push + Yoga (55 min)
  - Tuesday: HIIT Cardio + Pranayama (50 min)
  - Wednesday: Lower Body + Yoga (55 min)
  - Thursday: Upper Pull + Yoga (55 min)
  - Friday: Steady Cardio + Wim Hof (50 min)
  - Saturday: Full Body + Deep Yoga (60 min)
  - Sunday: Active Rest (30–45 min)
- Seed strength exercises into `exercises` table (from spec Section 2.3):
  - DB Bench Press, DB Incline Press, DB Overhead Press, DB Lateral Raise, DB Skull Crusher, Renegade Row, etc.
  - Include sets × reps, weight ranges, muscle groups
- **Use NotebookLM MCP** to query "DailyForge Yoga Library" and seed yoga poses:
  - Standing poses (Warrior I/II/III, Triangle, Tree, etc.)
  - Hip openers (Pigeon, Lizard, etc.)
  - Spinal twists, forward folds, chest openers
  - For each: Sanskrit name, English name, target muscles, hold time, difficulty
- Seed breathwork exercises:
  - Tier 1 Energizing: Kapalabhati, Bhastrika, Wim Hof
  - Tier 2 Sustaining: Ujjayi, Diaphragmatic, Box Breathing

    - Tier 3 Calming: Anulom Vilom, Bhramari, Nadi Shodhana
- Seed `workout_slots` — link exercises to each day's workout sequence
- Seed universal session structure per day:
    1. Opening breathwork (5 min)
    2. Dynamic warm-up (5–7 min)
    3. Main work (30–40 min)
    4. Cool-down yoga + stretch (5–8 min)
    5. Closing breathwork (5 min)

Day 5: Core API Routes

Endpoints:

```
GET    /api/workout/today              → Today's workout with user's exercise
preferences
GET    /api/workout/:id/slots          → All slots with defaults + user prefs
PUT    /api/slot/:id/choose            → Set user's preferred exercise for a slot
PUT    /api/slot/:id/reset             → Reset slot back to default
POST   /api/session/start              → Start a workout session
PUT    /api/session/:id/complete       → Complete session, auto-log habits
GET    /api/library                    → Exercise library with filters
POST   /api/library                    → Save new exercise to library
GET    /api/habits                     → All habits for current user
POST   /api/habits                     → Create a new habit
POST   /api/habits/:id/check           → Log a habit entry for today
GET    /api/habits/streaks             → Streak data for all habits
```

Today's Workout API Logic:

```
GET /api/workout/today
  → Determine day of week
  → Load workout + slots for that day
  → For each slot: check user_slot_prefs
    → Preference exists? Show chosen exercise
    → No preference? Show default exercise
  → Return full workout with exercises
```

Week 2: Frontend + Habit Tracker + Deploy

Day 6–7: Today's Workout Screen

Features:

- Display today's workout: day name, focus area, total time
- List all exercises in order with: name, sets × reps, weight range
- Tap any exercise → search exercise library → swap (Phase 1 choice system)
- "Start Session" button → enters active workout mode
- During session: log sets, reps, weight per exercise
- Mid-workout swap allowed → after completing swapped exercise: "Save this choice?" prompt
  - Yes → updates `user_slot_prefs`
  - No → only logged in `session_exercises` for today
- "Complete Session" button → saves all data, auto-logs workout + breathwork habits

Day 8–9: Habit Tracker Screen

Features:

- Daily checklist view grouped by category
- Default habits (from spec Section 6.2):
  - Health & Fitness: Workout completed (auto), Breathwork done (auto), Water intake (quantity), Sleep 7+ hours (boolean)
  - Learning & Career: Study hours (quantity), Course module done (boolean), Build/code something (boolean)
  - Mindfulness: Meditation (quantity/min), No phone first 30 min (boolean)
  - Personal: Reading (boolean), Custom habits (user-defined)
- Boolean habits: simple toggle switch
- Quantity habits: number input with target display
- Each habit shows: current streak + best streak
- Missing a day resets current streak to zero
- Workout + breathwork auto-marked when session completes
- Midnight: day locks, incomplete = missed

Day 10: PWA + Deploy

Tasks:

- Create PWA manifest (name, icons, theme color)
- Service worker: cache today's workout data for offline use
- Deploy backend + frontend to Railway.app
- Test on all 3 devices:
  - iPhone 16 Pro (Safari PWA)

    - Samsung Galaxy (Chrome PWA)
    - Windows 11 PC (browser)
- Verify: installable, offline workout view works, responsive layout

---

MCP Usage During Build

NotebookLM MCP Queries (for seeding)

```
"List all standing yoga poses with Sanskrit names, English names, and target
muscles"
"List all seated yoga poses with target muscles and hold times"
"List all hip opener poses suitable for leg day cool-down"
"List all chest opener poses suitable for push day cool-down"
"List all spinal twist poses with difficulty levels"
"What pranayama techniques are described? Include timing protocols"
"List all poses from Sun Salutation A sequence"
```

Google Stitch MCP (for UI)

```
"Create a DailyForge workout screen — mobile-first, dark theme, shows today's
exercises with sets/reps/weight, start session button"
"Create a DailyForge habit tracker — daily checklist with toggles, quantity
inputs, streak counters, grouped by category"
"Create a DailyForge exercise swap modal — search bar, filtered exercise cards,
swap button"
```

Claude Code Initial Prompt

Use this to start building in Claude Code:

```
I'm building DailyForge — a workout + breathwork + habit tracker PWA.

Stack: Node.js + Express backend, React (Vite) frontend, PostgreSQL on Railway.

Phase 1 MVP scope:
1. Project scaffold (Express API + Vite React + PWA setup)
2. PostgreSQL database with tables: users, workouts, workout_slots, exercises,
   user_slot_prefs, sessions, session_exercises, habits, habit_entries
3. JWT auth (register + login)
4. Seed 7-day workout split with default exercises
5. Use @notebooklm-mcp to query my "DailyForge Yoga Library" notebook and seed
   yoga poses (Sanskrit name, English name, target muscles, type) into exercises
table
6. API routes: GET /api/workout/today, POST /api/session/start,
   PUT /api/session/:id/complete, GET /api/habits, POST /api/habits/:id/check,
   GET /api/habits/streaks
7. Today's Workout screen with exercise list + start/complete session
8. Habit checklist screen with boolean + quantity types + streaks

Start with step 1: scaffold the project structure.
```

What's NOT in Phase 1

- Exercise alternatives per slot (Phase 2)
- Breathwork animated timer (Phase 2)
- Analytics dashboard (Phase 2)
- Saved Instagram/YouTube videos in library (Phase 2)
- PWA push notifications (Phase 3)
- Quantity habit timer type (Phase 4)
- AI workout adjustments (Phase 4)
- Progressive overload charts (Phase 4)