

The Algorithmic Caricature: Auditing LLM-Generated Political Discourse Across Crisis Events

Gunjan, Sidahmed Benabderrahmane, Talal Rahwan

New York University (NYUAD), Division of Science, Computer Science Department
gg2713@nyu.edu

Abstract. Large Language Models (LLMs) are increasingly capable of generating fluent political text, raising concerns about the large-scale production of synthetic discourse during periods of social conflict. While prior detection work has often emphasized local linguistic cues such as perplexity, burstiness, or token-level irregularities, these signals may become less reliable as generative systems improve. In this paper, we adopt a Computational Social Science (CSS) perspective and study synthetic political discourse at the population level rather than the sentence level. We construct a paired multi-event corpus of 1,789,406 posts spanning nine politically salient crisis events: the COVID-19 pandemic, the Jan 6 Capitol attack, the 2020 US election, the 2024 US election, Dobbs/Roe v. Wade, the 2020 BLM protests, the US midterm elections, the Utah shooting, and the US-Iran war. For each event, we compare *observed* online discourse collected from social platforms with *synthetic* discourse generated to discuss the same event. We evaluate divergence along four dimensions: emotional intensity, structural regularity, lexical-ideological framing, and cross-event dependency, using mean-based gaps together with dispersion-based evidence of population distortion.

Across events, synthetic discourse is more negative and less dispersed in sentiment, structurally more regular, and lexically more abstract than observed discourse. In contrast, observed discourse exhibits broader emotional dispersion, longer-tailed structural distributions, and more context-specific and colloquial lexical markers. These differences are not uniform across events: they are typically larger for fast-moving, decentralized crises and smaller for formal, institutionally mediated events. We summarize these differences through a simple event-level divergence measure, which we term the *Caricature Gap*.

Our findings suggest that the main limitation of synthetic political discourse is not grammatical fluency, but reduced population realism. We argue that this population-level perspective offers a useful complement to traditional text-detection approaches and provides a CSS framework for auditing the social realism of generated discourse.

Data availability: Code and data are available at <https://github.com/gunjan2713/AuditingSyntheticPoliticalLanguage>

Keywords: Computational Social Science · Large Language Models · Synthetic Text · Political Discourse · Social Media Analysis

1 Introduction

Social media platforms have become central infrastructures for political expression, mobilization, and contestation [Hasan and Paul, 2025]. They are also key sites of manipulation, including coordinated influence operations, misinformation campaigns, and automated amplification [Orgeret et al., 2026],[Ahmed, 2026]. The rapid diffusion of Large Language Models (LLMs) raises a new concern within this landscape: the possibility of generating large volumes of fluent, politically charged synthetic discourse that can imitate grassroots expression at scale [Lu et al., 2026].

Much of the recent literature on AI-generated text detection has focused on local textual signatures, including token predictability, burstiness, repetition, or perplexity-based irregularities [Kehkashan et al., 2025]. Such methods can be useful, but they are increasingly vulnerable to model improvements, paraphrasing, and stylistic adaptation. In settings such as political communication, where language is noisy, emotional, and event-dependent, a narrow focus on sentence-level cues may miss broader population-level distortions [Wolfsfeld, 2022].

In this paper, we adopt a Computational Social Science (CSS) perspective and ask a different question: *when LLMs are used to simulate political discourse around crisis events, how does the resulting discourse differ from observed online populations?* Rather than treating synthetic text solely as an authorship problem, we treat it as a socio-linguistic population-level phenomenon. The contribution of this paper is not a new detector of AI-generated text, but a computational social science framework for auditing whether synthetic discourse populations reproduce the aggregate behavioral signatures of observed online publics. This distinction is important because political influence does not operate only through isolated texts; it also operates through population-level distributions of emotion, toxicity, repetition, lexical framing, and event-specific variability. By treating the discourse population rather than the individual post as the unit of analysis, the proposed framework connects generative AI evaluation to central CSS concerns: collective behavior, political communication, crisis response, and the measurement of online publics.

To investigate this question, we build a paired multi-event corpus containing both observed and synthetic discourse across nine crisis events. We then compare these two sources of discourse along four dimensions: emotional intensity, structural regularity, lexical-ideological framing, and cross-event dependency. Across these dimensions, we find consistent differences between observed and synthetic discourse. Synthetic text is typically more emotionally concentrated, structurally more homogeneous, and lexically more abstract or dramatized than observed discourse. At the same time, the magnitude of these divergences depends on the event type: differences tend to widen for decentralized and fast-moving crises and narrow for more institutional or formalized events.

Our contributions are fourfold:

1. We introduce a paired multi-event benchmark for comparing observed and synthetic political discourse across nine crisis events.

2. We propose a four-pillar CSS framework for auditing synthetic discourse at the population level: emotional intensity, structural regularity, lexical-ideological framing, and cross-event dependency.
3. We formalize an event-level sociological typology that treats crisis events as different discourse environments rather than interchangeable topics.
4. We show that synthetic discourse differs systematically from observed discourse in ways that are socially meaningful and event-dependent, and we summarize these differences through a simple divergence measure that we term the *Caricature Gap*.

Overall, the paper argues for a shift in emphasis: from asking whether a single text looks machine-generated to asking whether a generated discourse population behaves like a real one.

1.1 Research Questions and Hypotheses

This study is guided by three research questions:

RQ1. Do LLM-generated political discourse populations differ from observed online discourse populations across crisis events?

RQ2. Which dimensions of discourse realism are most affected: emotional intensity, structural regularity, lexical-ideological framing, or cross-event dependency?

RQ3. Are synthetic-observed divergences stable across events, or are they moderated by the sociological character of the event?

Based on prior work on synthetic social data, political communication, and machine-generated text, we formulate three descriptive hypotheses. First, we expect synthetic discourse to exhibit lower population heterogeneity than observed discourse, reflected in narrower sentiment, length, and lexical distributions. Second, we expect divergence to be larger for fast-moving and decentralized crises, where observed discourse is more informal and heterogeneous. Third, we expect toxicity divergence to be event-dependent rather than uniform, because model safety behavior and prompt framing may interact with the dominant rhetorical register of each event.

2 Related Work

This paper intersects three lines of research: automated detection of machine-generated text, computational social science studies of online political discourse, and the use of large language models to simulate or synthesize social data. We review each in turn and identify a gap that motivates a population-level treatment of crisis-era discourse.

The detection of machine-generated text has emerged as a central response to the rapid proliferation of large language models, with prior surveys organizing the field into statistical, stylometric, supervised, perturbation-based, and watermarking approaches [Crothers et al., 2023], [Wu, 2025]. Early statistical methods exploited the tendency of generated text to occupy high-likelihood, low-rank regions of a model’s probability distribution, as exemplified by GLTR

[Gehrmann et al., 2019], while later perturbation-based detectors such as DetectGPT [Mitchell et al., 2023] and Binoculars [Hans et al., 2024] formalized this intuition through curvature and cross-perplexity criteria, achieving strong zero-shot performance. Supervised classifiers built on transformer backbones such as RoBERTa have likewise demonstrated high in-domain accuracy, with systems like Grover [Zellers et al., 2019] and Ghostbuster [Verma et al., 2024] separating human- from machine-written content with near-perfect F1 scores. Watermarking schemes embed pseudorandom signals at generation time to enable post-hoc verification [Kirchenbauer et al., 2023], though they presuppose cooperation from the generator and offer little protection against adversaries who deploy unwatermarked open-source models. Stylometric techniques tailored to short-form content, particularly tweets, complement these methods by leveraging phraseology, punctuation, and lexical-diversity features [Fagni et al., 2021], [Kumarage et al., 2023]. Yet recent stress tests have shown that recursive paraphrasing and adversarial perturbations sharply degrade the reliability of all four families [Sadasivan et al., 2023], [Dugan et al., 2024], revealing that contemporary detectors operate primarily at the local textual level and remain blind to the broader discursive and social patterns through which generated content circulates and exerts influence in conflict-driven online environments.

The second line of work comes from Computational Social Science and the study of online political discourse [Theocharis and Jungherr, 2024]. This literature has examined polarization, affective language, misinformation, ideological clustering, protest communication, and event-driven shifts in online behavior. Our work builds on this tradition by analyzing discourse as a population-level social signal rather than merely a collection of isolated texts. Cross-platform analyses have established that online political interactions cluster into homophilic communities whose structure shapes information diffusion and exposure to opposing views [Cinelli et al., 2021], and multinational evidence has further shown that out-group interactions are consistently more toxic than in-group ones, a regularity now treated as a defining signature of affective polarization [Falkenberg et al., 2024]. This measurement tradition has been extended through methods that operationalize affective polarization via the emotion and toxicity of reply interactions, demonstrating that ideological proximity in the network correlates strongly with the valence and civility of expressed language [He et al., 2024]. Crisis-driven events have provided especially rich settings for such analysis, with longitudinal studies tracking partisan dynamics during the COVID-19 pandemic [Chen et al., 2020], the January 6th Capitol attack [Lee et al., 2022], the overturning of *Roe v. Wade* [Chang et al., 2023], and the 2024 U.S. presidential election [Balasubramanian et al., 2024], revealing sharp emotional, lexical, and ideological asymmetries between opposing user communities. Yet across this body of work, analyses are conducted on observed human-authored content alone, leaving open how the same population-level regularities behave when discourse is no longer exclusively human in origin.

The third line of work concerns synthetic social data and simulation. Recent studies have explored the use of LLMs to emulate individuals, generate

survey responses, or approximate social interactions. Our work differs by focusing specifically on crisis-driven political discourse and by asking whether generated discourse reproduces the emotional, structural, and lexical variability of observed online populations. Early efforts in this direction established the notion of *algorithmic fidelity*, demonstrating that LLMs conditioned on socio-demographic backstories can reproduce response distributions of real survey participants across political subgroups [Argyle et al., 2023]. This insight has since been extended to richer settings, including sandbox environments populated by generative agents that plan, converse, and form social ties [Park et al., 2023], and simulated micro-blogging platforms in which politically representative LLM populations are used to evaluate feed-ranking interventions and cross-partisan toxicity [Törnberg et al., 2023]. In parallel, a growing body of evidence has raised concerns about the behavioral and ideological properties of synthetic content: LLM-generated tweets are at least as credible as human ones for both accurate information and disinformation [Spitale et al., 2023], commercial models exhibit measurable ideological skews inherited from pretraining [Feng et al., 2023], and large-scale agent-based opinion simulations converge toward artificial consensus that fails to reproduce the polarization observed in real online communities [Chuang et al., 2024]. Despite these advances, evaluation has remained tethered either to individual-level fidelity to survey responses or to abstract network-level dynamics, leaving the question of whether synthetic discourse reproduces the population-level statistical signatures of authentic crisis-era human communication largely unanswered.

Taken together, these three lines of research leave a gap: there is no systematic, multi-event, population-level CSS audit of whether synthetic political discourse reproduces the behavioral signatures of real online populations during crisis events. This paper fills that gap by introducing a paired corpus benchmark, a four-pillar analytical framework, and a simple descriptive divergence measure—the *Caricature Gap*—that can be applied to any new event or generation system.

3 Data and Paired Event Design

3.1 Overview

Our dataset contains 1,789,406 posts distributed across nine crisis events: the COVID-19 pandemic, the Jan 6 Capitol attack, the 2020 US election, the 2024 US election, Dobbs/Roe v. Wade, the 2020 BLM protests, the US midterm elections, the Utah shooting, and the recent US-Iran war. For each event, we assemble two aligned corpora:

- **Observed:** posts collected from public online platforms, including Twitter, Telegram, and Reddit.
- **Synthetic:** posts generated to discuss the same event using LLM-based generation pipelines.

Table 1. Sociological characterization of the nine crisis events. The typology is used as an interpretive layer for comparing event-level Caricature Gaps rather than as a causal classification.

Event	Event type	Public discourse structure	Expected heterogeneity
COVID-19 pandemic	Public-health crisis	Policy-driven, prolonged, and institutionally mediated	Medium
Jan 6 Capitol attack	Political rupture	Highly polarized, event-specific, and adversarial	High
2020 US election	Electoral event	Institutional, partisan, and campaign-centered	Medium–High
2024 US election	Electoral event	Partisan, candidate-centered, and identity-linked	High
Dobbs/Roe v. Wade	Legal-political event	Institutional, juridical, and movement-based	Medium
2020 BLM protests	Protest movement	Decentralized, grassroots, and locally situated	High
US midterms	Electoral event	Institutional, campaign-based, and comparatively routinized	Medium
Utah shooting	Local violent event	Fast-moving, localized, and identity-linked	High
US-Iran war	Geopolitical conflict	International, militarized, and escalation-oriented	High

results. Instead, the figure documents the data-collection layer and complements the paired event design.

3.2 Event Typology and Sociological Context

To avoid treating events as interchangeable topical containers, we characterize them according to their sociological structure. Some events, such as elections and court decisions (as in Table 1), are institutionally mediated and produce relatively formal public discourse. Others, such as protests, shootings, and geopolitical escalations, are faster-moving, decentralized, and more likely to generate fragmented or colloquial responses. This typology allows us to interpret the Caricature Gap not only as a model-level artifact, but also as an interaction between generative systems and the social structure of the event being simulated.

3.3 Event Pairing and Harmonization

The key design principle of the corpus is event pairing. Rather than studying a single topic, we compare observed and synthetic discourse across multiple heterogeneous events. This reduces the risk that a result is driven by one topic alone and allows us to examine whether divergence is stable or event-specific. Here, paired refers to event alignment rather than one-to-one matching or equal sample size across observed and synthetic corpora.

Table 2. Summary of the paired multi-event dataset. The observed corpus may include human-authored posts, bots, coordinated activity, and machine-assisted text; therefore, the comparison is between observed and synthetic discourse rather than verified human and verified AI authorship.

Event	Observed	Synthetic	Platforms	Date range
COVID-19 pandemic	59,442	50,000	Twitter	Jan 2020–Dec 2022
Jan 6 Capitol attack	279,617	20,000	Twitter, Telegram	Jan 2021–Feb 2021
2020 US election	72,711	50,000	Twitter, Telegram, Reddit	Jun 2020–Nov 2020
2024 US election	126,733	150,936	Twitter, Telegram, Reddit	Jun 2024–Nov 2024
Dobbs/Roe v. Wade	11,065	30,000	Twitter	May 2022–Aug 2022
2020 BLM protests	47,577	30,000	Twitter	May 2020–Sep 2020
US midterm elections	31,227	30,000	Twitter	Jan 2022–Nov 2022
Utah shooting	5,257	6,000	Twitter	Sep 2025–Oct 2025
US-Iran war	588,841	200,000	YouTube	Feb 2026–Mar 2026
Total	1,222,470	566,936	—	—

All text was normalized before analysis. We removed URLs, HTML fragments, platform-specific artifacts, and obvious encoding anomalies. We retained the underlying lexical content needed for sentiment, toxicity, and lexical-framing analysis.

3.4 Dataset Summary

Table 2 reports, for each event, the number of observed and synthetic posts, the platforms represented, and the approximate date range.

3.5 Synthetic Generation Protocol

Because the synthetic corpus is central to the interpretation of the audit, we document the generation procedure separately from the observed-data collection procedure. The goal of the synthetic corpus is not to imitate individual users, but to produce event-aligned political discourse populations that can be compared with observed online discourse at the aggregate level. Table 3 summarizes the protocol. In all cases, direct observed posts were not inserted into the generation prompt; the synthetic side was conditioned on event descriptions, topical framing, and, where applicable, political-role or stance cues (Cf. repository).

4 Measures and Analytical Framework

We analyze divergence between observed and synthetic discourse using four complementary dimensions.

Table 3. Synthetic discourse generation protocol. The synthetic corpus was generated using ChatGPT 4/5.5 between March 2025 and May 2026. Prompt templates and event-level generation logs should be released with the code to ensure reproducibility.

Component	Description
Model	ChatGPT 4/5.5.
Generation period	Prompts were executed between March 2025 and May 2026, aligned with the event-specific synthetic corpora.
Prompt type	Event-conditioned political-discourse prompts that describe the crisis event and request social-media-style posts.
Decoding parameters	ChatGPT interface default generation settings were used; exact temperature/top- p values were not manually configured in the interface.
Observed posts in prompt	No direct observed posts were included in the generation prompt.
Persona/stance conditioning	None, political-role conditioning, or event-role conditioning depending on the event design.
Post-processing	Normalization, removal of malformed outputs, deduplication, and language filtering.
Release practice	Aggregate statistics and code are shared; potentially harmful synthetic examples are handled with caution.

4.1 Pillar 1: Emotional Intensity

We estimate sentiment using VADER compound scores [Hutto and Gilbert, 2014]. This provides a lightweight measure of polarity suitable for short social-media texts. We interpret these values comparatively rather than as direct psychological measurements.

To assess harmful affective tone, we additionally score toxicity using a transformer-based classifier (`unitary/toxic-bert` [Hanu and Unitary Team, 2020]), which returns a continuous score on $[0, 1]$. We treat this as a model-based indicator of hostile language rather than a direct measure of intent.

4.2 Pillar 2: Structural Regularity

To capture differences in discourse texture, we compute basic structural features including word count and punctuation ratio. These measures are not meant to capture stylistic quality, but population-level regularity. The key question is whether generated discourse exhibits narrower and more homogeneous distributions than observed discourse.

4.3 Pillar 3: Lexical-Ideological Framing

We estimate lexical divergence using TF-IDF-based ranking of unigrams and bigrams after removing structural noise. The goal is not topic modeling in the

strict sense, but identification of salient lexical markers that differentiate observed and synthetic discourse within each event. We use these lexical profiles to assess whether synthetic discourse is more abstract, formalized, or ideologically compressed.

4.4 Pillar 4: Cross-Event Dependency

To summarize event-level divergence, we define a simple gap measure:

$$\Delta = |\mu_{\text{syn}} - \mu_{\text{obs}}|,$$

where μ_{syn} and μ_{obs} denote the synthetic and observed means for a given metric within an event. We refer to this quantity as the *Caricature Gap*. Its purpose is descriptive: it allows us to compare the magnitude of divergence across events and across dimensions.

4.5 Dispersion and Distributional Interpretation

Although the Caricature Gap provides an interpretable event-level summary, mean differences alone cannot capture all forms of population distortion. We therefore interpret the mean gaps together with dispersion summaries, especially standard deviations and implied variance ratios $\sigma_{\text{syn}}^2/\sigma_{\text{obs}}^2$. These quantities are particularly important for the structural and sentiment analyses because the central claim concerns population compression: synthetic discourse may differ from observed discourse not only in average sentiment, toxicity, or length, but also in the breadth and shape of the corresponding distributions. In the reusable audit protocol, these summaries can be further extended with full distributional distances, such as Wasserstein distance or Jensen–Shannon divergence, when the goal is to compare different generators, prompts, or platform-specific subsets.

4.6 Event-Moderation Lens

To connect the statistical gaps to the sociological event typology, we use the event categories as an interpretive moderation lens rather than as causal ground truth. The guiding expectation is that gaps should be larger for fast-moving and decentralized events, where observed discourse is more heterogeneous, and smaller for institutionally mediated events, where public discourse is more formalized. Because the study contains nine events, we treat this analysis as descriptive and hypothesis-generating rather than as a fully powered event-level regression.

4.7 Statistical Reporting

For the quantitative metrics, we report descriptive statistics (mean and standard deviation for both corpora), the absolute Caricature Gap Δ , and effect size measured by Cohen’s d (positive values indicate synthetic > observed). We complement these with 95% bootstrap confidence intervals on the mean difference

($\mu_{\text{syn}} - \mu_{\text{obs}}$, 2,000 resamples), and a two-sided Mann–Whitney U test. Given the large corpus size, virtually all comparisons reach conventional significance thresholds; we therefore foreground effect size, confidence intervals, and dispersion patterns as the primary inferential quantities. The quantitative results are summarized in Table 4.

5 Results

Table 4 summarizes the descriptive statistics, effect sizes, and bootstrap confidence intervals for sentiment, toxicity, and word count across all paired events; Mann–Whitney tests were used to assess rank-order differences. We discuss each pillar in turn below.

5.1 Pillar 1: Emotional Intensity

Across the full corpus, observed discourse remains close to neutral on average ($\mu_{\text{obs}} = +0.018$, $\sigma = 0.52$), whereas synthetic discourse is substantially more negative ($\mu_{\text{syn}} = -0.215$, $\sigma = 0.46$; $d = -0.47$, 95% CI $[-0.246, -0.221]$, $p < .001$). The 2024 US Election shows the largest single-event gap ($d = -0.98$), while COVID-19 shows the smallest ($d = -0.14$), consistent with the event-dependency hypothesis. Notably, Dobbs/Roe v. Wade is the only event where synthetic discourse is *more positive* than observed ($d = +0.22$), likely reflecting the formal, legal register of the prompts used to generate that corpus. Figure 2 shows the aggregate sentiment density, and Figure 3 presents per-event whisker bars that quantify the variance and interquartile range of this polarization.




Fig. 2. Aggregate sentiment polarization: observed discourse remains near-neutral while synthetic discourse anchors strongly in the negative register.

When the full nine-event grid is faceted (Figure 4), local emotional topography is exposed—each event exhibits its own observed discourse signature that synthetic discourse fails to reproduce. The US-Iran War (Figure 5) is highlighted as a standalone case given the unique geopolitical register of the discourse.

By contrast, aggregate toxicity levels are much closer between the two sources of discourse. Figure 6 confirms that average toxicity occupies similar global

Table 4. Statistical summary for the three quantitative pillars. μ_{obs} and μ_{syn} are corpus means; d is Cohen’s d (positive = synthetic > observed); 95% CI is bootstrapped on $\mu_{\text{syn}} - \mu_{\text{obs}}$ (2,000 resamples).

Metric	Event	μ_{obs}	σ_{obs}	μ_{syn}	σ_{syn}	d	95% CI
Sentiment	All events	0.018	0.522	-0.215	0.458	-0.47	[-0.246, -0.221]
	2020 BLM Protests	-0.077	0.558	-0.285	0.307	-0.46	[-0.239, -0.177]
	2020 US Election	0.012	0.527	-0.360	0.440	-0.77	[-0.410, -0.315]
	2024 US Election	0.067	0.528	-0.412	0.448	-0.98	[-0.514, -0.442]
	COVID-19 Pandemic	0.078	0.519	0.015	0.398	-0.14	[-0.095, -0.029]
	Dobbs / Roe v. Wade	0.053	0.517	0.154	0.360	0.22	[0.069, 0.134]
	Jan 6 Capitol Attack	-0.017	0.411	-0.382	0.441	-0.85	[-0.395, -0.334]
	US Midterm Elections	0.065	0.538	-0.080	0.457	-0.29	[-0.179, -0.109]
	US-Iran War	-0.180	0.480	-0.467	0.424	-0.61	[-0.320, -0.265]
	Utah Shooting	-0.035	0.542	-0.262	0.410	-0.47	[-0.263, -0.192]
Toxicity	All events	0.082	0.209	0.079	0.206	-0.02	[-0.008, 0.002]
	2020 BLM Protests	0.154	0.288	0.002	0.005	-0.75	[-0.168, -0.138]
	2020 US Election	0.080	0.194	0.110	0.220	0.14	[0.015, 0.045]
	2024 US Election	0.082	0.209	0.313	0.341	0.82	[0.211, 0.252]
	COVID-19 Pandemic	0.026	0.113	0.005	0.015	-0.27	[-0.028, -0.016]
	Dobbs / Roe v. Wade	0.093	0.214	0.003	0.009	-0.59	[-0.101, -0.079]
	Jan 6 Capitol Attack	0.095	0.216	0.188	0.276	0.38	[0.077, 0.111]
	US Midterm Elections	0.032	0.139	0.069	0.190	0.22	[0.025, 0.049]
	US-Iran War	0.140	0.260	0.038	0.121	-0.53	[-0.115, -0.090]
	Utah Shooting	0.098	0.224	0.014	0.076	-0.50	[-0.096, -0.072]
Word Count	All events	32.16	55.93	23.08	11.29	-0.23	[-10.16, -8.11]
	2020 BLM Protests	25.90	13.55	21.97	7.54	-0.36	[-4.77, -3.16]
	2020 US Election	38.22	68.53	22.50	9.80	-0.27	[-18.90, -12.50]
	2024 US Election	35.04	65.42	21.78	9.59	-0.28	[-16.81, -9.89]
	COVID-19 Pandemic	28.16	11.95	20.64	7.26	-0.76	[-8.31, -6.83]
	Dobbs / Roe v. Wade	26.20	12.94	26.83	9.63	0.06	[-0.24, 1.42]
	Jan 6 Capitol Attack	23.40	52.35	22.29	3.79	-0.03	[-3.72, 1.44]
	US Midterm Elections	54.75	100.29	23.36	10.91	-0.44	[-36.80, -26.51]
	US-Iran War	52.00	78.30	31.39	11.06	-0.34	[-23.10, -16.10]
	Utah Shooting	25.63	44.70	16.34	18.19	-0.27	[-12.32, -7.09]




Fig. 3. Per-event whisker bars for sentiment polarization variance. The tight clustering of synthetic scores (red) versus the wide spread of observed scores (blue) is consistent across all nine events.




Fig. 4. Faceted sentiment grids across all nine events.




Fig. 5. Isolated sentiment polarization for the US-Iran War context.

ranges in both populations, even when sentiment differs more clearly, and the faceted view (Figure 7) reinforces this finding at the per-event level.




Fig. 6. Aggregate toxicity density: global toxicity bounds are nearly identical across both sources.

This combination—more negative sentiment without proportionally higher toxicity—suggests that synthetic discourse may be better described as affectively intensified than overtly more toxic.

5.2 Pillar 2: Structural Regularity

Observed discourse exhibits broad, long-tailed structural distributions, particularly in word count. Across the corpus, observed posts average 32.2 words ($\sigma = 55.9$), while synthetic posts average 23.1 words ($\sigma = 11.3$; $d = -0.23$, 95% CI $[-10.16, -8.11]$, $p < .001$). The key signal is not the mean difference but the variance: the synthetic standard deviation is five times smaller than observed, confirming population-level structural homogenization. The effect is strongest for COVID-19 ($d = -0.76$) and negligible for Dobbs/Roe v. Wade ($d = 0.06$, CI crosses zero) and Jan 6 ($d = -0.03$)—events whose formal, institutional register happens to align with the model’s default output style. Synthetic discourse, in




Fig. 7. Faceted toxicity splits by event. The generator attempts to match organic harassment distributions (blue), but exhibits patterns consistent with safety-constrained generation (red).

contrast, is more concentrated around narrower length bands. Figure 8 illustrates this pattern across all nine events.

A similar difference appears in punctuation use. Figure 9 shows that synthetic discourse is more regular in sentence completion patterns, whereas observed discourse is structurally noisier and more variable.

Together, these findings indicate that synthetic discourse exhibits *regressive length homogenization*: regardless of the sociological context of the event being simulated, the model collapses toward its median token-generation threshold.

The distributional interpretation strengthens this conclusion. A mean-only comparison understates the magnitude of structural collapse because observed posts contain long tails, short fragments, replies, slogans, and platform-specific artifacts, whereas synthetic posts concentrate around a narrower length band. Median, IQR, and variance-ratio summaries therefore provide a more direct measure of the population-level compression that motivates the term *algorithmic caricature*.

5.3 Pillar 3: Lexical-Ideological Framing

The lexical profiles of observed and synthetic discourse differ substantially across all nine events. Observed discourse foregrounds concrete event-specific markers, named actors, and colloquial references. Synthetic discourse more often empha-




Fig. 8. Faceted word-count distributions across nine events. Synthetic discourse (red) produces an identical structural spike regardless of event context, while observed discourse (blue) adapts organically.




Fig. 9. Punctuation ratio variance across events.

sizes abstract or dramatized ideological language. Figures 10–18 illustrate this pattern across events.




Fig. 10. Lexical divergence during the 2024 US election.




Fig. 11. Lexical divergence surrounding the Jan 6 Capitol attack.

Overall, the lexical analysis confirms that synthetic discourse tends to compress ideological conflict into formalized or stereotyped rhetorical frames, whereas observed discourse remains closer to concrete, socially situated references.

5.4 Pillar 4: Cross-Event Dependency

The divergence between observed and synthetic discourse is not constant across events. Figure 19 summarizes the Caricature Gap ($\Delta = |\mu_{\text{syn}} - \mu_{\text{obs}}|$) across all nine events and three dimensions simultaneously.




Fig. 12. Lexical divergence concerning the COVID-19 pandemic.




Fig. 13. Lexical divergence concerning Dobbs/Roe v. Wade.




Fig. 14. Lexical divergence concerning the 2020 BLM protests.




Fig. 15. Lexical divergence concerning the US midterm elections.




Fig. 16. Lexical divergence concerning the Utah shooting.




Fig. 17. Lexical divergence isolating the 2020 US election paradigm.




Fig. 18. Lexical divergence evaluating the geopolitical US-Iran War.




Fig. 19. 9-event cross-event Caricature Gap (Δ) across sentiment, structural, and toxicity dimensions.

For sentiment, the gap ranges from $\Delta = 0.063$ (COVID-19, $d = -0.14$) to $\Delta = 0.478$ (2024 US Election, $d = -0.98$), confirming that event type is a strong moderator of synthetic–observed divergence. The structural gap follows a similar gradient: word-count divergence is largest for the US Midterm Elections ($d = -0.44$) and essentially absent for Dobbs and Jan 6 ($d \approx 0$).

A particularly striking finding concerns toxicity. The direction of the gap *reverses* across events: synthetic discourse is *more* toxic than observed for the 2024 US Election ($d = +0.82$) and Jan 6 ($d = +0.38$), yet *less* toxic for the BLM protests ($d = -0.75$), Utah ($d = -0.50$), and Dobbs ($d = -0.59$). This reversal suggests that the model’s safety constraints interact with each event’s dominant rhetorical register in non-uniform ways: the model may over-index on adversarial political language for election contexts, but under-produces the raw grassroots hostility characteristic of protest and legal-controversy discourse. A consistent pattern is that structural divergence is larger for rapid, decentralized events such as protest dynamics or election-period discourse, and smaller for events with more institutionalized or formalized public language. This suggests that the social realism of generated discourse depends not only on the model, but also on the sociological structure of the event being simulated.

Taken together, these patterns support an event-moderation interpretation: the Caricature Gap appears to vary with the sociological structure of the event. We treat this as descriptive rather than causal evidence. The typology in Table 1 is therefore used to interpret the observed pattern, not to identify a causal effect of event type on model behavior.

6 Robustness and Sensitivity Considerations

We conducted three lightweight robustness checks on the sampled enriched dataset. First, because the robustness subset contains balanced cohorts of 1,500 observed and 1,500 synthetic posts per event, equal-size sampling leaves the sentiment and toxicity gaps unchanged, confirming that the reported Caricature Gap is not driven by sample-size imbalance. Second, after removing duplicate text entries, the signed sentiment and toxicity gaps changed only negligibly, typically by less than 0.005. This indicates that the observed divergences are not artifacts of repeated synthetic generations, hashtag spam, or duplicated platform content. Third, we compared mean-based structural differences with median and interquartile-range summaries. Observed discourse has a median length of 23 words and an IQR of 26 words, whereas synthetic discourse has a median length of 21 words and an IQR of 15 words. Thus, the synthetic word-count IQR is approximately 42% lower than the observed IQR, supporting the interpretation that LLM-generated discourse collapses toward a narrower structural range.

For these checks, the inferential emphasis should be on whether synthetic discourse remains more homogeneous and less event-specific than observed discourse. Because the dataset is very large, minor numeric differences are expected to be statistically significant; robustness should therefore be evaluated by the

Table 5. Robustness checks on the sampled enriched dataset. Sentiment and toxicity gaps are signed differences ($\mu_{\text{syn}} - \mu_{\text{obs}}$).

Event	Sent. baseline	Sent. dedup.	Tox. baseline	Tox. dedup.
COVID-19 pandemic	-0.0630	-0.0631	-0.0218	-0.0219
Jan 6 Capitol attack	-0.3644	-0.3694	0.0936	0.0918
2024 US election	-0.4784	-0.4791	0.2314	0.2312
Dobbs/Roe v. Wade	0.1003	0.0942	-0.0897	-0.0916
2020 BLM protests	-0.2083	-0.2076	-0.1522	-0.1523
Utah shooting	-0.2278	-0.2260	-0.0843	-0.0848
Word count median/IQR	Observed: 23.0 / 26.0		Synthetic: 21.0 / 15.0	

stability of the effect direction, the relative ranking of event-level gaps, and the persistence of dispersion-based compression.

7 Discussion

Our results point to a population-level limitation of synthetic political discourse. The main issue is not that generated text is grammatically poor. On the contrary, much of it is fluent. Rather, the issue is that it tends to underrepresent the heterogeneity of observed online populations. Compared with observed discourse, synthetic discourse is more affectively concentrated, structurally more regular, and lexically more abstract.

Two findings deserve particular attention. First, Dobbs/Roe v. Wade is the only event where synthetic sentiment is *more positive* than observed ($d = +0.22$). One possible explanation is the formal, legal register of the prompts used to generate that corpus: the model’s training on institutional text aligns naturally with juridical language, causing it to produce more measured, less emotionally charged output than the actual public reaction to the ruling. This illustrates a general principle—the model’s behavioral bias is not fixed; it interacts with the register implied by the generation prompt.

Second, the toxicity reversal across events (synthetic more toxic for elections, less toxic for protests and legal controversy) challenges simple narratives about LLM safety constraints. Rather than uniformly suppressing hostility, the model appears to over-weight adversarial political framing in some contexts while under-producing grassroots register in others. This context-dependence is itself a diagnostic signal: it suggests that toxicity-based detection methods may need event-specific calibration rather than global thresholds.

This matters for two reasons. First, it suggests that population-level auditing may provide a useful complement to traditional AI-text detection. Even if local linguistic signatures weaken, generated discourse may still remain distinguishable through its aggregate behavioral profile. Second, it raises a substantive social-science question: if synthetic discourse increasingly participates in public debate, it may reshape political communication not only by scale, but by narrowing the forms of expression that circulate—privileging formal, dramatized language over the messy, colloquial texture of authentic digital mobilization.

The paper also has direct implications for evaluation practice. A model may appear highly realistic when judged on individual fluency, yet still fail to reproduce the emotional and structural diversity of a real discourse population. We therefore argue for a CSS-based auditing perspective that treats the *population* rather than the *post* as the unit of evaluation.

8 Limitations and Ethical Considerations

This study has several limitations. First, the observed corpus is not guaranteed to contain only human-authored content; it may include bots, coordinated campaigns, or machine-assisted posts. Our comparison is therefore between observed and synthetic discourse, not between verified human and verified AI text. Second, the synthetic corpus depends on the prompts, model choices, and generation procedures used to produce it. Different prompts, decoding settings, safety filters, or persona assumptions may change the magnitude of the observed gaps. Third, the Utah shooting and US-Iran war corpora may be less directly comparable to the other events because they differ in scale, recency, platform composition, and geopolitical context. They should therefore be interpreted as useful stress cases rather than as directly equivalent to the longer-running US domestic events.

Fourth, our measures are proxies. VADER does not capture the full nuance of political affect, toxicity classifiers are model-dependent, and TF-IDF lexical divergence is descriptive rather than causal. Finally, our interpretations of why these patterns emerge—for example, the possible role of safety constraints, training-data composition, or prompt register—should be treated as hypotheses consistent with the evidence rather than directly identified mechanisms.

The study also raises ethical and dual-use considerations. It involves politically sensitive discourse and synthetic political text that could be misused if redistributed without context. We therefore treat the dataset as a research artifact for aggregate analysis rather than as content to be reused for persuasion, imitation, or amplification. We do not attempt to identify individual users, infer private attributes, or attribute intent to specific accounts. Where possible, release should prioritize aggregate statistics, feature representations, reproducible code, and documented prompts while limiting the redistribution of harmful generated examples or raw politically sensitive content.

9 A Reusable Audit Protocol

Beyond the specific events analyzed here, the proposed framework can be used as a reusable audit protocol for future generative systems and simulated social-media environments. The protocol consists of eight steps: define the crisis event and collection window; construct a transparent seed lexicon; collect observed discourse under documented platform constraints; generate an aligned synthetic corpus under documented model and prompt settings; normalize both corpora using the same pipeline; compute the four divergence pillars; summarize gaps using mean-based and dispersion-aware measures; and interpret the results through

an event typology and robustness checks. This makes the framework useful not only for retrospective analysis, but also for auditing new models, prompts, safety settings, or simulated online publics.

10 Conclusion

We presented a Computational Social Science framework for auditing synthetic political discourse across crisis events. Using a paired corpus spanning nine events, we showed that synthetic discourse differs systematically from observed discourse along four dimensions: emotional intensity, structural regularity, lexical-ideological framing, and cross-event dependency.

These findings suggest that the key limitation of synthetic discourse is not sentence-level fluency but reduced population realism. The proposed Caricature Gap and dispersion-aware audit protocol therefore shift evaluation from the isolated post to the discourse population. We argue that future work on synthetic-text auditing should move beyond local grammatical cues and ask whether generated discourse behaves like the online publics it claims to represent.

References

- Ahmed, 2026. Ahmed, M. (2026). Youth, social media, and political slogans (abusive words, slangs) in bangladesh: A contemporary evaluation. *Social Media, and Political Slogans (Abusive Words, Slangs) in Bangladesh: A Contemporary Evaluation (January 08, 2026)*.
- Argyle et al., 2023. Argyle, L. P., Busby, E. C., Fulda, N., Gubler, J. R., Rytting, C., and Wingate, D. (2023). Out of one, many: Using language models to simulate human samples. *Political Analysis*, 31(3):337–351.
- Balasubramanian et al., 2024. Balasubramanian, A., Zou, V., Narayana, H., You, C., Luceri, L., and Ferrara, E. (2024). A public dataset tracking social media discourse about the 2024 U.S. presidential election on Twitter/X. *arXiv preprint arXiv:2411.00376*.
- Chang et al., 2023. Chang, R.-C., Rao, A., Zhong, Q., Wojcieszak, M., and Lerman, K. (2023). #RoeOverturned: Twitter dataset on the abortion rights controversy. In *Proceedings of the International AAAI Conference on Web and Social Media (ICWSM)*, volume 17, pages 997–1005.
- Chen et al., 2020. Chen, E., Lerman, K., and Ferrara, E. (2020). Tracking social media discourse about the COVID-19 pandemic: Development of a public coronavirus twitter data set. *JMIR Public Health and Surveillance*, 6(2):e19273.
- Chuang et al., 2024. Chuang, Y.-S., Goyal, A., Harlalka, N., Suresh, S., Hawkins, R., Yang, S., Shah, D., Hu, J., and Rogers, T. T. (2024). Simulating opinion dynamics with networks of LLM-based agents. In *Findings of the Association for Computational Linguistics: NAACL 2024*, pages 3326–3346, Mexico City, Mexico. Association for Computational Linguistics.
- Cinelli et al., 2021. Cinelli, M., De Francisci Morales, G., Galeazzi, A., Quattrocioni, W., and Starnini, M. (2021). The echo chamber effect on social media. *Proceedings of the National Academy of Sciences*, 118(9):e2023301118.

- Crothers et al., 2023. Crothers, E. N., Japkowicz, N., and Viktor, H. L. (2023). Machine-generated text: A comprehensive survey of threat models and detection methods. *IEEE Access*, 11:70977–71002.
- Dugan et al., 2024. Dugan, L., Hwang, A., Trhlík, F., Zhu, A., Ludan, J. M., Xu, H., Ippolito, D., and Callison-Burch, C. (2024). RAID: A shared benchmark for robust evaluation of machine-generated text detectors. In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 12463–12492, Bangkok, Thailand. Association for Computational Linguistics.
- Fagni et al., 2021. Fagni, T., Falchi, F., Gambini, M., Martella, A., and Tesconi, M. (2021). TweepFake: About detecting deepfake tweets. *PLOS ONE*, 16(5):e0251415.
- Falkenberg et al., 2024. Falkenberg, M., Galeazzi, A., Torricelli, M., Di Marco, N., Larosa, F., Sas, M., Mekacher, A., Pearce, W., Zollo, F., Quattrociocchi, W., and Baronchelli, A. (2024). Patterns of partisan toxicity and engagement reveal the common structure of online political communication across countries. *Nature Communications*, 15:9560.
- Feng et al., 2023. Feng, S., Park, C. Y., Liu, Y., and Tsvetkov, Y. (2023). From pre-training data to language models to downstream tasks: Tracking the trails of political biases leading to unfair NLP models. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 11737–11762, Toronto, Canada. Association for Computational Linguistics.
- Gehrmann et al., 2019. Gehrmann, S., Strobelt, H., and Rush, A. M. (2019). GLTR: Statistical detection and visualization of generated text. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics: System Demonstrations*, pages 111–116, Florence, Italy. Association for Computational Linguistics.
- Hans et al., 2024. Hans, A., Schwarzschild, A., Cherepanova, V., Kazemi, H., Saha, A., Goldblum, M., Geiping, J., and Goldstein, T. (2024). Spotting LLMs with binoculars: Zero-shot detection of machine-generated text. In *Proceedings of the 41st International Conference on Machine Learning (ICML)*, volume 235 of *Proceedings of Machine Learning Research*, pages 17519–17537. PMLR.
- Hanu and Unitary Team, 2020. Hanu, L. and Unitary Team (2020). Detoxify. GitHub repository. Model: `unitary/toxic-bert`.
- Hasan and Paul, 2025. Hasan, M. and Paul, A. (2025). The role of social media in political mobilization: a systematic review. *Business & Social Sciences*, 3(1):1–8.
- He et al., 2024. He, B., Mokherian, N., Câmara, A., Abeliuk, A., and Lerman, K. (2024). Affective polarization and dynamics of information spread in online networks. *npj Complexity*, 1:8.
- Hutto and Gilbert, 2014. Hutto, C. and Gilbert, E. (2014). VADER: A parsimonious rule-based model for sentiment analysis of social media text. In *Proceedings of the 8th International AAAI Conference on Weblogs and Social Media (ICWSM)*, pages 216–225. AAAI Press.
- Kehkashan et al., 2025. Kehkashan, T., Riaz, R. A., Al-Shamayleh, A. S., Akhunzada, A., Ali, N., Hamza, M., and Akbar, F. (2025). Ai-generated text detection: A comprehensive review of methods, datasets, and applications. *Computer Science Review*, 58:100793.
- Kirchenbauer et al., 2023. Kirchenbauer, J., Geiping, J., Wen, Y., Katz, J., Miers, I., and Goldstein, T. (2023). A watermark for large language models. In *Proceedings of the 40th International Conference on Machine Learning (ICML)*, volume 202 of *Proceedings of Machine Learning Research*, pages 17061–17084. PMLR.
- Kumarage et al., 2023. Kumarage, T., Garland, J., Bhattacharjee, A., Trapeznikov, K., Ruston, S., and Liu, H. (2023). Stylometric detection of AI-generated text in twitter timelines. *arXiv preprint arXiv:2303.03697*.

- Lee et al., 2022. Lee, C. S., Merizalde, J., Colautti, J. D., An, J., and Kwak, H. (2022). Storm the Capitol: Linking offline political speech and online Twitter extra-representational participation on QAnon and the January 6 insurrection. *Frontiers in Sociology*, 7:876070.
- Lu et al., 2026. Lu, M., He, Z., Guo, Y., Liu, S., Huang, J., Zhao, Y., Tian, Z., Zhao, X., Shao, C., Deng, L., et al. (2026). Llm-driven adversarial example synthesis for emerging topic rumor detection on social media. *IEEE Transactions on Knowledge and Data Engineering*.
- Mitchell et al., 2023. Mitchell, E., Lee, Y., Khazatsky, A., Manning, C. D., and Finn, C. (2023). DetectGPT: Zero-shot machine-generated text detection using probability curvature. In *Proceedings of the 40th International Conference on Machine Learning (ICML)*, volume 202 of *Proceedings of Machine Learning Research*, pages 24950–24962. PMLR.
- Orgeret et al., 2026. Orgeret, K. S., Mutsvairo, B., de Bruijn, M., Schroeder, D. T., Badji, S. D., and Moges, M. A. (2026). Hashtags, hatetags and social media campaigns in ethiopia’s tigray conflict. *Information, Communication & Society*, 29(3):850–868.
- Park et al., 2023. Park, J. S., O’Brien, J. C., Cai, C. J., Morris, M. R., Liang, P., and Bernstein, M. S. (2023). Generative agents: Interactive simulacra of human behavior. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology (UIST)*, pages 1–22, San Francisco, CA, USA. ACM.
- Sadasivan et al., 2023. Sadasivan, V. S., Kumar, A., Balasubramanian, S., Wang, W., and Feizi, S. (2023). Can AI-generated text be reliably detected? *arXiv preprint arXiv:2303.11156*.
- Spitale et al., 2023. Spitale, G., Biller-Andorno, N., and Germani, F. (2023). AI model GPT-3 (dis)informs us better than humans. *Science Advances*, 9(26):eadh1850.
- Theocharis and Jungherr, 2024. Theocharis, Y. and Jungherr, A. (2024). Introduction: Computational social science and the study of political communication. In *Computational Political Communication*, pages 1–22. Routledge.
- Törnberg et al., 2023. Törnberg, P., Valeeva, D., Uitermark, J., and Bail, C. (2023). Simulating social media using large language models to evaluate alternative news feed algorithms. *arXiv preprint arXiv:2310.05984*.
- Verma et al., 2024. Verma, V., Fleisig, E., Tomlin, N., and Klein, D. (2024). Ghostbuster: Detecting text ghostwritten by large language models. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (NAACL-HLT)*, pages 1702–1717, Mexico City, Mexico. Association for Computational Linguistics.
- Wolfsfeld, 2022. Wolfsfeld, G. (2022). *Making sense of media and politics: Five principles in political communication*. Routledge.
- Wu, 2025. Wu, J. e. a. (2025). A survey on llm generated text detection necessity, methods, and future directions. *Computational Linguistics*, 51(1):275–338.
- Zellers et al., 2019. Zellers, R., Holtzman, A., Rashkin, H., Bisk, Y., Farhadi, A., Roessner, F., and Choi, Y. (2019). Defending against neural fake news. In *Advances in Neural Information Processing Systems (NeurIPS)*, volume 32.