

Pareto Efficient Insurance with Multiple Policyholders, Multiple Insurers, and Multiple Indemnity Environments

Zijun Meng

Abstract

This paper proves a sum-minimization characterization of Pareto efficient insurance with multiple policyholders, multiple insurers, and multiple indemnity environments. We also provide a result regarding the pairwise implementability of the policyholder- and insurer-aggregate level arrangements in the multiple policyholders and multiple insurers setting.

Contents

1	Introduction	2
2	Multiple Insurers and Multiple Environments	2
3	Multiple Policyholders, Multiple Insurers, and Multiple Indemnity Environments	6

1 Introduction

Asimit-Boonen [1] proves a sum-minimization characterization of Pareto optimal insurance contracts for agents with translation invariant risk measures under a multiple insurers setting. Asimit-Boonen-Chi-Chong [2] studies the problem under a multiple exogenous environments setting. Boonen-Chong-Ghossoub [3] proves the characterization with multiple policyholders and a centralized insurer. In each of these papers, only one dimension is multiple and the other two dimensions are degenerated. This paper aims to combine the three directions.

In Section 2, we argue that the sum-minimization characterization is robust when we combine multiple insurers and multiple environments. In fact, the characterization for multiple policyholders and multiple environments follows using the same idea. In Section 3, we study the case when there are simultaneously multiple policyholders and multiple insurers. Instead of specifying the indemnity functions for each pair of policyholder and insurer, we do the characterization in an aggregate level, i.e. how much one has to pay or receive and how much risk one has to bear. Then, we argue in a corollary that this is more general than the previous case and it in particular contains the multiple indemnity environments setting as a special case. We also provide a necessary and sufficient condition for the existence of sets of pairwise contracts that support the aggregate level arrangements in the end of the section.

2 Multiple Insurers and Multiple Environments

Consider a probability space $(\Omega, \mathcal{F}, \mathbb{P})$, denote by $L^p := L^p(\Omega, \mathcal{F}, \mathbb{P})$ the set of all p -integrable random variables in that probability space and by $L_+^p := L_+^p(\Omega, \mathcal{F}, \mathbb{P}) \subseteq L^p$ the set of all nonnegative p -integrable random variables in that probability space.

Suppose that there is a single policyholder PH with risk measure $\rho^{PH} : L^p \rightarrow \mathbb{R}$ and a set $\mathcal{R} = \{1, \dots, r\}$ of insurers with risk measures $\rho_1, \dots, \rho_r : L^p \rightarrow \mathbb{R}$ respectively. Suppose that the policyholder is endowed with a risk modelled by a random variable $X \in L_+^p$.

Definition 1. *We say that a risk measure $\rho : L^p \rightarrow \mathbb{R}$ is*

- *increasing if $\rho(X) \leq \rho(Y)$ whenever $X \leq Y$ $\mathbb{P}$ -a.s;*
- *translation invariant if $\rho(X + a) = \rho(X) + a$ for any $a \in \mathbb{R}$;*
- *law invariant if $\rho(X) = \rho(Y)$ whenever $X \stackrel{d}{=} Y$.*

Assumption 1. $\rho^{PH}, \rho_1, \dots, \rho_r$ are translation invariant, law invariant, increasing, and fix 0.

Let $\Omega = \bigsqcup_{k=0}^m \Omega_k$, indicating a realized riskless environment Ω_0 and m realized risky environments, and $Y = \sum_{k=0}^m k \mathbb{1}_{\Omega_k}$ be an indicator.

Let $S \subseteq \mathcal{R}$ be the set of all insurers the policyholder trades with, and

$$\mathcal{I}_S := \{I = (I_k^i)_{i \in S, 1 \leq k \leq m}; 0 \leq I_k^i \leq id, I_k^i \text{ and } R_k^i := id - \sum_{i \in S} I_k^i \text{ are increasing}\}$$

be the set of feasible indemnity tuples. Suppose that the policyholder pays premium π_i to and receives a bonus b_i from insurer i , so insurer i bears a risk

$$X_i := b_i \mathbb{1}_{\Omega_0} + \sum_{k=1}^m I_k^i(X) \mathbb{1}_{\Omega_k}$$

for the policyholder, who has to pay

$$\pi := \sum_{i \in S} \pi_i$$

and bear the remaining risk

$$\begin{aligned} X^R &:= X - \sum_{i \in S} X_i \\ &= X - \sum_{i \in S} \left(b_i \mathbb{1}_{\Omega_0} + \sum_{k=1}^m I_k^i(X) \mathbb{1}_{\Omega_k} \right) \\ &= X - \left(\sum_{i \in S} b_i \right) \mathbb{1}_{\Omega_0} - \sum_{k=1}^m \left(\sum_{i \in S} I_k^i(X) \right) \mathbb{1}_{\Omega_k} \\ &= - \left(\sum_{i \in S} b_i \right) \mathbb{1}_{\Omega_0} + \sum_{k=1}^m \left(X - \sum_{i \in S} I_k^i(X) \right) \mathbb{1}_{\Omega_k} \\ &= - \left(\sum_{i \in S} b_i \right) \mathbb{1}_{\Omega_0} + \sum_{k=1}^m R_k^i(X) \mathbb{1}_{\Omega_k}. \end{aligned}$$

Let

$$\mathcal{C}_{S,X} := \{(b_i, \pi_i, X_i)_{i \in S} \in \mathbb{R}_+ \times \mathbb{R}_+^S \times L_+^p; \rho_i(X_i - \pi_i) \leq 0 \forall i \in S, \rho^{PH}(X^R + \pi) \leq \rho^{PH}(X)\}$$

be the set of all incentive compatible tuple of contracts,

$$\begin{aligned} \mathcal{P}_{S,X} := \{ & (b_i, \pi_i, X_i)_{i \in S} \in \mathcal{C}_{S,X}; \text{ there does not exists } (\tilde{\pi}_i, \tilde{X}_i) \text{ such that} \\ & \begin{cases} \rho_i(\tilde{X}_i - \tilde{\pi}_i) \leq \rho_i(X_i - \pi_i) \forall i \in S \\ \rho^{PH}(\tilde{X}^R + \tilde{\pi}) \leq \rho^{PH}(X^R + \pi) \end{cases} \\ & \text{with at least one strict inequality} \} \end{aligned}$$

be the set of all Pareto optimal tuple of contracts,

$$\mathcal{S}_{S,X} := \arg \min_{(b_i, \pi_i, X_i)_{i \in S} \in \mathcal{C}_{S,X}} \left(\sum_{i \in S} \rho_i(X_i) + \rho^{PH}(X^R) \right)$$

be the set of all tuple of contracts minimizing the sum of risk measures of insurers and the policyholder. We have the following result:

Theorem 1. *We have*

$$\mathcal{S}_{S,X} = \mathcal{P}_{S,X}.$$

Proof. We first prove that

$$\mathcal{S}_{S,X} \subseteq \mathcal{P}_{S,X}.$$

Indeed, suppose on the contrary that there exists

$$(b_i, \pi_i, X_i)_{i \in S} \in \mathcal{S}_{S,X} \setminus \mathcal{P}_{S,X}.$$

Then, there exists $(\tilde{b}_i, \tilde{\pi}_i, \tilde{X}_i)_{i \in S}$ so that

$$\begin{cases} \rho_i(\tilde{X}_i - \tilde{\pi}_i) \leq \rho_i(X_i - \pi_i) \forall i \in S \\ \rho^{PH}(\tilde{X}^R + \tilde{\pi}) \leq \rho^{PH}(X^R + \pi) \end{cases}$$

with at least one strict inequality. Summing these $|S| + 1$ inequalities yields

$$\begin{aligned} \sum_{i \in S} \rho_i(\tilde{X}_i) + \rho^{PH}(\tilde{X}^R) &= \sum_{i \in S} \rho_i(\tilde{X}_i - \tilde{\pi}_i) + \rho^{PH}(\tilde{X}^R + \tilde{\pi}) \\ &< \sum_{i \in S} \rho_i(X_i - \pi_i) + \rho^{PH}(X^R + \pi) = \sum_{i \in S} \rho_i(X_i) + \rho^{PH}(X^R), \end{aligned}$$

which contradicts the assumption that

$$(b_i, \pi_i, X_i)_{i \in S} \in \mathcal{S}_{S, X}.$$

We next prove that

$$\mathcal{S}_{S, X} \supseteq \mathcal{P}_{S, X}.$$

Indeed, suppose on the contrary that there exists

$$(b_i, \pi_i, X_i)_{i \in S} \in \mathcal{P}_{S, X} \setminus \mathcal{S}_{S, X}.$$

Then, there exists $(\tilde{b}_i, \tilde{\pi}_i, \tilde{X}_i)_{i \in S}$ so that

$$\sum_{i \in S} \rho_i(\tilde{X}_i) + \rho^{PH}(\tilde{X}^R) < \sum_{i \in S} \rho_i(X_i) + \rho^{PH}(X^R).$$

We take

$$\hat{\pi}_i = \tilde{\pi}_i + \rho_i(\tilde{X}_i - \pi_i) - \rho_i(X_i - \pi_i),$$

then

$$\rho_i(\tilde{X}_i - \hat{\pi}_i) = \rho_i(\tilde{X}_i) - \tilde{\pi}_i - \rho_i(\tilde{X}_i - \tilde{\pi}_i) + \rho_i(X_i - \pi_i) = \rho_i(X_i - \pi_i) \leq 0$$

and

$$\begin{aligned} \rho^{PH}(\tilde{X}^R + \hat{\pi}) &< \sum_{i \in S} \rho_i(X_i) + \rho^{PH}(X^R) - \sum_{i \in S} \rho_i(\tilde{X}_i) + \sum_{i \in S} (\tilde{\pi}_i + \rho_i(\tilde{X}_i - \tilde{\pi}_i) - \rho_i(X_i - \pi_i)) \\ &= \sum_{i \in S} \rho_i(X_i) + \rho^{PH}(X^R) - \sum_{i \in S} \rho_i(\tilde{X}_i) + \sum_{i \in S} \rho_i(\tilde{X}_i) - \sum_{i \in S} \rho_i(X_i) + \sum_{i \in S} \pi_i \\ &= \rho^{PH}(X^R + \pi) \leq \rho^{PH}(X), \end{aligned}$$

so $(\tilde{b}_i, \hat{\pi}_i, \tilde{X}_i)_{i \in S}$ is strictly better than $(b_i, \pi_i, X_i)_{i \in S}$ in the Pareto sense, which contradicts the assumption that

$$(b_i, \pi_i, X_i)_{i \in S} \in \mathcal{P}_{S, X}.$$

□

Indeed, following the same proof, we can deduce that the sum-minimization characterization is true for multiple policyholders and multiple environments (with a single insurer).

3 Multiple Policyholders, Multiple Insurers, and Multiple Indemnity Environments

Now, suppose that we have a set $\mathcal{H} = \{1, \dots, h\}$ of policyholders endowed with risks $X_1, \dots, X_h \in L_+^p$ and suffer from risk measures $\rho_1^{PH}, \dots, \rho_h^{PH} : L^p \rightarrow \mathbb{R}$ and a set $\mathcal{R} = \{1, \dots, r\}$ of insurers with risk measures $\rho_1, \dots, \rho_r : L^p \rightarrow \mathbb{R}$ respectively. We impose the same assumption as in the previous section:

Assumption 2. $\rho_1^{PH}, \dots, \rho_h^{PH}, \rho_1, \dots, \rho_r$ are translation invariant, law invariant, increasing, and fix 0.

We model the arrangement as a tuple $(d, p, q) \in (L_+^p)^{h+r} \times \mathbb{R}^{h+r}$, where $B_i(d) \in L_+^p$ is the retained risk of policyholder $i \in \mathcal{H}$ after a total payment of p_i , $S_j(d)$ is the risk the insurer $j \in \mathcal{R}$ has to bear with a monetary compensation q_j , we assume that $B_i(d) \leq X_i$, $p \geq 0$, and $q \geq 0$.

Let

$$\mathcal{C} := \{(d, p, q) \in (L_+^p)^{h+r} \times \mathbb{R}^{h+r}; \rho_i^{PH}(B_i(d) + p_i) \leq \rho_i^{PH}(X_i) \forall i \in \mathcal{H}; \\ \rho_j(S_j(d) - q_j) \leq 0 \forall j \in \mathcal{R}; \sum_{i \in \mathcal{H}} p_i = \sum_{j \in \mathcal{R}} q_j\}$$

be the set of incentive compatible and cash clearing arrangements,

$$\mathcal{P} := \{(d, p, q) \in \mathcal{C}; \text{there does not exist } (\tilde{d}, \tilde{p}, \tilde{q}) \in \mathcal{C} \text{ such that} \\ \begin{cases} \rho_i^{PH}(B_i(\tilde{d}) + \tilde{p}_i) \leq \rho_i^{PH}(B_i(d) + p_i) \forall i \in \mathcal{H} \\ \rho_j(S_j(\tilde{d}) - \tilde{q}_j) \leq \rho_j(S_j(d) - q_j) \forall j \in \mathcal{R} \end{cases} \\ \text{with at least one strict inequality}\}$$

be the set of Pareto optimal arrangements,

$$\mathcal{S} := \arg \min_{(d, p, q) \in \mathcal{C}} \left(\sum_{i \in \mathcal{H}} \rho_i^{PH}(B_i(d)) + \sum_{j \in \mathcal{R}} \rho_j(S_j(d)) \right)$$

be the set of all arrangements minimizing the sum of risk measures of policyholders and insurers.

We have the following result:

Theorem 2. *We have*

$$\mathcal{S} = \mathcal{P}.$$

Proof. We first prove that

$$\mathcal{S} \subseteq \mathcal{P}.$$

Indeed, suppose on the contrary that there exists $(d, p, q) \in \mathcal{S} \setminus \mathcal{P}$. Then, there exists $(\tilde{d}, \tilde{p}, \tilde{q})$ so that

$$\begin{cases} \rho_i^{PH}(B_i(\tilde{d}) + \tilde{p}_i) \leq \rho_i^{PH}(B_i(d) + p_i) \forall i \in \mathcal{H} \\ \rho_j(S_j(\tilde{d}) - \tilde{q}_j) \leq \rho_j(S_j(d) - q_j) \forall j \in \mathcal{R} \end{cases}$$

with at least one strict inequality. Summing these $h + r$ inequalities yields

$$\begin{aligned} \sum_{i \in \mathcal{H}} \rho_i^{PH}(B_i(\tilde{d})) + \sum_{j \in \mathcal{R}} \rho_j(S_j(\tilde{d})) &= \sum_{i \in \mathcal{H}} \rho_i^{PH}(B_i(\tilde{d}) + \tilde{p}_i) + \sum_{j \in \mathcal{R}} \rho_j(S_j(\tilde{d}) - \tilde{q}_j) \\ &< \sum_{i \in \mathcal{H}} \rho_i^{PH}(B_i(d) + p_i) + \sum_{j \in \mathcal{R}} \rho_j(S_j(d) - q_j) \\ &= \sum_{i \in \mathcal{H}} \rho_i^{PH}(B_i(d)) + \sum_{j \in \mathcal{R}} \rho_j(S_j(d)), \end{aligned}$$

which contradicts the assumption that $(d, p, q) \in \mathcal{S}$. We next prove that

$$\mathcal{S} \supseteq \mathcal{P}.$$

Indeed, suppose on the contrary that there exists $(d, p, q) \in \mathcal{P} \setminus \mathcal{S}$. Then, there exists $(\tilde{d}, \tilde{p}, \tilde{q})$ so that

$$\sum_{i \in \mathcal{H}} \rho_i^{PH}(B_i(\tilde{d})) + \sum_{j \in \mathcal{R}} \rho_j(S_j(\tilde{d})) < \sum_{i \in \mathcal{H}} \rho_i^{PH}(B_i(d)) + \sum_{j \in \mathcal{R}} \rho_j(S_j(d)).$$

Let

$$\Delta := \left(\sum_{i \in \mathcal{H}} \rho_i^{PH}(B_i(d)) + \sum_{j \in \mathcal{R}} \rho_j(S_j(d)) \right) - \left(\sum_{i \in \mathcal{H}} \rho_i^{PH}(B_i(\tilde{d})) + \sum_{j \in \mathcal{R}} \rho_j(S_j(\tilde{d})) \right) > 0.$$

Take

$$\hat{p}_i := p_i + \rho_i^{PH}(B_i(d)) - \rho_i^{PH}(B_i(\tilde{d})) - \frac{\Delta}{h + r}$$

and

$$\hat{q}_j := q_j + \rho_j(S_j(\tilde{d})) - \rho_j(S_j(d)) + \frac{\Delta}{h + r}.$$

Then

$$\rho_i^{PH}(B_i(\tilde{d}) + \hat{p}_i) = p_i + \rho_i^{PH}(B_i(d)) - \frac{\Delta}{h + r} < \rho_i^{PH}(B_i(d) + p_i) \leq \rho_i^{PH}(X_i)$$

and

$$\rho_j(S_j(\tilde{d}) - \hat{q}_j) = \rho_j(S_j(d)) - q_j - \frac{\Delta}{h+r} < \rho_j(S_j(d) - q_j) \leq 0,$$

so $(\tilde{d}, \hat{p}, \hat{q})$ is strictly better than (d, p, q) in the Pareto sense, which contradicts the assumption that $(d, p, q) \in \mathcal{P}$. $\square$

We immediately have the following:

Corollary 1. *Let $\Omega = \bigsqcup_{k=0}^m \Omega_k$, indicating a realized riskless environment Ω_0 and m realized risky environments, and $Y = \sum_{k=0}^m k \mathbb{1}_{\Omega_k}$ be an indicator. Let $I_{ijk} : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ be the indemnity function for policyholder $i \in \mathcal{H}$, insurer $j \in \mathcal{R}$ and environment $1 \leq k \leq m$. Let $b_{ij} \geq 0$ be the bonus for policyholder $i \in \mathcal{H}$, insurer $j \in \mathcal{R}$ and environment 0. If $0 \leq I_{ijk} \leq id$, I_{ijk} and $R_{ijk} := id - I_{ijk}$ are increasing. Then the set of Pareto optimal arrangements is equal to the set of arrangements that minimize the sum of the risk measures of the policyholders and insurers.*

Proof. Take

$$B_i(d) = X_i - \mathbb{1}_{\Omega_0} \sum_{j \in \mathcal{R}} b_{ij} - \sum_{k=1}^m \mathbb{1}_{\Omega_k} \sum_{j \in \mathcal{R}} I_{ijk}(X_i)$$

and

$$S_j(d) = \mathbb{1}_{\Omega_0} \sum_{i \in \mathcal{H}} b_{ij} + \sum_{k=1}^m \mathbb{1}_{\Omega_k} \sum_{i \in \mathcal{H}} I_{ijk}(X_i).$$

The result follows from the previous theorem. $\square$

The above theorem analyzes the situation in a policyholder-aggregate and insurer-aggregate level, but it ignores each specific pair $(i, j) \in \mathcal{H} \times \mathcal{R}$. A natural question is whether an arrangement (d, p, q) is *bilaterally implementable*, i.e. there exists a matrix $\pi = (\pi_{ij})_{(i,j) \in \mathcal{H} \times \mathcal{R}}$ of payments, where $\pi_{ij} \geq 0$ is the payment from policyholder i to insurer j such that the cash clears, i.e.

$$\sum_{i \in \mathcal{H}} \pi_{ij} = q_j \quad \forall j \in \mathcal{R} \quad \text{and} \quad \sum_{j \in \mathcal{R}} \pi_{ij} = p_i \quad \forall i \in \mathcal{H},$$

and everyone is weakly better off, i.e.

$$\sum_{j \in \mathcal{R}} \pi_{ij} \leq \rho_i^{PH}(X_i) - \rho_i^{PH}(B_i(d))$$

for any policyholder $i \in \mathcal{H}$ and

$$\sum_{i \in \mathcal{H}} \pi_{ij} \geq \rho_j(S_j(d))$$

for any insurer $j \in \mathcal{R}$. In fact, by the max-flow min-cut theorem, we have the following result:

Theorem 3. *An arrangement $(d, p, q) \in \mathcal{C}$ is bilaterally implementable if and only if for any $B \subseteq \mathcal{R}$, we have*

$$\sum_{j \in B} \rho_j(S_j(d)) \leq \sum_{i \in \mathcal{H}: \exists j \in B: \pi_{ij} > 0} (\rho_i(X_i) - \rho_i(B_i(d))).$$

References

- [1] A. V. Asimit and T. J. Boonen (2018) “Insurance with Multiple Insurers: A Game-theoretic Approach.” *European Journal of Operational Research*.
- [2] A. V. Asimit, T. J. Boonen, Y. Chi, W. F. Chong. (2021) “Risk Sharing with Multiple Indemnity Environments.” *European Journal of Operational Research*.
- [3] T. J. Boonen, W. F. Chong, and M. Ghossoub. (2024) “Pareto-efficient Risk Sharing in Centralized Insurance Markets with Application to Flood Risk.” *Journal of Risk and Insurance*.