

Documentation: AutokomisDB

Server: DESKTOP-QGNOVBUSQLEXPRESS	3
Database: AutoKomisDB	3
Procedures	5
Roles.....	21
Tables.....	25
Schemas.....	58
Server info	67
Server properties.....	67

SQL Servers

Server index

Server
DESKTOP-QGNOVBUSQLEXPRESS

Server: DESKTOP-QGNOVBUSQLEXPRESS

Database index

Database	Description
AutoKomisDB	

Database: AutoKomisDB

Database object index

Objects	Total
Datatypes	0
Defaults	0
Fulltext catalogs	0
Functions	0
Procedures	20
Roles	10
Rules	0
Tables	8
Triggers	0
Users	0
Views	0

SQL Server 2016 object index

Objects	Total
Assemblies	0
Asymmetric keys	0
Certificates	0
Contracts	0
DDL triggers	0
Event notifications	0
Fulltext stoplists	0
Message types	0
Partition Functions	0
Partition Schemes	0

Queues	0
Remote Service Bindings	0
Routes	0
Schemas	13
Search property lists	0
Sequences	0
Services	0
Symmetric keys	0
Synonyms	0
XML schema collections	0

List of datatypes

Datatypes

No datatypes exist

List of defaults

Defaults

No defaults exist

List of fulltext catalogs

Fulltext catalogs

No fulltext catalogs exist

List of functions

Functions

No functions exist

List of procedures

Procedures

Name	Schema	Description	Input	Output	Encrypted	Creation date
[Clean_Car_Adding]	[dbo]		4	0	x	05/30/2020
[Add_Customer]	[dbo]		7	0	x	05/31/2020
[Get_Employee]	[dbo]		1	0	x	05/31/2020
[Sign_in]	[dbo]		2	0	x	05/15/2020
[Get_transaction_list]	[dbo]		0	0	x	05/17/2020

[Get_transaction_Details]	[dbo]	1	0	x	05/20/2020
[get_Car_TechDetails]	[dbo]	1	0	x	05/23/2020
[Get_Car_list]	[dbo]	0	0	x	05/24/2020
[Get_Employee_list]	[dbo]	0	0	x	05/24/2020
[Get_Customer_list]	[dbo]	0	0	x	05/24/2020
[Get_Car_Details]	[dbo]	1	0	x	05/24/2020
[Get_Car_Equipments]	[dbo]	1	0	x	05/24/2020
[Add_Employee]	[dbo]	6	0	x	05/25/2020
[Get_Position_List]	[dbo]	0	0	x	05/25/2020
[Add_Car]	[dbo]	7	0	x	05/27/2020
[Add_TechnicalDetails]	[dbo]	13	0	x	05/27/2020
[Add_Equipments]	[dbo]	14	0	x	05/27/2020
[Add_Images]	[dbo]	6	0	x	05/27/2020
[Add_Transaction]	[dbo]	4	0	x	05/27/2020
[Get_Customer]	[dbo]	1	0	x	05/27/2020

Total: 20 procedure(s)

Procedures

Procedure: [AutoKomisDB].[dbo].[Clean_Car_Adding]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/30/2020
Type	Standard T-SQL
Encrypted	x
ID	82099333
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@TechnicalDetailsID		uniqueide	16	Input	x

	ntifier			
@EquipmentsID	uniqueide ntifier	16	Input	x
@ImagesID	uniqueide ntifier	16	Input	x
@CarID	uniqueide ntifier	16	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Add_Customer]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/31/2020
Type	Standard T-SQL
Encrypted	x
ID	338100245
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@ID		uniqueide ntifier	16	Input	x
@Name		nvarchar	50	Input	x
@Surname		nvarchar	50	Input	x
@City		nvarchar	50	Input	x
@Street		nvarchar	50	Input	x
@Number		nchar	10	Input	x

@Phone	nvarchar	20	Input	x
--------	----------	----	-------	----------

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Get_Employee]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/31/2020
Type	Standard T-SQL
Encrypted	x
ID	354100302
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@Login		nchar	10	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Sign_in]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/15/2020
Type	Standard T-SQL
Encrypted	x
ID	613577224
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@Login		nchar	30	Input	x
@Pass		varchar	2147483647	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Get_transaction_list]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/17/2020
Type	Standard T-SQL
Encrypted	x
ID	1669580986
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

No parameters exist

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Get_transaction_Details]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/20/2020
Type	Standard T-SQL
Encrypted	x
ID	1733581214
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@TransactionID		uniqueidentifier	16	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[get_Car_TechDetails]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/23/2020
Type	Standard T-SQL
Encrypted	x
ID	1765581328
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@CarID		uniqueidentifier	16	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Get_Car_list]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/24/2020
Type	Standard T-SQL
Encrypted	x

ID	1781581385
Implementation type	Transact SQL
Is native compiled	X

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

No parameters exist

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Get_Employee_list]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/24/2020
Type	Standard T-SQL
Encrypted	X
ID	1797581442
Implementation type	Transact SQL
Is native compiled	X

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

No parameters exist

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Get_Customer_list]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/24/2020
Type	Standard T-SQL
Encrypted	X
ID	1813581499
Implementation type	Transact SQL
Is native compiled	X

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

No parameters exist

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Get_Car_Details]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/24/2020
Type	Standard T-SQL

Encrypted	x
ID	1829581556
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@CarID		uniqueidentifier	16	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Get_Car_Equipments]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/24/2020
Type	Standard T-SQL
Encrypted	x
ID	1845581613
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@CarID		uniqueidentifier	16	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Add_Employee]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/25/2020
Type	Standard T-SQL
Encrypted	x
ID	1861581670
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@Login		nchar	30	Input	x
@Position		nvarchar	20	Input	x
@Name		nvarchar	20	Input	x
@Surname		nvarchar	50	Input	x
@DiscountLevel		decimal	5	Input	x
@Password		varchar	2147483647	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Get_Position_List]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/25/2020
Type	Standard T-SQL
Encrypted	x
ID	1877581727
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

No parameters exist

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Add_Car]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/27/2020
Type	Standard T-SQL
Encrypted	x
ID	1893581784

Implementation type	Transact SQL
Is native compiled	X

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@ID		uniqueidentifier	16	Input	X
@Brand		nvarchar	20	Input	X
@Model		nvarchar	20	Input	X
@EquipmentID		uniqueidentifier	16	Input	X
@TechnicalDetailsID		uniqueidentifier	16	Input	X
@Price		decimal	9	Input	X
@ImagesID		uniqueidentifier	16	Input	X

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Add_TechnicalDetails]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/27/2020
Type	Standard T-SQL
Encrypted	X
ID	1909581841
Implementation type	Transact SQL
Is native compiled	X

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@ID		uniqueidentifier	16	Input	X
@YearOfProduction		date	3	Input	X
@Mileage		int	4	Input	X
@EngineCapacity		int	4	Input	X
@FuelType		nvarchar	10	Input	X
@Power		nvarchar	10	Input	X
@Transmission		nvarchar	10	Input	X
@Drive		nvarchar	10	Input	X
@BodyType		nvarchar	10	Input	X
@Color		nvarchar	15	Input	X
@IsRegistered		bit	1	Input	X
@NoAccident		bit	1	Input	X
@Condition		nvarchar	10	Input	X

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Add_Equipments]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/27/2020
Type	Standard T-SQL
Encrypted	X
ID	1925581898
Implementation type	Transact SQL
Is native compiled	X

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@ID		uniqueidentifier	16	Input	X
@ABS		bit	1	Input	X
@ElectricWindows		bit	1	Input	X
@Airbag		bit	1	Input	X
@Alu		bit	1	Input	X
@AirConditioning		bit	1	Input	X
@CD		bit	1	Input	X
@ElectricMirror		bit	1	Input	X
@FactoryAudio		bit	1	Input	X
@ESP		bit	1	Input	X
@Computer		bit	1	Input	X
@CentralLock		bit	1	Input	X
@PowerSteering		bit	1	Input	X
@Isofix		bit	1	Input	X

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Add_Images]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/27/2020
Type	Standard T-SQL
Encrypted	X
ID	1941581955
Implementation type	Transact SQL
Is native compiled	X

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@ID		uniqueidentifier	16	Input	x
@Image1		varbinary	2147483647	Input	x
@Image2		varbinary	2147483647	Input	x
@Image3		varbinary	2147483647	Input	x
@Image4		varbinary	2147483647	Input	x
@Image5		varbinary	2147483647	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Add_Transaction]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/27/2020
Type	Standard T-SQL
Encrypted	x
ID	2021582240
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@ID		uniqueidentifier	16	Input	x
@CustomerID		uniqueidentifier	16	Input	x
@EmployeeID		uniqueidentifier	16	Input	x
@CarID		uniqueidentifier	16	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

Procedure: [AutoKomisDB].[dbo].[Get_Customer]

Procedure properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Creation date	05/27/2020
Type	Standard T-SQL
Encrypted	x
ID	2037582297
Implementation type	Transact SQL
Is native compiled	x

Creation options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON

Parameters

Name	Description	Data type	Max length	Type	Readonly
@Identy		nchar	10	Input	x

Permissions

No permissions defined

Extended properties

No extended properties defined

List of roles

Roles

Name	Type	Users and roles with this role
[public]	Standard role (built-in)	[dbo], [guest]
[db_owner]	Standard role (built-in)	[dbo]
[db_accessadmin]	Standard role (built-in)	
[db_securityadmin]	Standard role (built-in)	
[db_ddladmin]	Standard role (built-in)	
[db_backupoperator]	Standard role (built-in)	
[db_datareader]	Standard role (built-in)	
[db_datawriter]	Standard role (built-in)	
[db_denydatareader]	Standard role (built-in)	
[db_denydatawriter]	Standard role (built-in)	

Total: 10 role(s)

Roles

Role: [AutoKomisDB].[dbo].[public]

Role properties

Name	Value
Name	[public]
Owner	[dbo]
Type	Standard role (built-in)

Users and roles with this role

User
[dbo]
[guest]

Permissions

No permissions defined

Role: [AutoKomisDB].[dbo].[db_owner]

Role properties

Name	Value
Name	[db_owner]
Owner	[dbo]
Type	Standard role (built-in)

Users and roles with this role

User
[dbo]

Permissions

No permissions defined

Role: [AutoKomisDB].[dbo].[db_accessadmin]

Role properties

Name	Value
Name	[db_accessadmin]
Owner	[dbo]
Type	Standard role (built-in)

Users and roles with this role

No users or roles with this role exist

Permissions

No permissions defined

Role: [AutoKomisDB].[dbo].[db_securityadmin]

Role properties

Name	Value
Name	[db_securityadmin]
Owner	[dbo]
Type	Standard role (built-in)

Users and roles with this role

No users or roles with this role exist

Permissions

No permissions defined

Role: [AutoKomisDB].[dbo].[db_ddladmin]

Role properties

Name	Value
Name	[db_ddladmin]
Owner	[dbo]
Type	Standard role (built-in)

Users and roles with this role

No users or roles with this role exist

Permissions

No permissions defined

Role: [AutoKomisDB].[dbo].[db_backupoperator]

Role properties

Name	Value
Name	[db_backupoperator]
Owner	[dbo]
Type	Standard role (built-in)

Users and roles with this role

No users or roles with this role exist

Permissions

No permissions defined

Role: [AutoKomisDB].[dbo].[db_datareader]

Role properties

Name	Value
Name	[db_datareader]
Owner	[dbo]
Type	Standard role (built-in)

Users and roles with this role

No users or roles with this role exist

Permissions

No permissions defined

Role: [AutoKomisDB].[dbo].[db_datawriter]

Role properties

Name	Value
Name	[db_datawriter]
Owner	[dbo]
Type	Standard role (built-in)

Users and roles with this role

No users or roles with this role exist

Permissions

No permissions defined

Role: [AutoKomisDB].[dbo].[db_denydatareader]

Role properties

Name	Value
Name	[db_denydatareader]
Owner	[dbo]
Type	Standard role (built-in)

Users and roles with this role

No users or roles with this role exist

Permissions

No permissions defined

Role: [AutoKomisDB].[dbo].[db_denydatawriter]

Role properties

Name	Value
Name	[db_denydatawriter]
Owner	[dbo]
Type	Standard role (built-in)

Users and roles with this role

No users or roles with this role exist

Permissions

No permissions defined

List of rules

Rules

No rules exist

List of tables

Tables

Name	Schema	Description	Columns	Rows
[Cars]	[dbo]		7	3
[Customers]	[dbo]		8	3
[Equiments]	[dbo]		14	10
[TechnicalDetails]	[dbo]		13	8
[Transactions]	[dbo]		4	1
[Employees]	[dbo]		7	1
[Images]	[dbo]		6	3
[Positions]	[dbo]		4	3

Total: 8 table(s)

Tables

Table: [AutoKomisDB].[dbo].[Cars]

Table Properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Table is replicated	X
ID	194099732
Located On	PRIMARY
Rows	3
ChangeTrackingEnabled	X
FileStreamFileGroup	
FileStreamPartitionScheme	
LockEscalation	TABLE
TrackColumnsUpdated	X

Table is filetable	x
Filetable directory	
Filetable collate	
Filetable primary key	[PK_Cars]
Filetable streamid unique	
Filetable fullpath unique	
Filetable is enabled	x
Is memory optimized	x
Durability	SCHEMA_AND_DATA

Creation Options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON
ANSI_PADDING	ON

Columns

Name	Description	Data type	Max length	Nullable
ID		uniqueidentifier	16	x
Brand		nvarchar	20	✓
Model		nvarchar	20	✓
EquipmentsID		uniqueidentifier	16	x
TechnicalDetailsID		uniqueidentifier	16	x
Price		decimal	9	✓
ImagesID		uniqueidentifier	16	x

Total: 7 column(s)

Computed columns

No recordsets returned

Indexes

Name	Key columns	Description	Primary	Unique	Size KB	Fill factor
[PK_Cars]	ID		✓	✓	16	0

Total: 1 index/indexes

Columnstore Index

No columnstore index exist

Fulltext Index

No fulltext index exist

Statistics

No statistics exist

Check Constraints

No check constraints exist

Identity Column

No identity column exists

Referencing Tables

Table	Foreign key	Primary key or unique constraint
[dbo].[Transactions]	[FK_Transactions_Cars]	[PK_Cars]


Total: 1 table(s)

Referenced Tables

Table	Primary key or unique constraint	Foreign key
[dbo].[Equiments]	[PK_Equiments]	[FK_Cars_Equiments]
[dbo].[TechnicalDetails]	[PK_TechnicalDetails]	[FK_Cars_TechnicalDetails]
[dbo].[Images]	[PK_Images]	[FK_Cars_Images]

Total: 3 table(s)

Data model



Extended properties

No extended properties defined

Permissions

No permissions defined

Table Options

Name	Value
Pin table	OFF
Table lock on bulk load	OFF
Insert row lock	OFF
Text in row	0
Large value types out of row	OFF

Index: [PK_Cars] on Cars

Index properties

Name	Value
ID	1

Columnstore index	✗
Fulltext index	✗
Allow page locks	✓
Allow row locks	✓
Fill factor	0
Size, KB	16
Unique index	✓
Primary key index	✓
Clustered index	✓
Is hash index	✗
Bucket count	0
Located OK	PRIMARY

Index columns

Name	Sort direction
ID	ascending

Index statistics structure and age

Name	Value
Updated	NULL
Average key length	16
Density	0
Rows in the table	2
Rows sampled for statistics data	2
Distribution steps	2

Extended properties

No extended properties defined

Relationship: [FK_Cars_Equiments] on Cars

Relationship properties

Name	Value
Not for replication	✗

FK columns

Cars column	Equiments column	Type
EquimentsID	ID	uniqueidentifier

Extended properties

No extended properties defined

Relationship: [FK_Cars_TechnicalDetails] on Cars

Relationship properties

Name	Value
Not for replication	X

FK columns

Cars column	TechnicalDetails column	Type
TechnicalDetailsID	ID	uniqueidentifier

Extended properties

No extended properties defined

Relationship: [FK_Cars_Images] on Cars

Relationship properties

Name	Value
Not for replication	X

FK columns

Cars column	Images column	Type
ImagesID	ID	uniqueidentifier

Extended properties

No extended properties defined

Table: [AutoKomisDB].[dbo].[Customers]

Table Properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Table is replicated	X
ID	370100359
Located On	PRIMARY
Rows	3
ChangeTrackingEnabled	X
FileStreamFileGroup	

FileStreamPartitionScheme

LockEscalation	TABLE
TrackColumnsUpdated	X
Table is filetable	X
Filetable directory	
Filetable collate	
Filetable primary key	[PK_Customers]
Filetable streamid unique	
Filetable fullpath unique	
Filetable is enabled	X
Is memory optimized	X
Durability	SCHEMA_AND_DATA

Creation Options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON
ANSI_PADDING	ON

Columns

Name	Description	Data type	Max length	Nullable
ID		uniqueidentifier	16	X
Name		nvarchar	50	✓
Surname		nvarchar	50	✓
City		nvarchar	50	✓
Street		nvarchar	50	✓
Number		nchar	10	✓
Phone		nvarchar	20	✓
Identity		int	4	✓

Total: 8 column(s)

Computed columns

No recordsets returned

Indexes

Name	Key columns	Description	Primary	Unique	Size KB	Fill factor
[PK_Customers]	ID		✓	✓	16	0

Total: 1 index/indexes

Columnstore Index

No columnstore index exist

Fulltext Index

No fulltext index exist

Statistics

No statistics exist

Check Constraints

No check constraints exist

Identity Column

No identity column exists

Referencing Tables


Table	Foreign key	Primary key or unique constraint
[dbo].[Transactions]	[FK_Transactions_Customers]	[PK_Customers]

Total: 1 table(s)

Referenced Tables

No referenced tables exist

Data model



Extended properties

No extended properties defined

Permissions

No permissions defined

Table Options

Name	Value
Pin table	OFF
Table lock on bulk load	OFF
Insert row lock	OFF
Text in row	0
Large value types out of row	OFF

Index: [PK_Customers] on Customers

Index properties

Name	Value
ID	1
Columnstore index	✗
Fulltext index	✗
Allow page locks	✓
Allow row locks	✓
Fill factor	0
Size, KB	16
Unique index	✓
Primary key index	✓
Clustered index	✓
Is hash index	✗
Bucket count	0
Located OK	PRIMARY

Index columns

Name	Sort direction
ID	ascending

Index statistics structure and age

Name	Value
Updated	NULL
Average key length	16
Density	0
Rows in the table	3
Rows sampled for statistics data	3
Distribution steps	3

Extended properties

No extended properties defined

Table: [AutoKomisDB].[dbo].[Equiments]

Table Properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Table is replicated	X
ID	981578535
Located On	PRIMARY
Rows	10
ChangeTrackingEnabled	X
FileStreamFileGroup	
FileStreamPartitionScheme	
LockEscalation	TABLE
TrackColumnsUpdated	X
Table is filetable	X
Filetable directory	
Filetable collate	
Filetable primary key	[PK_Equiments]
Filetable streamid unique	
Filetable fullpath unique	
Filetable is enabled	X
Is memory optimized	X
Durability	SCHEMA_AND_DATA

Creation Options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON
ANSI_PADDING	OFF

Columns

Name	Description	Data type	Max length	Nullable
ID		uniqueidentifier	16	X
ABS		bit	1	✓
ElectricWindows		bit	1	✓
Airbag		bit	1	✓
Alu		bit	1	✓
AirConditioning		bit	1	✓
CD		bit	1	✓
ElectricMirror		bit	1	✓

FactoryAudio	bit	1	✓
ESP	bit	1	✓
Computer	bit	1	✓
CentralLock	bit	1	✓
PowerSteering	bit	1	✓
Isofix	bit	1	✓

Total: 14 column(s)

Computed columns

No recordsets returned

Indexes

Name	Key columns	Description	Primary	Unique	Size KB	Fill factor
[PK_Equiments]	ID		✓	✓	16	0

Total: 1 index/indexes

Columnstore Index

No columnstore index exist

Fulltext Index

No fulltext index exist

Statistics

No statistics exist

Check Constraints

No check constraints exist

Identity Column

No identity column exists

Referencing Tables


Table	Foreign key	Primary key or unique constraint
[dbo].[Cars]	[FK_Cars_Equiments]	[PK_Equiments]

Total: 1 table(s)

Referenced Tables

No referenced tables exist

Data model



Extended properties

No extended properties defined

Permissions

No permissions defined

Table Options

Name	Value
Pin table	OFF
Table lock on bulk load	OFF
Insert row lock	OFF
Text in row	0
Large value types out of row	OFF

Index: [PK_Equipments] on Equipments

Index properties

Name	Value
ID	1
Columnstore index	✗
Fulltext index	✗
Allow page locks	✓
Allow row locks	✓
Fill factor	0

Size, KB	16
Unique index	✓
Primary key index	✓
Clustered index	✓
Is hash index	✗
Bucket count	0
Located OK	PRIMARY

Index columns

Name	Sort direction
ID	ascending

Index statistics structure and age

Name	Value
Updated	NULL
Average key length	16
Density	0
Rows in the table	1
Rows sampled for statistics data	1
Distribution steps	1

Extended properties

No extended properties defined

Table: [AutoKomisDB].[dbo].[TechnicalDetails]

Table Properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Table is replicated	✗
ID	1093578934
Located On	PRIMARY
Rows	8
ChangeTrackingEnabled	✗
FileStreamFileGroup	
FileStreamPartitionScheme	
LockEscalation	TABLE
TrackColumnsUpdated	✗
Table is filetable	✗
Filetable directory	

Filetable collate

Filetable primary key [PK_TechnicalDetails]

Filetable streamid unique

Filetable fullpath unique

Filetable is enabled **X**Is memory optimized **X**

Durability SCHEMA_AND_DATA

Creation Options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON
ANSI_PADDING	ON

Columns

Name	Description	Data type	Max length	Nullable
ID		uniqueidentifier	16	X
YearOfProduction		date	3	✓
Mileage		int	4	✓
EngineCapacity		int	4	✓
FuelType		nvarchar	10	✓
Power		nvarchar	10	✓
Transmission		nvarchar	10	✓
Drive		nvarchar	10	✓
BodyType		nvarchar	10	✓
Color		nvarchar	15	✓
IsRegistered		bit	1	✓
NoAccident		bit	1	✓
Condition		nvarchar	10	✓

Total: 13 column(s)

Computed columns

No recordsets returned

Indexes

Name	Key columns	Description	Primary	Unique	Size KB	Fill factor
[PK_TechnicalDetails]	ID		✓	✓	16	0

Total: 1 index/indexes

Columnstore Index

No columnstore index exist

Fulltext Index

No fulltext index exist

Statistics

No statistics exist

Check Constraints

No check constraints exist

Identity Column

No identity column exists

Referencing Tables


Table	Foreign key	Primary key or unique constraint
[dbo].[Cars]	[FK_Cars_TechnicalDetails]	[PK_TechnicalDetails]

Total: 1 table(s)

Referenced Tables

No referenced tables exist

Data model



Extended properties

No extended properties defined

Permissions

No permissions defined

Table Options

Name	Value
Pin table	OFF
Table lock on bulk load	OFF
Insert row lock	OFF
Text in row	0
Large value types out of row	OFF

Index: [PK_TechnicalDetails] on TechnicalDetails

Index properties

Name	Value
ID	1
Columnstore index	x
Fulltext index	x
Allow page locks	✓
Allow row locks	✓
Fill factor	0
Size, KB	16
Unique index	✓
Primary key index	✓
Clustered index	✓
Is hash index	x
Bucket count	0
Located OK	PRIMARY

Index columns

Name	Sort direction
ID	ascending

Index statistics structure and age

Name	Value
Updated	NULL
Average key length	16
Density	0
Rows in the table	1
Rows sampled for statistics data	1

Distribution steps 1

Extended properties

No extended properties defined

Table: [AutoKomisDB].[dbo].[Transactions]

Table Properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Table is replicated	x
ID	1253579504
Located On	PRIMARY
Rows	1
ChangeTrackingEnabled	x
FileStreamFileGroup	
FileStreamPartitionScheme	
LockEscalation	TABLE
TrackColumnsUpdated	x
Table is filetable	x
Filetable directory	
Filetable collate	
Filetable primary key	[PK_Transactions]
Filetable streamid unique	
Filetable fullpath unique	
Filetable is enabled	x
Is memory optimized	x
Durability	SCHEMA_AND_DATA

Creation Options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON
ANSI_PADDING	OFF

Columns

Name	Description	Data type	Max length	Nullable
ID		uniqueidentifier	16	x
CustomerID		uniqueidentifier	16	x
EmployeeID		uniqueidentifier	16	x

CarID	uniqueidentifier	16	x
-------	------------------	----	---

Total: 4 column(s)

Computed columns

No recordsets returned

Indexes

Name	Key columns	Description	Primary	Unique	Size KB	Fill factor
[PK_Transactions]	ID		✓	✓	16	0

Total: 1 index/indexes

Columnstore Index

No columnstore index exist

Fulltext Index

No fulltext index exist

Statistics

No statistics exist

Check Constraints

No check constraints exist

Identity Column

No identity column exists

Referencing Tables


No referencing tables exist

Referenced Tables

Table	Primary key or unique constraint	Foreign key
[dbo].[Cars]	[PK_Cars]	[FK_Transactions_Cars]
[dbo].[Customers]	[PK_Customers]	[FK_Transactions_Customers]
[dbo].[Employees]	[PK_Employees]	[FK_Transactions_Employees]

Total: 3 table(s)

Data model



Extended properties

No extended properties defined

Permissions

No permissions defined

Table Options

Name	Value
Pin table	OFF
Table lock on bulk load	OFF
Insert row lock	OFF
Text in row	0
Large value types out of row	OFF

Index: [PK_Transactions] on Transactions

Index properties

Name	Value
ID	1
Columnstore index	✗
Fulltext index	✗
Allow page locks	✓
Allow row locks	✓
Fill factor	0
Size, KB	16
Unique index	✓
Primary key index	✓
Clustered index	✓
Is hash index	✗
Bucket count	0
Located OK	PRIMARY

Index columns

Name	Sort direction
ID	ascending

Index statistics structure and age

Name	Value
Updated	NULL
Average key length	NULL
Density	NULL
Rows in the table	NULL
Rows sampled for statistics data	NULL
Distribution steps	NULL

Extended properties

No extended properties defined

Relationship: [FK_Transactions_Cars] on Transactions

Relationship properties

Name	Value
Not for replication	✗

FK columns

Transactions column	Cars column	Type
CarID	ID	uniqueidentifier

Extended properties

No extended properties defined

Relationship: [FK_Transactions_Customers] on Transactions

Relationship properties

Name	Value
Not for replication	x

FK columns

Transactions column	Customers column	Type
CustomerID	ID	uniqueidentifier

Extended properties

No extended properties defined

Relationship: [FK_Transactions_Employees] on Transactions

Relationship properties

Name	Value
Not for replication	x

FK columns

Transactions column	Employees column	Type
EmployeeID	ID	uniqueidentifier

Extended properties

No extended properties defined

Table: [AutoKomisDB].[dbo].[Employees]

Table Properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Table is replicated	x
ID	1429580131
Located On	PRIMARY
Rows	1

ChangeTrackingEnabled	x
FileStreamFileGroup	
FileStreamPartitionScheme	
LockEscalation	TABLE
TrackColumnsUpdated	x
Table is filetable	x
Filetable directory	
Filetable collate	
Filetable primary key	[PK_Employees]
Filetable streamid unique	
Filetable fullpath unique	
Filetable is enabled	x
Is memory optimized	x
Durability	SCHEMA_AND_DATA

Creation Options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON
ANSI_PADDING	ON

Columns

Name	Description	Data type	Max length	Nullable
ID		uniqueidentifier	16	x
UserLogin		nvarchar	20	x
Name		nvarchar	20	x
Surname		nvarchar	20	x
PositionID		uniqueidentifier	16	x
DiscountLevel		decimal	5	x
Password		varbinary	2147483647	x

Total: 7 column(s)

Computed columns

No recordsets returned

Indexes

Name	Key columns	Description	Primary	Unique	Size KB	Fill factor
[PK_Employees]	ID		✓	✓	24	0

Total: 1 index/indexes

Columnstore Index

No columnstore index exist

Fulltext Index

No fulltext index exist

Statistics

No statistics exist

Check Constraints

No check constraints exist

Identity Column

No identity column exists

Referencing Tables

Table	Foreign key	Primary key or unique constraint
[dbo].[Transactions]	[FK_Transactions_Employees]	[PK_Employees]


Total: 1 table(s)

Referenced Tables

Table	Primary key or unique constraint	Foreign key
[dbo].[Positions]	[PK_Positions]	[FK_Employees_Positions]

Total: 1 table(s)

Data model



Extended properties

No extended properties defined

Permissions

No permissions defined

Table Options

Name	Value
Pin table	OFF
Table lock on bulk load	OFF
Insert row lock	OFF
Text in row	0
Large value types out of row	OFF

Index: [PK_Employees] on Employees

Index properties

Name	Value
ID	1
Columnstore index	x
Fulltext index	x
Allow page locks	✓
Allow row locks	✓
Fill factor	0
Size, KB	24
Unique index	✓
Primary key index	✓
Clustered index	✓
Is hash index	x
Bucket count	0
Located OK	PRIMARY

Index columns

Name	Sort direction
ID	ascending

Index statistics structure and age

Name	Value
Updated	NULL
Average key length	16
Density	0
Rows in the table	1
Rows sampled for statistics data	1
Distribution steps	1

Extended properties

No extended properties defined

Relationship: [FK_Employees_Positions] on Employees

Relationship properties

Name	Value
Not for replication	X

FK columns

Employees column	Positions column	Type
PositionID	ID	uniqueidentifier

Extended properties

No extended properties defined

Table: [AutoKomisDB].[dbo].[Images]

Table Properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Table is replicated	X
ID	1621580815
Located On	PRIMARY
Rows	3
ChangeTrackingEnabled	X
FileStreamFileGroup	
FileStreamPartitionScheme	
LockEscalation	TABLE
TrackColumnsUpdated	X
Table is filetable	X
Filetable directory	
Filetable collate	
Filetable primary key	[PK_Images]
Filetable streamid unique	
Filetable fullpath unique	
Filetable is enabled	X
Is memory optimized	X
Durability	SCHEMA_AND_DATA

Creation Options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON
ANSI_PADDING	ON

Columns

Name	Description	Data type	Max length	Nullable
ID		uniqueidentifier	16	✗
Image1		varbinary	2147483647	✓
Image2		varbinary	2147483647	✓
Image3		varbinary	2147483647	✓
Image4		varbinary	2147483647	✓
Image5		varbinary	2147483647	✓

Total: 6 column(s)

Computed columns

No recordsets returned

Indexes

Name	Key columns	Description	Primary	Unique	Size KB	Fill factor
[PK_Images]	ID		✓	✓	16	0

Total: 1 index/indexes

Columnstore Index

No columnstore index exist

Fulltext Index

No fulltext index exist

Statistics

No statistics exist

Check Constraints

No check constraints exist

Identity Column

No identity column exists

Referencing Tables


Table	Foreign key	Primary key or unique constraint
[dbo].[Cars]	[FK_Cars_Images]	[PK_Images]

Total: 1 table(s)

Referenced Tables

No referenced tables exist

Data model



Extended properties

No extended properties defined

Permissions

No permissions defined

Table Options

Name	Value
Pin table	OFF
Table lock on bulk load	OFF
Insert row lock	OFF
Text in row	0
Large value types out of row	OFF

Index: [PK_Images] on Images

Index properties

Name	Value
ID	1

Columnstore index	✗
Fulltext index	✗
Allow page locks	✓
Allow row locks	✓
Fill factor	0
Size, KB	16
Unique index	✓
Primary key index	✓
Clustered index	✓
Is hash index	✗
Bucket count	0
Located OK	PRIMARY

Index columns

Name	Sort direction
ID	ascending

Index statistics structure and age

Name	Value
Updated	NULL
Average key length	16
Density	0
Rows in the table	1
Rows sampled for statistics data	1
Distribution steps	1

Extended properties

No extended properties defined

Table: [AutoKomisDB].[dbo].[Positions]

Table Properties

Name	Value
Schema	[dbo]
Owner	[dbo]
Table is replicated	✗
ID	1685581043
Located On	PRIMARY
Rows	3
ChangeTrackingEnabled	✗
FileStreamFileGroup	

FileStreamPartitionScheme

LockEscalation	TABLE
TrackColumnsUpdated	X
Table is filetable	X
Filetable directory	
Filetable collate	
Filetable primary key	[PK_Positions]
Filetable streamid unique	
Filetable fullpath unique	
Filetable is enabled	X
Is memory optimized	X
Durability	SCHEMA_AND_DATA

Creation Options

Name	Value
QUOTED_IDENTIFIER	ON
ANSI_NULLS	ON
ANSI_PADDING	ON

Columns

Name	Description	Data type	Max length	Nullable
ID		uniqueidentifier	16	X
Name		nvarchar	20	X
Comment		nvarchar	50	X
AccessLevel		int	4	X

Total: 4 column(s)

Computed columns

No recordsets returned

Indexes

Name	Key columns	Description	Primary	Unique	Size KB	Fill factor
[PK_Positions]	ID		✓	✓	16	0

Total: 1 index/indexes

Columnstore Index

No columnstore index exist

Fulltext Index

No fulltext index exist

Statistics

No statistics exist

Check Constraints

No check constraints exist

Identity Column

No identity column exists

Referencing Tables

Table	Foreign key	Primary key or unique constraint
[dbo].[Employees]	[FK_Employees_Positions]	[PK_Positions]

Total: 1 table(s)

Referenced Tables

No referenced tables exist

Data model



Extended properties

No extended properties defined

Permissions

No permissions defined

Table Options

Name	Value
Pin table	OFF
Table lock on bulk load	OFF

Insert row lock	OFF
Text in row	0
Large value types out of row	OFF

Index: [PK_Positions] on Positions

Index properties

Name	Value
ID	1
Columnstore index	✗
Fulltext index	✗
Allow page locks	✓
Allow row locks	✓
Fill factor	0
Size, KB	16
Unique index	✓
Primary key index	✓
Clustered index	✓
Is hash index	✗
Bucket count	0
Located OK	PRIMARY

Index columns

Name	Sort direction
ID	ascending

Index statistics structure and age

Name	Value
Updated	NULL
Average key length	16
Density	0
Rows in the table	1
Rows sampled for statistics data	1
Distribution steps	1

Extended properties

No extended properties defined

List of triggers

Triggers

No triggers exist

List of users

Users

No users exist

List of views

Views

No views exist

List of assemblies

Assemblies

No assemblies exist

List of asymmetric keys

Asymmetric keys

No asymmetric keys exist

List of certificates

Certificates

No certificates exist

List of contracts

Contracts

No contracts exist

List of DDL triggers

DDL triggers

No DDL triggers exist

List of event notifications

Event notifications

No event notifications exist

List of fulltext stoplists

Fulltext stoplists

No fulltext stop lists exist

List of message Types

Message types

No message types exist

List of Partition functions

Partition Functions

No partition functions exist

List of partition schemes

Partition Schemes

No partition schemes exist

List of queues

Queues

No queues exist

List of remote service bindings

Remote Service Bindings

No remote service bindings exist

List of routes

Routes

No routes exist

List of schemas

Schemas

Name	Owner	Description
[dbo]	[dbo]	
[guest]	[guest]	
[INFORMATION_SCHEMA]	[INFORMATION_SCHEMA]	
[sys]	[sys]	
[db_owner]	[db_owner]	
[db_accessadmin]	[db_accessadmin]	
[db_securityadmin]	[db_securityadmin]	
[db_ddladmin]	[db_ddladmin]	
[db_backupoperator]	[db_backupoperator]	
[db_datareader]	[db_datareader]	
[db_datawriter]	[db_datawriter]	
[db_denydatareader]	[db_denydatareader]	
[db_denydatawriter]	[db_denydatawriter]	

Total: 13 schema(s)

Schemas

Schema: [AutoKomisDB].[dbo].[dbo]

Schema properties

Name	Value
Name	[dbo]
Owner	[dbo]
ID	1

Objects

Name	Type
[dbo].[Clean_Car_Adding]	Procedure
[dbo].[Cars]	Table
[dbo].[Add_Customer]	Procedure
[dbo].[Get_Employee]	Procedure
[dbo].[Customers]	Table
[dbo].[Sign_in]	Procedure
[dbo].[Equiments]	Table
[dbo].[TechnicalDetails]	Table
[dbo].[Transactions]	Table
[dbo].[Employees]	Table
[dbo].[Images]	Table
[dbo].[Get_transaction_list]	Procedure
[dbo].[Positions]	Table
[dbo].[Get_transaction_Details]	Procedure
[dbo].[get_Car_TechDetails]	Procedure

[dbo].[Get_Car_list]	Procedure
[dbo].[Get_Employee_list]	Procedure
[dbo].[Get_Customer_list]	Procedure
[dbo].[Get_Car_Details]	Procedure
[dbo].[Get_Car_Equipments]	Procedure
[dbo].[Add_Employee]	Procedure
[dbo].[Get_Position_List]	Procedure
[dbo].[Add_Car]	Procedure
[dbo].[Add_TechnicalDetails]	Procedure
[dbo].[Add_Equipments]	Procedure
[dbo].[Add_Images]	Procedure
[dbo].[Add_Transaction]	Procedure
[dbo].[Get_Customer]	Procedure

Total: 28 object(s)

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[guest].[guest]

Schema properties

Name	Value
Name	[guest]
Owner	[guest]
ID	2

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[INFORMATION_SCHEMA].[INFORMATION_SCHEMA]

Schema properties

Name	Value
Name	[INFORMATION_SCHEMA]
Owner	[INFORMATION_SCHEMA]
ID	3

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[sys].[sys]

Schema properties

Name	Value
Name	[sys]
Owner	[sys]
ID	4

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[db_owner].[db_owner]

Schema properties

Name	Value
Name	[db_owner]
Owner	[db_owner]

ID 16384

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[db_accessadmin].[db_accessadmin]

Schema properties

Name	Value
Name	[db_accessadmin]
Owner	[db_accessadmin]
ID	16385

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[db_securityadmin].[db_securityadmin]

Schema properties

Name	Value
Name	[db_securityadmin]
Owner	[db_securityadmin]
ID	16386

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[db_ddladmin].[db_ddladmin]

Schema properties

Name	Value
Name	[db_ddladmin]
Owner	[db_ddladmin]
ID	16387

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[db_backupoperator].[db_backupoperator]

Schema properties

Name	Value
Name	[db_backupoperator]
Owner	[db_backupoperator]
ID	16389

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[db_datareader].[db_datareader]

Schema properties

Name	Value
Name	[db_datareader]
Owner	[db_datareader]
ID	16390

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[db_datawriter].[db_datawriter]

Schema properties

Name	Value
Name	[db_datawriter]
Owner	[db_datawriter]
ID	16391

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[db_denydatareader].[db_denydatareader]

Schema properties

Name	Value
Name	[db_denydatareader]
Owner	[db_denydatareader]
ID	16392

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

Schema: [AutoKomisDB].[db_denydatawriter].[db_denydatawriter]

Schema properties

Name	Value
Name	[db_denydatawriter]
Owner	[db_denydatawriter]
ID	16393

Objects

No objects defined

Extended properties

No extended properties defined

Permissions

No permissions defined

List of search property lists

Search property lists

No search property lists exist

List of sequences

Sequences

No sequences exist

List of services

Services

No services exist

List of symmetric keys

Symmetric keys

No symmetric keys exist

List of synonyms

Synonyms

No synonyms exist

List of XML schema collections

XML schema collections

No xml schema collections exist

AutoKomisDB

FileGroup

No filegroups exist

AutoKomisDB

Schemas

No schemas exist

AutoKomisDB

Database information

Database options

Name	Value
Access: members of db_owner, dbcreator or	X

sysadmin

Access: read only	✗
Access: single user	✗
Cursor close on commit	✗
Cursors in a batch are with local scope	✗
Select into/bulkcopy	✗
Settings: ANSI NULL default	✗
Settings: auto close	✗
Settings: auto create statistics	✓
Settings: auto shrink	✗
Settings: auto update statistics	✓
Settings: recursive triggers	✗
Settings: torn page detection	✗
Settings: use quoted identifiers	✗
Truncate log on checkpoint	✗

Data files

File name	Location	Space allocated	FileGroup	Autogrow	Growth	Maximum file size
AutoKomisDB	C:\Program Files\Microsoft SQL Server\MSSQL15.SQLEXPRESS\MSSQL\DATA\AutoKomisDB.mdf	73728 KB	PRIMARY	✓	65536 KB	Unlimited

Transaction log files

File name	Location	Space allocated	Autogrow	Growth	Maximum file size
AutoKomisDB_log	C:\Program Files\Microsoft SQL Server\MSSQL15.SQLEXPRESS\MSSQL\DATA\AutoKomisDB_log.ldf	73728 KB	✓	65536 KB	2147483648 KB

Server info

Server properties

Server DESKTOP-QGNOVBU\SQLEXPRESS

Server properties

Name	Value
Code page	1250
Network name	DESKTOP-QGNOVBU
Language	us_english
Service name	MSSQL\$SQLEXPRESS
Instance name	SQLEXPRESS
Collation	Polish_CI_AS
Is clustered	X
Is fulltext search installed	X

Version

Microsoft SQL Server 2019 (RTM) - 15.0.2000.5 (X64)

Sep 24 2019 13:48:23

Copyright (C) 2019 Microsoft Corporation

Express Edition (64-bit) on Windows 10 Home 10.0 <X64> (Build 18363:)

Databases

Database	Owner	System
AutoKomisDB	DESKTOP-QGNOVBU\Sebastian	X
master	sa	✓
model	sa	✓
msdb	sa	✓
PAM_KillersDB	DESKTOP-QGNOVBU\Sebastian	X
tempdb	sa	✓

Total: 6 database(s)

Server configuration

Parameter name	Value
ADR cleaner retry timeout.	0
ADR Preallocation Factor.	0

affinity I/O mask	0
affinity mask	0
affinity64 I/O mask	0
affinity64 mask	0
Allow cross db ownership chaining	0
Allow enumeration of filesystem	1
Allow INSERT into a Hadoop external table	0
Allow recursion for server level triggers	1
Allow remote access	1
Allow the use of the REMOTE_DATA_ARCHIVE data access for databases	0
Allow triggers to be invoked within triggers	1
Allow updates to system tables	0
Allows execution of external scripts	0
Automatic soft-NUMA is enabled by default	0
Blocked process reporting threshold	0
c2 audit mode	0
CLR strict security enabled in the server	1
CLR user code execution enabled in the server	0
Configure SQL Server to connect to external data sources through PolyBase	0
Configure SQL Server to connect to external Hadoop or Microsoft Azure storage blob data sources through PolyBase	0
Configure SQL Server to encrypt control and data channels when using PolyBase	1
cost threshold for parallelism	5
Create DTC transaction for remote procedures	0
cursor threshold	-1
DB connection timeout for full-text protocol handler (s)	60
Dedicated Admin Connections are allowed from remote clients	0
Default fill factor percentage	0
default full-text language	1033
Default hash bucket count for the access check result security cache	0
default language	0
Default quota for the access check result security cache	0
Disallow returning results from triggers	0
Enable checksum of backups by default	0
Enable or disable Ad Hoc Distributed Queries	0
Enable or disable Agent XPs	0
Enable or disable command shell	0
Enable or disable creation of user instances	1
Enable or disable Database Mail XPs	0
Enable or disable Ole Automation Procedures	0
Enable or disable Replication XPs	0

Enable or disable SMO and DMO XPs	1
Enable or disable the default trace	1
Enables contained databases and contained authentication	0
Max number of full-text crawl buffers	100
Max number of full-text notifications buffers	100
Maximum crawl ranges allowed in full-text indexing	4
maximum degree of parallelism	0
Maximum estimated cost allowed by query governor	0
Maximum recovery interval in minutes	0
Maximum size of a text field in replication.	65536
Maximum size of server memory (MB)	2147483647
maximum time to wait for query memory (s)	-1
Maximum worker threads	0
Memory for index create sorts (kBytes)	0
minimum memory per query (kBytes)	1024
Minimum size of server memory (MB)	0
Network packet size	4096
Number of locks for all users	0
Number of open database objects	0
Number of reserved full-text crawl buffers	0
Number of reserved full-text notifications buffers	0
Number of user connections allowed	0
Priority boost	0
Recovery policy for DTC transactions with unknown outcome	0
remote login timeout	10
remote query timeout	600
scan for startup stored procedures	0
set working set size	0
Sets the FILESTREAM access level	0
show advanced options	0
Tape retention period in days	0
The timeout of the user instance after no connection is made on the server	60
Transform noise words for full-text query	0
two digit year cutoff	2049
Type of enclave used for computations on encrypted columns	0
Use precomputed rank for full-text query	0
User mode scheduler uses lightweight pooling	0
user options	0
When this option is set, plan cache size is further reduced for single-use adhoc OLTP workload.	0

Column/Parameter Names Dictionary

Column/Parameter Names

Name	Total
ABS	2
AccessLevel	1
Airbag	2
AirConditioning	2
Alu	2
BodyType	2
Brand	2
CarID	6
CD	2
CentralLock	2
City	2
Color	2
Comment	1
Computer	2
Condition	2
CustomerID	2
DiscountLevel	2
Drive	2
ElectricMirror	2
ElectricWindows	2
EmployeeID	2
EngineCapacity	2
EquipmentID	1
EquipmentsID	2
ESP	2
FactoryAudio	2
FuelType	2
ID	14
Identy	2
Image1	2
Image2	2
Image3	2
Image4	2
Image5	2
ImagesID	3
Isofix	2
IsRegistered	2
Login	3
Mileage	2

Model	2
Name	5
NoAccident	2
Number	2
Pass	1
Password	2
Phone	2
Position	1
PositionID	1
Power	2
PowerSteering	2
Price	2
Street	2
Surname	4
TechnicalDetailsID	3
TransactionID	1
Transmission	2
UserLogin	1
YearOfProduction	2

Total: 58 column/parameter names

Usage of ABS

ABS

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equipments]		bit	1	Table	Column

Total: 2 objects

Usage of AccessLevel

AccessLevel

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Positions]		int	4	Table	Column

Total: 1 objects

Usage of Airbag

Airbag

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equipments]		bit	1	Table	Column

Total: 2 objects

Usage of AirConditioning

AirConditioning

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equipments]		bit	1	Table	Column

Total: 2 objects

Usage of Alu

Alu

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equiments]		bit	1	Table	Column

Total: 2 objects

Usage of BodyType

BodyType

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_TechnicalDetails]		nvarchar	10	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]		nvarchar	10	Table	Column

Total: 2 objects

Usage of Brand

Brand

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_C		nvarchar	20	Procedure	Parameter

ar]

[AutoKomisDB].[dbo].[Cars]	nvarchar	20	Table	Column
----------------------------	----------	----	-------	--------

Total: 2 objects

Usage of CarID

CarID

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Clean_Car_Adding]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[get_Car_TechDetails]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Get_Car_Details]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Get_Car_Equipments]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_Transaction]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Transactions]		uniqueidentifier	16	Table	Column

Total: 6 objects

Usage of CD

CD

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equipments]		bit	1	Table	Column

Total: 2 objects

Usage of CentralLock

CentralLock

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equiments]		bit	1	Table	Column

Total: 2 objects

Usage of City

City

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Customer]		nvarchar	50	Procedure	Parameter
[AutoKomisDB].[dbo].[Customers]		nvarchar	50	Table	Column

Total: 2 objects

Usage of Color

Color

Object name	Description	Data type	Length	Parent Object	Type
-------------	-------------	-----------	--------	---------------	------

				Type
[AutoKomisDB].[dbo].[Add_TechnicalDetails]	nvarchar	15	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]	nvarchar	15	Table	Column

Total: 2 objects

Usage of Comment

Comment

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Positions]		nvarchar	50	Table	Column

Total: 1 objects

Usage of Computer

Computer

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equipments]		bit	1	Table	Column

Total: 2 objects

Usage of Condition

Condition

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_TechnicalDetails]		nvarchar	10	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]		nvarchar	10	Table	Column

Total: 2 objects

Usage of CustomerID

CustomerID

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Transaction]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Transactions]		uniqueidentifier	16	Table	Column

Total: 2 objects

Usage of DiscountLevel

DiscountLevel

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Employee]		decimal	5	Procedure	Parameter
[AutoKomisDB].[dbo].[Employees]		decimal	5	Table	Column

Total: 2 objects

Usage of Drive

Drive

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_TechnicalDetails]		nvarchar	10	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]		nvarchar	10	Table	Column

Total: 2 objects

Usage of ElectricMirror

ElectricMirror

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equipments]		bit	1	Table	Column

Total: 2 objects

Usage of ElectricWindows

ElectricWindows

Object name	Description	Data type	Length	Parent Object	Type
-------------	-------------	-----------	--------	---------------	------

				Type
[AutoKomisDB].[dbo].[Add_Equipments]	bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equiments]	bit	1	Table	Column

Total: 2 objects

Usage of EmployeeID

EmployeeID

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Transaction]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Transactions]		uniqueidentifier	16	Table	Column

Total: 2 objects

Usage of EngineCapacity

EngineCapacity

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_TechnicalDetails]		int	4	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]		int	4	Table	Column

Total: 2 objects

Usage of EquipmentID

EquipmentID

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Car]		uniqueidentifier	16	Procedure	Parameter

Total: 1 objects

Usage of EquipmentsID

EquipmentsID

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Clean_Car_Adding]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Cars]		uniqueidentifier	16	Table	Column

Total: 2 objects

Usage of ESP

ESP

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equipments]		bit	1	Table	Column

Total: 2 objects

Usage of FactoryAudio

FactoryAudio

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equiments]		bit	1	Table	Column

Total: 2 objects

Usage of FuelType

FuelType

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_TechnicalDetails]		nvarchar	10	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]		nvarchar	10	Table	Column

Total: 2 objects

Usage of ID

ID

Object name	Description	Data type	Length	Parent Object	Type
-------------	-------------	-----------	--------	---------------	------

				Type
[AutoKomisDB].[dbo].[Add_Customer]	uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_Car]	uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_TechnicalDetails]	uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_Equipments]	uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_Images]	uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_Transaction]	uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Cars]	uniqueidentifier	16	Table	Column
[AutoKomisDB].[dbo].[Customers]	uniqueidentifier	16	Table	Column
[AutoKomisDB].[dbo].[Equipments]	uniqueidentifier	16	Table	Column
[AutoKomisDB].[dbo].[TechnicalDetails]	uniqueidentifier	16	Table	Column
[AutoKomisDB].[dbo].[Transactions]	uniqueidentifier	16	Table	Column
[AutoKomisDB].[dbo].[Employees]	uniqueidentifier	16	Table	Column
[AutoKomisDB].[dbo].[Images]	uniqueidentifier	16	Table	Column
[AutoKomisDB].[dbo].[Positions]	uniqueidentifier	16	Table	Column

Total: 14 objects

Usage of Identity

Identity

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Get_Customer]		nchar	10	Procedure	Parameter
[AutoKomisDB].[dbo].[Customers]		int	4	Table	Column

Total: 2 objects

Usage of Image1

Image1

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Images]		varbinary	2147483647	Procedure	Parameter
[AutoKomisDB].[dbo].[Images]		varbinary	2147483647	Table	Column

Total: 2 objects

Usage of Image2

Image2

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Images]		varbinary	2147483647	Procedure	Parameter
[AutoKomisDB].[dbo].[Images]		varbinary	2147483647	Table	Column

Total: 2 objects

Usage of Image3

Image3

Object name	Description	Data type	Length	Parent Object	Type
-------------	-------------	-----------	--------	---------------	------

			Type	
[AutoKomisDB].[dbo].[Add_Images]	varbinary	2147483647	Procedure	Parameter
[AutoKomisDB].[dbo].[Images]	varbinary	2147483647	Table	Column

Total: 2 objects

Usage of Image4

Image4

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Images]		varbinary	2147483647	Procedure	Parameter
[AutoKomisDB].[dbo].[Images]		varbinary	2147483647	Table	Column

Total: 2 objects

Usage of Image5

Image5

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Images]		varbinary	2147483647	Procedure	Parameter
[AutoKomisDB].[dbo].[Images]		varbinary	2147483647	Table	Column

Total: 2 objects

Usage of ImagesID

ImagesID

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Clean_Car_Adding]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_Car]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Cars]		uniqueidentifier	16	Table	Column

Total: 3 objects

Usage of Isofix

Isofix

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equipments]		bit	1	Table	Column

Total: 2 objects

Usage of IsRegistered

IsRegistered

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_TechnicalDetails]		bit	1	Procedure	Parameter

[AutoKomisDB].[dbo].[TechnicalDetails]	bit	1	Table	Column
--	-----	---	-------	--------

Total: 2 objects

Usage of Login

Login

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Get_Employee]		nchar	10	Procedure	Parameter
[AutoKomisDB].[dbo].[Sign_in]		nchar	30	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_Employee]		nchar	30	Procedure	Parameter

Total: 3 objects

Usage of Mileage

Mileage

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_TechnicalDetails]		int	4	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]		int	4	Table	Column

Total: 2 objects

Usage of Model

Model

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Car]		nvarchar	20	Procedure	Parameter
[AutoKomisDB].[dbo].[Cars]		nvarchar	20	Table	Column

Total: 2 objects

Usage of Name

Name

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Customer]		nvarchar	50	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_Employee]		nvarchar	20	Procedure	Parameter
[AutoKomisDB].[dbo].[Customers]		nvarchar	50	Table	Column
[AutoKomisDB].[dbo].[Employees]		nvarchar	20	Table	Column
[AutoKomisDB].[dbo].[Positions]		nvarchar	20	Table	Column

Total: 5 objects

Usage of NoAccident

NoAccident

Object name	Description	Data type	Length	Parent Object Type	Type
-------------	-------------	-----------	--------	--------------------	------

[AutoKomisDB].[dbo].[Add_TechnicalDetails]	bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]	bit	1	Table	Column

Total: 2 objects

Usage of Number

Number

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Customer]		nchar	10	Procedure	Parameter
[AutoKomisDB].[dbo].[Customers]		nchar	10	Table	Column

Total: 2 objects

Usage of Pass

Pass

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Sign_in]		varchar	2147483647	Procedure	Parameter

Total: 1 objects

Usage of Password

Password

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Employee]		varchar	2147483647	Procedure	Parameter
[AutoKomisDB].[dbo].[Employees]		varbinary	2147483647	Table	Column

Total: 2 objects

Usage of Phone

Phone

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Customer]		nvarchar	20	Procedure	Parameter
[AutoKomisDB].[dbo].[Customers]		nvarchar	20	Table	Column

Total: 2 objects

Usage of Position

Position

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Employee]		nvarchar	20	Procedure	Parameter

Total: 1 objects

Usage of PositionID

PositionID

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Employees]		uniqueidentifier	16	Table	Column

Total: 1 objects

Usage of Power

Power

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_TechnicalDetails]		nvarchar	10	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]		nvarchar	10	Table	Column

Total: 2 objects

Usage of PowerSteering

PowerSteering

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Equipments]		bit	1	Procedure	Parameter
[AutoKomisDB].[dbo].[Equime		bit	1	Table	Column

nts]

Total: 2 objects

Usage of Price

Price

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Car]		decimal	9	Procedure	Parameter
[AutoKomisDB].[dbo].[Cars]		decimal	9	Table	Column

Total: 2 objects

Usage of Street

Street

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Customer]		nvarchar	50	Procedure	Parameter
[AutoKomisDB].[dbo].[Customers]		nvarchar	50	Table	Column

Total: 2 objects

Usage of Surname

Surname

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_Customer]		nvarchar	50	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_Employee]		nvarchar	50	Procedure	Parameter
[AutoKomisDB].[dbo].[Customers]		nvarchar	50	Table	Column
[AutoKomisDB].[dbo].[Employees]		nvarchar	20	Table	Column

Total: 4 objects

Usage of TechnicalDetailsID

TechnicalDetailsID

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Clean_Car_Adding]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Add_Car]		uniqueidentifier	16	Procedure	Parameter
[AutoKomisDB].[dbo].[Cars]		uniqueidentifier	16	Table	Column

Total: 3 objects

Usage of TransactionID

TransactionID

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Get_transaction_Details]		uniqueidentifier	16	Procedure	Parameter

Total: 1 objects

Usage of Transmission

Transmission

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Add_TechnicalDetails]		nvarchar	10	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]		nvarchar	10	Table	Column

Total: 2 objects

Usage of UserLogin

UserLogin

Object name	Description	Data type	Length	Parent Object Type	Type
[AutoKomisDB].[dbo].[Employees]		nvarchar	20	Table	Column

Total: 1 objects

Usage of YearOfProduction

YearOfProduction

Object name	Description	Data type	Length	Parent Object	Type
-------------	-------------	-----------	--------	---------------	------

			Type	
[AutoKomisDB].[dbo].[Add_TechnicalDetails]	date	3	Procedure	Parameter
[AutoKomisDB].[dbo].[TechnicalDetails]	date	3	Table	Column

Total: 2 objects

About this documentation

Database documentation details

Author	
Created	05/31/2020
Comments	