

Supplemental Table S4: Age-adjusted invasive cancer incidence rates and corresponding 95% confidence intervals per 100,000 by primary site and race/ethnicity and rural status, 2015-2019

	NHW		NHB		AAPI		AIAN		Hispanic	
	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban
All Sites	463.2 (462.4-464.1)	468.0 (467.6-468.4)	456.8 (453.8-459.8)	453.4 (452.4-454.4)	293.8 (287.5-300.2)	295.7 (294.6-296.8)	461.0 (453.9-468.3)	452.5 (445.6-459.4)	325.6 (322.3-328.8)	354.0 (353.1-354.9)
Tobacco-associated	207.8 (207.3-208.4)	190.7 (190.4-190.9)	208.6 (206.6-210.7)	192.4 (191.7-193.0)	131.5 (127.3-1359)	129.3 (128.5-130.0)	240.7 (235.6-246.0)	216.0 (211.2-220.9)	150.1 (147.9-152.4)	147.3 (146.7-147.8)
HPV-associated	14.1 (13.9-14.3)	13.0 (12.9-13.1)	11.5 (11.0-12.0)	11.0 (10.9-11.2)	7.0 (6.0-8.0)	5.2 (5.0-5.3)	12.4 (11.3-13.6)	9.6 (8.8-10.6)	8.8 (8.3-9.30)	9.4 (9.2-0.5)
Alcohol-associated	134.1 (133.6-134.5)	136.5 (136.3-136.7)	144.5 (142.8-146.2)	141.0 (140.4-141.6)	104.9 (101.2-108.8)	107.5 (106.9-108.2)	148.9 (144.9-153.0)	148.0 (144.1-151.9)	104.5 (102.7-106.4)	112.0 (111.5-112.5)
Oral cavity and pharynx	13.7 (13.5-13.9)	13.3 (13.2-13.3)	10.2 (9.7-10.6)	8.6 (8.3-9.0)	8.9 (7.9-10.1)	8.2 (8.0-8.4)	12.5 (11.4-13.7)	10.8 (9.8-11.9)	6.9 (6.4-7.3)	7.2 (7.1-7.4)
Esophagus	5.5 (5.4-5.6)	5.0 (4.9-5.0)	4.5 (4.2-4.8)	3.6 (3.5-3.7)	2.3 (1.8-2.9)	2.1 (2.0-2.2)	5.6 (4.9-6.5)	5.3 (4.6-6.1)	3.3 (2.9-3.6)	2.7 (2.7-2.8)
Stomach	5.1 (5.0-5.2)	5.2 (5.2-5.3)	9.4 (8.9-9.8)	9.8 (9.6-9.9)	6.6 (5.7-7.6)	9.4 (9.2-9.7)	10.8 (9.7-12.0)	8.5 (7.5-9.5)	8.5 (8.0-9.1)	9.5 (9.4-9.7)
Colon and rectum	42.3 (42.0-42.5)	37.7 (37.6-37.9)	51.5 (50.6-52.6)	44.8 (44.4-45.1)	31.0 (28.9-33.3)	30.7 (30.3-31.3)	55.0 (52.5-57.6)	47.0 (44.8-49.4)	36.3 (35.2-37.4)	33.6 (33.3-33.8)
Colon Only	29.9 (29.7-30.0)	26.8 (26.7-26.9)	38.8 (38.2-39.5)	33.5 (33.2-33.7)	20.4 (19.1-21.7)	20.0 (19.7-20.2)	37.3 (35.9-38.9)	32.5 (31.1-33.9)	24.8 (24.1-25.5)	24.0 (23.8-24.2)
Rectum Only	12.4 (12.3-12.5)	10.9 (10.9-11.0)	12.7 (12.4-13.1)	11.3 (11.2-11.4)	10.6 (9.8-11.6)	10.7 (10.6-10.9)	17.6 (16.6-18.7)	14.5 (13.7-15.5)	11.3 (10.8-11.7)	10.4 (10.3-10.5)
Early-Onset Colon and Rectum	8.9 (8.7-9.0)	8.1 (8.1-8.2)	9.7 (9.3-10.1)	8.5 (8.4-8.6)	5.6 (4.9-6.5)	6.0 (5.8-6.1)	12.5 (11.5-13.6)	10.3 (9.4-11.1)	6.2 (5.9-6.6)	6.2 (5.9-6.6)
Average-Onset Colon and Rectum	129.6 (129.0-130.2)	115.2 (115.0-115.5)	161.1 (158.7-163.5)	139.7 (138.9-140.4)	97.4 (92.3-102.8)	95.4 (94.5-96.3)	166.1 (160.2-172.2)	143.4 (137.8-149.1)	114.3 (111.5-117.1)	108.4 (107.7-109.1)
Liver and intrahepatic duct	7.3 (7.2-7.4)	7.3 (7.3-7.4)	8.6 (8.3-9.0)	10.9 (10.8-11.1)	10.6 (9.4-11.9)	12.3 (12.0-12.5)	16.9 (15.6-18.3)	19.8 (18.5-21.3)	15.2 (14.5-15.9)	13.7 (13.6-13.9)
Pancreas	13.0 (12.8-13.1)	13.3 (13.2-13.3)	16.7 (16.1-17.2)	16.1 (15.9-16.3)	10.9 (9.7-12.2)	9.6 (9.4-9.8)	13.5 (12.3-14.8)	13.8 (12.6-15.1)	10.9 (10.3-11.5)	11.9 (11.7-12.1)
Larynx	3.9 (3.8-4.0)	3.0 (3.0-31)	5.5 (5.2-5.8)	3.9(3.8.4.0)	1.6 (1.2-2.1)	1.0 (0.9-1.0)	4.1 (3.4-4.8)	3.1 (2.5-3.7)	2.2 (1.9-2.5)	2.2 (2.1-2.3)
Lung and bronchus	68.0 (67.7-68.3)	59.1 (59.0-59.3)	64.0 (62.9-65.1)	57.7 (57.3-58.0)	37.0 (34.8-39.4)	34.2 (33.8-34.5)	66.3 (63.6-69.1)	57.3 (54.8-59.9)	29.7 (28.7-30.8)	29.0 (28.8-29.3)

	NHW		NHB		AAPI		AIAN		Hispanic	
	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban
Melanoma	25.6 (25.4-25.8)	30.8 (30.6-30.9)	1.0 (0.9-1.1)	0.9 (0.9-1.0)	2.6 (2.0-3.3)	1.2 (2.0-3.3)	7.3 (6.4-8.3)	11.6 (10.5-12.8)	4.7 (4.4-5.2)	4.7 (4.6-4.8)
Female Breast	120.9 (120.2-121.5)	136.6 (136.3-137.0)	125.6 (123.4-127.9)	128.1 (127.4-128.8)	93.7 (89.1-98.6)	101.6 (100.7-102.5)	104.2 (99.6-108.9)	117.6 (113.0-122.3)	85.0 (82.7-87.3)	100.1 (99.5-100.7)
Cervical	8.5 (8.3-8.7)	7.0 (6.9-7.0)	9.9 (9.3-10.6)	8.7 (8.5-8.9)	7.1 (5.8-8.6)	6.0 (5.8-6.2)	11.2 (9.7-12.8)	10.5 (9.1-12.0)	10.0 (9.3-10.8)	9.7 (9.5-9.9)
Endometrial	27.9 (27.6-28.2)	27.9 (27.8-28.1)	27.4 (26.4-28.4)	28.6 (28.3-28.9)	23.0 (20.7-25.4)	21.1 (20.8-21.5)	28.2 (25.9-30.7)	30.5 (28.3-32.9)	23.5 (22.4-24.7)	25.6 (25.3-25.9)
Ovary	10.0 (9.8-10.2)	10.9 (10.8-11.1)	7.9 (7.4-8.5)	8.6 (8.4-8.8)	7.7 (6.4-9.2)	9.1 (8.8-9.4)	11.4 (9.9-13.0)	12.1 (10.6-13.7)	9.1 (8.4-9.9)	10.1 (9.9-10.2)
Prostate	99.6 (99.1-100.2)	104.3 (104.1-104.6)	170.9 (168.3-173.7)	176.5 (175.5-177.4)	61.7 (57.3-66.4)	57.1 (56.4-66.4)	86.3 (81.6-91.1)	78.6 (74.3-83.0)	70.4 (68.2-72.7)	88.4 (87.7-89.1)
Testis	6.4 (6.2-6.5)	7.1 (7.0-7.2)	1.5 (1.2-1.8)	1.5 (1.5-1.6)	3.1 (2.3-4.2)	2.1 (19.0-2.2)	6.7 (5.6-8.0)	7.8 (6.6-9.1)	4.7 (4.3-5.1)	5.4 (5.3-5.5)
Urinary bladder	21.5 (21.4-21.7)	22.0 (21.9-22.1)	10.7 (10.2-11.1)	11.6 (11.5-11.8)	8.1 (7.1-9.2)	8.3 (8.1-8.5)	12.4 (11.2-13.7)	13.8 (12.5-15.1)	10.1 (9.5-10.7)	10.8 (10.6-10.9)
Kidney and renal pelvis	19.0 (18.8-19.2)	17.2 (17.1-17.3)	20.3 (19.6-20.9)	19.0 (18.8-19.2)	9.2 (8.1-10.4)	8.1 (7.9-8.3)	34.3 (32.3-36.2)	28.1 (26.4-29.8)	18.8 (18.1-19.6)	17.4 (17.2-17.6)
Brain and other nervous system	7.1 (7.0-7.2)	7.4 (7.3-7.4)	3.8 (3.6-4.1)	4.1 (4.0-4.2)	3.4 (2.8-4.2)	3.7 (3.6-2.9)	4.3 (3.7-5.0)	6.3 (5.6-7.2)	4.6 (4.2-4.9)	5.3 (5.2-5.4)
Thyroid	13.5 (13.3-13.7)	15.0 (14.9-15.1)	7.0 (6.6-7.4)	8.6 (8.5-8.8)	12.6 (11.3-13.9)	15.2 (15.0-15.5)	12.8 (11.6-14.0)	13.9 (12.8-15.1)	10.6 (10.1-11.1)	13.9 (13.7-14.1)
Hodgkin lymphoma	2.6 (2.5-2.7)	2.9 (2.8-2.9)	2.4 (2.2-2.6)	2.7 (2.6-2.8)	1.0 (0.7-1.5)	1.4 (1.3-1.4)	1.4 (1.1-1.8)	2.0 (1.6-2.5)	2.0 (1.8-2.3)	2.3 (2.3-2.4)
Non-Hodgkin lymphoma	18.6 (18.4-18.8)	20.2 (20.1-20.2)	12.3 (11.8-12.9)	14.5 (14.3-14.6)	11.4 (10.2-12.7)	13.1 (12.9-13.3)	16.2 (14.9-17.6)	17.8 (16.5-19.3)	14.5 (13.8-15.2)	17.7 (17.5-17.9)
Myeloma	5.9 (5.8-6.0)	6.2 (6.2-6.3)	14.3 (13.8-14.9)	14.3 (14.1-14.5)	3.6 (2.9-4.4)	3.9 (3.8-4.0)	8.2 (7.3-9.3)	8.0 (7.1-9.0)	5.5 (5.1-6.0)	6.9 (6.7-7.0)
Leukemia	14.5 (14.4-14.7)	15.0 (14.9-15.0)	10.7 (10.3-11.2)	10.8 (10.7-11.0)	7.3 (6.4-8.4)	8.0 (7.8-8.2)	11.7 (10.6-12.9)	13.5 (12.3-14.7)	10.7 (10.2-11.3)	11.4 (11.2-11.5)

NHW=non-Hispanic white; NHB=non-Hispanic Black, AAPI=Asian American/Pacific Islander; AIAN=American Indian/Alaska Native