User Journey Document 03

Return Later, View Saved Trips, and Resume Editing

---

1. Purpose of this document

This document defines the third key user journey in the travel planning app: enabling a customer to **return to the app later, view previously saved itineraries, reopen a trip in progress, and continue editing it**.

It describes how a customer:

- comes back to the app after a previous session,
- sees saved and in-progress trips,
- opens a selected itinerary,
- resumes editing,
- adds or removes places,
- adjusts trip details,
- continues from the discovery flow if needed,
- and saves updated changes.

This document is intended to work both as:

1. a **customer journey / product requirement document**, and
2. a **handoff input for Figma Make, Replit, Claude, or Codex** to design and implement the journey like a professional consumer app.

---

2. Journey name

Journey 3: Return Later, View Saved Trips, and Resume Editing

---

3. Journey summary

After creating one or more itineraries, the customer should be able to come back to the app at any later point and quickly pick up where they left off.

The app should present a clear trips hub where the customer can see:

- saved itineraries,
- draft itineraries,
- recently edited trips,
- and shared trips if relevant.

From there, the customer should be able to open any trip and continue working on it. They may want to:

- review the plan,
- change dates,
- update number of travelers,
- add more places,
- remove places,
- reorder days,
- regenerate or optimize the itinerary,
- re-share it,
- or simply continue browsing related place cards.

This journey turns the app from a one-time planning tool into an ongoing trip workspace.

---

4. Why this journey matters

Travel planning usually happens over multiple sessions, not in one sitting.

Users often:

- save a draft and come back later,
- discuss plans with others and then revise,
- gather more information over time,
- or refine the trip closer to travel dates.

This journey matters because it supports **continuity**, **retention**, and **real-world planning behavior**.

If done well, the customer should feel:

- “My work is preserved”
- “I can pick this up instantly”

- “Editing this trip is easy”
- “The app supports gradual planning, not just one-time creation”

---

5. User goal

The user wants to answer a simple question:

“Can I come back later, find my trip quickly, and continue working on it without losing progress?”

---

6. Product goal

The system should:

- make saved trips easy to find,
- distinguish between drafts and finalized itineraries,
- let the user resume where they left off,
- support editing and extension of an itinerary,
- and preserve continuity between itinerary view and discovery flow.

---

7. Start state and end state

Start state

The user has at least one itinerary previously created, either saved as a draft or saved as an active trip.

End state

The user has:

- reopened a trip,
- reviewed or edited it,

- optionally added or removed places,
- updated trip details,
- and saved the revised itinerary.

---

8. User persona for this journey

This journey is designed for users who:

- plan trips over time
- create more than one itinerary
- compare multiple destinations or trip versions
- revisit trips after discussing them with others
- want a persistent travel planning workspace

This can support:

- solo planners refining details gradually
- couples comparing options together
- families adding logistics later
- group organizers managing multiple trip versions

---

9. High-level journey flow

Open App
→ Go to Trips / Saved Itineraries
→ View List of Trips
→ Select One Trip
→ Open Trip Detail
→ Edit / Add / Remove / Reorder / Update Details
→ Optionally Return to Discovery Flow
→ Save Updated Trip

---

10. Detailed user journey flow

Step 1: Customer returns to the app

User intent

The customer wants to continue planning a trip they previously started or saved.

User sees

Depending on app behavior, the user may land on:

- the home screen, with a visible Trips tab, or
- directly into the Trips area if the app supports resume-friendly behavior

User actions

- tap Trips
- open recent trip from a shortcut
- resume the last active itinerary if surfaced

System response

The app should make it obvious that the user's earlier work is still available.

Exit condition

The user enters the Trips area.

Step 2: Customer views saved trips

User intent

The customer wants to find the correct trip quickly.

User sees

A Trips hub showing a list of itineraries.

The list should clearly distinguish:

- Drafts
- Saved trips
- Recently edited trips

- Shared trips, if applicable
- Archived trips, optionally

Each trip card should show:

- trip title
- city
- date info if available
- number of days
- cover image or city image
- last updated time
- status label such as Draft or Saved

User actions

- scroll trips
- search trips by name or city
- filter by status
- tap a trip card to open it
- optionally delete or archive a trip

System response

The app should load the trip detail screen for the selected trip.

Exit condition

The user selects a trip.

Step 3: Customer opens a selected itinerary

User intent

The customer wants to review the current state of the trip.

User sees

A structured itinerary detail screen showing:

- trip title
- city
- dates if added

- number of travelers if added
- summary information
- day-by-day itinerary layout
- edit controls
- share action
- add-more action
- trip documents or notes if supported later

User actions

- read the itinerary
- scroll through days
- review places
- decide what needs change

System response

The app should restore the last saved state accurately.

Exit condition

The user chooses to edit, add, remove, or continue exploring.

Step 4: Customer edits trip details

User intent

The customer wants to refine the itinerary.

Possible edits

The customer may want to:

- rename the itinerary
- change dates
- change number of days
- change number of people
- change budget preference
- change pace
- change stay area or base location

User actions

- tap edit details
- update fields
- save changes

System response

The itinerary may re-evaluate layout or show suggestions if changes affect feasibility.

For example:

- increasing travelers may affect restaurant suitability
- reducing number of days may make the schedule tighter
- changing dates may affect opening days or timing logic later

Exit condition

Trip details are updated.

Step 5: Customer edits itinerary content

User intent

The customer wants to change the actual day plan.

Possible actions

The customer can:

- remove a place from a day
- reorder places within a day
- move a place to another day
- replace a place
- regenerate a day
- regenerate the whole itinerary
- mark something as must-keep

User actions

- tap remove
- drag and reorder
- tap move
- tap replace

- tap optimize

System response

The itinerary updates immediately or after confirmation, depending on action type.

UX goal

Editing should feel flexible but controlled, not chaotic.

Exit condition

The itinerary reflects the user’s revisions.

Step 6: Customer adds more places to the trip

User intent

The customer feels the trip is incomplete and wants to discover more options.

Entry point

The itinerary detail screen should provide a clear action such as:

- Add more places
- Continue exploring
- Discover more for this city

System behavior

The app returns the user to the city discovery deck, but this time in the context of the selected trip.

The deck should preserve:

- selected city
- already liked places
- already used itinerary places
- previous swipe history where relevant

The deck may optionally prioritize:

- unreviewed places

- nearby places that fit gaps
- food spots if meal slots are missing
- similar places to existing super-likes

User actions

- swipe through additional cards
- like new places
- return to itinerary with additions

Exit condition

New selected items are brought back into the itinerary flow.

Step 7: Customer saves updated itinerary

User intent

The customer wants to preserve all changes made in the current session.

User sees

A save action, autosave signal, or update confirmation.

User actions

- save changes explicitly
- continue editing
- leave and trust autosave, if supported

System response

The updated itinerary state is stored and becomes the current version of the trip.

Exit condition

Changes are saved successfully.

Step 8: Customer exits confidently

User intent

The customer wants to know that they can come back again later.

User sees

The trip remains in the Trips hub with:

- updated last edited time
- updated summary
- current saved state

System outcome

The trip is now a persistent planning workspace rather than a one-time output.

End condition

The customer leaves knowing the trip is recoverable and editable.

---

11. Functional requirements

11.1 Trips hub requirements

The app must:

- provide a dedicated place to view all trips
- display trip cards clearly
- distinguish draft and saved states
- show recent activity
- support trip search and filtering

11.2 Trip opening requirements

The app must:

- restore the itinerary exactly as last saved
- open into a readable trip detail view
- support multiple trips per user

11.3 Trip editing requirements

The app must let the user:

- update metadata such as dates and traveler count
- remove itinerary items
- reorder itinerary items
- move items across days
- regenerate or optimize sections
- rename the trip

11.4 Discovery re-entry requirements

The app must:

- let the user re-enter card discovery from a saved trip
- preserve trip context
- avoid making the user restart discovery from scratch unnecessarily

11.5 Save/update requirements

The app must:

- preserve edits reliably
- support explicit save and/or autosave
- show updated trip status after changes

11.6 Multi-trip requirements

The app must:

- support users having multiple itineraries at once
- keep them visually distinct
- make trip selection easy

---

12. UX principles for this journey

This journey should feel:

Persistent

The user should feel their planning work is safe and recoverable.

Organized

Trips should be easy to scan, distinguish, and reopen.

Editable

The user should feel they can refine the trip without rebuilding it.

Context-aware

When returning to discovery, the app should understand the current trip context.

Low-friction

Returning to a trip should take very few steps.

Reliable

Saving and updates should feel trustworthy and obvious.

---

13. Screen-by-screen UI specification

Screen 1: Trips Hub / Saved Trips Home

Purpose

To give the user a central place to access all their itineraries.

Primary UI blocks

- header with title such as My Trips

- search bar for trips
- segmented tabs or filters:
    - Drafts
    - Saved
    - Shared
    - Archived
- trip card list
- optional recent activity area

Trip card content

- trip cover or city image
- itinerary title
- city
- dates if available
- number of days
- traveler count if available
- status chip
- last updated time

Required actions

- open trip
- search trip
- filter by status
- archive or delete trip
- create new trip

Screen 2: Empty Trips State

Purpose

To handle the case where the user has no trips yet.

UI blocks

- illustration or minimal visual
- heading such as No trips yet
- CTA to start exploring a city
- secondary CTA to import or create a trip

UX rule

This should feel encouraging, not blank.

Screen 3: Trip Detail / Resume View

Purpose

To show the complete state of a selected itinerary.

UI blocks

- trip title
- city
- date summary
- travelers summary
- edit details action
- day-by-day itinerary view
- share button
- add more places button
- optimize / regenerate controls
- save state indicator

Required actions

- review itinerary
- edit
- share
- add more places
- remove items
- save changes

Screen 4: Edit Trip Details Screen

Purpose

To update trip-level metadata.

UI fields

- itinerary name

- dates
- number of days
- number of people
- pace
- budget
- stay area or hotel location
- notes, optionally

Required actions

- save changes
- cancel
- optionally trigger re-optimization

UX rule

This should feel clean and lightweight, not like a profile form.

Screen 5: Itinerary Edit Mode

Purpose

To let the user make structural changes to the itinerary.

UI blocks

- day sections
- draggable itinerary blocks
- remove action
- move to another day
- replace action
- optimize button
- regenerate button

Each itinerary block should show

- place name
- place type
- duration
- order in the day
- travel hint if relevant

Required actions

- reorder within a day
- move across days
- remove
- replace
- confirm changes

Screen 6: Add More Places Entry State

Purpose

To bridge from itinerary editing back into discovery.

UI blocks

- short explanation
- selected city confirmation
- suggestion filters such as:
    - Food nearby
    - Hidden gems
    - Unreviewed places
    - Similar to your picks

CTA

- Continue exploring

Screen 7: Discovery Deck in Resume Context

Purpose

To let the user find more places for an existing trip.

UI differences from first-time discovery

This version of the card deck should be contextual.

It may include labels such as:

- Good fit for Day 2
- Near your current itinerary
- Great lunch stop
- Similar to your super-liked places

Required actions

- like
- discard
- super-like
- undo
- return to trip

UX rule

The user must feel they are extending the same trip, not starting over.

Screen 8: Updated Itinerary Review

Purpose

To show how newly added places affect the current itinerary.

UI blocks

- summary of changes
- added places
- removed places
- updated day structure
- warning if the trip becomes too packed
- save changes CTA

Required actions

- confirm
- continue editing
- return to discovery

Screen 9: Save / Update Confirmation

Purpose

To reassure the user that changes were preserved.

UI blocks

- success confirmation
- trip preview summary
- updated timestamp
- CTA to continue editing or return to Trips

---

14. Information architecture for the trips area

The Trips area should preserve the following hierarchy:

Trips Home

- Drafts
- Saved
- Shared
- Archived

Each Trip

- Overview
- Day-by-day itinerary
- Metadata
- Edit controls
- Share controls
- Add-more discovery entry

Optional future sub-areas

- documents
- collaborators
- trip notes
- bookings

15. Edge cases and states

No saved trips

Show the empty state with a CTA to create the first trip.

Many trips

Support search, sorting, and filtering so the list remains usable.

Draft trip without dates

The app should still show it clearly as a draft.

Outdated trip details

If edits make the itinerary unrealistic, show warnings such as:

- too many items for number of days
- missing meal breaks
- long inter-place travel time

User leaves mid-edit

Changes should either autosave or prompt the user to save before leaving.

Deleted or archived trip

Show a clear confirmation step before destructive actions.

Returning to discovery after long gap

The app should restore city context and preserve selection history where relevant.

16. What the customer should feel during this journey

The customer should feel:

- “My trips are organized”
- “Nothing I did earlier is lost”
- “I can come back anytime and continue”
- “Editing is easy and flexible”
- “The app supports real planning over time”

---

17. Acceptance criteria

This journey is successful if the user can:

1. return to the app and locate their saved or draft trips
2. open a selected itinerary easily
3. review and edit trip details
4. edit itinerary content day by day
5. add more places from discovery without losing context
6. save updated changes
7. come back again later and find the revised trip intact

---

18. Handoff prompt for Figma Make / Replit / AI design tools

Use this prompt to generate the detailed design flow:

> Design a premium mobile-first travel app flow for returning users who want to view saved trips and resume editing. The app should include a Trips hub with tabs or filters for Drafts, Saved, Shared, and Archived trips. Each trip card should show title, city, dates if available, number of days, last updated time, and status. When the user opens a trip, they should see a polished day-by-day itinerary detail screen with edit controls, share button, add-more-places action, and editable trip details like dates, number of people, pace, and stay area. The user should be able to

remove or reorder itinerary items, move them between days, and return to a contextual discovery deck to find more places for the same trip. The design should feel professional, persistent, trustworthy, and suitable for a high-quality consumer travel app that supports planning over multiple sessions.