Dummies Guide to Installing JDK8

macOS

By far the easiest and lowest effort way is to use [Homebrew](#).

```
# Installing homebrew:
/usr/bin/ruby -e "$(curl -fsSL
https://raw.githubusercontent.com/Homebrew/install/master/install)"

# AdoptOpenJDK
brew tap AdoptOpenJDK/openjdk
brew cask install adoptopenjdk8
```

Linux

It depends™. Bellow you can find commands for some popular distribution.

Arch Linux

```
sudo pacman -S jdk8-openjdk
```

Ubuntu/Debian

This also works on most Debian based distors. Including Linux Mint, Pop_OS and Kali Linux.

```
sudo apt install openjdk-8-jdk
```

Fedora

```
sudo dnf install java-1.8.0-openjdk
```

Gentoo

Come on, you don't need a guide for this. You can solve it on your own.

LFS

Have fun.

Windows

Download [AdoptOpenJDK](). Select OpenJDK 8 (LTS) and HotSpot.


Durring installation be sure to select `Add to PATH`, `Set JAVA_HOME variable` and `JavaSoft (Oracle) registry`

AdoptOpenJDK JDK with Hotspot 8.0.242.08 (x64) Setup — □ ×

Custom Setup

Select the way you want features to be installed.

Click the icons in the tree below to change the way features will be installed.

- JDK with Hotspot
  - Add to PATH
  - Associate .jar
  - Set JAVA_HOME variable
  - **JavaSoft (Oracle) registr**
  - IcedTea-Web

Overwrites the reg keys HKLM\Software\JavaSoft (Oracle). After uninstallation of AdoptOpenJDK, Oracle Java running from PATH "C:\Program This feature requires 1KB on your hard drive.

Browse...

| Reset | Disk Usage | Back | Next | Cancel |