

P1NTO COFFEE

Master Product Blueprint

UI/UX Structure • Design System • Development Roadmap

Terintegrasi dengan Architecture • ERD • User Flow • Sitemap

Company Profile + QR Table Ordering + Admin + Kitchen + Payment + Receipt

Version 1.0 • August 2026

1. Executive Summary

P1NTO Coffee dirancang sebagai satu platform digital yang menggabungkan pengalaman brand, pemesanan berbasis QR per meja, operasional admin/kitchen, pembayaran digital, dan pencetakan struk. Arsitektur yang dipilih adalah modular monolith berbasis Next.js dengan Supabase sebagai backend managed dan Midtrans sebagai payment gateway.

Prinsip utama: brand experience di depan, operational efficiency di belakang. Homepage boleh editorial dan immersive; ordering dan admin harus cepat, jelas, dan dapat diandalkan.

Struktur produk:

P1NTO

- Brand Experience
- Company Profile
- Order Experience
- QR Table Ordering
- Operation Experience
- Admin
- Kitchen

2. System Architecture

Rekomendasi final: Next.js Modular Monolith + Supabase + Midtrans. Tidak perlu microservices pada MVP.



Kenapa modular monolith?

- Lebih cepat dikembangkan dan dideploy untuk satu coffee shop.
- Business logic tetap dapat dipisahkan berdasarkan domain/feature.
- Lebih mudah debugging dibanding banyak service terpisah.
- Masih dapat dievolusikan menjadi multi-branch atau service terpisah bila skala menuntut.

Domain utama:

Domain	Tanggung jawab
Marketing	Homepage, story, menu showcase, gallery, location, contact
Ordering	QR table, menu, product detail, cart, checkout, order tracking
Operations	Admin dashboard, orders, kitchen, tables, menu management
Payment	Transaction creation, webhook, verification, payment status

Domain	Tanggung jawab
Reporting	Revenue, orders, average order, best seller, payment methods

3. ERD / Database Schema

Database menjadi source of truth. Client tidak dipercaya untuk harga, total, status pembayaran, atau aturan transaksi.

```

PROFILES
■
TABLES ■■ DINING_SESSIONS ■■ ORDERS ■■ PAYMENTS
■
■■■ ORDER_ITEMS ■■ ORDER_ITEM_OPTIONS
↑
CATEGORIES ■■ PRODUCTS ■■ VARIANTS
■■ OPTIONS ■■ OPTION_VALUES

```

Core tables

Table	Peran	Relasi penting
profiles	Akun staff/admin/owner	auth.users → profiles
tables	Meja fisik + QR	1:N dining_sessions
dining_sessions	Satu sesi makan per meja	table → orders
categories	Kategori menu	1:N products
products	Item menu	category → products
product_variants	Size/hot/ice/varian	product → variants
product_options	Kelompok customization	product → options
product_option_values	Nilai customization	option → values
orders	Transaksi	session/table → orders
order_items	Snapshot item saat order	order → items
order_item_options	Snapshot customization	item → options
payments	Status transaksi gateway	order → payment
audit_logs	Jejak perubahan admin	profile → audit

Order state machine

PENDING → CONFIRMED → PREPARING → READY → COMPLETED
██→ CANCELLED

Payment state

UNPAID → PENDING → PAID
 ■ → FAILED
 ■ → EXPIRED
 ■ → REFUNDED

Penting: order_status dan payment_status harus dipisahkan. Harga/nama produk juga disimpan sebagai snapshot di order_items agar histori transaksi tidak berubah ketika menu diperbarui.

4. User Flow

Customer flow

```

SCAN QR
↓
Validate Table
↓
Create / Get Dining Session
↓

```

```
Browse Menu
↓
Select Product
↓
Customize
↓
Add to Cart
↓
Checkout
↓
Create Order
↓
Payment
↓
Midtrans Webhook / Verification
↓
Order Confirmed
↓
Realtime Tracking
↓
READY
↓
COMPLETED
```

Payment flow

```
Customer
↓
Create payment
↓
Midtrans
↓
Webhook
↓
Server validation
↓
payments = PAID
orders = CONFIRMED
↓
Supabase Realtime
■■■ Kitchen
■■■ Customer
```

Kitchen flow

LOGIN → KITCHEN → NEW → PREPARING → READY → COMPLETED

Admin flow

```
LOGIN
↓
DASHBOARD
■■■ Orders
■■■ Kitchen
■■■ Tables
■■■ Menu
■■■ Payments
■■■ Reports
■■■ Users
■■■ Settings
```

5. Sitemap / Next.js Route Structure

```
pinto.com/  
■■■ about  
■■■ menu  
■■■ gallery  
■■■ location  
■■■ contact  
■  
■■■ t/[tableSlug]  
■ ■■■ menu  
■ ■■■ product/[productSlug]  
■ ■■■ cart  
■ ■■■ checkout  
■ ■■■ payment  
■ ■■■ order/[orderId]  
■  
■■■ auth  
■ ■■■ login  
■ ■■■ forgot-password  
■ ■■■ reset-password  
■  
■■■ admin  
■■■ dashboard  
■■■ orders/[orderId]  
■■■ kitchen  
■■■ tables/[tableId]  
■■■ menu  
■ ■■■ categories  
■ ■■■ products/new  
■ ■■■ products/[productId]  
■ ■■■ options  
■■■ payments/[paymentId]  
■■■ reports  
■■■ users  
■■■ settings
```

Satu Next.js app, tiga experience utama:

URL	Experience	Karakter
/	Company Profile	Editorial, immersive, premium
/t/[tableSlug]	Customer Ordering	Mobile-first, fast, frictionless
/admin	Admin + Kitchen	Dense, functional, realtime

6. UI/UX Structure

A. Brand Experience

```
Homepage  
Hero  
↓  
Brand Story  
↓  
Signature Menu  
↓  
Experience / Journey  
↓  
Gallery  
↓  
Location  
↓  
Final CTA
```

Hero: fokus brand, atmosphere, photography, typography, subtle motion. Hindari terlalu banyak copy.

B. Ordering Experience

QR Landing
↓
Menu + Search + Category
↓
Product Detail
■ ■ ■ Variant
■ ■ ■ Ice
■ ■ ■ Sugar
■ ■ ■ Notes
■ ■ ■ Quantity
↓
Sticky Cart
↓
Checkout
↓
Payment
↓
Order Tracking

Ordering harus lebih utilitarian daripada homepage. Customer tidak perlu melewati animasi panjang untuk memesan.

C. Admin / Kitchen Experience

Admin
■ ■ ■ Dashboard
■ ■ ■ Orders
■ ■ ■ Tables
■ ■ ■ Menu
■ ■ ■ Payments
■ ■ ■ Reports
■ ■ ■ Users
■ ■ ■ Settings

Kitchen
■ ■ ■ NEW
■ ■ ■ PREPARING
■ ■ ■ READY

Kitchen display harus memprioritaskan informasi order, meja, item, dan aksi status; realtime tanpa refresh.

7. Design System

Arah visual: warm editorial, refined, modern. Hindari coffee-shop cliché yang terlalu coklat dan hindari UI yang terlalu bubbly.

Color tokens

Token	Hex	Penggunaan
Ink	#171513	Primary text
Paper	#F7F5F0	Main background
White	#FFFFFF	Surface
Muted	#77736D	Secondary text
Border	#E5E1DA	Borders/dividers
Coffee	#8B5E3C	Brand accent
Cream	#EAD9C5	Soft accent
Warm	#C89B6D	Secondary accent
Success	#2E8B57	Success state
Warning	#C58B2A	Warning state

Token	Hex	Penggunaan
Danger	#C94C4C	Error/destructive
Info	#4C7FA8	Informational

Typography

Layer	Recommendation	Use
Display	DM Serif Display / Cormorant Garamond	Brand headlines/editorial statements
UI	Inter / Manrope	Navigation, buttons, forms, dashboard

Scale

Display 64–96px desktop / 44–56px mobile
H1 48–64px / 36–42px
H2 32–44px / 28–32px
H3 24–28px
Body 16px
Small 14px
Caption 12px

Spacing: 4 / 8 / 12 / 16 / 24 / 32 / 48 / 64 / 96 / 128px.

Radius: marketing 8–16px, ordering 8–12px, admin 6–10px. Refined, bukan overly rounded.

Iconography: Lucide Icons secara konsisten; 16px inline, 20px button, 24px navigation, 32px feature.

8. Motion & Interaction

Area	Tool	Motion
Marketing	GSAP + ScrollTrigger + Lenis	Hero, text reveal, parallax, gallery
Ordering	Framer Motion	Cart update, modal, toast, status
Admin	Minimal CSS/Framer	150–200ms transitions, feedback

Motion tidak boleh menghalangi checkout, pembacaan order, atau navigasi operasional.

9. Component & Code Architecture

```
src/
├── app/
│   ├── (marketing)/
│   │   ├── t/[tableSlug]/
│   │   ├── admin/
│   │   ├── api/
│   │   └── components/
│   ├── ui/
│   ├── marketing/
│   ├── ordering/
│   ├── admin/
│   ├── kitchen/
│   ├── features/
│   │   ├── orders/
│   │   ├── payments/
│   │   ├── menu/
│   │   ├── tables/
│   │   ├── sessions/
│   └── lib/
│       ├── supabase/
│       ├── midtrans/
│       ├── auth/
│       └── validation/
```



```
■■■ types/  
■■■ config/
```

Business logic sebaiknya berada di features/service layer, bukan tercecer di komponen UI.

10. Development Roadmap

Phase	Fokus	Output utama
0	Foundation	Next.js, TS, Tailwind, shadcn, Git, Supabase, env
1	Database	Schema, FK, indexes, enums, RLS, seed
2	Auth	Login, session, middleware, role authorization
3	Design System	Tokens, typography, buttons, forms, cards, nav
4	Company Profile	Responsive pages, SEO, images, motion
5	Customer Ordering	QR, menu, product, cart, checkout, order
6	Admin	Dashboard, orders, tables, menu CRUD
7	Kitchen	Realtime order board + status machine
8	Payment	Midtrans transaction + webhook + verification
9	Receipt	58/80mm print layout + browser print
10	Reports	Revenue, orders, best seller, payment
11	Hardening	Security, performance, UX states
12	Testing	Unit, integration, E2E golden path

Timeline solo developer yang sudah familiar dengan Next.js:

Minggu	Target
1	Foundation + Design System
2	Database + Auth + RLS
3	Company Profile
4	Customer Ordering
5	Admin Dashboard
6	Kitchen + Realtime
7	Midtrans Payment
8	Receipt + Reports
9	Testing + Security
10	Performance + Deployment

11. MVP Priorities

Priority	Features
P0 – Required	Company Profile, QR Table, Menu, Product, Cart, Order, Admin, Kitchen, Payment, Order Status
P1 – Important	Receipt, Reports, Table Management, Variants, Audit Log
P2 – Future	Loyalty, Promo, Inventory, Reservation, Multi-branch, WhatsApp, Advanced Analytics

Definition of Done

- UI selesai dan responsive.
- Client-side dan server-side validation tersedia.
- Database transaction dan authorization benar.
- Loading, empty, success, dan error states tersedia.

- RLS dan secret isolation sudah diperiksa.
- Duplicate transaction/webhook ditangani.
- Unit/integration/E2E test sesuai kebutuhan.
- Feature berjalan pada golden path end-to-end.

Golden Path Test

```
SCAN QR
↓
SELECT PRODUCT
↓
CUSTOMIZE
↓
CART
↓
CHECKOUT
↓
PAYMENT SUCCESS
↓
WEBHOOK
↓
KITCHEN RECEIVES ORDER
↓
PREPARING
↓
READY
↓
COMPLETED
↓
RECEIPT
```

12. Security, Performance & Reliability

Security

- Gunakan Supabase RLS untuk membatasi akses data.
- Server-side authority untuk harga, total, role, dan status.
- Service role key dan Midtrans server secret tidak pernah dikirim ke client.
- Validasi webhook dan idempotency untuk mencegah duplicate payment/order.
- Audit log untuk perubahan administratif penting.

Performance

- Utamakan Server Components untuk halaman yang tidak membutuhkan interaksi.
- Optimalkan gambar dengan next/image dan lazy loading.
- Jangan memakai realtime untuk data statis.
- Minimalkan JavaScript di customer checkout.
- Gunakan cache untuk menu yang tidak berubah setiap detik.

Operational reliability

- Order dan payment state dipisahkan.
- Gunakan transaction/atomic update pada proses kritis.
- Handle duplicate webhook.
- Sediakan retry/error state pada pembayaran.
- Sediakan fallback ketika realtime sementara terputus.

13. Recommended Tech Stack

Layer	Technology
Frontend	Next.js + React + TypeScript
Styling	Tailwind CSS + shadcn/ui
Motion	GSAP/ScrollTrigger untuk marketing; Framer Motion untuk app UI
Backend	Next.js Server Actions + Route Handlers
Database	Supabase PostgreSQL
Auth	Supabase Auth
Realtime	Supabase Realtime
Storage	Supabase Storage
Payment	Midtrans
Icons	Lucide React
Deployment	Vercel
Version Control	Git + GitHub
Testing	Vitest/Testing Library + Playwright

14. Final Blueprint



Development dependency



Final principle

Marketing boleh expressive. Ordering harus frictionless. Admin harus predictable. Seluruh sistem menggunakan satu Next.js application yang dipisahkan secara modular berdasarkan domain.

Dokumen ini menjadi blueprint v1.0. Setelah ini, artefak teknis yang paling tepat dibuat adalah SQL migration Supabase lengkap + ERD visual + API contract, lalu wireframe high-fidelity berdasarkan sitemap.