



2.5


Figure 1 - IEC Bus Module (Rear View)



APPENDIX D BUS CONNECTOR CONTACT ASSIGNMENTSMIL-C-24308 connector IEC bus

This is the standard connector fitted on the IEC bus module.

<u>Contact</u>	<u>Signal line</u>	<u>Contact</u>	<u>Signal line</u>
1	DIO1	14	DIO5
2	DIO2	15	DIO6
3	DIO3	16	DIO7
4	DIO4	17	DIO8
5	REN	18	Gnd(5)
6	EOI	19	Gnd(6)
7	DAV	20	Gnd(7)
8	NRFD	21	Gnd(8)
9	NDAC	22	Gnd(9)
10	IFC	23	Gnd(10)
11	SRQ	24	Gnd(11)
12	ATN	25	Gnd(12)
13	Shield		

Mounting

Note: Gnd(n) refers to the signal ground return of contact n.

Micro-ribbon connector IEEE bus

This connector is fitted on some IEC bus devices. To adapt the MIL connector (above) to this connector, use Philips adapter PM9483.

<u>Contact</u>	<u>Signal line</u>	<u>Contact</u>	<u>Signal line</u>
1	DIO1	13	DIO5
2	DIO2	14	DIO6
3	DIO3	15	DIO7
4	DIO4	16	DIO8
5	EOI	17	REN
6	DAV	18	Gnd(6)
7	NRFD	19	Gnd(7)
8	NDAC	20	Gnd(8)
9	IFC	21	Gnd(9)
10	SRQ	22	Gnd(10)
11	ATN	23	Gnd(11)
12	Shield	24	Gnd(Logic)

Mounting

Note: Gnd(n) refers to the signal ground return of contact n.

APPENDIX E CIRCUIT DIAGRAM OF IEC BUS MODULE

