Geodesic Life Systems: A Comprehensive Design Science Operating Manual for the Neurodivergent Polymath

1.0 Executive Summary: The Dymaxion Self and the Physics of Living

1.1 The Premise of the Operating Manual

This document functions as the "Universal Operating Manual" for the subject entity—herein referred to as the Operator. It is a strategic reconstruction of the Operator's existence, integrating the complexities of a late-stage Autism Spectrum Disorder (ASD) diagnosis with a profound, documented history of high-stakes technical mastery in submarine electrical systems.[1]

The methodology employed here is R. Buckminster Fuller's *Comprehensive Anticipatory Design Science*. This framework posits that the universe is a scenario of "non-simultaneous, strictly physical events" governed by generalized principles. The Operator's life is not a series of disconnected struggles but a synergetic system where the whole is greater than the sum of its parts. The objective is not merely to "cope" with neurodivergence or "manage" a career transition, but to re-engineer the existential environment to maximize functional resonance and minimize entropic decay.

The Operator is not a static entity but a dynamic, high-energy system. Having spent over a decade in the rigorous, zero-tolerance environment of Trident Refit Facilities (TRF), specifically at King's Bay, GA, the Operator possesses a unique cognitive architecture suited for rigorous logical structures, root cause analysis, and complex systems management.[1] The

central challenge, identified through the Operator's own recent disclosures, is the "impedance mismatch" between internal intent and external signal transmission—a phenomenon characteristic of the ASD neurotype.[1]

This manual applies the physics of *Synergetics* to the domestic and professional sphere. It posits that the home is not a house, but a "Spaceship Earth" module; the family is not a passive audience, but a crew requiring "Human Gardening"; and the career is not a job, but a regenerative function of the Operator's intellect. The manual is exhaustive, treating the Operator's life with the same gravity and technical precision found in the *Joint Fleet Maintenance Manual (JFMM)* or *NAVSEA* specifications.[1]

1.2 Core Philosophy: Design Science vs. Correction

Traditional therapeutic models often seek to "correct" the neurodivergent individual to fit a neurotypical mold, creating friction and heat (entropy). Design Science rejects this. Fuller argued, "You never change things by fighting the existing reality. To change something, build a new model that makes the existing model obsolete."

Therefore, this manual does not instruct the Operator to "mask" or suppress autistic traits. Instead, it engineers a *Work-From-Home (WFH)* and *Family Management System* where those traits—intense focus, pattern recognition, and adherence to technical standards—become the structural tension (tensegrity) that holds the system together. We replace the "social deficit" model with a "signal processing" model, leveraging the Operator's expertise in electrical machinery, rotating components, and electronics.[1]

1.3 The "Trim Tab" Implementation

A core concept of this manual is the "Trim Tab." On a massive ocean liner (or a Trident submarine), the rudder is too large to be moved directly by the helmsman. Instead, a tiny trim tab on the trailing edge of the rudder is moved, creating a low-pressure zone that pulls the massive rudder into place, which in turn turns the ship.

For the Operator, the "Trim Tab" is the intersection of *Assistive Technology (AT)* and *Personal Interest*.[1] By focusing energy on the small, high-leverage act of building his own communication tools using his existing CAD and electronics skills, the Operator will effect a massive shift in the larger "ship" of his career and family dynamics. This project is not a

hobby; it is the hydrodynamic mechanism of turning the life-course.

2.0 System Specifications: The Neuro-Technical Architecture

2.1 The Operator Profile: Capability Analysis

To design the system, we must first rigorously analyze the specifications of the primary engine. The Operator is a highly skilled technician with a documented history of precision work on critical defense infrastructure, specifically the *Ohio*-class submarine support systems.

The following table synthesizes the Operator's technical history [1] and maps it to the new "Design Science" life requirements. This is not a resume review; it is a *capability audit* for the new operating system.

Table 1: Transference of Technical Skills to Geodesic Life Systems

Submarine/Industrial Skill (Source:)	Neuro-Cognitive Asset	Application in Design Science Life System
Root Cause Analysis (RCA) on rotating machinery & electrical systems.	Pattern recognition; ability to identify systemic failures rather than symptom-spotting.	Debugging family conflicts and WFH inefficiencies at the source (e.g., sensory overload vs. "bad mood").
Quality Assurance (QA) & OQE (Objective Quality Evidence).	Rigorous adherence to truth; data-driven decision making; discomfort with ambiguity.	Establishing "Truth Metrics" for mental health and productivity; rejecting ambiguous social expectations in favor of explicit family contracts.

PMR (Planned Maintenance Requirements) & Maintenance Standards.	Comfort with routine, checklists, and explicit instruction sets.	Creation of "Life PMRs" for self-care, parenting, and housekeeping to reduce executive function load.
High Voltage/Amperage System Management (500kW MG sets, 70kW MG sets).	Respect for high-energy states; understanding of load balancing; safety protocols.	Managing "Autistic Burnout" as a system overload; implementing "Load Shedding" protocols when emotional voltage spikes.
Instructor/Trainer for junior electricians & apprentices.	Ability to break down complex concepts; patience with learners; safety-first mindset.	"Human Gardening" approach to parenting; teaching children via first-principles thinking rather than "because I said so."
VPI (Vacuum Pressure Impregnation) System Operation.	Understanding of sealing and insulation to prolong life expectancy.	Creating "Insulation Layers" around the Operator's psyche to prevent sensory intrusion and burnout in high-noise environments.
Use of CITRIX, LDS, ATIS, Haystack Gold.	Proficiency in complex database navigation and logistics management.	Managing the "Household Supply Chain" and digital assets with enterprise-level rigor.

2.2 The Diagnostic Variable: ASD as a Signal Processing Constraint

The Operator has identified a specific critical failure point in their current operating system: "My nonverbal communication and facial expressions often do not match my inner feelings and intentions".[1]

In the language of the Operator's background with electrical systems [1], this is a **Transducer**

Error. A transducer converts one form of energy into another (e.g., internal emotion to facial expression). When the transducer is miscalibrated, the output signal (expression) does not correlate with the input voltage (emotion). This creates *informational entropy*—disorder and confusion in the receiver (family, colleagues).

The Operator's history involves "grooming of commutators" on DC armatures, including "undercutting, beveling, deburring, and stone polishing".[1] Just as a commutator must be perfectly smooth to transfer current without sparking, human communication requires a smooth interface. The Operator's ASD diagnosis implies that the biological commutator is pitted or irregular, causing "sparking" (social friction) even when the current (intent) is clean.

The goal of this manual is not to force the transducer to work "normally," but to build a **Bypass Circuit**—an Assistive Technology (AT) solution that provides a secondary, high-fidelity data stream to clarify intent.[1]

2.3 The Preoccupation Engine: Special Interests as Fuel

The Operator notes "intense, preoccupying interests in 3D printing, CAD, woodworking, and electronics" and a new drive to learn "Artificial Intelligence (AI)" and coding.[1] In a Design Science framework, these are not distractions or "hobbies"; they are the **Primary Energy Source**.

Fuller's concept of "ephemeralization" (doing more with less) implies that aligning the career with these high-energy interests increases thermodynamic efficiency. The transition to a WFH career must leverage these specific technical domains to minimize the "friction" of engaging with uninteresting work. The Operator's resume shows a progression from "Electrician Apprentice" to "Engineering Technician" [1], demonstrating a capacity for continuous upskilling. This same capacity will now be directed toward software and AI.

3.0 The Physical Plant: Designing the WFH "Control Room"

3.1 Entropy and the Home Environment

In physics, entropy is the measure of disorder in a system. Without energy input, all closed systems move toward maximum entropy (chaos). For a neurodivergent individual, environmental entropy (clutter, noise, visual chaos) creates cognitive drag.

The Operator is accustomed to the strict organization of a submarine environment—places where "stowage" is a survival mandate and "foreign material exclusion" is enforced to prevent damage to main propulsion systems.[1] The home office must be treated as a **Critical Control Room**. The transition from the industrial environment of TRF Kings Bay to a domestic setting carries the risk of losing the external structure that previously supported the Operator's executive function.

3.1.1 The Zoning Protocol: Replicating the "Radiation Area"

The WFH environment must be defined by strict boundaries, mimicking the "Red Zones" or "Radiation Areas" of a shipyard.

- **Zone Alpha (Deep Work):** The primary desk. Only work-related tasks occur here. No bills, no toys, no household administration. This establishes a conditioned response: *Physical location = Cognitive Mode*.
- **Zone Beta (Maker Space):** The area for 3D printing and electronics.[1] This is the "Regeneration Station" where the Operator recovers energy through tactile creativity. The presence of "filament" and "components" mentioned in the email [1] defines this space.
- **Zone Gamma (The Bridge):** A transitional space (e.g., a specific chair or doorway) where the Operator "clocks out" and transitions to "Dad Mode."

3.2 Sensory Ergonomics as Tensegrity

Fuller's *Tensegrity* (tensional integrity) describes structures that maintain stability through a balance of continuous tension and discontinuous compression. The Operator's sensory system requires a similar balance.

- **Visual Tensegrity:** Eliminate high-frequency visual noise. Use closed storage (cabinets) rather than open shelves. Use "warm" lighting (low Kelvin) to reduce cortisol, contrasting with the likely high-lux fluorescent lighting of the shipyard/TRF floor.
- **Acoustic Damping:** Just as submarines use anechoic tiles to reduce sonar signatures,

the WFH office requires acoustic treatment to reduce the "noise floor" of the house.
- **Proprioceptive Input:** The Operator has a history of physical labor (lifting, climbing tanks, operating cranes with 19,999 lb capacity [1]). A sedentary WFH job may result in "sensory under-load." The office should include heavy work options (weighted blankets, isometric exercise tools) to maintain somatic regulation. The body remembers the load of the "500kW MG set" work; deny it that pressure, and anxiety increases.

3.3 The "Foreign Material Exclusion" (FME) Standard

In the TRF, FME protocols prevent debris from entering critical systems.[1] The Operator must apply FME to the WFH desk.

- **Protocol:** No "foreign materials" (dishes, unrelated mail, kids' toys) are permitted in Zone Alpha.
- **Enforcement:** A daily "FME Check" at 0800 and 1700 hours. This utilizes the Operator's muscle memory from his years as an Electrician Leader ensuring shop safety.[1]

4.0 The "Critical Path" Career Transition

4.1 From Hardware to Software: The Coding Vector

The Operator is transitioning from "taking things apart" (hardware) to "coding" (software/AI).[1] This is a movement up the abstraction ladder. Fuller's *Critical Path* method involves identifying the longest sequence of dependent tasks to achieve a goal.

The Critical Path for the Operator involves translating *hardware logic* into *software architecture*. The Operator is not starting from zero; he is "refactoring" his skills.

- **The Metaphor:** Coding is not writing; it is *machining with logic*. A function is a component. A variable is a tolerance. A bug is a material defect.
- **Strategy:** When learning AI and coding, the Operator should visualize the code as a **Motor Generator Set**.[1] The data flow is the current; the algorithm is the rotor; the output is the regulated frequency. This allows the Operator to reuse the neural pathways built

over years of troubleshooting electrical systems.

4.2 The "Trim Tab" Factor in Career Choice

Fuller famously used the "Trim Tab" metaphor—a tiny rudder on the trailing edge of a ship's massive rudder. Moving the small trim tab creates low pressure that pulls the giant rudder, which turns the entire ship.

For the Operator, **AI-Assisted Communication** is the Trim Tab.[1]

- By focusing on building the custom AAC (Augmentative and Alternative Communication) tool mentioned in the query, the Operator is not just "doing a hobby."
- He is building his portfolio for a career in Assistive Technology or Specialized AI development.
- He is solving his primary interpersonal conflict (communication).
- He is modeling "problem-solving" for his children.
- *Insight:* The project described in snippet [1] is the fulcrum of the entire life transition. It must be prioritized as a "strategic asset," not a "weekend project."

4.3 Volunteerism as Beta Testing

The Operator has offered to volunteer with "Tools for Life" at Georgia Tech.[1] This is a strategic maneuver.

- **Validation:** It provides OQE (Objective Quality Evidence) of his new skills in a real-world environment.
- **Networking:** It connects him with the **"Makers Making Change"** and **"TOM Global"** (Tikkum Olam Makers) communities.[1] The email response from Hunter McFeron explicitly points to these organizations.
    - **TOM Global** has a student-run branch at Georgia Tech.
    - **Makers Making Change** connects makers with people needing AT.
- **Integration Strategy:** The Operator should treat this volunteer work as a "Sea Trial." It is the shakedown cruise for the new career persona. He should approach "Makers Making Change" not just as a volunteer, but as a "Technical Consultant," using his background in creating "Formal Work Packages" [1] to help them document their open-source designs.

4.4 Leveraging "Haystack Gold" Skills for Open Source

The Operator is proficient in **Haystack Gold**, a defense parts logistics system.[1] He knows how to search by NSN, CAGE code, and FSC.

- **The Translation:** The Open Source Hardware world operates similarly. GitHub repositories are the new "Haystack." Components are libraries.
- **Actionable Insight:** The Operator should apply his "logistics platform" skills to organize Open Source AT projects. He can create "Bills of Materials" (BOMs) for open-source projects, making them easier for others to build. This niche—"Logistics for Open Source AT"—is a highly valuable, uncrowded market position.

5.0 The "Human Gardening" Family System

5.1 Parenting as Biological Design Science

The "Human Gardening" metaphor suggests that we cannot *force* plants to grow; we can only optimize the soil, light, and water.

- **Soil (Environment):** The emotional safety of the home.
- **Light (Attention):** Direct, warm, uncritical observation.
- **Water (Resources):** Education, food, tools.

5.2 The Resonance of Authentic Authority

Children are sensitive to "resonance." They detect when a parent is masking (dissonance).

- **The Operator's Advantage:** The Operator has experience as an "Electrician Leader," responsible for the safety and training of apprentices.[1] This leadership style—based on safety, competence, and clear instruction—is highly effective with children.
- **The Pivot:** Instead of trying to be a "socially normative" dad, be the "Chief Engineer."
  - *Protocol:* Use **"Pre-Job Briefs"** [1] with children before complex activities.
    - "We are going to the grocery store. The mission is X. The hazards are Y (noise,

crowds). The safety plan is Z (stay with the cart)."
    - *Result:* This reduces anxiety for both the autistic parent and the children, framing life as a manageable series of operations rather than a chaotic social event.

5.3 Bridging the Gap: The "Dad-Interface" Project

The Operator's project to build a communication tool [1] should be a collaborative family effort.

- **Co-Design:** Involve the children in the 3D printing and design process. This turns the "disability" (communication struggle) into a "shared engineering challenge."
- **Transparency:** Explicitly teach the children: "My face doesn't always show what I feel. Let's look at the data." This is scientific parenting.
- **The "Trouble Report" Methodology:** The Operator is skilled at creating "trouble reports on ship's systems".[1] He should encourage his children to file verbal "Trouble Reports" when they are upset, focusing on "symptoms" and "root causes" rather than blame. This teaches emotional intelligence through a technical framework.

6.0 The Universal Operating Manual: Standard Operating Procedures (SOPs)

This section translates the philosophy into executable code. These are the *Maintenance Standards* for the Operator's life, derived from the rigorous documentation habits formed at the Trident Refit Facility.

6.1 Daily Startup Procedure (The Morning Watch)

- **Objective:** Establish system stability before load application.
- **Physics:** Overcoming static friction (inertia).
- **Protocol:**
    1. **System Check:** Internal scan for sensory accumulation (sleep quality, physical pain).
    2. **Telemetry:** Review the "Plan of the Day" (POD). *Note: Use a physical whiteboard, mirroring the shipboard status boards.*
    3. **Prime Movers:** Engage in 15 minutes of "Special Interest" activity (reading about

CAD/AI) to dopamine-load the brain before starting paid work.

6.2 The "Black Band" Calibration (Emotional Regulation)

The Operator has performed **"black band testing"** on 500kW generators to ensure commutation is sparkless and the machine is calibrated.[1] We apply this to emotional regulation.

- **Concept:** "Sparking" (meltdowns/shutdowns) occurs when the load exceeds the brush contact capability or when the "neutral plane" is shifted.
- **Indicator:** If the Operator feels "sparking" (irritability, loss of verbal ability, sensory stinging), initiate **Emergency Load Shedding**.
- **Load Shedding Protocol:**
  1. Signal the "Crew" (family) using a non-verbal cue (hand sign or the custom AT device).
  2. Retreat to Zone Beta (Maker Space).
  3. Engage in high-stimulus, low-demand activity (sanding wood, organizing resistors, watching a 3D print layer adhesion) to discharge static energy.
  4. *Note:* Just as VFRs [1] regulate frequency, this protocol regulates the Operator's emotional frequency.

6.3 The Communication Transducer (The AT Project Plan)

Based on the user's inquiry [1], the construction of this device is the "Keystone" project.

- **Phase 1: Research.** (Completed via "Tools for Life" inquiry).
- **Phase 2: Prototyping.** Use the 3D printer and CAD skills to build a physical interface.
  - *Design Concept:* A "Macro Pad" or wearable device that outputs preset audio or text messages associated with emotional states ("I am overwhelmed," "I am happy but quiet," "I need space").
  - *AI Integration:* Use the coding skills to program a predictive text engine that learns the Operator's specific vernacular.
- **Phase 3: Integration.** Wear the device during family time. Normalizing the tool reduces the entropy of guessing games ("Is Dad mad?").

6.4 Weekly Maintenance (The Field Day)

Just as the Navy requires weekly "Field Days" for deep cleaning, the Geodesic Life requires system maintenance.

- **Friday PM:** "Stowage." Clear Zone Alpha. Close all browser tabs. Triage the digital workspace.
- **Sunday PM:** "Briefing." Review the family schedule. Identify potential "entropy spikes" (e.g., doctor appointments, social events) and plan resource allocation.
- **Inventory Control:** Use the principles of **"One Touch"** supply chain management [1] to manage household goods. If a consumable (toothpaste, filament) is low, it is immediately added to the replenishment queue.

7.0 Advanced Physics of Social Interaction: Resonance and Damping

7.1 The Resonance Theory of Connection

Resonance occurs when a system vibrates at its natural frequency. Masking (hiding autism) creates destructive interference—it dampens the natural frequency.

- **Insight:** The Operator will find the highest career and family success not by modulating his frequency to match others, but by amplifying his own frequency (technical competence, sincerity, maker skills) so strongly that others entrain to *him*.
- **Application:** Do not engage in "small talk" (high entropy/low information). Engage in "deep talk" (low entropy/high information). Frame social interactions around shared projects or problem-solving.

7.2 Handling "Noise" in the System

The Operator is sensitive to non-verbal mismatches.[1]

- **The Algorithm:** When confused by a social signal, apply the **"Verification of Material"** protocol.[1]
- *Action:* Ask for confirmation. "I am reading a signal of frustration. Is this accurate?"
- *Culture:* Establish a "Zero-Guessing" policy in the home. Explicit communication is the standard. This mirrors the "Formal Correspondence" protocols used with the Planning Yard (TPYDA) and NAVSEA [1]—nothing is assumed; everything is documented.

7.3 The "VPI" of the Self

The Operator is expert in **Vacuum Pressure Impregnation (VPI)** using **Epoxylite 478** to seal motor windings.[1]

- **The Metaphor:** The VPI process removes air voids (vulnerabilities) and fills them with solid resin (resilience), creating a sealed unit that can survive harsh environments.
- **Application:** The Operator must "impregnate" his daily routine with habits that seal out chaos.
  - *Resin 1:* Noise-canceling headphones (Acoustic seal).
  - *Resin 2:* The "Zone Alpha" physical boundary (Spatial seal).
  - *Resin 3:* Rigid scheduling (Temporal seal).
  - By applying these seals, the Operator, like a treated 500kW generator, becomes impervious to the "moisture and contaminants" of daily stress.

8.0 Strategic Resource Management: Funding and Community

8.1 Leveraging the "Tools for Life" Connection

The email exchange with Hunter McFeron [1] is a tactical opening.

- **The "Makers Making Change" Database:** This is the primary repository for Open Source AT. The Operator should download 3-5 existing projects to study their CAD files. This is "reverse engineering," a skill well-honed in the shipyard.
- **TOM Global (Tikkum Olam Makers):** This organization runs "Makeathons." Participating

in one of these events (likely at Georgia Tech) would be the ideal "Field Exercise" to test the Operator's social and technical systems in a controlled, time-limited environment. The email specifically provides contact info for **"Georgiatech@tomglobal.org"**.[1] This is a direct line to a supportive community.

8.2 Grant Strategy

The Operator asked about funding for materials.[1]

- **Insight:** Grants for individual "hobby" projects are rare. Grants for *community solutions* are common.
- **Strategy:** Frame the personal communication device as a **"Prototype for Adult ASD Professionals."**
- **Proposal:** "Open Source Wearable Status Indicator for Non-Verbal Episodes in Tech Environments." This aligns with the mission of organizations like Tools for Life and effectively "weaponizes" the personal struggle into a public good.
- **Funding Source:** Hunter McFeron noted that Makers Making Change "periodically post funding and grant opportunities".[1] The Operator needs to set up a "Watch Standing" rotation (weekly check) on that site.

9.0 Detailed Technical Addendum: The "Communication Bridge" Project

Rationale: The User's specific request regarding "Tools for Life" [1] indicates a desire to build a technical solution. This section provides the "Design Science" specification for that tool, serving as the first practical exercise of the Universal Operating Manual.

9.1 Objective

To construct a **Haptic-Visual-Audio Interface (HVAI)** that bridges the gap between the Operator's internal state and external expression. This directly addresses the "primary challenge" mentioned in the email.[1]

9.2 Theoretical Basis (Information Theory)

Communication failure in ASD is often a "bandwidth" issue. The brain is processing high-bandwidth sensory data and high-bandwidth internal thought, leaving insufficient bandwidth for the "facial modulation" subroutine. The HVAI offloads this processing to external hardware.

9.3 Proposed Architecture (Leveraging User Skills)

Based on the Operator's skills in Electronics, CAD, and Coding [1]:

Component	Function	Skill Application
Microcontroller (ESP32 or RP2040)	The brain of the device. Handles logic and WiFi/Bluetooth connectivity.	Coding (C++ or Python), Circuit Design.
Input Interface (Mechanical Switches/Capacitive Touch)	Physical triggers for pre-set states (e.g., "Overwhelmed," "Focus Mode," "Happy").	3D Printing (Custom Keycaps), Ergonomics.
Output 1: OLED/e-Ink Display	Visual status indicator for family (wearable badge).	Electronics, Graphics Coding.
Output 2: TTS (Text-to-Speech)	Audio generation for complex thoughts when verbal speech is difficult.	AI integration, API management.
Housing	Ruggedized, tactical aesthetic matching the Operator's industrial background (TRF	CAD (SolidWorks/Fusion360), 3D Printing.

	standards).	

9.4 The "Fuller" Dimension: Ephemeralization

This device should not just be a "talker." It should control the environment.

- **Integration:** When the Operator selects "Focus Mode" on the device, it should ideally interface with the Smart Home (Home Assistant) to turn the office lights to "Red" (Zone Alpha status) and silence the phone.
- **Result:** One button press arranges the entire environment to support the Operator's biology. This is true Design Science—modifying the environment to accommodate the human, rather than forcing the human to overcome the environment.

9.5 Execution as Therapy

The act of designing this system provides the "Resonance" the Operator seeks. It validates the diagnosis not as a defect, but as a design constraint that can be engineered around. It allows the Operator to demonstrate love for his family not through neurotypical "emoting," but through the profound act of *engineering a way to be with them*.

10.0 Conclusion: The Spaceship Commander

The Operator is not "disabled" in the context of this Operating Manual; the Operator is a specialized instrument requiring specific calibration. The document *Engineering Technician 2.docx* [1] proves that the Operator is capable of "working independently with minimal supervision" to "resolve complex problems." This capability must now be turned inward.

By adopting Buckminster Fuller's view, we see that the Operator's "special interests" are actually "comprehensive anticipatory design strategies." The intense focus on 3D printing and electronics is not a hobby—it is the means by which the Operator imposes order on the universe.

The path forward—the Critical Path—is to integrate the **Engineering Technician** (who follows

the manual) with the **Design Scientist** (who writes the manual). The result is a life system that is robust, redundant, and capable of navigating the complex hydrodynamics of career and family life with the precision of a Trident submarine.

Immediate Action Items (The "Plan of the Day"):

1. **Fabricate the Interface:** Begin physical construction of the AAC device using the 3D printer and the filament stockpile.[1] This acts as the physical manifestation of the new operating system.
2. **Define the Zones:** Physically rearrange the WFH space to establish Zone Alpha and Zone Beta.
3. **Draft the Family PMR:** Create a visible checklist for daily family operations, reducing the cognitive load of verbal reminders.
4. **Engage the Network:** Contact **TOM Global** at Georgia Tech [1] to inquire about the next Makeathon.

This manual is a living document. Like the *Joint Fleet Maintenance Manual* [1], it must be updated as new data (experience) is acquired. The Operator has the watch.

End of Report.

Works cited

1. Engineering Technician 2.docx