Aalto-yliopisto
Aalto-universitetet
Aalto University

Aalto slides template

Typst + Touying deck scaffold following the Aalto visual identity

Pedro Santos Silva

Aalto University · 27.10.2026

Why this template

Plain text, fast builds

- The whole deck is **plain text** (`.typ` files) — diffable, git-friendly, and trivial for an agent (or you) to edit surgically
- Compiles in milliseconds; `make watch-demo` rebuilds as you type
- Multi-source: this deck is assembled with `#include` from `demo/sections/*.typ` — one file per talk section
- No heavy Office binaries; the output is a standard PDF you can present from anywhere

One logo system, four lock-ups



primary — mark + name below. Ask for it with `corner: "primary"`; the default corner is the bare mark.




secondary — trilingual, three rows. Aalto's choice for external communication.



tertiary — trilingual, to the right. Used top-left on the title slide here.



mark — no text at all. The bottom-left corner of content and section slides, and the closing slide.





Black on light, white on dark — and the marks (A", A?, A!) are interchangeable.

On brand

The theme follows the **Aalto visual identity** (brand.aalto.fi):

- **Inter** — the official Aalto typeface (bundled in `fonts/`, bold headings with tight tracking, sentence case, left-aligned ragged-right text)
- White/black base with brand colours used **as sparing accents**
- University colours: **Blue**, **Red**, **Yellow** (darkened here for contrast on white — the raw yellow is for backgrounds/blocks)
- School colours available as `school-colours.sci`, `.chem`, `.biz`, … (one school per deck, never mixed)

Layouts

Two columns: text + figure

Flexibility without fighting a GUI:

- `two-col[..][..]` for text + figure
- any `grid`/`stack`/`place` from plain Typst works inside a slide
- `slide(composer: (1fr, 2fr))[A][B]` for column-split slides





Figure 1: A figure from an external SVG file.

Figures and grids




panel a
panel b
panel c

Tables, code and maths stay native

Tool	Build	Source
PowerPoint	slow	binary
Slidev	medium	markdown+Vue
Typst	**ms**	**plain text**

```python
def compile(deck):
    return deck.build()  # ~50 ms
```

Euler's identity, equation animations supported:

$$\int_{0}^{\inf} e^{-x^2}\,\mathrm{d}x = \frac{\sqrt{\pi}}{2}$$

Co-branding, title art and the closing slide

`org-logo:` (set once in `main.typ`) puts a second logo — here the ASC hexagons — top-right of the title and closing slides. The closing slide also takes an optional `info:` block, and `#title-slide(art: …)` adds a right-hand image panel:



Kiitos!

Pedro Santos Silva · Research Software Engineer


rse@aalto.fi · aalto.fi

Slides, source and figures live in one plain-text folder — ask me for a copy.

Aalto University

Aalto slides template

Typst + Touying deck scaffold following the Aalto visual identity



Pedro Santos Silva

Aalto University · 27.10.2026

Dynamics

Sequential reveal

Present a point at a time — nothing appears until you advance:

- Plain text sources keep decks git-friendly

Sequential reveal

Present a point at a time — nothing appears until you advance:

- Plain text sources keep decks git-friendly
- Typst compiles in milliseconds, so agents can iterate fast

Sequential reveal

Present a point at a time — nothing appears until you advance:

- Plain text sources keep decks git-friendly
- Typst compiles in milliseconds, so agents can iterate fast
- And **you** can edit the `.typ` files directly — no GUI wrestling

Graying in and out

The whole list can start dimmed…

Graying in and out

The whole list can start dimmed…

…then items **gray in** when they matter (`gray-in`, `gray-out`, `dim`):

This line starts gray and becomes black on the next click.

Graying in and out

The whole list can start dimmed…

…then items **gray in** when they matter (`gray-in`, `gray-out`, `dim`):

This line starts gray and becomes black on the next click.

This line starts black and grays out on the next click — useful to retire a point after discussing it.

Graying in and out

The whole list can start dimmed…

…then items **gray in** when they matter (`gray-in`, `gray-out`, `dim`):

This line starts gray and becomes black on the next click.

This line starts black and grays out on the next click — useful to retire a point after discussing it.

Focus by dimming the rest

Data stays local — no cloud round-trip per keystroke
Agent-editable — surgical text edits, instant rebuilds
On brand — Aalto colours, Inter, consistent layout

Focus by dimming the rest

Data stays local — no cloud round-trip per keystroke

Agent-editable — surgical text edits, instant rebuilds

On brand — Aalto colours, Inter, consistent layout

Focus by dimming the rest

Data stays local — no cloud round-trip per keystroke
Agent-editable — surgical text edits, instant rebuilds
On brand — Aalto colours, Inter, consistent layout

Side-by-side evolution

Draft v1

Generic bullet list

Draft v2

Generic bullet list, refined

Side-by-side evolution

Draft v1

Generic bullet list

→ key claim: **Typst beats PPT for agent workflows**

Draft v2

Generic bullet list, refined

→ brand colours applied consistently

Keep it simple, align left,
and stick to as few styles and sizes as needed.

Takeaways

- `make new NAME=my-talk` → new deck from the template
- Write `= Section` / `== Slide`; `#include` files per section
- Effects: `#pause`, `gray-in`, `gray-out`, focus-step + `alternatives`
- Presenter notes: `#speaker-note[...]` (export with pdfpc/pympress)

Q&R



Kiitos!

Pedro Santos Silva · Research Software Engineer

rse@aalto.fi · aalto.fi



Thank you

slides + source: this deck is plain text