

GuidelyEdu-Epics-and-Stories

guidely-app - Epic Breakdown

Overview

This document provides the complete epic and story breakdown for guidely-app, decomposing the requirements from the PRD, UX Design if it exists, and Architecture requirements into implementable stories.

Requirements Inventory

Functional Requirements

FR-1: Tenant isolation — Tenant Admin and platform operators work within a Tenant whose Pupil, Evidence Record and User data are logically separated from every other Tenant. FR-2: Trust contains Schools — A Trust Tenant can attach multiple Schools, each with its own Users, Pupils and Evidence Bases. FR-3: Incremental School activation — Tenant Admin can enable GuidelyEdu for a subset of Schools or a named Pupil cohort before Trust-wide rollout. FR-4: Feature flags by configuration — Trust Dashboard, Connector types and advanced Documentation Output packs are enabled per Tenant/School by configuration, not custom code. FR-5: Provisioned accounts — Tenant Admin (or implementation operator in Pilot) creates Users and assigns Roles and School/Trust scope. No public self-signup. FR-6: Role set — Tenant Roles: Teacher, Support Staff, SENCO, School Leader, Tenant Admin; Trust SEND Lead and Trust Executive when Trust features on; Platform Operator is a separate GuidelyEdu identity. FR-7: Least privilege on Pupils — Users access only Pupils in their scoped Schools, and only fields required for their Role. FR-8: Authentication — Users authenticate with credentials managed by GuidelyEdu (password/session); Hybrid uses token auth per Architecture AD-18. FR-9: SSO readiness — Identity architecture allows connection to School/Trust SSO without rebuilding tenancy or Roles. FR-10: Access logging — Authentication, record access, modifications, Documentation Output generation and exports emit Audit Events. FR-11: Pupil records — SENCO and Tenant Admin can create and maintain Pupil working records (identity keys, School, year group, SEND status). FR-12: Need on the Pupil — SENCO can record primary and secondary Need categories from the Ontology Need taxonomy. FR-13: Cohort and class assignment — Tenant Admin or SENCO can assign Pupils to classes/cohorts so Teachers see the right list (default: SENCO assignment; MIS class when Connector present). FR-14: Record Observation — Teacher and Support Staff can submit an Observation against a Pupil with required structured fields. FR-15: Record Intervention — Teacher, Support Staff and SENCO can record an Intervention linked to a Provision taxonomy term and the

Pupil. FR-16: Record Pupil Response — Users who can record Interventions can record Pupil Response linked to an Intervention or dated context. FR-17: No parallel-logging mandate — Product does not require retyping an event that arrived via Connector with equivalent mapped fields. FR-18: Draft Evidence Record — User can save a draft Observation/Intervention/Pupil Response and submit later; drafts never enter SRE. FR-19: Hybrid-appropriate capture — Hybrid Client supports FR-14–FR-16 with the same server validations as Web Client; offline queue with not-on-server labelling. FR-20: Chronological Evidence Base — SENCO and authorised Roles can view a Pupil's Evidence Records in time order, filterable by type. FR-21: Amend with history — Authors and SENCO can correct an Evidence Record; previous version remains retrievable. FR-22: Review notes — SENCO can add a review note Evidence Record marked as professional commentary. FR-23: Five Ontology domains — Operational Ontology exposes Need, Provision, Outcome framework, Threshold Definitions and Relationship Mappings. FR-24: Map evidence into the Ontology — On submit/import, each Evidence Record is mapped to Ontology terms required for Rules. FR-25: Versioned Ontology — Ontology changes are versioned; historical Determinations retain the version used. FR-26: Four evaluation dimensions — Every SRE run produces Determinations across Sequential Compliance, Evidential Sufficiency, Proportionality and Outcome Progression (or explicit no applicable Rule). FR-27: Rule shape — Each Rule has defined condition, evaluation, and Determination outcome, and belongs to a Rule Library version. FR-28: Re-evaluate on new evidence — Creating, amending or importing Evidence Records re-runs applicable Rules for that Pupil (async job). FR-29: Determinism — Same Evidence Base + Rule Library version + Ontology version always yields the same Determinations; no LLM on this path. FR-30: Subset Rule coverage (initial library) — First build ships an initial Rule set for common documentation and threshold scenarios, not full SEND framework coverage claim. FR-31: Rule expansion for escalation and review thresholds — Rule Library includes escalation and review-threshold Rules without changing FR-26–FR-29. FR-32: Reasoning Pathway on every Determination — SENCO (and permitted Roles) can open the Reasoning Pathway for any current or historical Determination. FR-33: Human confirmation on Documentation Output — Generating a Documentation Output requires explicit confirmation that a named User accepts it as professionally reviewed. FR-34: Override — SENCO or School Leader can Override a failing/insufficient Determination with mandatory rationale (≥ 20 chars); does not delete Determination. FR-35: No diagnostic claims — Product copy, exports and APIs do not label Determinations as diagnoses, eligibility decisions, or predicted outcomes. FR-36: Gap list per Pupil — SENCO can view open Gaps for a Pupil derived from current Determinations (SRE-owned; not hand-edited). FR-37: Documentation status — Pupil Documentation Status is exactly ready | gaps | uncovered | not-started | evaluating. FR-38: Review summary — SENCO can generate a review summary Documentation Output for a Pupil and Review Cycle. FR-39: EHCP evidence pack — SENCO can generate an EHCP evidence pack Documentation Output from the Evidence Base. FR-40: Export-ready file — Documentation Outputs download as portable file (PDF or equivalent) plus structured sidecar for audit; encrypted object storage. FR-41: Tribunal and inspection packs — Documentation Output types for tribunal and inspection contexts (Tenant flag), with advanced Audit Event trace. FR-42: Create Review Cycle — SENCO can create a Review Cycle for a Pupil with type (including Annual Review), due date, and optional EHCP link flag. FR-43: Due list — SENCO and School Leader can list Review Cycles due in a date window for their School. FR-44: Automated Review Cycle management — Product can create or roll forward Review Cycles from Tenant policy when configured (default:

manual close). FR-45: School documentation report — School Leader and SENCO can open a School Report: counts by Documentation Status, open Gaps, Review Cycles due; no attendance/budget KPIs. FR-46: School Report performance bound — FR-45 report generates in under 5 seconds for ≤500 Pupils. FR-47: Import Template — Tenant Admin or SENCO can upload Import Template for Pupils and optional historical Evidence Records; partial success with row errors. FR-48: Connector configuration — Tenant Admin can enable a Connector with School-controlled field sharing; secrets not displayed back. FR-49: Sync without duplication — Connector payloads upsert by MIS key. FR-50: Standardised MIS Connectors — Production connectors with repeatable onboarding; Pilot freezes one primary adapter; Import Template always available. FR-51: Multi-academy Indicators — Trust SEND Lead can view Indicators across enabled Schools (lateness, Gap density, status mix); default no Pupil narrative dump. FR-52: Escalation Indicators — Trust Dashboard can flag Schools or Pupils meeting encoded escalation Rules with explainable Rule citation. FR-53: Portfolio benchmarking and trends — Cross-School benchmarking/trends when flagged; aggregate only; not required for Pilot SM validation. FR-54: User and Role administration — Tenant Admin can invite/deactivate Users, change Roles, reset access; last Tenant Admin cannot orphan Tenant. FR-55: Pilot toolkit — Pilot Tenant creation with cohort/template/disclaimer pack and success-metrics export. FR-56: Rule and Ontology administration (operator) — Platform Operator can load a new Ontology/Rule Library version into a Tenant via controlled publish. FR-57: Standardised deployment tooling — New School onboarding in a Trust follows a repeatable runbook/config path rather than founder-only setup. FR-58: Safeguarding signal ingest — Minimised safeguarding signal ingest when Tenant flag on (default off); not case notes; SENCO + School Leader only; not required for Pilot SMs. FR-59: Compliance risk alerts — Automated alerts when documentation risk Indicators cross thresholds at School or Trust level (flagged). FR-60: Controlled Ontology roll-forward — Platform can publish a new Ontology version to Tenants with migration that preserves historical Determinations.

NonFunctional Requirements

NFR-1: Latency (capture) — Submitting an Observation from Web or Hybrid Client returns success or validation error within 2 seconds under Pilot load (≤100 concurrent Users per Tenant). NFR-2: Latency (SRE) — SRE run for one Pupil with ≤500 Evidence Records completes within 3 seconds. NFR-3: Availability — Pilot target 99.0% monthly excluding planned windows; paid Trust Tenants 99.5%. NFR-4: Accessibility — Web Client WCAG 2.2 AA for SENCO and Teacher flows. NFR-5: Observability — Failed SRE runs, sync failures, and 5xx rates are visible to platform operators within 5 minutes. NFR-6: Localization — Product language English (UK); US statutory terms (e.g. IEP as primary object) are defects. NFR-7: Time — All User-facing dates in Europe/London; stored in UTC.

Additional product quality / compliance constraints from PRD (treat as NFR-adjacent for stories):

NFR-8: UK GDPR / DPA 2018 — minimisation, purpose limitation, Tenant-controlled retention (no product numeric default until legal configures), encryption in transit and at rest. NFR-9: Data residency — UK or explicitly UK-adequate regions for primary DB, object storage, and backups (Architecture AD-14). NFR-10: Audit immutability — Audit Events append-only; no product UI purge. NFR-11: Deterministic SRE path — No generative/LLM calls on Determination or Reasoning Pathway generation.

Additional Requirements

- **Starter / structural seed:** Monorepo apps/api (Laravel 13 JSON API + workers) + apps/web (Vue 3.5 SPA + Capacitor 8.5 Hybrid). Not a single-app Laravel starter. Epic 1 Story 1 must scaffold this layout.
- **Stack pin:** PHP 8.3+, Laravel 13.x, Sanctum, PostgreSQL 18.x (16+ if host constrains), Vue 3.5.x, Vite 8.x, Tailwind 4.x, Redis queues (non-local), S3-compatible encrypted object storage, Protégé off-platform → import command.
- **AD-1:** Single versioned JSON API for Web and Hybrid; Vue is presentation only.
- **AD-2:** Every Tenant-owned row carries tenant_id; queries/policies default to current Tenant.
- **AD-3:** Laravel policies/gates enforce addendum permission matrix on every mutating and sensitive read endpoint.
- **AD-4:** SRE is in-process pure evaluator; no LLM on Determination path.
- **AD-5:** Ontology terms and Rules are versioned data; Determinations store versions used.
- **AD-6 / AD-17:** Evidence commit sync; SRE via job SreReevaluatePupil(tenant_id, pupil_id, reason) with pinned Ontology + Rule Library versions.
- **AD-7:** Audit Events append-only.
- **AD-8:** Feature flags gate exposure, not codebase existence; disabled → explicit not-available.
- **AD-9:** Hybrid offline drafts client-local until API accepts; server wins Pupil identity conflicts.
- **AD-10:** Documentation Outputs require confirmation payload; files in encrypted object storage; DB metadata + checksum.
- **AD-11:** Import Template required path; Connectors optional swappable adapters behind one interface (OQ-4 picks Pilot adapter).
- **AD-12:** Dependency direction Presentation → Application → Domain → Infrastructure; SRE never imports HTTP/UI.
- **AD-13:** Implement DESIGN.md tokens and EXPERIENCE.md IA; wireframe PDF visual-only.
- **AD-14:** UK-first residency.
- **AD-15:** Module ownership — Evidence owns Evidence mutations; Sre owns Determinations/Gaps/Overrides; Outputs and Reporting are read-only on those entities.
- **AD-16:** Evidence lifecycle draft | submitted; Documentation Status enum includes evaluating.
- **AD-18:** Web = Sanctum SPA cookie/session; Hybrid = Sanctum API tokens; same User/Role model.
- **AD-19:** Canonical Laravel API Resources for Pupil, EvidenceRecord, Determination, Gap, ReviewCycle, DocumentationOutput, SchoolReport, TrustIndicator.
- **Domain modules:** Tenancy, Identity, Pupils, Evidence, Ontology, Sre, Outputs, Reporting, Connectors, Audit, Reviews.
- **IDs:** ULID/UUID in API; never sequential Pupil ids exposed cross-Tenant.
- **Errors:** JSON { message, code?, errors? }; 403 authz; 422 validation.
- **Environments:** dev / staging / prod UK with API + workers, PostgreSQL, object storage, Redis.
- **Permission matrix:** Normative source PRD addendum §3 including Platform Operator column.
- **Deferred for stories as non-blockers:** exact cloud vendor, first MIS brand (gate), OpenAPI codegen, multi-region, retention numeric defaults, full platform-operator UI (artisan + minimal admin OK first).

UX Design Requirements

UX-DR1: Implement DESIGN.md colour tokens (canvas, surface, primary periwinkle #5B63E6, secondary emerald #10B981, status soft pairs, topbar, focus-ring) as Tailwind/CSS variables; light mode only in v1. UX-DR2: Implement typography tokens — Inter (or Inter-like) for UI; brand script/SVG wordmark in top bar only; metric style for KPI numbers; UK English / PRD Glossary terms in all chrome. UX-DR3: Implement spacing/radius tokens (page 24px, sidebar 240px, topbar 56px, card radius ~12px, status pills full). UX-DR4: Authenticated app shell — full-width purple top bar (logo, role nav, scoped search, avatar) + white left sidebar + canvas main with card grids (≥ 1024 px). UX-DR5: Responsive shells — 768–1023 collapsible/icon sidebar; < 768 Hybrid Teacher/Support Staff bottom nav: Home, Pupils, Capture, Drafts, More; SENCO hamburger/sheet; single-column capture-first. UX-DR6: Shared UI components: TopBar, Sidebar, Card, KpiCard, PrimaryButton, SecondaryButton (emerald CTA only), OutlineQuickAction, StatusPill, ListRow, ProgressBar, ReasoningPathwayPanel, DisclaimerBanner, ConfirmOutputDialog, OverrideDialog, ImportResultsTable, FeatureFlaggedEmpty, LoadingSkeletons, EmptyStates. UX-DR7: StatusPill values exactly ready | gaps | uncovered | not-started | evaluating (PRD/Architecture lock; never colour-only — text + icon). UX-DR8: Role-specific sidebar IA per EXPERIENCE.md (Teacher/Support, SENCO, School Leader, Trust SEND Lead, Tenant Admin); omit in-app messaging. UX-DR9: Surface map — implement routes/screens for Sign-in, Role home, My Pupils, Capture Observation/Intervention/Pupil Response, Drafts, Evidence Base, Determinations & Gaps, Reasoning Pathway, Override, Review Cycles, Documentation Outputs, School Report, Import Template, Connectors, Trust Dashboard, Users & Roles, Pilot toolkit, Ontology/Rule publish (operator), Compliance alerts, Safeguarding signal context (flagged). UX-DR10: Out of IA — do not build parent portal, student LMS, clinician EMR, LA ops, marketing site, lesson planning, attendance/budget MIS, EduConnect/wireframe product IA. UX-DR11: Voice/tone — documentation language only; FR-35 disclaimer always near Determinations and Outputs; ban confidence %, diagnosis copy, “AI found risks”. UX-DR12: Capture form pattern — Ontology-bound required fields; validate on submit; success returns to Evidence Base with new row highlighted; Hybrid tap targets ≥ 44 px; Pupil picker bottom sheet on mobile. UX-DR13: Gap list links to Reasoning Pathway; Gaps closed only by meeting Rule or Override; Reasoning Pathway expandable Rule id/name/version $\rightarrow$ conditions $\rightarrow$ Evidence links $\rightarrow$ Determination. UX-DR14: Confirm output dialog — checkbox + named User; blocked without confirmation (FR-33). UX-DR15: Override dialog — mandatory rationale ≥ 20 characters; keeps Determination history. UX-DR16: Import results — partial success table (committed vs row errors). UX-DR17: Feature-flagged empty — “Not available for this Tenant”; never empty chart implying zero risk. UX-DR18: State patterns — loading skeletons; empty Pupils/Evidence CTAs; Uncovered labelled not success; offline Hybrid draft banner; sync conflict server-wins messaging; permission denied deep-link page; SRE evaluating spinner on Pupil status (no full-page block unless > 3 s); danger-action confirm dialogs. UX-DR19: Accessibility floor — WCAG 2.2 AA; visible focus ring; Tab = reading order; screen reader surface announcements; form labels + aria-describedby errors; prefers-reduced-motion for skeletons; Reasoning Pathway readable without colour; heading hierarchy h1 $\rightarrow$ h3. UX-DR20: Top bar search scoped to Pupils and Review Cycles within Role scope — not free-text Trust-wide for Teachers. UX-DR21: School Leader — School Report primary; Reasoning Pathway read-only on drill-down; no Evidence Record edit. UX-DR22: Key flow fidelity — UJ-1 Teacher Hybrid capture; UJ-2 SENCO Annual Review path; UJ-3 School Report

readiness; UJ-4 Import before Connector; UJ-5 Trust Indicators drill to School Report. UX-DR23: Visual do/don't — subtle card shadow only; no dark mode, purple glow, neon, gamified Determinations, or secondary green used as Gap/success meaning. UX-DR24: Align key screens to promoted mocks (teacher-capture.html, senco-evidence-base.html, school-report.html) where they do not conflict with spines.

FR Coverage Map

FR-1: Epic 1 — Tenant isolation FR-2: Epic 1 — Trust contains Schools FR-3: Epic 1 — Incremental School activation FR-4: Epic 1 — Feature flags by configuration FR-5: Epic 1 — Provisioned accounts FR-6: Epic 1 — Role set FR-7: Epic 1 — Least privilege on Pupils FR-8: Epic 1 — Authentication FR-9: Epic 1 — SSO readiness FR-10: Epic 1 — Access logging / Audit Events FR-11: Epic 2 — Pupil records FR-12: Epic 2 — Need on the Pupil FR-13: Epic 2 — Cohort and class assignment FR-14: Epic 3 — Record Observation FR-15: Epic 3 — Record Intervention FR-16: Epic 3 — Record Pupil Response FR-17: Epic 3 — No parallel-logging mandate FR-18: Epic 3 — Draft Evidence Record FR-19: Epic 3 — Hybrid-appropriate capture FR-20: Epic 4 — Chronological Evidence Base FR-21: Epic 4 — Amend with history FR-22: Epic 4 — Review notes FR-23: Epic 4 — Five Ontology domains FR-24: Epic 4 — Map evidence into the Ontology FR-25: Epic 4 — Versioned Ontology FR-26: Epic 4 — Four evaluation dimensions FR-27: Epic 4 — Rule shape FR-28: Epic 4 — Re-evaluate on new evidence FR-29: Epic 4 — Determinism FR-30: Epic 4 — Subset Rule coverage FR-31: Epic 4 — Escalation and review-threshold Rules FR-32: Epic 4 — Reasoning Pathway FR-33: Epic 5 — Human confirmation on Documentation Output FR-34: Epic 4 — Override FR-35: Epic 4 — No diagnostic claims FR-36: Epic 4 — Gap list per Pupil FR-37: Epic 4 — Documentation status FR-38: Epic 5 — Review summary FR-39: Epic 5 — EHCP evidence pack FR-40: Epic 5 — Export-ready file FR-41: Epic 5 — Tribunal and inspection packs FR-42: Epic 5 — Create Review Cycle FR-43: Epic 5 — Due list FR-44: Epic 5 — Automated Review Cycle management FR-45: Epic 5 — School documentation report FR-46: Epic 5 — School Report performance bound FR-47: Epic 2 — Import Template FR-48: Epic 6 — Connector configuration FR-49: Epic 6 — Sync without duplication FR-50: Epic 6 — Standardised MIS Connectors FR-51: Epic 7 — Multi-academy Indicators FR-52: Epic 7 — Escalation Indicators FR-53: Epic 7 — Portfolio benchmarking and trends FR-54: Epic 1 — User and Role administration FR-55: Epic 1 — Pilot toolkit FR-56: Epic 4 — Rule and Ontology administration FR-57: Epic 1 — Standardised deployment tooling FR-58: Epic 7 — Safeguarding signal ingest FR-59: Epic 7 — Compliance risk alerts FR-60: Epic 4 — Controlled Ontology roll-forward

Epic List

Epic 1: Secure Tenant Workspace & Staff Access

Staff and admins can stand up an isolated Tenant, provision Users/Roles, sign in (Web session / Hybrid token), and operate under feature flags with append-only audit — including Pilot toolkit and repeatable School onboarding hooks. **FRs covered:** FR-1, FR-2, FR-3, FR-4, FR-5, FR-6, FR-7, FR-8, FR-9, FR-10, FR-54, FR-55, FR-57

Epic 2: Pupil Cohort & Import Onboarding

SENCO/Admin can maintain Pupils, Needs, and Teacher assignments, and load a cohort via Import Template so capture can start without a live MIS Connector. **FRs covered:** FR-11, FR-12, FR-13, FR-47

Epic 3: Structured Evidence Capture (Web + Hybrid)

Teachers, Support Staff, and SENCO can capture Observation / Intervention / Pupil Response with drafts, Ontology-bound fields, and Hybrid offline queue — same API validations as Web. **FRs covered:** FR-14, FR-15, FR-16, FR-17, FR-18, FR-19

Epic 4: Evidence Base & Statutory Reasoning

Authorised staff can work a chronological Evidence Base; Platform Operator publishes versioned Ontology/Rules; SRE produces deterministic Determinations, Gaps, Documentation Status, Reasoning Pathways, and Overrides — never diagnoses. **FRs covered:** FR-20, FR-21, FR-22, FR-23, FR-24, FR-25, FR-26, FR-27, FR-28, FR-29, FR-30, FR-31, FR-32, FR-34, FR-35, FR-36, FR-37, FR-56, FR-60

Epic 5: Review Cycles, Documentation Outputs & School Report

SENCO runs Review Cycles and generates confirmed Documentation Outputs; School Leader/SENCO see School Report readiness within the performance bound. **FRs covered:** FR-33, FR-38, FR-39, FR-40, FR-41, FR-42, FR-43, FR-44, FR-45, FR-46

Epic 6: MIS Connectors

Tenant Admin can configure a Connector with field sharing, sync without duplication, and enable a Pilot-chosen standardised adapter — Import Template remains the fallback. **FRs covered:** FR-48, FR-49, FR-50

Epic 7: Trust Oversight & Advanced Signals

Trust roles see multi-School Indicators, escalations, and (when flagged) benchmarking/trends, compliance alerts, and minimised safeguarding context. **FRs covered:** FR-51, FR-52, FR-53, FR-58, FR-59

Epic 1: Secure Tenant Workspace & Staff Access

Staff and admins can stand up an isolated Tenant, provision Users/Roles, sign in (Web session / Hybrid token), and operate under feature flags with append-only audit — including Pilot toolkit and repeatable School onboarding hooks.

FRs: FR-1–FR-10, FR-54, FR-55, FR-57

NFRs / Arch: NFR-5–7, NFR-8–9, AD-1–3, AD-7–8, AD-12, AD-14, AD-18–19; monorepo scaffold

UX-DRs: UX-DR1–UX-DR6, UX-DR8, UX-DR10, UX-DR17, UX-DR19 (shell/a11y baseline), UX-DR23

Story 1.1: Monorepo scaffold and design tokens

As a Platform Operator, I want a runnable Laravel API and Vue SPA monorepo with GuidelyEdu design tokens, So that subsequent features share one API contract and a consistent visual system.

Acceptance Criteria:

Given an empty or non-product repo state

When the scaffold is created per Architecture Structural Seed

Then apps/api runs Laravel 13 (PHP 8.3+) with a versioned JSON health endpoint and apps/web runs Vue 3.5 + Vite 8 + Tailwind 4

And DESIGN.md colour, typography, spacing, and radius tokens are available as CSS/Tailwind variables (light mode only) (UX-DR1, UX-DR2, UX-DR3)

And no wireframe parent/LMS/clinician IA routes exist

And README documents how to run API, web, and queue worker locally

Story 1.2: Tenant, School, and isolation

As a Tenant Admin, I want Tenants and Schools modelled with mandatory Tenant isolation, So that one School's Pupils and Users cannot be accessed by another Tenant.

Acceptance Criteria:

Given two Tenants each with at least one School

When a User authenticated in Tenant A requests Tenant B resources by id

Then the API returns 403/404 without leaking existence across Tenants (FR-1)

And a Trust Tenant can attach multiple Schools (FR-2)

And Tenant Admin can activate a subset of Schools or a named cohort flag for incremental rollout (FR-3)

And every Tenant-owned row stores tenant_id and policies default-scope to the current Tenant (AD-2)

Story 1.3: Feature flags by configuration

As a Tenant Admin, I want to enable or disable Trust Dashboard, Connectors, and advanced packs by configuration, So that Pilot Tenants see School-only surfaces without custom code forks.

Acceptance Criteria:

Given a Tenant with Trust Dashboard flag off

When a User calls a Trust Dashboard or flagged advanced endpoint

Then the API returns an explicit not-available response (not empty "perfect" aggregates) (FR-4, AD-8, UX-DR17)

And flags are stored per Tenant/School in DB configuration, not hardcoded per deploy

And Vue shows the EXPERIENCE "Not available for this Tenant" pattern for flagged-off routes

Story 1.4: Authentication for Web and Hybrid

As a staff User, I want to sign in on Web with a session and on Hybrid with an API token, So that I can securely access my Tenant from browser or device.

Acceptance Criteria:

Given a provisioned User with valid credentials

When they sign in via the Web Client

Then Sanctum SPA cookie/session auth succeeds and subsequent API calls are authorised (FR-8, AD-18)

And Hybrid Client can obtain a Sanctum API token for the same User/Role model

And failed logins do not reveal whether the email exists and emit Audit Events (FR-10)

And logout ends the Web session / revokes or invalidates the Hybrid token path as designed

And there is no public self-registration endpoint (FR-5)

Story 1.5: Roles, policies, and User administration

As a Tenant Admin, I want to provision Users, assign Roles and School/Trust scope, and enforce least privilege on the API, So that staff only see Pupils and actions allowed for their Role.

Acceptance Criteria:

Given the Role set Teacher, Support Staff, SENCO, School Leader, Tenant Admin (and Trust Roles when Trust flags on) plus Platform Operator outside Tenant Roles (FR-6)

When Tenant Admin invites/deactivates Users, changes Roles, or resets access (FR-54)

Then API policies enforce the addendum permission matrix on mutating and sensitive reads (FR-7, AD-3)

And Vue Role menus alone never grant access (hidden nav ≠ authorised)

And deactivation immediately blocks API access

And the last Tenant Admin cannot be deactivated if it would orphan the Tenant

And deep links without permission show "You don't have access" (UX-DR18)

Story 1.6: SSO readiness without rebuilding tenancy

As a Tenant Admin / Platform Operator, I want identity fields and hooks for School/Trust SSO, So that SSO can be connected later without redesigning Tenants or Roles.

Acceptance Criteria:

Given GuidelyEdu-managed password auth works (Story 1.4)

When SSO readiness is implemented (FR-9)

Then Users can store external_id and Tenant SSO config stubs without requiring a live IdP in Pilot

And enabling SSO later must match Users by email without duplicating accounts when emails match

And documentation states SAML vs OIDC choice remains an Architecture open question for first Trust enablement

Story 1.7: Append-only Audit Events

As a Platform Operator / compliance stakeholder, I want authentication, access, and mutation events recorded append-only, So that accountability cannot be purged from the product UI.

Acceptance Criteria:

Given authenticated product use

When auth, sensitive record access, mutations, and (later) output/export/Override occur (FR-10, AD-7)

Then Audit Events are written with tenant_id, user_id, action, and timestamp

And there is no update/delete API for Audit Events in the product UI

And Tenant Admin cannot purge Audit Events from the UI

And info logs never include full Evidence bodies (Architecture logging convention)

Story 1.8: Authenticated app shell by Role

As a staff User, I want the GuidelyEdu chrome (top bar, sidebar/bottom nav) matching my Role, So that I can navigate only the surfaces allowed for my work.

Acceptance Criteria:

Given an authenticated User on ≥ 1024 px Web

When the app shell loads

Then purple top bar (~56px), white sidebar (~240px), and canvas + cards match DESIGN.md (UX-DR1–UX-DR4, UX-DR23)

And sidebar items follow EXPERIENCE Role IA without Messages (UX-DR8, UX-DR10)

And on < 768 px Teacher/Support Staff see bottom nav Home, Pupils, Capture, Drafts, More (UX-DR5)

And shared primitives exist: TopBar, Sidebar, Card, KpiCard, buttons, StatusPill stub, skeletons, focus ring (UX-DR6, UX-DR19)

And Role home shows placeholder KPI row pattern ready for live counts in later epics

And top bar search is scoped stub (Pupils/Review Cycles within scope) per UX-DR20

Story 1.9: Pilot toolkit and School onboarding tooling

As a Platform Operator / Tenant Admin, I want Pilot Tenant bootstrap and a repeatable School onboarding checklist/tooling path, So that Pilots and Trust School adds do not require founder-only

setup.

Acceptance Criteria:

Given Platform Operator privileges

When they create a Pilot Tenant (FR-55)

Then they can choose sample-or-empty cohort, download Import Template placeholder, see in-product disclaimer pack, and export a success-metrics stub

And New School onboarding exposes a repeatable config checklist / CLI or admin steps covering Tenant/School, flags, and Users (FR-57)

And completing the documented path does not require editing application code

And UK residency config is documented for DB/object storage targets (NFR-9, AD-14)

Epic 2: Pupil Cohort & Import Onboarding

SENCO/Admin can maintain Pupils, Needs, and Teacher assignments, and load a cohort via Import Template so capture can start without a live MIS Connector.

FRs: FR-11, FR-12, FR-13, FR-47

NFRs / Arch: AD-2, AD-3, AD-11, AD-19 (Pupil resource); NFR-6–7

UX-DRs: UX-DR7 (StatusPill on pupil rows), UX-DR9 (My Pupils / Import), UX-DR16, UX-DR18 (empty Pupils), UX-DR20 (search Pupils), UX-DR22 (UJ-4)

Story 2.1: Pupil working records

As a SENCO or Tenant Admin, I want to create and maintain Pupil working records for my School, So that staff have a correct cohort identity for evidence and reviews.

Acceptance Criteria:

Given an authenticated SENCO or Tenant Admin in an active School

When they create or update a Pupil (FR-11)

Then the record stores identity keys, School, year group, and SEND status (SEN Support / EHCP / neither)

And Pupil API responses use the canonical Laravel Pupil Resource (AD-19)

And Teachers cannot create Pupils outside their Role permissions (addendum matrix)

And soft-deleted / left Pupils are excluded from active Teacher pickers but retained per Tenant retention policy rules (no invented numeric default)

And dates display Europe/London and store UTC (NFR-7)

Story 2.2: Need categories on the Pupil

As a SENCO, I want to record primary and secondary Need categories from the Ontology Need taxonomy, So that Rules can evaluate Needs against evidence later.

Acceptance Criteria:

Given a Pupil in the SENCO's School and a published Ontology Need taxonomy available to the Tenant (seeded stub acceptable if Epic 4 publish is not yet live — use versioned Need terms table)

When SENCO sets primary and optional secondary Need (FR-12)

Then only Ontology Need terms are accepted (free-text Need labels rejected)

And changes are Audit Event-logged

And Teachers can read Need on assigned Pupils only as allowed by least privilege (FR-7)

Story 2.3: Cohort and class assignment for Teachers

As a Tenant Admin or SENCO, I want to assign Pupils to classes/cohorts and Teachers, So that each Teacher only sees the Pupils they should work with.

Acceptance Criteria:

Given Pupils exist in a School

When Tenant Admin or SENCO assigns Pupils to classes/cohorts and/or Teachers (FR-13)

Then a Teacher with assignments sees only those Pupils in My Pupils

And a Teacher with no assignments sees an empty list with empty-state copy, not all School Pupils (UX-DR18)

And default assignment source is SENCO assignment; when a Connector later supplies class membership, union is allowed without duplicating Pupil rows

And Support Staff follow the same assigned-Pupils scope as Teachers

Story 2.4: My Pupils list and pupil row UI

As a Teacher, Support Staff, or SENCO, I want a My Pupils / Pupils list with documentation status and next review meta, So that I can open the right Pupil quickly for capture or review.

Acceptance Criteria:

Given an authenticated scoped User

When they open My Pupils / Pupils (UX-DR9)

Then each row shows name, year, Documentation Status pill, and next Review Cycle date when known (UX-DR7; status may be not-started until Epic 4)

And StatusPill never relies on colour alone (text + icon) (UX-DR19)

And SENCO empty state offers CTA to Import Template / add Pupil (UX-DR18)

And top bar search finds Pupils within Role scope only (UX-DR20)

And UK Glossary terms only (no IEP / SENDCO) (NFR-6)

Story 2.5: Import Template upload with partial success

As a Tenant Admin or SENCO, I want to download and upload a structured Import Template for Pupils (and optional historical Evidence Records), So that capture can start the same day without a live MIS

Connector.

Acceptance Criteria:

Given Import Template download is available (FR-47, AD-11, UJ-4)

When SENCO/Tenant Admin uploads a file

Then valid rows commit and invalid rows report by row number without failing the whole file (partial success)

And re-upload with the same Pupil key updates rather than duplicating

And Import results UI shows committed vs row errors table (UX-DR16)

And if all rows are invalid, nothing is committed and errors are clear

And Teachers see newly committed Pupils the same day within assignment rules

And optional historical Evidence rows in the template are created as submitted only when fully valid; drafts are not implied

And Connector is not required for this path to succeed

Epic 3: Structured Evidence Capture (Web + Hybrid)

Teachers, Support Staff, and SENCO can capture Observation / Intervention / Pupil Response with drafts, Ontology-bound fields, and Hybrid offline queue — same API validations as Web.

FRs: FR-14, FR-15, FR-16, FR-17, FR-18, FR-19

NFRs / Arch: NFR-1, AD-1, AD-6, AD-9, AD-15 (Domain), AD-16 (draft | submitted), AD-19

UX-DRs: UX-DR5, UX-DR9, UX-DR11–UX-DR12, UX-DR18 (offline banner), UX-DR19, UX-DR22 (UJ-1), UX-DR24 (teacher-capture mock)

Story 3.1: Record Observation

As a Teacher or Support Staff, I want to submit a structured Observation against an assigned Pupil, So that classroom evidence is captured once in a review-ready format.

Acceptance Criteria:

Given an authenticated Teacher/Support Staff with at least one assigned Pupil

When they submit an Observation with required fields (Pupil, datetime/session context, what was observed, setting) (FR-14)

Then the API validates Ontology-bound required fields and returns success or 422 within 2 seconds under Pilot load assumptions (NFR-1)

And lifecycle is submitted; the record appears on the Evidence Base path for authorised Roles

And SENCO may also create Observations per Role matrix where allowed

And Capture UI uses large tap targets ($\geq 44\text{px}$) on Hybrid and returns to Evidence Base / confirmation with the new row highlighted when that surface exists (UX-DR12)

And Audit Event records create + client type (web|hybrid)

Story 3.2: Record Intervention

As a Teacher, Support Staff, or SENCO, I want to record an Intervention linked to a Provision taxonomy term, So that provision is evidenced without a parallel spreadsheet (UJ-1).

Acceptance Criteria:

Given an assigned/in-scope Pupil and Provision terms available to the Tenant

When the User submits an Intervention (FR-15)

Then a Provision taxonomy term is required; free-text-only Provision is rejected

And session context and notes fields follow the capture form pattern (UX-DR12)

And success does not require the User to retype the same event into another GuidelyEdu form

And Hybrid/Web use the same API contract and validations (AD-1, FR-19)

And UI aligns with mockups/teacher-capture.html where it does not conflict with spines (UX-DR24)

Story 3.3: Record Pupil Response

As a User who can record Interventions, I want to record a Pupil Response linked to an Intervention or dated context, So that response evidence sits with the provision trail.

Acceptance Criteria:

Given an in-scope Pupil and permission to record Interventions

When they submit a Pupil Response (FR-16)

Then the Response links to an Intervention id or a dated context as required by validation rules

And Support Staff use the same capture forms as Teachers (PRD story default)

And invalid links return 422 with field errors (aria-describedby in UI) (UX-DR19)

And submitted Responses are submitted lifecycle and Audit Event-logged

Story 3.4: Draft Evidence Records

As a capture User, I want to save Observation/Intervention/Pupil Response drafts and submit later, So that interrupted classroom work is not lost and drafts never enter SRE.

Acceptance Criteria:

Given a started capture form

When the User saves a draft (FR-18, AD-16)

Then lifecycle is draft and the record is excluded from SRE triggers

And drafts are visible to the author and the School SENCO only

And submitting a draft transitions to submitted with the same validations as a direct submit

And Drafts list is reachable from Web sidebar and Hybrid bottom nav (UX-DR5, UX-DR9)

Story 3.5: Hybrid capture, offline queue, and client parity

As a Teacher on a phone or tablet, I want Hybrid capture with offline draft queueing and clear not-on-server labelling, So that connectivity drops do not fake Evidence Base state (UJ-1 failure path).

Acceptance Criteria:

Given the Hybrid Client (Capacitor + same Vue SPA) (FR-19, AD-9)

When the device is offline during capture

Then the draft is queued locally with banner: "Saved on this device — not on the Evidence Base until you reconnect" (UX-DR18)

And on reconnect, the API validates; Pupil identity conflicts: server wins; author retains the local draft for resolution

And a capture submitted from Hybrid is indistinguishable in the Evidence Base except Audit Event client-type

And Web and Hybrid share identical server validations — no divergent business rules in Vue

And bottom nav supports Home, Pupils, Capture, Drafts, More for Teacher/Support Staff (UX-DR5)

Story 3.6: Connector-sourced evidence without parallel logging

As a SENCO, I want events that arrived via Connector with equivalent mapped fields to count without retyping, So that staff are not mandated to double-log the same provision.

Acceptance Criteria:

Given an Evidence Record created or updated from a Connector/import mapping with equivalent fields (FR-17)

When a Teacher views that Pupil's capture obligations for that event

Then the product does not require the same event to be typed again into GuidelyEdu

And UI copy does not instruct parallel logging for Connector-equivalent records

And if mapping is incomplete, the User can capture a new structured record to fill Gaps without deleting the Connector row

And this story may ship with import-mapped evidence first; live Connector upsert behaviour is completed in Epic 6 without changing this rule

Epic 4: Evidence Base & Statutory Reasoning

Authorised staff can work a chronological Evidence Base; Platform Operator publishes versioned Ontology/Rules; SRE produces deterministic Determinations, Gaps, Documentation Status, Reasoning Pathways, and Overrides — never diagnoses.

FRs: FR-20–FR-32, FR-34–FR-37, FR-56, FR-60

NFRs / Arch: NFR-2, NFR-11, AD-4–AD-6, AD-10 (disclaimer adjacency), AD-15–AD-17, AD-19

UX-DRs: UX-DR7, UX-DR9, UX-DR11, UX-DR13, UX-DR15, UX-DR18–UX-DR19, UX-DR21–UX-DR22, UX-DR24 (senco-evidence-base mock)

Story 4.1: Chronological Evidence Base

As a SENCO or other authorised Role, I want a Pupil Evidence Base in time order with type filters, So that I can review the full documentation trail for a Review Cycle.

Acceptance Criteria:

Given a Pupil with Evidence Records in scope

When an authorised User opens the Evidence Base (FR-20)

Then records appear chronologically and filter by Observation, Intervention, Pupil Response, review note, import

And Teachers/Support Staff see only assigned Pupils; School Leader is read-mostly (no edit)

And empty state offers Capture CTA for Teachers (UX-DR18)

And FR-35 disclaimer banner is visible on the Evidence Base (UX-DR11)

And UI aligns with mockups/senco-evidence-base.html where spines win on conflict (UX-DR24)

Story 4.2: Amend Evidence with history

As an author or SENCO, I want to correct an Evidence Record while retaining prior versions, So that mistakes can be fixed without erasing accountability.

Acceptance Criteria:

Given a submitted Evidence Record the User is permitted to amend (FR-21)

When they save a correction

Then the previous version remains retrievable

And amend enqueues `SreReevaluatePupil` for that Pupil (AD-17)

And Audit Event records the amendment

And School Leader cannot amend Evidence Records (UX-DR21)

Story 4.3: SENCO review notes

As a SENCO, I want to add a review note Evidence Record marked as professional commentary, So that judgement context is in the Evidence Base without pretending to be classroom observation.

Acceptance Criteria:

Given a Pupil in the SENCO's School

When SENCO adds a review note (FR-22)

Then it is stored as an Evidence Record type `review_note` (or equivalent), in-scope for documentation, clearly labelled commentary

And it is visible in the chronological Evidence Base

And Teachers cannot create review notes

Story 4.4: Versioned Ontology and evidence mapping

As a Platform Operator / system, I want a versioned Ontology with five domains and automatic mapping of submitted evidence to Ontology terms, So that Rules evaluate against stable, citable terms.

Acceptance Criteria:

Given Ontology administration capability

When an Ontology version is loaded for a Tenant (FR-23, FR-25)

Then Need, Provision, Outcome framework, Threshold Definitions, and Relationship Mappings are exposed

And on submit/import, each Evidence Record maps to required Ontology terms for Rules (FR-24)

And publishing a new version does not mutate past Determinations' stored Ontology version ids

And unmapped required terms block submit with 422 field errors

Story 4.5: Rule Library with initial and escalation coverage

As a Platform Operator, I want Rules as versioned data with condition/evaluation/outcome shape, including an initial subset plus escalation/review-threshold Rules, So that SRE can evaluate Graduated Response documentation without hard-coded controller logic.

Acceptance Criteria:

Given DomainRule tables (FR-27, AD-5)

When the initial Rule Library version is published (FR-30)

Then common documentation/threshold scenarios are covered without claiming full SEND framework coverage

And escalation and review-threshold Rules are included (FR-31) without changing the four-dimension model

And each Rule belongs to a Rule Library version id

And no LLM is used to author runtime Rule outcomes (NFR-11)

Story 4.6: Deterministic SRE evaluator (four dimensions)

As a SENCO, I want every SRE run to produce Determinations across four dimensions deterministically, So that the same evidence and versions always yield the same evaluation.

Acceptance Criteria:

Given a Pupil Evidence Base snapshot and pinned Ontology + Rule Library versions

When the in-process SRE evaluator runs (FR-26, FR-29, AD-4)

Then Determinations exist for Sequential Compliance, Evidential Sufficiency, Proportionality, and Outcome Progression — or explicit “no applicable Rule” / Uncovered per dimension

And identical inputs always produce identical outputs (fixture-tested)

And SRE does not call generative models

And a run for ≤500 Evidence Records completes within 3 seconds (NFR-2)

And only Domain\Sre writes Determinations (AD-15)

Story 4.7: Async re-evaluation, Gaps, and Documentation Status

As a staff User, I want evidence changes to re-evaluate the Pupil asynchronously with visible status and derived Gaps, So that capture stays fast and documentation state stays accurate.

Acceptance Criteria:

Given create/amend/import of submitted Evidence (or other AD-17 triggers)

When the write commits (FR-28, AD-6)

Then SreReevaluatePupil(tenant_id, pupil_id, reason) is enqueued and Documentation Status becomes evaluating until the job completes (FR-37, AD-16)

And drafts never enqueue SRE (FR-18)

And Gaps are derived rows written only by Domain\Sre from current Determinations (FR-36, AD-15) — not hand-edited

And allowed Documentation Status values are exactly ready | gaps | uncovered | not-started | evaluating

And UI shows inline spinner on Pupil status while evaluating; no full-page block unless >3s (UX-DR18)

And StatusPill uses text + icon (UX-DR7)

Story 4.8: Reasoning Pathway and Gap list UI

As a SENCO (or permitted Role), I want to open Gaps and the Reasoning Pathway for any Determination, So that I can see which Rule, evidence, and conditions produced the outcome (UJ-2).

Acceptance Criteria:

Given current or historical Determinations for a Pupil

When SENCO opens a Gap or Determination (FR-32, FR-36)

Then Reasoning Pathway shows Rule id/name/version → conditions → Evidence Record links → Determination (UX-DR13)

And pathway is readable without colour alone and uses heading hierarchy (UX-DR19)

And Uncovered dimensions are labelled Uncovered, not success (UX-DR18)

And School Leader may open Reasoning Pathway read-only on drill-down (UX-DR21)

And product copy never presents confidence % or diagnosis language (FR-35, UX-DR11)

Story 4.9: Override with mandatory rationale

As a SENCO or School Leader, I want to Override a failing or insufficient Determination with a mandatory rationale, So that a Review Cycle can proceed without deleting the Determination history.

Acceptance Criteria:

Given a failing/insufficient Determination

When SENCO or School Leader submits an Override (FR-34)

Then rationale shorter than 20 characters is rejected

And Override is owned by Domain\Sre, appends an Override record, and does not mutate Evidence (AD-15)

And Determination history remains intact

And Override enqueues status recompute via SreReevaluatePupil as needed (AD-17)

And Override dialog matches UX-DR15; Teachers cannot Override

Story 4.10: Operator Ontology/Rule publish and controlled roll-forward

As a Platform Operator, I want controlled publish of Ontology/Rule Library versions and Tenant roll-forward that preserves historical Determinations, So that statutory encoding can evolve without rewriting the past.

Acceptance Criteria:

Given Platform Operator identity (not a School Teacher Role)

When they publish a new Ontology/Rule Library version into a Tenant (FR-56)

Then publish is an explicit step (artisan and/or minimal admin), not an accidental save

And roll-forward to Tenants preserves historical Determinations' version citations (FR-60, FR-25)

And publish triggers re-eval jobs per AD-17 for affected Pupils as designed

And School Roles cannot publish Ontology/Rule versions

Epic 5: Review Cycles, Documentation Outputs & School Report

SENCO runs Review Cycles and generates confirmed Documentation Outputs; School Leader/SENCO see School Report readiness within the performance bound.

FRs: FR-33, FR-38–FR-46

NFRs / Arch: AD-10, AD-15 (Outputs read-only on Determinations), AD-19; NFR performance for FR-46

UX-DRs: UX-DR9, UX-DR11, UX-DR14, UX-DR17, UX-DR21–UX-DR22, UX-DR24 (school-report mock)

Story 5.1: Create Review Cycle and due list

As a SENCO, I want to create Review Cycles and see those due in a date window, So that Annual Reviews and other cycles are planned from live documentation state.

Acceptance Criteria:

Given a Pupil in the SENCO's School

When SENCO creates a Review Cycle with type (including Annual Review), due date, and optional EHCP link flag (FR-42)

Then the cycle is stored and visible on the Pupil and due list

And SENCO and School Leader can list Review Cycles due in a date window for their School (FR-43)

And create/close that changes evaluation context enqueues `SreReevaluatePupil` when required (AD-17)

And top bar search can find Review Cycles within scope (UX-DR20)

Story 5.2: Automated Review Cycle management (flagged)

As a Tenant Admin / SENCO, I want optional automated create/roll-forward of Review Cycles from Tenant policy, So that Trusts can reduce manual cycle admin when ready.

Acceptance Criteria:

Given Review Cycle automation policy configured for a Tenant (FR-44)

When the policy is enabled

Then the product can create or roll forward Review Cycles per policy

And default remains manual close when policy is off (PRD assumption)

And when the feature flag/policy is off, automation routes are not-available (AD-8)

Story 5.3: Confirmed Documentation Outputs (review summary & EHCP pack)

As a SENCO, I want to generate a review summary and EHCP evidence pack only after explicit confirmation, So that outputs support professional judgement and are not auto-issued statutory decisions (UJ-2).

Acceptance Criteria:

Given a Pupil and Review Cycle with Evidence/Determinations available

When SENCO generates a review summary (FR-38) or EHCP evidence pack (FR-39)

Then generation requires confirmation payload: named User + disclaimer acknowledgement (FR-33, AD-10, UX-DR14)

And generation without confirmation is blocked with a clear toast/error

And output cites Evidence Record and Determination ids and shows FR-35 disclaimer (UX-DR11)

And `Domain\Outputs` reads Determinations/Evidence/Gaps and does not write Determinations or Gaps (AD-15)

Story 5.4: Export-ready files and advanced packs

As a SENCO, I want downloadable portable files plus audit sidecars, including flagged tribunal/inspection packs, So that packs are usable outside GuidelyEdu with provenance intact.

Acceptance Criteria:

Given a confirmed Documentation Output

When SENCO downloads it (FR-40)

Then a portable file (PDF or equivalent) plus structured sidecar are produced

And file bytes live in encrypted object storage; DB holds metadata + checksum (AD-10)

And tribunal/inspection pack types are available only when Tenant flag is on (FR-41); flag off → not-available (UX-DR17)

And advanced Audit Event trace is attached for those pack types

And exports emit Audit Events (FR-10)

Story 5.5: School Report readiness

As a School Leader or SENCO, I want a School Report of documentation status counts, open Gaps, and Review Cycles due, So that I know whether the School is review-ready without attendance or budget KPIs (UJ-3).

Acceptance Criteria:

Given in-scope Pupils for the School

When School Leader or SENCO opens School Report (FR-45)

Then figures equal the sum of in-scope Pupils (no sampling)

And counts use Documentation Status enum; evaluating is reported separately or as in-flight

And no attendance, budget, or general curriculum KPIs appear

And report generates in under 5 seconds for ≤500 Pupils (FR-46)

And School Leader drills to lists but does not edit Evidence Records (UX-DR21)

And UI aligns with mockups/school-report.html where spines win (UX-DR24)

And Domain\Reporting only reads aggregates — no informal Rule logic in SQL (AD-15)

Epic 6: MIS Connectors

Tenant Admin can configure a Connector with field sharing, sync without duplication, and enable a Pilot-chosen standardised adapter — Import Template remains the fallback.

FRs: FR-48, FR-49, FR-50

NFRs / Arch: AD-11, AD-17; OQ-4 Pilot gate

UX-DRs: UX-DR9 (Connectors), UX-DR17

Story 6.1: Connector configuration and field sharing

As a Tenant Admin, I want to enable a Connector with School-controlled field sharing, So that only approved MIS fields enter GuidelyEdu.

Acceptance Criteria:

Given Tenant Admin (or implementation operator) privileges

When they enable a Connector and set field sharing (FR-48)

Then disabled fields never appear in GuidelyEdu after sync

And Connector secrets are never displayed back in the UI

And configuration is Tenant-scoped and Audit Event-logged

And Import Template remains available regardless of Connector state (AD-11)

Story 6.2: Sync upsert without duplication

As a Tenant Admin / SENCO, I want Connector payloads to upsert by MIS key, So that repeated syncs do not create duplicate Pupils or evidence.

Acceptance Criteria:

Given a configured Connector

When the same Pupil payload syncs twice (FR-49)

Then exactly one Pupil record exists for that MIS key

And Evidence Records from MIS carry external ids

And sync failures are visible to platform operators within observability targets (NFR-5)

And successful sync affecting a Pupil enqueues `SreReevaluatePupil` when submitted evidence changes (AD-17)

Story 6.3: Standardised MIS Connector adapter (Pilot primary)

As a Platform Operator / Tenant Admin, I want a repeatable standardised Connector adapter for the Pilot-chosen MIS/hub, So that new Schools can enable a supported Connector without engineering one-offs.

Acceptance Criteria:

Given OQ-4 has named exactly one primary adapter family (Wonde, Groupcall, or one direct MIS API) before implementation beyond the interface

When that adapter is implemented behind the shared Connector interface (FR-50, AD-11)

Then a new School in an existing Trust can enable the supported Connector without code changes

And unsupported MIS still works via Import Template (FR-47)

And until OQ-4 is named, only the adapter interface + Import Template path are required; this story is blocked on the Pilot adapter decision

And flag/config can disable Connector types per Tenant (FR-4)

Epic 7: Trust Oversight & Advanced Signals

Trust roles see multi-School Indicators, escalations, and (when flagged) benchmarking/trends, compliance alerts, and minimised safeguarding context.

FRs: FR-51, FR-52, FR-53, FR-58, FR-59

NFRs / Arch: AD-8, AD-15 (Reporting read-only)

UX-DRs: UX-DR8 (Trust IA), UX-DR9, UX-DR17, UX-DR22 (UJ-5)

Story 7.1: Trust multi-academy Indicators

As a Trust SEND Lead, I want Indicators across enabled Schools (lateness, Gap density, status mix), So that I can spot documentation risk without dumping Pupil narratives (UJ-5).

Acceptance Criteria:

Given Trust features flag on for the Tenant

When Trust SEND Lead opens Trust Dashboard (FR-51)

Then Indicators show Review Cycle lateness, Gap density, and Documentation Status mix across enabled Schools

And default views do not dump Pupil-level narrative evidence

And drill-down to a School uses School Report permissions

And Trust Executive default remains aggregate Indicators only

And flag off → not-available page, not a zeroed "perfect" chart (UX-DR17, AD-8)

Story 7.2: Escalation Indicators

As a Trust SEND Lead, I want Schools or Pupils flagged by encoded escalation Rules with explainable citations, So that outliers get support before board/inspection surprise.

Acceptance Criteria:

Given Trust Dashboard enabled and escalation Rules in the Rule Library

When escalation Indicators are computed (FR-52)

Then each flag cites which Rule produced it

And flags are not presented as diagnoses (FR-35)

And drill path goes to School Report / scoped lists, not unrestricted Teacher-style evidence search

Story 7.3: Portfolio benchmarking and trends (flagged)

As a Trust SEND Lead, I want optional cross-School benchmarking and aggregate trends, So that portfolio documentation patterns are visible when the Tenant enables them.

Acceptance Criteria:

Given portfolio benchmarking Tenant flag (FR-53)

When the flag is off

Then routes return not-available (not required for Pilot SM validation)

And when on, minimum Indicators include Review Cycle lateness rate, Gap density, Documentation Status mix, plus optional month-over-month trends of those aggregates

And any forecasting is labelled Indicator extrapolation and stays School/Trust aggregate only — never Pupil prognosis

Story 7.4: Compliance risk alerts (flagged)

As a SENCO or Trust role, I want alerts when documentation risk Indicators cross thresholds, So that overdue or high-Gap situations surface without manual spreadsheet watches.

Acceptance Criteria:

Given compliance alert feature enabled for the Tenant (FR-59)

When an Indicator crosses a configured threshold at School or Trust level

Then an alert is created and visible to permitted Roles

And alert generation is Audit Event-logged

And flag off → no alert spam / not-available for alert admin surfaces

Story 7.5: Minimised safeguarding signal ingest (flagged)

As a SENCO or School Leader, I want optional minimised safeguarding context signals (not case notes), So that documentation work can note presence/severity category without becoming a safeguarding case system.

Acceptance Criteria:

Given safeguarding ingest Tenant flag (FR-58)

When the flag is off (default)

Then ingest endpoints reject or no-op without storing signals

And when on, payload accepts presence/severity category only — no free-text case notes or full safeguarding records

And signals are Audit Event-logged and Role-restricted to SENCO + School Leader only

And UI labels the surface as context, not casework; product remains not a safeguarding system