

Markdown Preview

Filename: BD-KDD Dictionary.md (<https://dataverse.harvard.edu/file.xhtml?fileId=13595784&version=1.0>)

In *BD-KDD: A Clinical Dataset of Kidney Disease Diagnosis*
(<https://dataverse.harvard.edu/dataset.xhtml?persistentId=doi:10.7910/DVN/MB1LES&version=1.0>)
(version 1.0), by Islam, Md. Masudul

[Download File \(https://dataverse.harvard.edu/api/v1/access/datafile/13595784?gbrecs=false\)](https://dataverse.harvard.edu/api/v1/access/datafile/13595784?gbrecs=false)

[Close Preview](#)

File uploaded on 2026-03-10

Dataset

File name: datasetnew1.csv

Number of records: 988

Number of variables: 26

Format: Comma-separated values (CSV)

Each row represents a single anonymized patient record containing demographic information, laboratory measurements, clinical indicators, and diagnostic class labels.

Variable Description

Variable	Description	Data Type	Unit / Coding
----------	-------------	-----------	---------------

-----	-----	-----	-----
-------	-------	-------	-------

Sl. No.	Serial Numbers	Numeric	Example: 1,2,3
---------	----------------	---------	----------------

Age	Age of the patient	Numeric	Years
-----	--------------------	---------	-------

Bp	Blood pressure	Numeric	mmHg
----	----------------	---------	------

Sg	Urine specific gravity	Numeric	1.005 – 1.025
----	------------------------	---------	---------------

Al	Urine albumin level	Numeric	0–5 scale
----	---------------------	---------	-----------

Su	Urine sugar level	Numeric	0–5 scale
----	-------------------	---------	-----------

Rbc	Red blood cell condition in urine	Binary	0 = abnormal, 1 = normal
-----	-----------------------------------	--------	--------------------------

| Pc | Pus cell condition | Binary | 0 = abnormal, 1 = normal |

| Pcc | Pus cell clumps presence | Binary | 0 = no, 1 = yes |

| Ba | Bacteria presence in urine | Binary | 0 = no, 1 = yes |

| Bgr | Random blood glucose level | Numeric | mg/dL |

| Bu | Blood urea | Numeric | mg/dL |

| Sc | Serum creatinine | Numeric | mg/dL |

| Sod | Sodium concentration | Numeric | mEq/L |

| Pot | Potassium concentration | Numeric | mEq/L |

| Hemo | Hemoglobin level | Numeric | g/dL |

| Pcv | Packed cell volume | Numeric | Percentage (%) |

| Wbcc | White blood cell count | Numeric | cells/cumm |

| Rbcc | Red blood cell count | Numeric | million cells/cumm |

| Htn | Hypertension status | Binary | 0 = no, 1 = yes |

| Dm | Diabetes mellitus status | Binary | 0 = no, 1 = yes |

| Cad | Coronary artery disease status | Binary | 0 = no, 1 = yes |

| Appet | Appetite condition | Binary | 0 = poor, 1 = good |

| Pe | Pedal edema presence | Binary | 0 = no, 1 = yes |

| Ane | Anemia status | Binary | 0 = no, 1 = yes |

| Class | Diagnostic class label | Binary | 0 = healthy, 1 = kidney disease |

Variable Categories

The variables in the dataset can be grouped into the following categories:

| **Category | Variables |**

| ----- | ----- |

| Demographic | Age |

| Vital Signs | Bp |

| Urinalysis Indicators | Sg, Al, Su |

| Clinical Indicators | Rbc, Pc, Pcc, Ba |

| Biochemical Laboratory Tests | Bgr, Bu, Sc, Sod, Pot |

| Hematology Measurements | Hemo, Pcv, Wbcc, Rbcc |

| Comorbidity Indicators | Htn, Dm, Cad |

| Clinical Symptoms | Appet, Pe, Ane |

Data Notes

- * All patient identifiers were anonymized to ensure privacy.
- * Clinical measurements were obtained from routine diagnostic laboratory tests.
- * Binary variables are encoded using 0 and 1 values to represent categorical states.
- * The dataset contains no personally identifiable information (PII).

Previewers originally developed by QDR (<https://qdr.syr.edu>) and maintained at <https://github.com/gdcc/dataverse-previewers> (<https://github.com/gdcc/dataverse-previewers>). Feedback and contributions welcome.