SCRIPT-CONTROLLED ACL Restrict Record Access Based on Field Value

(ServiceNow)

Phase- 3 Problem-Solution Fit

Date	30 September 2026
Team ID	6ab3ed08a238dc999eb3fda5
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	5 Marks

Problem-Solution Fit Canvas:

Use the framework below to ensure your proposed solution accurately addresses the root causes, behaviors, and limitations of your target audience. Fill out the canvas in the respective boxes just like the original visual template.

1. CUSTOMER SEGMENT(S) [CS]

- ServiceNow administrators
- Application developers
- IT support / system teams
- Organizations managing sensitive student/institution records

6. CUSTOMER LIMITATIONS CL]

- Users may have different roles
- Access must depend on record field values
- Sensitive records need controlled visibility
- Requires ServiceNow admin/security knowledge

CUSTOMER LIMITATIONS
EG. BUDGET, DEVICES **[CL]**

5. AVAILABLE SOLUTIONS – PROS & CONS [AS]

- Standard role-based ACLs
  + Simple to configure
  – May not control access using field values

- Script-controlled ACL
  + Supports role + record-condition checks
  – Requires scripting and testing

AVAILABLE SOLUTIONS
PROS & CONS **[AS]**

2. PROBLEMS / PAINS + FREQUENCY [PR]

- Unauthorized users may view records
- Users may access records outside their branch
- Create/Write/Delete actions need

9. PROBLEM ROOT / CAUSE [RC]

- Access rules are not sufficiently restricted
- Role permissions alone may not

7. BEHAVIOR + ITS INTENSITY [BE]

- Users access Student/Institution records
- EEE users need EEE records
- Admin users need full access
- Users with additional roles perform

controlled access
• These issues can occur whenever users access records

+ ITS FREQUENCY **[PR]**

consider Branch values
• Missing record-level security conditions
• Different user roles require different permissions

Create, Write and Delete actions
• High importance because records may contain sensitive data

+ ITS INTENSITY **[BE]**

3. TRIGGERS TO ACT [TR]

• Need to protect sensitive records
• Need branch-based visibility
• Need controlled Create/Write/Delete access
• Need to verify permissions for different roles
• Need secure ServiceNow application behavior

10. YOUR SOLUTION – KEY OUTCOME [SL]

The solution combines custom roles and script-controlled READ,

CREATE, WRITE and DELETE

Ac Ls to enforce record-level security for the Institution Details table.

Expected result:

• EEE users can access permitted EEE records
• Admins retain full access

• Other actions are limited according to assigned roles

8. CHANNELS OF BEHAVIOR [CH]

ONLINE

• ServiceNow web application
• Application Navigator
• List and form views
• ACL configuration and testing

ONLINE

4. EMOTIONS BEFORE / AFTER [EM]

BEFORE:
• Concern about unauthorized record access
• Uncertainty about which users can view/edit records

AFTER:
• Clear access rules
• Controlled branch-based visibility
• Confidence that Create/Write/Delete permissions are restricted

BEFORE / AFTER **[EM]**

OFFLINE

• Admin/security configuration and testing

• Role assignment and verification

• Impersonation-based access testing

• Review of ACL behavior for different users