SCRIPT-CONTROLLED ACL Restrict Record Access Based on Field Value


(ServiceNow)

Phase-3 Solution Architecture

Date	30 September 2026
Team ID	6ab3ed08a238dc999eb3fda5
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	5 Marks

Solution Architecture Diagram:

Provide a high-level visual representation of your solution's architecture. Use the structural layout below as a template to map out your Presentation Layer, Application Layer, and Data Layer. Fill in the specific technologies and components for your project directly into the boxes to create your architectural diagram.



Authentication & Roles • Admin • bb1 / bb2 / bb3 / bb4	Core Logic / ACL Rules • Branch = EEE condition • Role-based permissions • ACL script evaluation	External API Integrations • None specified in project
↓ ↑		
Data / Storage Layer ServiceNow u_institution_details • Student Roll Number • Student Name • Faculty Name • Branch • Email / Phone / Description		

Component Description Table

Component Name	Description / Role in Architecture	Technologies Used
Presentation Layer	Provides the ServiceNow interface for users and administrators to access Student Records.	ServiceNow UI
API Gateway	No separate API gateway is specified; requests are handled within the ServiceNow platform.	ServiceNow platform
Microservices	Not used as a separate microservice layer. ACL logic controls record-level access inside ServiceNow.	ServiceNow ACL Engine, ACL Scripts
Database	Stores institution/student records in the custom u_institution_details table and applies access rules.	ServiceNow custom table / database