Contents

This document uses natural units, where $\epsilon_0 = 1$ and $G = 1$. These are partially rationalized Planck units.

1 Base 6 - Partially Rationalized Planck units

1.1 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering Upper Camel Case

Interesting variables for comparison:

Proton mass $= 0.210354 \cdot 10^{-40}$	1 Ni'uVo-$M = 10^{-40} = 2.42510\, m_p$
Electron mass $= 13.1304 \cdot 10^{-50}$	1 Ni'uMu-$M = 10^{-50} = 0.0352022\, m_e$
Elementary charge $= 0.145224 \cdot 10^{0}$	1 $Q = 1 = 3.14514\, e$
Å [1] $= 43.5531 \cdot 10^{50}$ (*)	1 Mu-$L = 10^{50} = 0.0114150$ Å
Bohr radius [2] $= 22.4510 \cdot 10^{50}$	1 Mu-$L = 10^{50} = 0.0223302\, a_0$
Fine structure constant [3] $= 0.00132425 \cdot 10^{0}$	1 $= 1 = 345.012\, \alpha$
Rydberg Energy [4] $= 15.2545 \cdot 10^{-100}$	1 Ni'uPaNo-$\frac{ML^2}{T^2} = 10^{-100} = 0.0304430\, Ry$
$\lvert\psi_{100}(0)\rvert^2$ [5] $= 4.32331 \cdot 10^{-240}$	1 Ni'uReVo-$\frac{1}{L^3} = 10^{-240} = 0.115125\, \rho_{\max}$
eV $= 0.502252 \cdot 10^{-100}$	1 Ni'uPaNo-$\frac{ML^2}{T^2} = 10^{-100} = 1.10340$ eV
$\hbar$ [6] $= 1.00000$ (***)	1 $\frac{ML^2}{T} = 1 = 1.00000 \cdot \hbar$ (***)
$\lambda_{\text{yellow}} = 3.24101 \cdot 10^{100}$	1 PaNo-$L = 10^{100} = 0.142343 \cdot \lambda_{\text{yellow}}$
k_{yellow} [7] $= 1.45325 \cdot 10^{-100}$	1 Ni'uPaNo-$\frac{1}{L} = 10^{-100} = 0.314324 \cdot k_{\text{yellow}}$
$k_{\text{X-Ray}}$ [8] $= 113.352 \cdot 10^{-40}$	1 Ni'uVo-$\frac{1}{L} = 10^{-40} = 0.00442201 \cdot k_{\text{X-Ray}}$
Earth g $= 0.0302001 \cdot 10^{-130}$ (*)	1 Ni'uPaCi-$\frac{ML}{T^2} = 10^{-130} = 15.4404 \cdot$ Earth g
cm $= 1.14142 \cdot 10^{110}$	1 PaPa-$L = 10^{110} = 0.440001$ cm (**)
min $= 0.00453023 \cdot 10^{140}$	1 PaVo-$T = 10^{140} = 111.530$ min
hour $= 1.21104 \cdot 10^{140}$	1 PaVo-$T = 10^{140} = 0.422032$ h
Liter $= 0.0135012 \cdot 10^{340}$	1 CiVo-$L^3 = 10^{340} = 33.5415\, l$
Area of a soccer field $= 0.0154134 \cdot 10^{240}$	1 ReVo-$L^2 = 10^{240} = 30.2355\, A$ (*)
244 m^2 [9] $= 55.2325 \cdot 10^{230}$ (*)	1 ReCi-$L^2 = 10^{230} = 0.0100325 \cdot 244\,\text{m}^2$ (*)
km/h $= 2.00340 \cdot 10^{-20}$ (*)	1 Ni'uRe-$\frac{L}{T} = 10^{-20} = 0.255032$ km/h (*)
mi/h $= 3.12504 \cdot 10^{-20}$	1 Ni'uRe-$\frac{L}{T} = 10^{-20} = 0.150314$ mi/h
inch [10] $= 3.13322 \cdot 10^{110}$	1 PaPa-$L = 10^{110} = 0.150051$ in (*)
mile $= 4.23352 \cdot 10^{120}$	1 PaRe-$L = 10^{120} = 0.120413$ mi
pound $= 0.00202241 \cdot 10^{20}$	1 Re-$M = 10^{20} = 252.240$ pound
horsepower $= 114.511 \cdot 10^{-150}$	1 Ni'uPaVo-$\frac{ML^2}{T^3} = 10^{-140} = 4335.31$ horsepower
kcal $= 0.0333231 \cdot 10^{-10}$	1 Ni'uPa-$\frac{ML^2}{T^2} = 10^{-10} = 14.0030$ kcal (*)
kWh $= 221.511 \cdot 10^{-10}$	1 $\frac{ML^2}{T^2} = 1 = 2303.21$ kWh
Household electric field $= 0.100000 \cdot 10^{-210}$ (***)	1 Ni'uRePa-$\frac{ML}{T^2Q} = 10^{-210} = 10.0000\, E_{\text{H}}$ (**)

[1] Length in atomic and solid state physics, 1/14 nm
[2] Characteristic Length in the hydrogen atom. $a_0 = \frac{1}{m_e \alpha}$
[3] Fundamental constant describing strength of electromagnetism. $\alpha = k_{\text{Coulomb}} e^2$
[4] Ry $= \frac{m_e \alpha^2}{2}$. Lowest energy state in hydrogen is -Ry
[5] Maximum probability density of electron in hydrogen - at the core. $\frac{1}{\pi a_0^3}$
[6] Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)
[7] $\frac{\tau}{\lambda} = k = \omega = p = E$ (In natural units - i.e. in these units)
[8] Geometric mean of upper and lower end of the X-Ray interval
[9] Size of a home
[10] 100 in = 1 yd = 3 ft

Earth magnetic field $= 0.00124013 \cdot 10^{-200}$	1 Ni'uReNo-$\frac{M}{TQ} = 10^{-200} = 405.230\, B_E$
Height of an average man [11]$= 0.00101532 \cdot 10^{120}$	1 PaRe-$L = 10^{120} = 541.004\, \overline{h}$ (*)
Mass of an average man $= 1.25105 \cdot 10^{20}$	1 Re-$M = 10^{20} = 0.402105\, \overline{m}$
Age of the Universe $= 311.313 \cdot 10^{200}$	1 ReNo-$T = 10^{200} = 0.00151145\, t_U$
Size of the observable Universe $= 14.5452 \cdot 10^{210}$	1 RePa-$L = 10^{210} = 0.0314052\, l_U$
Average density of the Universe $= 251.000 \cdot 10^{-440}$ (**)	1 Ni'uVoVo-$\frac{M}{L^3} = 10^{-440} = 0.00203255\, \rho_U$ (*)
Earth mass $= 0.323055 \cdot 10^{110}$ (*)	1 PaPa-$M = 10^{110} = 1.43045\, m_E$
Sun mass [12]$= 4.02310 \cdot 10^{120}$	1 PaRe-$M = 10^{120} = 0.125023\, m_S$
Year $= 0.131241 \cdot 10^{150}$	1 PaMu-$T = 10^{150} = 3.52124$ y
Speed of Light $= 1.00000$ (***)	1 $\frac{L}{T} = 1 = 1.00000\, c$ (***)
Parsec $= 0.500503 \cdot 10^{150}$ (*)	1 PaMu-$L = 10^{150} = 1.10555$ pc (**)
Astronomical unit $= 0.104524 \cdot 10^{140}$	1 PaVo-$L = 10^{140} = 5.14032$ au
Earth radius $= 0.213140 \cdot 10^{130}$	1 PaCi-$L = 10^{130} = 2.35401\, r_E$
Distance Earth-Moon $= 34.4121 \cdot 10^{130}$	1 PaCi-$L = 10^{130} = 0.0133030\, d_M$
Momentum of someone walking $= 532.001 \cdot 10^{0}$ (*)	1 $\frac{ML}{T} = 1 = 0.00102514\, p$
Stefan-Boltzmann constant [13]$= 0.0553104 \cdot 10^{0}$ (*)	1 $\frac{M}{T^3\Theta^4} = 1 = 10.0251\ = \sigma$
mol $= 2.42022 \cdot 10^{50}$	1 Mu- $= 10^{50} = 0.211144$ mol
Standard temperature [14]$= 0.00414344 \cdot 10^{-100}$	1 Ni'uPaNo-$\Theta = 10^{-100} = 122.142\, T_0$
Room - standard temperature [15]$= 151.533 \cdot 10^{-110}$	1 Ni'uPaNo-$\Theta = 10^{-100} = 3102.45\, \Theta_R$
atm $= 0.0152432 \cdot 10^{-350}$	1 Ni'uCiMu-$\frac{M}{LT^2} = 10^{-350} = 30.5031$ atm
$c_s = 0.0153103 \cdot 10^{-10}$	1 Ni'uPa-$\frac{L}{T} = 10^{-10} = 30.4223 \cdot c_s$
$\mu_0 = 1.00000$ (***)	1 $\frac{ML}{Q^2} = 1 = 1.00000 \cdot \mu_0$ (***)
$G = 1.00000$ (***)	1 $\frac{L^3}{MT^2} = 1 = 1.00000 \cdot G$ (***)

Extensive list of SI units

$1 = 1.00000$ (***)	$1\ = 1 = 1.00000$ (***)
$1\,\frac{1}{\mathrm{s}} = 0.0201105 \cdot 10^{-130}$	1 Ni'uPaCi-$\frac{1}{T} = 10^{-130} = 25.4124\, \frac{1}{\mathrm{s}}$
$1\,\frac{1}{\mathrm{s}^2} = 404.450 \cdot 10^{-310}$	1 Ni'uCiNo-$\frac{1}{T^2} = 10^{-300} = 1241.31\, \frac{1}{\mathrm{s}^2}$
$1\,\mathrm{s} = 25.4124 \cdot 10^{130}$	1 PaCi-$T = 10^{130} = 0.0201105$ s
$1\,\mathrm{m} = 332.323 \cdot 10^{110}$	1 PaRe-$L = 10^{120} = 1402.52$ m
$1\,\frac{\mathrm{m}}{\mathrm{s}} = 11.1322 \cdot 10^{-20}$	1 Ni'uRe-$\frac{L}{T} = 10^{-20} = 0.0454254\, \frac{\mathrm{m}}{\mathrm{s}}$
$1\,\frac{\mathrm{m}}{\mathrm{s}^2} = 0.224324 \cdot 10^{-150}$	1 Ni'uPaMu-$\frac{L}{T^2} = 10^{-150} = 2.23443\, \frac{\mathrm{m}}{\mathrm{s}^2}$
$1\,\mathrm{m\,s} = 0.0143123 \cdot 10^{250}$	1 ReMu-$LT = 10^{250} = 32.2544\ \mathrm{m\,s}$
$1\,\mathrm{m}^2 = 0.204310 \cdot 10^{230}$	1 ReCi-$L^2 = 10^{230} = 2.45340\ \mathrm{m}^2$
$1\,\frac{\mathrm{m}^2}{\mathrm{s}} = 0.00415331 \cdot 10^{100}$	1 PaNo-$\frac{L^2}{T} = 10^{100} = 121.551\, \frac{\mathrm{m}^2}{\mathrm{s}}$ (*)
$1\,\frac{\mathrm{m}^2}{\mathrm{s}^2} = 124.420 \cdot 10^{-40}$	1 Ni'uVo-$\frac{L^2}{T^2} = 10^{-40} = 0.00403254\, \frac{\mathrm{m}^2}{\mathrm{s}^2}$
$1\,\mathrm{m}^2\,\mathrm{s} = 10.1350 \cdot 10^{400}$	1 VoNo-$L^2T = 10^{400} = 0.0542330\ \mathrm{m}^2\,\mathrm{s}$
$1\,\frac{1}{\mathrm{m}} = 1402.52 \cdot 10^{-120}$	1 Ni'uPaPa-$\frac{1}{L} = 10^{-110} = 332.323\, \frac{1}{\mathrm{m}}$
$1\,\frac{1}{\mathrm{m\,s}} = 32.2544 \cdot 10^{-250}$	1 Ni'uReMu-$\frac{1}{LT} = 10^{-250} = 0.0143123\, \frac{1}{\mathrm{m\,s}}$
$1\,\frac{1}{\mathrm{m\,s}^2} = 1.05400 \cdot 10^{-420}$ (*)	1 Ni'uVoRe-$\frac{1}{LT^2} = 10^{-420} = 0.510343\, \frac{1}{\mathrm{m\,s}^2}$
$1\,\frac{\mathrm{s}}{\mathrm{m}} = 0.0454254 \cdot 10^{20}$	1 Re-$\frac{T}{L} = 10^{20} = 11.1322\, \frac{\mathrm{s}}{\mathrm{m}}$
$1\,\frac{1}{\mathrm{m}^2} = 2.45340 \cdot 10^{-230}$	1 Ni'uReCi-$\frac{1}{L^2} = 10^{-230} = 0.204310\, \frac{1}{\mathrm{m}^2}$
$1\,\frac{1}{\mathrm{m}^2\,\mathrm{s}} = 0.0542330 \cdot 10^{-400}$	1 Ni'uVoNo-$\frac{1}{L^2T} = 10^{-400} = 10.1350\, \frac{1}{\mathrm{m}^2\,\mathrm{s}}$

[11] in developed countries
[12] The Schwarzschild radius of a mass M is $2GM$
[13] $\sigma = \frac{\pi^2}{140}$
[14] 0°C measured from absolute zero
[15] 32 °C

$1\,\frac{1}{\mathrm{m^2\,s^2}} = 1540.00 \cdot 10^{-540}$ (*)	1 Ni'uMuCi-$\frac{1}{L^2T^2} = 10^{-530} = 303.030\,\frac{1}{\mathrm{m^2\,s^2}}$
$1\,\frac{\mathrm{s}}{\mathrm{m^2}} = 121.551 \cdot 10^{-100}$ (*)	1 Ni'uPaNo-$\frac{T}{L^2} = 10^{-100} = 0.00415331\,\frac{\mathrm{s}}{\mathrm{m^2}}$
$1\,\frac{1}{\mathrm{m^3}} = 0.00442413 \cdot 10^{-340}$	1 Ni'uCiVo-$\frac{1}{L^3} = 10^{-340} = 113.315\,\frac{1}{\mathrm{m^3}}$
$1\,\frac{1}{\mathrm{m^3\,s}} = 133.502 \cdot 10^{-520}$	1 Ni'uMuRe-$\frac{1}{L^3T} = 10^{-520} = 0.00342233\,\frac{1}{\mathrm{m^3\,s}}$
$1\,\frac{1}{\mathrm{m^3\,s^2}} = 3.13334 \cdot 10^{-1050}$	1 Ni'uPaNoMu-$\frac{1}{L^3T^2} = 10^{-1050} = 0.150042\,\frac{1}{\mathrm{m^3\,s^2}}$ (*)
$1\,\frac{\mathrm{s}}{\mathrm{m^3}} = 0.215544 \cdot 10^{-210}$ (*)	1 Ni'uRePa-$\frac{T}{L^3} = 10^{-210} = 2.32340\,\frac{\mathrm{s}}{\mathrm{m^3}}$
$1\,\mathrm{kg} = 0.00432045 \cdot 10^{20}$	1 Re-$M = 10^{20} = 115.213\,\mathrm{kg}$
$1\,\frac{\mathrm{kg}}{\mathrm{s}} = 131.341 \cdot 10^{-120}$	1 Ni'uPaRe-$\frac{M}{T} = 10^{-120} = 0.00351452\,\frac{\mathrm{kg}}{\mathrm{s}}$
$1\,\frac{\mathrm{kg}}{\mathrm{s^2}} = 3.05024 \cdot 10^{-250}$	1 Ni'uReMu-$\frac{M}{T^2} = 10^{-250} = 0.152434\,\frac{\mathrm{kg}}{\mathrm{s^2}}$
$1\,\mathrm{kg\,s} = 0.212422 \cdot 10^{150}$	1 PaMu-$MT = 10^{150} = 2.40153\,\mathrm{kg\,s}$
$1\,\mathrm{kg\,m} = 2.41410 \cdot 10^{130}$	1 PaCi-$ML = 10^{130} = 0.211332\,\mathrm{kg\,m}$
$1\,\frac{\mathrm{kg\,m}}{\mathrm{s}} = 0.0530343 \cdot 10^{0}$	1 $\frac{ML}{T} = 1 = 10.3052\,\frac{\mathrm{kg\,m}}{\mathrm{s}}$
$1\,\frac{\mathrm{kg\,m}}{\mathrm{s^2}} = 1511.50 \cdot 10^{-140}$	1 Ni'uPaCi-$\frac{ML}{T^2} = 10^{-130} = 311.311\,\frac{\mathrm{kg\,m}}{\mathrm{s^2}}$
$1\,\mathrm{kg\,m\,s} = 120.015 \cdot 10^{300}$	1 CiNo-$MLT = 10^{300} = 0.00425453\,\mathrm{kg\,m\,s}$
$1\,\mathrm{kg\,m^2} = 1340.53 \cdot 10^{240}$	1 ReMu-$ML^2 = 10^{250} = 341.415\,\mathrm{kg\,m^2}$
$1\,\frac{\mathrm{kg\,m^2}}{\mathrm{s}} = 31.4121 \cdot 10^{110}$	1 PaPa-$\frac{ML^2}{T} = 10^{110} = 0.0145435\,\frac{\mathrm{kg\,m^2}}{\mathrm{s}}$
$1\,\frac{\mathrm{kg\,m^2}}{\mathrm{s^2}} = 1.04021 \cdot 10^{-20}$	1 Ni'uRe-$\frac{ML^2}{T^2} = 10^{-20} = 0.522034\,\frac{\mathrm{kg\,m^2}}{\mathrm{s^2}}$
$1\,\mathrm{kg\,m^2\,s} = 0.0443341 \cdot 10^{420}$	1 VoRe-$ML^2T = 10^{420} = 11.3151\,\mathrm{kg\,m^2\,s}$
$1\,\frac{\mathrm{kg}}{\mathrm{m}} = 11.3543 \cdot 10^{-100}$	1 Ni'uPaNo-$\frac{M}{L} = 10^{-100} = 0.0441111\,\frac{\mathrm{kg}}{\mathrm{m}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m\,s}} = 0.233234 \cdot 10^{-230}$	1 Ni'uReCi-$\frac{M}{LT} = 10^{-230} = 2.15120\,\frac{\mathrm{kg}}{\mathrm{m\,s}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m\,s^2}} = 0.00513545 \cdot 10^{-400}$	1 Ni'uVoNo-$\frac{M}{LT^2} = 10^{-400} = 104.534\,\frac{\mathrm{kg}}{\mathrm{m\,s^2}}$
$1\,\frac{\mathrm{kg\,s}}{\mathrm{m}} = 343.344 \cdot 10^{30}$	1 Vo-$\frac{MT}{L} = 10^{40} = 1332.00\,\frac{\mathrm{kg\,s}}{\mathrm{m}}$ (*)
$1\,\frac{\mathrm{kg}}{\mathrm{m^2}} = 0.0205113 \cdot 10^{-210}$	1 Ni'uRePa-$\frac{M}{L^2} = 10^{-210} = 24.4414\,\frac{\mathrm{kg}}{\mathrm{m^2}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m^2\,s}} = 420.551 \cdot 10^{-350}$ (*)	1 Ni'uCiVo-$\frac{M}{L^2T} = 10^{-340} = 1213.12\,\frac{\mathrm{kg}}{\mathrm{m^2\,s}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m^2\,s^2}} = 12.5105 \cdot 10^{-520}$	1 Ni'uMuRe-$\frac{M}{L^2T^2} = 10^{-520} = 0.0402105\,\frac{\mathrm{kg}}{\mathrm{m^2\,s^2}}$
$1\,\frac{\mathrm{kg\,s}}{\mathrm{m^2}} = 1.01551 \cdot 10^{-40}$ (*)	1 Ni'uVo-$\frac{MT}{L^2} = 10^{-40} = 0.540432\,\frac{\mathrm{kg\,s}}{\mathrm{m^2}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m^3}} = 33.3415 \cdot 10^{-330}$	1 Ni'uCiCi-$\frac{M}{L^3} = 10^{-330} = 0.0135540\,\frac{\mathrm{kg}}{\mathrm{m^3}}$ (*)
$1\,\frac{\mathrm{kg}}{\mathrm{m^3\,s}} = 1.11542 \cdot 10^{-500}$	1 Ni'uMuNo-$\frac{M}{L^3T} = 10^{-500} = 0.452525\,\frac{\mathrm{kg}}{\mathrm{m^3\,s}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m^3\,s^2}} = 0.0225211 \cdot 10^{-1030}$	1 Ni'uPaNoCi-$\frac{M}{L^3T^2} = 10^{-1030} = 22.3003\,\frac{\mathrm{kg}}{\mathrm{m^3\,s^2}}$ (*)
$1\,\frac{\mathrm{kg\,s}}{\mathrm{m^3}} = 1434.45 \cdot 10^{-200}$	1 Ni'uPaMu-$\frac{MT}{L^3} = 10^{-150} = 321.513\,\frac{\mathrm{kg\,s}}{\mathrm{m^3}}$
$1\,\frac{1}{\mathrm{C}} = 2.30130 \cdot 10^{-40}$	1 Ni'uVo-$\frac{1}{Q} = 10^{-40} = 0.222054\,\frac{1}{\mathrm{C}}$
$1\,\frac{1}{\mathrm{s\,C}} = 0.0503254 \cdot 10^{-210}$	1 Ni'uRePa-$\frac{1}{TQ} = 10^{-210} = 11.0214\,\frac{1}{\mathrm{s\,C}}$
$1\,\frac{1}{\mathrm{s^2\,C}} = 0.00142102 \cdot 10^{-340}$	1 Ni'uCiVo-$\frac{1}{T^2Q} = 10^{-340} = 325.022\,\frac{1}{\mathrm{s^2\,C}}$
$1\,\frac{\mathrm{s}}{\mathrm{C}} = 112.220 \cdot 10^{50}$	1 PaNo-$\frac{T}{Q} = 10^{100} = 4511.01\,\frac{\mathrm{s}}{\mathrm{C}}$
$1\,\frac{\mathrm{m}}{\mathrm{C}} = 0.00125420 \cdot 10^{40}$	1 Vo-$\frac{L}{Q} = 10^{40} = 400.430\,\frac{\mathrm{m}}{\mathrm{C}}$ (*)
$1\,\frac{\mathrm{m}}{\mathrm{s\,C}} = 30.1115 \cdot 10^{-100}$	1 Ni'uPaNo-$\frac{L}{TQ} = 10^{-100} = 0.0155110\,\frac{\mathrm{m}}{\mathrm{s\,C}}$ (*)
$1\,\frac{\mathrm{m}}{\mathrm{s^2\,C}} = 1.01002 \cdot 10^{-230}$ (*)	1 Ni'uReCi-$\frac{L}{T^2Q} = 10^{-230} = 0.550040\,\frac{\mathrm{m}}{\mathrm{s^2\,C}}$ (**)
$1\,\frac{\mathrm{m\,s}}{\mathrm{C}} = 0.0422312 \cdot 10^{210}$	1 RePa-$\frac{LT}{Q} = 10^{210} = 12.1014\,\frac{\mathrm{m\,s}}{\mathrm{C}}$
$1\,\frac{\mathrm{m^2}}{\mathrm{C}} = 0.515505 \cdot 10^{150}$ (*)	1 PaMu-$\frac{L^2}{Q} = 10^{150} = 1.04311\,\frac{\mathrm{m^2}}{\mathrm{C}}$
$1\,\frac{\mathrm{m^2}}{\mathrm{s\,C}} = 0.0145002 \cdot 10^{20}$ (*)	1 Re-$\frac{L^2}{TQ} = 10^{20} = 31.5340\,\frac{\mathrm{m^2}}{\mathrm{s\,C}}$
$1\,\frac{\mathrm{m^2}}{\mathrm{s^2\,C}} = 340.101 \cdot 10^{-120}$	1 Ni'uPaRe-$\frac{L^2}{T^2Q} = 10^{-120} = 0.00134500\,\frac{\mathrm{m^2}}{\mathrm{s^2\,C}}$ (*)
$1\,\frac{\mathrm{m^2\,s}}{\mathrm{C}} = 23.4211 \cdot 10^{320}$	1 CiRe-$\frac{L^2T}{Q} = 10^{320} = 0.0214223\,\frac{\mathrm{m^2\,s}}{\mathrm{C}}$
$1\,\frac{1}{\mathrm{m\,C}} = 4113.43 \cdot 10^{-200}$	1 Ni'uPaMu-$\frac{1}{LQ} = 10^{-150} = 123.141\,\frac{1}{\mathrm{m\,C}}$
$1\,\frac{1}{\mathrm{m\,s\,C}} = 123.214 \cdot 10^{-330}$	1 Ni'uCiRe-$\frac{1}{LTQ} = 10^{-320} = 4112.03\,\frac{1}{\mathrm{m\,s\,C}}$
$1\,\frac{1}{\mathrm{m\,s^2\,C}} = 2.52243 \cdot 10^{-500}$	1 Ni'uMuNo-$\frac{1}{LT^2Q} = 10^{-500} = 0.202235\,\frac{1}{\mathrm{m\,s^2\,C}}$
$1\,\frac{\mathrm{s}}{\mathrm{m\,C}} = 0.202325 \cdot 10^{-20}$	1 Ni'uRe-$\frac{T}{LQ} = 10^{-20} = 2.52134\,\frac{\mathrm{s}}{\mathrm{m\,C}}$
$1\,\frac{1}{\mathrm{m^2\,C}} = 11.0242 \cdot 10^{-310}$	1 Ni'uCiPa-$\frac{1}{L^2Q} = 10^{-310} = 0.0503054\,\frac{1}{\mathrm{m^2\,C}}$
$1\,\frac{1}{\mathrm{m^2\,s\,C}} = 0.222152 \cdot 10^{-440}$	1 Ni'uVoVo-$\frac{1}{L^2TQ} = 10^{-440} = 2.30031\,\frac{1}{\mathrm{m^2\,s\,C}}$ (*)
$1\,\frac{1}{\mathrm{m^2\,s^2\,C}} = 4512.54 \cdot 10^{-1020}$	1 Ni'uPaNoPa-$\frac{1}{L^2T^2Q} = 10^{-1010} = 112.151\,\frac{1}{\mathrm{m^2\,s^2\,C}}$

$1\frac{\mathrm{s}}{\mathrm{m^2\,C}} = 325.143 \cdot 10^{-140}$	1 Ni'uPaVo-$\frac{T}{L^2Q} = 10^{-140} = 0.00142021\ \frac{\mathrm{s}}{\mathrm{m^2\,C}}$
$1\frac{1}{\mathrm{m^3\,C}} = 0.0155155 \cdot 10^{-420}$ (*)	1 Ni'uVoRe-$\frac{1}{L^3Q} = 10^{-420} = 30.1004\ \frac{1}{\mathrm{m^3\,C}}$ (*)
$1\frac{1}{\mathrm{m^3\,s\,C}} = 401.003 \cdot 10^{-1000}$ (*)	1 Ni'uPaNoNo-$\frac{1}{L^3TQ} = 10^{-1000} = 0.00125342\ \frac{1}{\mathrm{m^3\,s\,C}}$
$1\frac{1}{\mathrm{m^3\,s^2\,C}} = 12.1050 \cdot 10^{-1130}$	1 Ni'uPaPaCi-$\frac{1}{L^3T^2Q} = 10^{-1130} = 0.0422125\ \frac{1}{\mathrm{m^3\,s^2\,C}}$
$1\frac{\mathrm{s}}{\mathrm{m^3\,C}} = 0.550255 \cdot 10^{-250}$ (*)	1 Ni'uReMu-$\frac{T}{L^3Q} = 10^{-250} = 1.00535\ \frac{\mathrm{s}}{\mathrm{m^3\,C}}$ (*)
$1\frac{\mathrm{kg}}{\mathrm{C}} = 0.0152325 \cdot 10^{-20}$	1 Ni'uRe-$\frac{M}{Q} = 10^{-20} = 30.5215\ \frac{\mathrm{kg}}{\mathrm{C}}$
$1\frac{\mathrm{kg}}{\mathrm{s\,C}} = 351.233 \cdot 10^{-200}$	1 Ni'uReNo-$\frac{M}{TQ} = 10^{-200} = 0.00131434\ \frac{\mathrm{kg}}{\mathrm{s\,C}}$
$1\frac{\mathrm{kg}}{\mathrm{s^2\,C}} = 11.5125 \cdot 10^{-330}$	1 Ni'uCiCi-$\frac{M}{T^2Q} = 10^{-330} = 0.0432330\ \frac{\mathrm{kg}}{\mathrm{s^2\,C}}$
$1\frac{\mathrm{kg\,s}}{\mathrm{C}} = 0.534220 \cdot 10^{110}$	1 PaPa-$\frac{MT}{Q} = 10^{110} = 1.02231\ \frac{\mathrm{kg\,s}}{\mathrm{C}}$
$1\frac{\mathrm{kg\,m}}{\mathrm{C}} = 10.4453 \cdot 10^{50}$	1 Mu-$\frac{ML}{Q} = 10^{50} = 0.0514254\ \frac{\mathrm{kg\,m}}{\mathrm{C}}$
$1\frac{\mathrm{kg\,m}}{\mathrm{s\,C}} = 0.214554 \cdot 10^{-40}$ (*)	1 Ni'uVo-$\frac{ML}{TQ} = 10^{-40} = 2.33410\ \frac{\mathrm{kg\,m}}{\mathrm{s\,C}}$
$1\frac{\mathrm{kg\,m}}{\mathrm{s^2\,C}} = 4404.22 \cdot 10^{-220}$	1 Ni'uRePa-$\frac{ML}{T^2Q} = 10^{-210} = 114.030\ \frac{\mathrm{kg\,m}}{\mathrm{s^2\,C}}$
$1\frac{\mathrm{kg\,m\,s}}{\mathrm{C}} = 320.245 \cdot 10^{220}$	1 ReRe-$\frac{MLT}{Q} = 10^{220} = 0.00144314\ \frac{\mathrm{kg\,m\,s}}{\mathrm{C}}$
$1\frac{\mathrm{kg\,m^2}}{\mathrm{C}} = 4014.42 \cdot 10^{200}$	1 RePa-$\frac{ML^2}{Q} = 10^{210} = 125.201\ \frac{\mathrm{kg\,m^2}}{\mathrm{C}}$
$1\frac{\mathrm{kg\,m^2}}{\mathrm{s\,C}} = 121.222 \cdot 10^{30}$	1 Vo-$\frac{ML^2}{TQ} = 10^{40} = 4212.25\ \frac{\mathrm{kg\,m^2}}{\mathrm{s\,C}}$
$1\frac{\mathrm{kg\,m^2}}{\mathrm{s^2\,C}} = 2.44234 \cdot 10^{-100}$	1 Ni'uPaNo-$\frac{ML^2}{T^2Q} = 10^{-100} = 0.205231\ \frac{\mathrm{kg\,m^2}}{\mathrm{s^2\,C}}$
$1\frac{\mathrm{kg\,m^2\,s}}{\mathrm{C}} = 0.155413 \cdot 10^{340}$ (*)	1 CiVo-$\frac{ML^2T}{Q} = 10^{340} = 3.00240\ \frac{\mathrm{kg\,m^2\,s}}{\mathrm{C}}$ (*)
$1\frac{\mathrm{kg}}{\mathrm{m\,C}} = 31.1115 \cdot 10^{-140}$	1 Ni'uPaVo-$\frac{M}{LQ} = 10^{-140} = 0.0151254\ \frac{\mathrm{kg}}{\mathrm{m\,C}}$
$1\frac{\mathrm{kg}}{\mathrm{m\,s\,C}} = 1.03013 \cdot 10^{-310}$	1 Ni'uCiPa-$\frac{M}{LTQ} = 10^{-310} = 0.531102\ \frac{\mathrm{kg}}{\mathrm{m\,s\,C}}$
$1\frac{\mathrm{kg}}{\mathrm{m\,s^2\,C}} = 0.0211213 \cdot 10^{-440}$	1 Ni'uVoVo-$\frac{M}{LT^2Q} = 10^{-440} = 24.1545\ \frac{\mathrm{kg}}{\mathrm{m\,s^2\,C}}$
$1\frac{\mathrm{kg\,s}}{\mathrm{m\,C}} = 0.00132401 \cdot 10^{0}$	$1\ \frac{MT}{LQ} = 1 = 345.114\ \frac{\mathrm{kg\,s}}{\mathrm{m\,C}}$
$1\frac{\mathrm{kg}}{\mathrm{m^2\,C}} = 0.0521322 \cdot 10^{-250}$	1 Ni'uReMu-$\frac{M}{L^2Q} = 10^{-250} = 10.4101\ \frac{\mathrm{kg}}{\mathrm{m^2\,C}}$
$1\frac{\mathrm{kg}}{\mathrm{m^2\,s\,C}} = 0.00145331 \cdot 10^{-420}$	1 Ni'uVoRe-$\frac{M}{L^2TQ} = 10^{-420} = 314.320\ \frac{\mathrm{kg}}{\mathrm{m^2\,s\,C}}$
$1\frac{\mathrm{kg}}{\mathrm{m^2\,s^2\,C}} = 34.1204 \cdot 10^{-1000}$	1 Ni'uPaNoNo-$\frac{M}{L^2T^2Q} = 10^{-1000} = 0.0134151\ \frac{\mathrm{kg}}{\mathrm{m^2\,s^2\,C}}$
$1\frac{\mathrm{kg\,s}}{\mathrm{m^2\,C}} = 2.35113 \cdot 10^{-120}$	1 Ni'uPaRe-$\frac{MT}{L^2Q} = 10^{-120} = 0.213402\ \frac{\mathrm{kg\,s}}{\mathrm{m^2\,C}}$
$1\frac{\mathrm{kg}}{\mathrm{m^3\,C}} = 130.111 \cdot 10^{-410}$	1 Ni'uVoNo-$\frac{M}{L^3Q} = 10^{-400} = 3552.50\ \frac{\mathrm{kg}}{\mathrm{m^3\,C}}$ (*)
$1\frac{\mathrm{kg}}{\mathrm{m^3\,s\,C}} = 3.02110 \cdot 10^{-540}$	1 Ni'uMuVo-$\frac{M}{L^3TQ} = 10^{-540} = 0.154323\ \frac{\mathrm{kg}}{\mathrm{m^3\,s\,C}}$
$1\frac{\mathrm{kg}}{\mathrm{m^3\,s^2\,C}} = 0.101201 \cdot 10^{-1110}$	1 Ni'uPaPaPa-$\frac{M}{L^3T^2Q} = 10^{-1110} = 5.44131\ \frac{\mathrm{kg}}{\mathrm{m^3\,s^2\,C}}$
$1\frac{\mathrm{kg\,s}}{\mathrm{m^3\,C}} = 4235.41 \cdot 10^{-240}$	1 Ni'uReCi-$\frac{MT}{L^3Q} = 10^{-230} = 120.341\ \frac{\mathrm{kg\,s}}{\mathrm{m^3\,C}}$
$1\,\mathrm{C} = 0.222054 \cdot 10^{40}$	1 Vo-$Q = 10^{40} = 2.30130\ \mathrm{C}$
$1\frac{\mathrm{C}}{\mathrm{s}} = 4511.01 \cdot 10^{-100}$	1 Ni'uMu-$\frac{Q}{T} = 10^{-50} = 112.220\ \frac{\mathrm{C}}{\mathrm{s}}$
$1\frac{\mathrm{C}}{\mathrm{s^2}} = 135.205 \cdot 10^{-230}$	1 Ni'uReRe-$\frac{Q}{T^2} = 10^{-220} = 3350.01\ \frac{\mathrm{C}}{\mathrm{s^2}}$
$1\,\mathrm{s\,C} = 11.0214 \cdot 10^{210}$	1 RePa-$TQ = 10^{210} = 0.0503254\ \mathrm{s\,C}$
$1\,\mathrm{m\,C} = 123.141 \cdot 10^{150}$	1 ReNo-$LQ = 10^{200} = 4113.43\ \mathrm{m\,C}$
$1\frac{\mathrm{m\,C}}{\mathrm{s}} = 2.52134 \cdot 10^{20}$	1 Re-$\frac{LQ}{T} = 10^{20} = 0.202325\ \frac{\mathrm{m\,C}}{\mathrm{s}}$
$1\frac{\mathrm{m\,C}}{\mathrm{s^2}} = 0.0551553 \cdot 10^{-110}$ (*)	1 Ni'uPaPa-$\frac{LQ}{T^2} = 10^{-110} = 10.0403\ \frac{\mathrm{m\,C}}{\mathrm{s^2}}$
$1\,\mathrm{m\,s\,C} = 4112.03 \cdot 10^{320}$	1 CiCi-$LTQ = 10^{330} = 123.214\ \mathrm{m\,s\,C}$
$1\,\mathrm{m^2\,C} = 0.0503054 \cdot 10^{310}$	1 CiPa-$L^2Q = 10^{310} = 11.0242\ \mathrm{m^2\,C}$
$1\frac{\mathrm{m^2\,C}}{\mathrm{s}} = 0.00142021 \cdot 10^{140}$	1 PaVo-$\frac{L^2Q}{T} = 10^{140} = 325.143\ \frac{\mathrm{m^2\,C}}{\mathrm{s}}$
$1\frac{\mathrm{m^2\,C}}{\mathrm{s^2}} = 33.0103 \cdot 10^{0}$	$1\ \frac{L^2Q}{T^2} = 1 = 0.0141343\ \frac{\mathrm{m^2\,C}}{\mathrm{s^2}}$
$1\,\mathrm{m^2\,s\,C} = 2.30031 \cdot 10^{440}$ (*)	1 VoVo-$L^2TQ = 10^{440} = 0.222152\ \mathrm{m^2\,s\,C}$
$1\frac{\mathrm{C}}{\mathrm{m}} = 400.430 \cdot 10^{-40}$ (*)	1 Ni'uVo-$\frac{Q}{L} = 10^{-40} = 0.00125420\ \frac{\mathrm{C}}{\mathrm{m}}$
$1\frac{\mathrm{C}}{\mathrm{m\,s}} = 12.1014 \cdot 10^{-210}$	1 Ni'uRePa-$\frac{Q}{LT} = 10^{-210} = 0.0422312\ \frac{\mathrm{C}}{\mathrm{m\,s}}$
$1\frac{\mathrm{C}}{\mathrm{m\,s^2}} = 0.243420 \cdot 10^{-340}$	1 Ni'uCiVo-$\frac{Q}{LT^2} = 10^{-340} = 2.05551\ \frac{\mathrm{C}}{\mathrm{m\,s^2}}$ (**)
$1\frac{\mathrm{s\,C}}{\mathrm{m}} = 0.0155110 \cdot 10^{100}$ (*)	1 PaNo-$\frac{TQ}{L} = 10^{100} = 30.1115\ \frac{\mathrm{s\,C}}{\mathrm{m}}$
$1\frac{\mathrm{C}}{\mathrm{m^2}} = 1.04311 \cdot 10^{-150}$	1 Ni'uPaMu-$\frac{Q}{L^2} = 10^{-150} = 0.515505\ \frac{\mathrm{C}}{\mathrm{m^2}}$ (*)
$1\frac{\mathrm{C}}{\mathrm{m^2\,s}} = 0.0214223 \cdot 10^{-320}$	1 Ni'uCiRe-$\frac{Q}{L^2T} = 10^{-320} = 23.4211\ \frac{\mathrm{C}}{\mathrm{m^2\,s}}$
$1\frac{\mathrm{C}}{\mathrm{m^2\,s^2}} = 435.311 \cdot 10^{-500}$	1 Ni'uMuNo-$\frac{Q}{L^2T^2} = 10^{-500} = 0.00114230\ \frac{\mathrm{C}}{\mathrm{m^2\,s^2}}$

$1\,\frac{\mathrm{s\,C}}{\mathrm{m^2}} = 31.5340 \cdot 10^{-20}$
$1\,\frac{\mathrm{C}}{\mathrm{m^3}} = 0.00152032 \cdot 10^{-300}$
$1\,\frac{\mathrm{C}}{\mathrm{m^3\,s}} = 35.0235 \cdot 10^{-440}$
$1\,\frac{\mathrm{C}}{\mathrm{m^3\,s^2}} = 1.14525 \cdot 10^{-1010}$
$1\,\frac{\mathrm{s\,C}}{\mathrm{m^3}} = 0.0532541 \cdot 10^{-130}$

$1\,\mathrm{kg\,C} = 0.00145250 \cdot 10^{100}$
$1\,\frac{\mathrm{kg\,C}}{\mathrm{s}} = 34.1035 \cdot 10^{-40}$
$1\,\frac{\mathrm{kg\,C}}{\mathrm{s^2}} = 1.13034 \cdot 10^{-210}$
$1\,\mathrm{kg\,s\,C} = 0.0521114 \cdot 10^{230}$
$1\,\mathrm{kg\,m\,C} = 1.02545 \cdot 10^{210}$
$1\,\frac{\mathrm{kg\,m\,C}}{\mathrm{s}} = 0.0211122 \cdot 10^{40}$
$1\,\frac{\mathrm{kg\,m\,C}}{\mathrm{s^2}} = 425.030 \cdot 10^{-100}$
$1\,\mathrm{kg\,m\,s\,C} = 31.1001 \cdot 10^{340}$ (*)
$1\,\mathrm{kg\,m^2\,C} = 351.102 \cdot 10^{320}$
$1\,\frac{\mathrm{kg\,m^2\,C}}{\mathrm{s}} = 11.5054 \cdot 10^{150}$
$1\,\frac{\mathrm{kg\,m^2\,C}}{\mathrm{s^2}} = 0.235514 \cdot 10^{20}$ (*)
$1\,\mathrm{kg\,m^2\,s\,C} = 0.0152242 \cdot 10^{500}$
$1\,\frac{\mathrm{kg\,C}}{\mathrm{m}} = 3.01554 \cdot 10^{-20}$ (*)
$1\,\frac{\mathrm{kg\,C}}{\mathrm{m\,s}} = 0.101134 \cdot 10^{-150}$
$1\,\frac{\mathrm{kg\,C}}{\mathrm{m\,s^2}} = 0.00203435 \cdot 10^{-320}$
$1\,\frac{\mathrm{kg\,s\,C}}{\mathrm{m}} = 130.034 \cdot 10^{110}$
$1\,\frac{\mathrm{kg\,C}}{\mathrm{m^2}} = 5044.42 \cdot 10^{-140}$
$1\,\frac{\mathrm{kg\,C}}{\mathrm{m^2\,s}} = 142.341 \cdot 10^{-310}$
$1\,\frac{\mathrm{kg\,C}}{\mathrm{m^2\,s^2}} = 3.31150 \cdot 10^{-440}$
$1\,\frac{\mathrm{kg\,s\,C}}{\mathrm{m^2}} = 0.230520 \cdot 10^{0}$
$1\,\frac{\mathrm{kg\,C}}{\mathrm{m^3}} = 12.3424 \cdot 10^{-250}$
$1\,\frac{\mathrm{kg\,C}}{\mathrm{m^3\,s}} = 0.253110 \cdot 10^{-420}$
$1\,\frac{\mathrm{kg\,C}}{\mathrm{m^3\,s^2}} = 5535.13 \cdot 10^{-1000}$ (*)
$1\,\frac{\mathrm{kg\,s\,C}}{\mathrm{m^3}} = 412.411 \cdot 10^{-120}$

$1\,\frac{1}{\mathrm{K}} = 0.143332 \cdot 10^{110}$
$1\,\frac{1}{\mathrm{s\,K}} = 0.00333143 \cdot 10^{-20}$
$1\,\frac{1}{\mathrm{s^2\,K}} = 111.451 \cdot 10^{-200}$
$1\,\frac{\mathrm{s}}{\mathrm{K}} = 5.11401 \cdot 10^{240}$
$1\,\frac{\mathrm{m}}{\mathrm{K}} = 101.504 \cdot 10^{220}$
$1\,\frac{\mathrm{m}}{\mathrm{s\,K}} = 2.04543 \cdot 10^{50}$
$1\,\frac{\mathrm{m}}{\mathrm{s^2\,K}} = 0.0420244 \cdot 10^{-40}$
$1\,\frac{\mathrm{m\,s}}{\mathrm{K}} = 0.00303413 \cdot 10^{400}$
$1\,\frac{\mathrm{m^2}}{\mathrm{K}} = 0.0343104 \cdot 10^{340}$
$1\,\frac{\mathrm{m^2}}{\mathrm{s\,K}} = 1134.50 \cdot 10^{200}$
$1\,\frac{\mathrm{m^2}}{\mathrm{s^2\,K}} = 23.3044 \cdot 10^{30}$
$1\,\frac{\mathrm{m^2\,s}}{\mathrm{K}} = 1.50254 \cdot 10^{510}$
$1\,\frac{1}{\mathrm{m\,K}} = 254.501 \cdot 10^{-10}$
$1\,\frac{1}{\mathrm{m\,s\,K}} = 10.0112 \cdot 10^{-140}$
$1\,\frac{1}{\mathrm{m\,s^2\,K}} = 0.201334 \cdot 10^{-310}$
$1\,\frac{\mathrm{s}}{\mathrm{m\,K}} = 0.0124315 \cdot 10^{130}$
$1\,\frac{1}{\mathrm{m^2\,K}} = 0.455254 \cdot 10^{-120}$ (*)
$1\,\frac{1}{\mathrm{m^2\,s\,K}} = 0.0140453 \cdot 10^{-250}$
$1\,\frac{1}{\mathrm{m^2\,s^2\,K}} = 323.353 \cdot 10^{-430}$
$1\,\frac{\mathrm{s}}{\mathrm{m^2\,K}} = 22.4141 \cdot 10^{10}$
$1\,\frac{1}{\mathrm{m^3\,K}} = 1221.32 \cdot 10^{-240}$

1 Ni'uRe-$\frac{TQ}{L^2} = 10^{-20} = 0.0145002\,\frac{\mathrm{s\,C}}{\mathrm{m^2}}$ (*)
1 Ni'uCiNo-$\frac{Q}{L^3} = 10^{-300} = 310.111\,\frac{\mathrm{C}}{\mathrm{m^3}}$
1 Ni'uVoVo-$\frac{Q}{L^3T} = 10^{-440} = 0.0132101\,\frac{\mathrm{C}}{\mathrm{m^3\,s}}$
1 Ni'uPaNoPa-$\frac{Q}{L^3T^2} = 10^{-1010} = 0.433433\,\frac{\mathrm{C}}{\mathrm{m^3\,s^2}}$
1 Ni'uPaCi-$\frac{TQ}{L^3} = 10^{-130} = 10.2410\,\frac{\mathrm{s\,C}}{\mathrm{m^3}}$

1 PaNo-$MQ = 10^{100} = 314.435\ \mathrm{kg\,C}$
1 Ni'uVo-$\frac{MQ}{T} = 10^{-40} = 0.0134231\,\frac{\mathrm{kg\,C}}{\mathrm{s}}$
1 Ni'uRePa-$\frac{MQ}{T^2} = 10^{-210} = 0.444223\,\frac{\mathrm{kg\,C}}{\mathrm{s^2}}$
1 ReCi-$MTQ = 10^{230} = 10.4125\ \mathrm{kg\,s\,C}$
1 RePa-$MLQ = 10^{210} = 0.531313\ \mathrm{kg\,m\,C}$
1 Vo-$\frac{MLQ}{T} = 10^{40} = 24.2051\,\frac{\mathrm{kg\,m\,C}}{\mathrm{s}}$
1 Ni'uPaNo-$\frac{MLQ}{T^2} = 10^{-100} = 0.00120135\,\frac{\mathrm{kg\,m\,C}}{\mathrm{s^2}}$
1 CiVo-$MLTQ = 10^{340} = 0.0151341\ \mathrm{kg\,m\,s\,C}$
1 CiRe-$ML^2Q = 10^{320} = 0.00131512\ \mathrm{kg\,m^2\,C}$
1 PaMu-$\frac{ML^2Q}{T} = 10^{150} = 0.0432520\,\frac{\mathrm{kg\,m^2\,C}}{\mathrm{s}}$
1 Re-$\frac{ML^2Q}{T^2} = 10^{20} = 2.13034\,\frac{\mathrm{kg\,m^2\,C}}{\mathrm{s^2}}$
1 MuNo-$ML^2TQ = 10^{500} = 30.5332\ \mathrm{kg\,m^2\,s\,C}$
1 Ni'uRe-$\frac{MQ}{L} = 10^{-20} = 0.154410\,\frac{\mathrm{kg\,C}}{\mathrm{m}}$
1 Ni'uPaMu-$\frac{MQ}{LT} = 10^{-150} = 5.44345\,\frac{\mathrm{kg\,C}}{\mathrm{m\,s}}$
1 Ni'uCiRe-$\frac{MQ}{LT^2} = 10^{-320} = 250.342\,\frac{\mathrm{kg\,C}}{\mathrm{m\,s^2}}$
1 PaRe-$\frac{MTQ}{L} = 10^{120} = 3554.22\,\frac{\mathrm{kg\,s\,C}}{\mathrm{m}}$ (*)
1 Ni'uPaCi-$\frac{MQ}{L^2} = 10^{-130} = 110.025\,\frac{\mathrm{kg\,C}}{\mathrm{m^2}}$
1 Ni'uCiNo-$\frac{MQ}{L^2T} = 10^{-300} = 3241.04\,\frac{\mathrm{kg\,C}}{\mathrm{m^2\,s}}$
1 Ni'uVoVo-$\frac{MQ}{L^2T^2} = 10^{-440} = 0.141030\,\frac{\mathrm{kg\,C}}{\mathrm{m^2\,s^2}}$
$1\,\frac{MTQ}{L^2} = 1 = 2.21320\,\frac{\mathrm{kg\,s\,C}}{\mathrm{m^2}}$
1 Ni'uReMu-$\frac{MQ}{L^3} = 10^{-250} = 0.0410142\,\frac{\mathrm{kg\,C}}{\mathrm{m^3}}$
1 Ni'uVoRe-$\frac{MQ}{L^3T} = 10^{-420} = 2.01531\,\frac{\mathrm{kg\,C}}{\mathrm{m^3\,s}}$
1 Ni'uMuMu-$\frac{MQ}{L^3T^2} = 10^{-550} = 100.205\,\frac{\mathrm{kg\,C}}{\mathrm{m^3\,s^2}}$ (*)
1 Ni'uPaRe-$\frac{MTQ}{L^3} = 10^{-120} = 0.00122532\,\frac{\mathrm{kg\,s\,C}}{\mathrm{m^3}}$

1 PaPa-$\frac{1}{\Theta} = 10^{110} = 3.22140\,\frac{1}{\mathrm{K}}$
1 Ni'uRe-$\frac{1}{T\Theta} = 10^{-20} = 140.051\,\frac{1}{\mathrm{s\,K}}$
1 Ni'uReNo-$\frac{1}{T^2\Theta} = 10^{-200} = 0.00453255\,\frac{1}{\mathrm{s^2\,K}}$ (*)
1 ReVo-$\frac{T}{\Theta} = 10^{240} = 0.105234\,\frac{\mathrm{s}}{\mathrm{K}}$
1 ReRe-$\frac{L}{\Theta} = 10^{220} = 0.00541233\,\frac{\mathrm{m}}{\mathrm{K}}$
1 Mu-$\frac{L}{T\Theta} = 10^{50} = 0.245013\,\frac{\mathrm{m}}{\mathrm{s\,K}}$
1 Ni'uVo-$\frac{L}{T^2\Theta} = 10^{-40} = 12.1411\,\frac{\mathrm{m}}{\mathrm{s^2\,K}}$
1 VoNo-$\frac{LT}{\Theta} = 10^{400} = 153.340\,\frac{\mathrm{m\,s}}{\mathrm{K}}$
1 CiVo-$\frac{L^2}{\Theta} = 10^{340} = 13.3305\,\frac{\mathrm{m^2}}{\mathrm{K}}$
1 RePa-$\frac{L^2}{T\Theta} = 10^{210} = 441.431\,\frac{\mathrm{m^2}}{\mathrm{s\,K}}$
1 Ci-$\frac{L^2}{T^2\Theta} = 10^{30} = 0.0215255\,\frac{\mathrm{m^2}}{\mathrm{s^2\,K}}$ (*)
1 MuPa-$\frac{L^2T}{\Theta} = 10^{510} = 0.312541\,\frac{\mathrm{m^2\,s}}{\mathrm{K}}$
$1\,\frac{1}{L\Theta} = 1 = 2004.41\,\frac{1}{\mathrm{m\,K}}$ (*)
1 Ni'uPaVo-$\frac{1}{LT\Theta} = 10^{-140} = 0.0554444\,\frac{1}{\mathrm{m\,s\,K}}$ (*)
1 Ni'uCiPa-$\frac{1}{LT^2\Theta} = 10^{-310} = 2.53352\,\frac{1}{\mathrm{m\,s^2\,K}}$
1 PaCi-$\frac{T}{L\Theta} = 10^{130} = 40.3551\,\frac{\mathrm{s}}{\mathrm{m\,K}}$ (*)
1 Ni'uPaRe-$\frac{1}{L^2\Theta} = 10^{-120} = 1.11154\,\frac{1}{\mathrm{m^2\,K}}$
1 Ni'uReMu-$\frac{1}{L^2T\Theta} = 10^{-250} = 33.1504\,\frac{1}{\mathrm{m^2\,s\,K}}$
1 Ni'uVoRe-$\frac{1}{L^2T^2\Theta} = 10^{-420} = 1425.15\,\frac{1}{\mathrm{m^2\,s^2\,K}}$
1 Pa-$\frac{T}{L^2\Theta} = 10^{10} = 0.0224025\,\frac{\mathrm{s}}{\mathrm{m^2\,K}}$
1 Ni'uReCi-$\frac{1}{L^3\Theta} = 10^{-230} = 414.420\,\frac{1}{\mathrm{m^3\,K}}$

$1\,\frac{1}{\mathrm{m^3\,s\,K}} = 25.0103 \cdot 10^{-410}$	1 Ni'uVoPa-$\frac{1}{L^3T\Theta} = 10^{-410} = 0.0204034\ \frac{1}{\mathrm{m^3\,s\,K}}$
$1\,\frac{1}{\mathrm{m^3\,s^2\,K}} = 0.543424 \cdot 10^{-540}$	1 Ni'uMuVo-$\frac{1}{L^3T^2\Theta} = 10^{-540} = 1.01233\ \frac{1}{\mathrm{m^3\,s^2\,K}}$
$1\,\frac{\mathrm{s}}{\mathrm{m^3\,K}} = 0.0404153 \cdot 10^{-100}$	1 Ni'uPaNo-$\frac{T}{L^3\Theta} = 10^{-100} = 12.4232\ \frac{\mathrm{s}}{\mathrm{m^3\,K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{K}} = 1201.54 \cdot 10^{120}$	1 PaCi-$\frac{M}{\Theta} = 10^{130} = 424.531\ \frac{\mathrm{kg}}{\mathrm{K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{s\,K}} = 24.2125 \cdot 10^{-10}$	1 Ni'uPa-$\frac{M}{T\Theta} = 10^{-10} = 0.0211052\ \frac{\mathrm{kg}}{\mathrm{s\,K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{s^2\,K}} = 0.531424 \cdot 10^{-140}$	1 Ni'uPaVo-$\frac{M}{T^2\Theta} = 10^{-140} = 1.02533\ \frac{\mathrm{kg}}{\mathrm{s^2\,K}}$
$1\,\frac{\mathrm{kg\,s}}{\mathrm{K}} = 0.0354335 \cdot 10^{300}$	1 CiNo-$\frac{MT}{\Theta} = 10^{300} = 13.0310\ \frac{\mathrm{kg\,s}}{\mathrm{K}}$
$1\,\frac{\mathrm{kg\,m}}{\mathrm{K}} = 0.444325 \cdot 10^{240}$	1 ReVo-$\frac{ML}{\Theta} = 10^{240} = 1.13021\ \frac{\mathrm{kg\,m}}{\mathrm{K}}$
$1\,\frac{\mathrm{kg\,m}}{\mathrm{s\,K}} = 0.0134251 \cdot 10^{110}$	1 PaPa-$\frac{ML}{T\Theta} = 10^{110} = 34.0550\ \frac{\mathrm{kg\,m}}{\mathrm{s\,K}}$ (*)
$1\,\frac{\mathrm{kg\,m}}{\mathrm{s^2\,K}} = 314.520 \cdot 10^{-30}$	1 Ni'uRe-$\frac{ML}{T^2\Theta} = 10^{-20} = 1452.23\ \frac{\mathrm{kg\,m}}{\mathrm{s^2\,K}}$
$1\,\frac{\mathrm{kg\,m\,s}}{\mathrm{K}} = 22.0515 \cdot 10^{410}$	1 VoPa-$\frac{MLT}{\Theta} = 10^{410} = 0.0231335\ \frac{\mathrm{kg\,m\,s}}{\mathrm{K}}$
$1\,\frac{\mathrm{kg\,m^2}}{\mathrm{K}} = 250.420 \cdot 10^{350}$	1 VoNo-$\frac{ML^2}{\Theta} = 10^{400} = 2034.11\ \frac{\mathrm{kg\,m^2}}{\mathrm{K}}$
$1\,\frac{\mathrm{kg\,m^2}}{\mathrm{s\,K}} = 5.44503 \cdot 10^{220}$	1 ReRe-$\frac{ML^2}{T\Theta} = 10^{220} = 0.101122\ \frac{\mathrm{kg\,m^2}}{\mathrm{s\,K}}$
$1\,\frac{\mathrm{kg\,m^2}}{\mathrm{s^2\,K}} = 0.154434 \cdot 10^{50}$	1 Mu-$\frac{ML^2}{T^2\Theta} = 10^{50} = 3.01514\ \frac{\mathrm{kg\,m^2}}{\mathrm{s^2\,K}}$
$1\,\frac{\mathrm{kg\,m^2\,s}}{\mathrm{K}} = 0.0122305 \cdot 10^{530}$	1 MuCi-$\frac{ML^2T}{\Theta} = 10^{530} = 41.3523\ \frac{\mathrm{kg\,m^2\,s}}{\mathrm{K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m\,K}} = 2.13103 \cdot 10^{10}$	1 Pa-$\frac{M}{L\Theta} = 10^{10} = 0.235441\ \frac{\mathrm{kg}}{\mathrm{m\,K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m\,s\,K}} = 0.0433015 \cdot 10^{-120}$	1 Ni'uPaRe-$\frac{M}{LT\Theta} = 10^{-120} = 11.5040\ \frac{\mathrm{kg}}{\mathrm{m\,s\,K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m\,s^2\,K}} = 1315.32 \cdot 10^{-300}$	1 Ni'uReMu-$\frac{M}{LT^2\Theta} = 10^{-250} = 351.012\ \frac{\mathrm{kg}}{\mathrm{m\,s^2\,K}}$
$1\,\frac{\mathrm{kg\,s}}{\mathrm{m\,K}} = 103.533 \cdot 10^{140}$	1 PaVo-$\frac{MT}{L\Theta} = 10^{140} = 0.00522424\ \frac{\mathrm{kg\,s}}{\mathrm{m\,K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m^2\,K}} = 0.00344220 \cdot 10^{-100}$	1 Ni'uPaNo-$\frac{M}{L^2\Theta} = 10^{-100} = 133.003\ \frac{\mathrm{kg}}{\mathrm{m^2\,K}}$ (*)
$1\,\frac{\mathrm{kg}}{\mathrm{m^2\,s\,K}} = 114.115 \cdot 10^{-240}$	1 Ni'uReVo-$\frac{M}{L^2T\Theta} = 10^{-240} = 0.00440131\ \frac{\mathrm{kg}}{\mathrm{m^2\,s\,K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m^2\,s^2\,K}} = 2.33544 \cdot 10^{-410}$	1 Ni'uVoPa-$\frac{M}{L^2T^2\Theta} = 10^{-410} = 0.214432\ \frac{\mathrm{kg}}{\mathrm{m^2\,s^2\,K}}$
$1\,\frac{\mathrm{kg\,s}}{\mathrm{m^2\,K}} = 0.151030 \cdot 10^{30}$	1 Ci-$\frac{MT}{L^2\Theta} = 10^{30} = 3.11525\ \frac{\mathrm{kg\,s}}{\mathrm{m^2\,K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m^3\,K}} = 10.2105 \cdot 10^{-220}$	1 Ni'uReRe-$\frac{M}{L^3\Theta} = 10^{-220} = 0.0535341\ \frac{\mathrm{kg}}{\mathrm{m^3\,K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m^3\,s\,K}} = 0.205351 \cdot 10^{-350}$	1 Ni'uCiMu-$\frac{M}{L^3T\Theta} = 10^{-350} = 2.44053\ \frac{\mathrm{kg}}{\mathrm{m^3\,s\,K}}$
$1\,\frac{\mathrm{kg}}{\mathrm{m^3\,s^2\,K}} = 0.00421505 \cdot 10^{-520}$	1 Ni'uMuRe-$\frac{M}{L^3T^2\Theta} = 10^{-520} = 121.132\ \frac{\mathrm{kg}}{\mathrm{m^3\,s^2\,K}}$
$1\,\frac{\mathrm{kg\,s}}{\mathrm{m^3\,K}} = 304.412 \cdot 10^{-50}$	1 Ni'uVo-$\frac{MT}{L^3\Theta} = 10^{-40} = 1525.55\ \frac{\mathrm{kg\,s}}{\mathrm{m^3\,K}}$ (*)
$1\,\mathrm{K} = 3.22140 \cdot 10^{-110}$	1 Ni'uPaPa-$\Theta = 10^{-110} = 0.143332\ \mathrm{K}$
$1\,\frac{\mathrm{K}}{\mathrm{s}} = 0.105234 \cdot 10^{-240}$	1 Ni'uReVo-$\frac{\Theta}{T} = 10^{-240} = 5.11401\ \frac{\mathrm{K}}{\mathrm{s}}$
$1\,\frac{\mathrm{K}}{\mathrm{s^2}} = 2201.24 \cdot 10^{-420}$	1 Ni'uVoPa-$\frac{\Theta}{T^2} = 10^{-410} = 232.150\ \frac{\mathrm{K}}{\mathrm{s^2}}$
$1\,\mathrm{s\,K} = 140.051 \cdot 10^{20}$	1 Re-$T\Theta = 10^{20} = 0.00333143\ \mathrm{s\,K}$
$1\,\mathrm{m\,K} = 2004.41 \cdot 10^{0}$ (*)	1 Pa-$L\Theta = 10^{10} = 254.501\ \mathrm{m\,K}$
$1\,\frac{\mathrm{m\,K}}{\mathrm{s}} = 40.3551 \cdot 10^{-130}$ (*)	1 Ni'uPaCi-$\frac{L\Theta}{T} = 10^{-130} = 0.0124315\ \frac{\mathrm{m\,K}}{\mathrm{s}}$
$1\,\frac{\mathrm{m\,K}}{\mathrm{s^2}} = 1.22051 \cdot 10^{-300}$	1 Ni'uCiNo-$\frac{L\Theta}{T^2} = 10^{-300} = 0.415025\ \frac{\mathrm{m\,K}}{\mathrm{s^2}}$
$1\,\mathrm{m\,s\,K} = 0.0554444 \cdot 10^{140}$ (*)	1 PaVo-$LT\Theta = 10^{140} = 10.0112\ \mathrm{m\,s\,K}$
$1\,\mathrm{m^2\,K} = 1.11154 \cdot 10^{120}$	1 PaRe-$L^2\Theta = 10^{120} = 0.455254\ \mathrm{m^2\,K}$ (*)
$1\,\frac{\mathrm{m^2\,K}}{\mathrm{s}} = 0.0224025 \cdot 10^{-10}$	1 Ni'uPa-$\frac{L^2\Theta}{T} = 10^{-10} = 22.4141\ \frac{\mathrm{m^2\,K}}{\mathrm{s}}$
$1\,\frac{\mathrm{m^2\,K}}{\mathrm{s^2}} = 455.024 \cdot 10^{-150}$ (*)	1 Ni'uPaVo-$\frac{L^2\Theta}{T^2} = 10^{-140} = 1112.31\ \frac{\mathrm{m^2\,K}}{\mathrm{s^2}}$
$1\,\mathrm{m^2\,s\,K} = 33.1504 \cdot 10^{250}$	1 ReMu-$L^2T\Theta = 10^{250} = 0.0140453\ \mathrm{m^2\,s\,K}$
$1\,\frac{\mathrm{K}}{\mathrm{m}} = 0.00541233 \cdot 10^{-220}$	1 Ni'uReRe-$\frac{\Theta}{L} = 10^{-220} = 101.504\ \frac{\mathrm{K}}{\mathrm{m}}$
$1\,\frac{\mathrm{K}}{\mathrm{m\,s}} = 153.340 \cdot 10^{-400}$	1 Ni'uVoNo-$\frac{\Theta}{LT} = 10^{-400} = 0.00303413\ \frac{\mathrm{K}}{\mathrm{m\,s}}$
$1\,\frac{\mathrm{K}}{\mathrm{m\,s^2}} = 3.53310 \cdot 10^{-530}$	1 Ni'uMuCi-$\frac{\Theta}{LT^2} = 10^{-530} = 0.130540\ \frac{\mathrm{K}}{\mathrm{m\,s^2}}$
$1\,\frac{\mathrm{s\,K}}{\mathrm{m}} = 0.245013 \cdot 10^{-50}$	1 Ni'uMu-$\frac{T\Theta}{L} = 10^{-50} = 2.04543\ \frac{\mathrm{s\,K}}{\mathrm{m}}$
$1\,\frac{\mathrm{K}}{\mathrm{m^2}} = 13.3305 \cdot 10^{-340}$	1 Ni'uCiVo-$\frac{\Theta}{L^2} = 10^{-340} = 0.0343104\ \frac{\mathrm{K}}{\mathrm{m^2}}$
$1\,\frac{\mathrm{K}}{\mathrm{m^2\,s}} = 0.312541 \cdot 10^{-510}$	1 Ni'uMuPa-$\frac{\Theta}{L^2T} = 10^{-510} = 1.50254\ \frac{\mathrm{K}}{\mathrm{m^2\,s}}$
$1\,\frac{\mathrm{K}}{\mathrm{m^2\,s^2}} = 0.0103344 \cdot 10^{-1040}$	1 Ni'uPaNoVo-$\frac{\Theta}{L^2T^2} = 10^{-1040} = 52.4121\ \frac{\mathrm{K}}{\mathrm{m^2\,s^2}}$
$1\,\frac{\mathrm{s\,K}}{\mathrm{m^2}} = 441.431 \cdot 10^{-210}$	1 Ni'uReNo-$\frac{T\Theta}{L^2} = 10^{-200} = 1134.50\ \frac{\mathrm{s\,K}}{\mathrm{m^2}}$
$1\,\frac{\mathrm{K}}{\mathrm{m^3}} = 0.0240350 \cdot 10^{-450}$	1 Ni'uVoMu-$\frac{\Theta}{L^3} = 10^{-450} = 21.2244\ \frac{\mathrm{K}}{\mathrm{m^3}}$
$1\,\frac{\mathrm{K}}{\mathrm{m^3\,s}} = 524.251 \cdot 10^{-1030}$	1 Ni'uPaNoRe-$\frac{\Theta}{L^3T} = 10^{-1020} = 1033.25\ \frac{\mathrm{K}}{\mathrm{m^3\,s}}$
$1\,\frac{\mathrm{K}}{\mathrm{m^3\,s^2}} = 15.0324 \cdot 10^{-1200}$	1 Ni'uPaReNo-$\frac{\Theta}{L^3T^2} = 10^{-1200} = 0.0312445\ \frac{\mathrm{K}}{\mathrm{m^3\,s^2}}$

$1\frac{\mathrm{s\,K}}{\mathrm{m^3}} = 1.15311 \cdot 10^{-320}$ | 1 Ni'uCiRe-$\frac{T\Theta}{L^3} = 10^{-320} = 0.431332\ \frac{\mathrm{s\,K}}{\mathrm{m^3}}$

$1\,\mathrm{kg\,K} = 0.0232530 \cdot 10^{-50}$ | 1 Ni'uMu-$M\Theta = 10^{-50} = 21.5405\ \mathrm{kg\,K}$

$1\frac{\mathrm{kg\,K}}{\mathrm{s}} = 512.524 \cdot 10^{-230}$ | 1 Ni'uReRe-$\frac{M\Theta}{T} = 10^{-220} = 1050.55\ \frac{\mathrm{kg\,K}}{\mathrm{s}}$ (*)

$1\frac{\mathrm{kg\,K}}{\mathrm{s^2}} = 14.4003 \cdot 10^{-400}$ (*) | 1 Ni'uVoNo-$\frac{M\Theta}{T^2} = 10^{-400} = 0.0321251\ \frac{\mathrm{kg\,K}}{\mathrm{s^2}}$

$1\,\mathrm{kg\,s\,K} = 1.13412 \cdot 10^{40}$ | 1 Vo-$MT\Theta = 10^{40} = 0.442052\ \mathrm{kg\,s\,K}$

$1\,\mathrm{kg\,m\,K} = 13.1150 \cdot 10^{20}$ | 1 Re-$ML\Theta = 10^{20} = 0.0352333\ \mathrm{kg\,m\,K}$

$1\frac{\mathrm{kg\,m\,K}}{\mathrm{s}} = 0.304240 \cdot 10^{-110}$ | 1 Ni'uPaPa-$\frac{ML\Theta}{T} = 10^{-110} = 1.53053\ \frac{\mathrm{kg\,m\,K}}{\mathrm{s}}$

$1\frac{\mathrm{kg\,m\,K}}{\mathrm{s^2}} = 0.0102034 \cdot 10^{-240}$ | 1 Ni'uReVo-$\frac{ML\Theta}{T^2} = 10^{-240} = 54.0030\ \frac{\mathrm{kg\,m\,K}}{\mathrm{s^2}}$ (*)

$1\,\mathrm{kg\,m\,s\,K} = 431.115 \cdot 10^{150}$ | 1 ReNo-$MLT\Theta = 10^{200} = 1153.51\ \mathrm{kg\,m\,s\,K}$

$1\,\mathrm{kg\,m^2\,K} = 0.00525304 \cdot 10^{140}$ | 1 PaVo-$ML^2\Theta = 10^{140} = 103.212\ \mathrm{kg\,m^2\,K}$

$1\frac{\mathrm{kg\,m^2\,K}}{\mathrm{s}} = 150.533 \cdot 10^{0}$ | $1\ \frac{ML^2\Theta}{T} = 1 = 0.00312103\ \frac{\mathrm{kg\,m^2\,K}}{\mathrm{s}}$

$1\frac{\mathrm{kg\,m^2\,K}}{\mathrm{s^2}} = 3.44024 \cdot 10^{-130}$ | 1 Ni'uPaCi-$\frac{ML^2\Theta}{T^2} = 10^{-130} = 0.133051\ \frac{\mathrm{kg\,m^2\,K}}{\mathrm{s^2}}$

$1\,\mathrm{kg\,m^2\,s\,K} = 0.241053 \cdot 10^{310}$ | 1 CiPa-$ML^2T\Theta = 10^{310} = 2.12012\ \mathrm{kg\,m^2\,s\,K}$

$1\frac{\mathrm{kg\,K}}{\mathrm{m}} = 42.0034 \cdot 10^{-210}$ (*) | 1 Ni'uRePa-$\frac{M\Theta}{L} = 10^{-210} = 0.0121452\ \frac{\mathrm{kg\,K}}{\mathrm{m}}$

$1\frac{\mathrm{kg\,K}}{\mathrm{m\,s}} = 1.24521 \cdot 10^{-340}$ | 1 Ni'uCiVo-$\frac{M\Theta}{LT} = 10^{-340} = 0.403002\ \frac{\mathrm{kg\,K}}{\mathrm{m\,s}}$ (*)

$1\frac{\mathrm{kg\,K}}{\mathrm{m\,s^2}} = 0.0255313 \cdot 10^{-510}$ (*) | 1 Ni'uMuPa-$\frac{M\Theta}{LT^2} = 10^{-510} = 20.0150\ \frac{\mathrm{kg\,K}}{\mathrm{m\,s^2}}$

$1\frac{\mathrm{kg\,s\,K}}{\mathrm{m}} = 2044.41 \cdot 10^{-40}$ | 1 Ni'uCi-$\frac{MT\Theta}{L} = 10^{-30} = 245.140\ \frac{\mathrm{kg\,s\,K}}{\mathrm{m}}$

$1\frac{\mathrm{kg\,K}}{\mathrm{m^2}} = 0.111413 \cdot 10^{-320}$ | 1 Ni'uCiRe-$\frac{M\Theta}{L^2} = 10^{-320} = 4.53523\ \frac{\mathrm{kg\,K}}{\mathrm{m^2}}$

$1\frac{\mathrm{kg\,K}}{\mathrm{m^2\,s}} = 2245.11 \cdot 10^{-500}$ | 1 Ni'uVoMu-$\frac{M\Theta}{L^2T} = 10^{-450} = 223.301\ \frac{\mathrm{kg\,K}}{\mathrm{m^2\,s}}$

$1\frac{\mathrm{kg\,K}}{\mathrm{m^2\,s^2}} = 50.0401 \cdot 10^{-1030}$ | 1 Ni'uPaNoCi-$\frac{M\Theta}{L^2T^2} = 10^{-1030} = 0.0111012\ \frac{\mathrm{kg\,K}}{\mathrm{m^2\,s^2}}$

$1\frac{\mathrm{kg\,s\,K}}{\mathrm{m^2}} = 3.32555 \cdot 10^{-150}$ (**) | 1 Ni'uPaMu-$\frac{MT\Theta}{L^2} = 10^{-150} = 0.140141\ \frac{\mathrm{kg\,s\,K}}{\mathrm{m^2}}$

$1\frac{\mathrm{kg\,K}}{\mathrm{m^3}} = 201.233 \cdot 10^{-440}$ | 1 Ni'uVoVo-$\frac{M\Theta}{L^3} = 10^{-440} = 0.00253521\ \frac{\mathrm{kg\,K}}{\mathrm{m^3}}$

$1\frac{\mathrm{kg\,K}}{\mathrm{m^3\,s}} = 4.05144 \cdot 10^{-1010}$ | 1 Ni'uPaNoPa-$\frac{M\Theta}{L^3T} = 10^{-1010} = 0.124030\ \frac{\mathrm{kg\,K}}{\mathrm{m^3\,s}}$

$1\frac{\mathrm{kg\,K}}{\mathrm{m^3\,s^2}} = 0.122331 \cdot 10^{-1140}$ | 1 Ni'uPaPaVo-$\frac{M\Theta}{L^3T^2} = 10^{-1140} = 4.13413\ \frac{\mathrm{kg\,K}}{\mathrm{m^3\,s^2}}$

$1\frac{\mathrm{kg\,s\,K}}{\mathrm{m^3}} = 0.0100042 \cdot 10^{-300}$ (**) | 1 Ni'uCiNo-$\frac{MT\Theta}{L^3} = 10^{-300} = 55.5143\ \frac{\mathrm{kg\,s\,K}}{\mathrm{m^3}}$ (*)

$1\frac{\mathrm{K}}{\mathrm{C}} = 12.3032 \cdot 10^{-150}$ | 1 Ni'uPaMu-$\frac{\Theta}{Q} = 10^{-150} = 0.0412110\ \frac{\mathrm{K}}{\mathrm{C}}$

$1\frac{\mathrm{K}}{\mathrm{s\,C}} = 0.251513 \cdot 10^{-320}$ | 1 Ni'uCiRe-$\frac{\Theta}{TQ} = 10^{-320} = 2.02510\ \frac{\mathrm{K}}{\mathrm{s\,C}}$

$1\frac{\mathrm{K}}{\mathrm{s^2\,C}} = 5511.05 \cdot 10^{-500}$ (*) | 1 Ni'uVoMu-$\frac{\Theta}{T^2Q} = 10^{-450} = 100.453\ \frac{\mathrm{K}}{\mathrm{s^2\,C}}$ (*)

$1\frac{\mathrm{s\,K}}{\mathrm{C}} = 410.441 \cdot 10^{-20}$ | 1 Ni'uRe-$\frac{T\Theta}{Q} = 10^{-20} = 0.00123323\ \frac{\mathrm{s\,K}}{\mathrm{C}}$

$1\frac{\mathrm{m\,K}}{\mathrm{C}} = 5022.45 \cdot 10^{-40}$ | 1 Ni'uCi-$\frac{L\Theta}{Q} = 10^{-30} = 110.341\ \frac{\mathrm{m\,K}}{\mathrm{C}}$

$1\frac{\mathrm{m\,K}}{\mathrm{s\,C}} = 141.455 \cdot 10^{-210}$ (*) | 1 Ni'uReNo-$\frac{L\Theta}{TQ} = 10^{-200} = 3254.33\ \frac{\mathrm{m\,K}}{\mathrm{s\,C}}$

$1\frac{\mathrm{m\,K}}{\mathrm{s^2\,C}} = 3.25412 \cdot 10^{-340}$ | 1 Ni'uCiVo-$\frac{L\Theta}{T^2Q} = 10^{-340} = 0.141505\ \frac{\mathrm{m\,K}}{\mathrm{s^2\,C}}$

$1\frac{\mathrm{m\,s\,K}}{\mathrm{C}} = 0.225430 \cdot 10^{100}$ | 1 PaNo-$\frac{LT\Theta}{Q} = 10^{100} = 2.22351\ \frac{\mathrm{m\,s\,K}}{\mathrm{C}}$

$1\frac{\mathrm{m^2\,K}}{\mathrm{C}} = 3.00340 \cdot 10^{40}$ (*) | 1 Vo-$\frac{L^2\Theta}{Q} = 10^{40} = 0.155333\ \frac{\mathrm{m^2\,K}}{\mathrm{C}}$ (*)

$1\frac{\mathrm{m^2\,K}}{\mathrm{s\,C}} = 0.100445 \cdot 10^{-50}$ (*) | 1 Ni'uMu-$\frac{L^2\Theta}{TQ} = 10^{-50} = 5.51142\ \frac{\mathrm{m^2\,K}}{\mathrm{s\,C}}$

$1\frac{\mathrm{m^2\,K}}{\mathrm{s^2\,C}} = 0.00202454 \cdot 10^{-220}$ | 1 Ni'uReRe-$\frac{L^2\Theta}{T^2Q} = 10^{-220} = 251.532\ \frac{\mathrm{m^2\,K}}{\mathrm{s^2\,C}}$

$1\frac{\mathrm{m^2\,s\,K}}{\mathrm{C}} = 125.231 \cdot 10^{210}$ | 1 ReRe-$\frac{L^2T\Theta}{Q} = 10^{220} = 4013.21\ \frac{\mathrm{m^2\,s\,K}}{\mathrm{C}}$

$1\frac{\mathrm{K}}{\mathrm{m\,C}} = 0.0221501 \cdot 10^{-300}$ | 1 Ni'uCiNo-$\frac{\Theta}{LQ} = 10^{-300} = 23.0332\ \frac{\mathrm{K}}{\mathrm{m\,C}}$

$1\frac{\mathrm{K}}{\mathrm{m\,s\,C}} = 450.303 \cdot 10^{-440}$ | 1 Ni'uVoVo-$\frac{\Theta}{LTQ} = 10^{-440} = 0.00112321\ \frac{\mathrm{K}}{\mathrm{m\,s\,C}}$

$1\frac{\mathrm{K}}{\mathrm{m\,s^2\,C}} = 13.5045 \cdot 10^{-1010}$ | 1 Ni'uPaNoPa-$\frac{\Theta}{LT^2Q} = 10^{-1010} = 0.0335300\ \frac{\mathrm{K}}{\mathrm{m\,s^2\,C}}$ (*)

$1\frac{\mathrm{s\,K}}{\mathrm{m\,C}} = 1.10115 \cdot 10^{-130}$ | 1 Ni'uPaCi-$\frac{T\Theta}{LQ} = 10^{-130} = 0.504103\ \frac{\mathrm{s\,K}}{\mathrm{m\,C}}$

$1\frac{\mathrm{K}}{\mathrm{m^2\,C}} = 40.0113 \cdot 10^{-420}$ | 1 Ni'uVoRe-$\frac{\Theta}{L^2Q} = 10^{-420} = 0.0125531\ \frac{\mathrm{K}}{\mathrm{m^2\,C}}$ (*)

$1\frac{\mathrm{K}}{\mathrm{m^2\,s\,C}} = 1.20511 \cdot 10^{-550}$ | 1 Ni'uMuMu-$\frac{\Theta}{L^2TQ} = 10^{-550} = 0.423045\ \frac{\mathrm{K}}{\mathrm{m^2\,s\,C}}$

$1\frac{\mathrm{K}}{\mathrm{m^2\,s^2\,C}} = 0.0243203 \cdot 10^{-1120}$ | 1 Ni'uPaPaRe-$\frac{\Theta}{L^2T^2Q} = 10^{-1120} = 21.0135\ \frac{\mathrm{K}}{\mathrm{m^2\,s^2\,C}}$

$1\frac{\mathrm{s\,K}}{\mathrm{m^2\,C}} = 0.00154533 \cdot 10^{-240}$ | 1 Ni'uReVo-$\frac{T\Theta}{L^2Q} = 10^{-240} = 301.344\ \frac{\mathrm{s\,K}}{\mathrm{m^2\,C}}$

$1\frac{\mathrm{K}}{\mathrm{m^3\,C}} = 0.104214 \cdot 10^{-530}$ | 1 Ni'uMuCi-$\frac{\Theta}{L^3Q} = 10^{-530} = 5.20325\ \frac{\mathrm{K}}{\mathrm{m^3\,C}}$

$1\frac{\mathrm{K}}{\mathrm{m^3\,s\,C}} = 0.00214032 \cdot 10^{-1100}$ | 1 Ni'uPaPaNo-$\frac{\Theta}{L^3TQ} = 10^{-1100} = 234.420\ \frac{\mathrm{K}}{\mathrm{m^3\,s\,C}}$

$1\frac{\mathrm{K}}{\mathrm{m^3\,s^2\,C}} = 43.4523 \cdot 10^{-1240}$ | 1 Ni'uPaReVo-$\frac{\Theta}{L^3T^2Q} = 10^{-1240} = 0.0114331\ \frac{\mathrm{K}}{\mathrm{m^3\,s^2\,C}}$

$1\,\frac{\mathrm{s\,K}}{\mathrm{m^3\,C}} = 3.15055 \cdot 10^{-400}$ (*)	1 Ni'uVoNo-$\frac{T\Theta}{L^3Q} = 10^{-400} = 0.145131\,\frac{\mathrm{s\,K}}{\mathrm{m^3\,C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{C}} = 0.102454 \cdot 10^{-130}$	1 Ni'uPaCi-$\frac{M\Theta}{Q} = 10^{-130} = 5.32143\,\frac{\mathrm{kg\,K}}{\mathrm{C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{s\,C}} = 0.00210533 \cdot 10^{-300}$	1 Ni'uCiNo-$\frac{M\Theta}{TQ} = 10^{-300} = 242.303\,\frac{\mathrm{kg\,K}}{\mathrm{s\,C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{s^2\,C}} = 42.4251 \cdot 10^{-440}$	1 Ni'uVoVo-$\frac{M\Theta}{T^2Q} = 10^{-440} = 0.0120242\,\frac{\mathrm{kg\,K}}{\mathrm{s^2\,C}}$
$1\,\frac{\mathrm{kg\,s\,K}}{\mathrm{C}} = 3.10324$	$1\,\frac{MT\Theta}{Q} = 1 = 0.151512\,\frac{\mathrm{kg\,s\,K}}{\mathrm{C}}$
$1\,\frac{\mathrm{kg\,m\,K}}{\mathrm{C}} = 35.0353 \cdot 10^{-20}$	1 Ni'uRe-$\frac{ML\Theta}{Q} = 10^{-20} = 0.0132030\,\frac{\mathrm{kg\,m\,K}}{\mathrm{C}}$
$1\,\frac{\mathrm{kg\,m\,K}}{\mathrm{s\,C}} = 1.14552 \cdot 10^{-150}$ (*)	1 Ni'uPaMu-$\frac{ML\Theta}{TQ} = 10^{-150} = 0.433302\,\frac{\mathrm{kg\,m\,K}}{\mathrm{s\,C}}$
$1\,\frac{\mathrm{kg\,m\,K}}{\mathrm{s^2\,C}} = 0.0235304 \cdot 10^{-320}$	1 Ni'uCiRe-$\frac{ML\Theta}{T^2Q} = 10^{-320} = 21.3224\,\frac{\mathrm{kg\,m\,K}}{\mathrm{s^2\,C}}$
$1\,\frac{\mathrm{kg\,m\,s\,K}}{\mathrm{C}} = 0.00152111 \cdot 10^{120}$	1 PaRe-$\frac{MLT\Theta}{Q} = 10^{120} = 310.005\,\frac{\mathrm{kg\,m\,s\,K}}{\mathrm{C}}$ (*)
$1\,\frac{\mathrm{kg\,m^2\,K}}{\mathrm{C}} = 0.0214311 \cdot 10^{100}$	1 PaNo-$\frac{ML^2\Theta}{Q} = 10^{100} = 23.4115\,\frac{\mathrm{kg\,m^2\,K}}{\mathrm{C}}$
$1\,\frac{\mathrm{kg\,m^2\,K}}{\mathrm{s\,C}} = 435.443 \cdot 10^{-40}$	1 Ni'uVo-$\frac{ML^2\Theta}{TQ} = 10^{-40} = 0.00114202\,\frac{\mathrm{kg\,m^2\,K}}{\mathrm{s\,C}}$
$1\,\frac{\mathrm{kg\,m^2\,K}}{\mathrm{s^2\,C}} = 13.2505 \cdot 10^{-210}$	1 Ni'uRePa-$\frac{ML^2\Theta}{T^2Q} = 10^{-210} = 0.0344433\,\frac{\mathrm{kg\,m^2\,K}}{\mathrm{s^2\,C}}$
$1\,\frac{\mathrm{kg\,m^2\,s\,K}}{\mathrm{C}} = 1.04332 \cdot 10^{230}$	1 ReCi-$\frac{ML^2T\Theta}{Q} = 10^{230} = 0.515321\,\frac{\mathrm{kg\,m^2\,s\,K}}{\mathrm{C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{m\,C}} = 145.120 \cdot 10^{-250}$	1 Ni'uReVo-$\frac{M\Theta}{LQ} = 10^{-240} = 3151.15\,\frac{\mathrm{kg\,K}}{\mathrm{m\,C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{m\,s\,C}} = 3.40335 \cdot 10^{-420}$	1 Ni'uVoRe-$\frac{M\Theta}{LTQ} = 10^{-420} = 0.134350\,\frac{\mathrm{kg\,K}}{\mathrm{m\,s\,C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{m\,s^2\,C}} = 0.112534 \cdot 10^{-550}$	1 Ni'uMuMu-$\frac{M\Theta}{LT^2Q} = 10^{-550} = 4.45015\,\frac{\mathrm{kg\,K}}{\mathrm{m\,s^2\,C}}$
$1\,\frac{\mathrm{kg\,s\,K}}{\mathrm{m\,C}} = 5202.53 \cdot 10^{-120}$	1 Ni'uPaPa-$\frac{MT\Theta}{LQ} = 10^{-110} = 104.222\,\frac{\mathrm{kg\,s\,K}}{\mathrm{m\,C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{m^2\,C}} = 0.301325 \cdot 10^{-400}$	1 Ni'uVoNo-$\frac{M\Theta}{L^2Q} = 10^{-400} = 1.54544\,\frac{\mathrm{kg\,K}}{\mathrm{m^2\,C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{m^2\,s\,C}} = 0.0101044 \cdot 10^{-530}$	1 Ni'uMuCi-$\frac{M\Theta}{L^2TQ} = 10^{-530} = 54.5231\,\frac{\mathrm{kg\,K}}{\mathrm{m^2\,s\,C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{m^2\,s^2\,C}} = 203.254 \cdot 10^{-1110}$	1 Ni'uPaPaNo-$\frac{M\Theta}{L^2T^2Q} = 10^{-1100} = 2510.01\,\frac{\mathrm{kg\,K}}{\mathrm{m^2\,s^2\,C}}$
$1\,\frac{\mathrm{kg\,s\,K}}{\mathrm{m^2\,C}} = 12.5522 \cdot 10^{-230}$ (*)	1 Ni'uReCi-$\frac{MT\Theta}{L^2Q} = 10^{-230} = 0.0400135\,\frac{\mathrm{kg\,s\,K}}{\mathrm{m^2\,C}}$ (*)
$1\,\frac{\mathrm{kg\,K}}{\mathrm{m^3\,C}} = 504.033 \cdot 10^{-520}$	1 Ni'uMuRe-$\frac{M\Theta}{L^3Q} = 10^{-520} = 0.00110124\,\frac{\mathrm{kg\,K}}{\mathrm{m^3\,C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{m^3\,s\,C}} = 14.2214 \cdot 10^{-1050}$	1 Ni'uPaNoMu-$\frac{M\Theta}{L^3TQ} = 10^{-1050} = 0.0324353\,\frac{\mathrm{kg\,K}}{\mathrm{m^3\,s\,C}}$
$1\,\frac{\mathrm{kg\,K}}{\mathrm{m^3\,s^2\,C}} = 0.330455 \cdot 10^{-1220}$ (*)	1 Ni'uPaReRe-$\frac{M\Theta}{L^3T^2Q} = 10^{-1220} = 1.41151\,\frac{\mathrm{kg\,K}}{\mathrm{m^3\,s^2\,C}}$
$1\,\frac{\mathrm{kg\,s\,K}}{\mathrm{m^3\,C}} = 0.0230315 \cdot 10^{-340}$	1 Ni'uCiVo-$\frac{MT\Theta}{L^3Q} = 10^{-340} = 22.1513\,\frac{\mathrm{kg\,s\,K}}{\mathrm{m^3\,C}}$
$1\,\mathrm{C\,K} = 1.20435 \cdot 10^{-30}$	1 Ni'uCi-$Q\Theta = 10^{-30} = 0.423232\,\mathrm{C\,K}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{s}} = 0.0243100 \cdot 10^{-200}$ (*)	1 Ni'uReNo-$\frac{Q\Theta}{T} = 10^{-200} = 21.0230\,\frac{\mathrm{C\,K}}{\mathrm{s}}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{s^2}} = 533.340 \cdot 10^{-340}$	1 Ni'uCiVo-$\frac{Q\Theta}{T^2} = 10^{-340} = 0.00102323\,\frac{\mathrm{C\,K}}{\mathrm{s^2}}$
$1\,\mathrm{s\,C\,K} = 35.5540 \cdot 10^{100}$ (*)	1 PaNo-$TQ\Theta = 10^{100} = 0.0130005\,\mathrm{s\,C\,K}$ (**)
$1\,\mathrm{m\,C\,K} = 450.110 \cdot 10^{40}$	1 Vo-$LQ\Theta = 10^{40} = 0.00112350\,\mathrm{m\,C\,K}$
$1\,\frac{\mathrm{m\,C\,K}}{\mathrm{s}} = 13.5010 \cdot 10^{-50}$	1 Ni'uMu-$\frac{LQ\Theta}{T} = 10^{-50} = 0.0335424\,\frac{\mathrm{m\,C\,K}}{\mathrm{s}}$
$1\,\frac{\mathrm{m\,C\,K}}{\mathrm{s^2}} = 0.320001 \cdot 10^{-220}$ (**)	1 Ni'uReRe-$\frac{LQ\Theta}{T^2} = 10^{-220} = 1.44444\,\frac{\mathrm{m\,C\,K}}{\mathrm{s^2}}$
$1\,\mathrm{m\,s\,C\,K} = 0.0221403 \cdot 10^{220}$	1 ReRe-$LTQ\Theta = 10^{220} = 23.0432\,\mathrm{m\,s\,C\,K}$
$1\,\mathrm{m^2\,C\,K} = 0.251404 \cdot 10^{200}$	1 ReNo-$L^2Q\Theta = 10^{200} = 2.02555\,\mathrm{m^2\,C\,K}$ (**)
$1\,\frac{\mathrm{m^2\,C\,K}}{\mathrm{s}} = 5504.45 \cdot 10^{20}$ (*)	1 Ci-$\frac{L^2Q\Theta}{T} = 10^{30} = 100.520\,\frac{\mathrm{m^2\,C\,K}}{\mathrm{s}}$ (*)
$1\,\frac{\mathrm{m^2\,C\,K}}{\mathrm{s^2}} = 155.233 \cdot 10^{-110}$ (*)	1 Ni'uPaNo-$\frac{L^2Q\Theta}{T^2} = 10^{-100} = 3005.10\,\frac{\mathrm{m^2\,C\,K}}{\mathrm{s^2}}$ (*)
$1\,\mathrm{m^2\,s\,C\,K} = 12.3000 \cdot 10^{330}$ (**)	1 CiCi-$L^2TQ\Theta = 10^{330} = 0.0412251\,\mathrm{m^2\,s\,C\,K}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{m}} = 0.00213540 \cdot 10^{-140}$	1 Ni'uPaVo-$\frac{Q\Theta}{L} = 10^{-140} = 234.521\,\frac{\mathrm{C\,K}}{\mathrm{m}}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{m\,s}} = 43.4334 \cdot 10^{-320}$	1 Ni'uCiRe-$\frac{Q\Theta}{LT} = 10^{-320} = 0.0114402\,\frac{\mathrm{C\,K}}{\mathrm{m\,s}}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{m\,s^2}} = 1.32242 \cdot 10^{-450}$	1 Ni'uVoMu-$\frac{Q\Theta}{LT^2} = 10^{-450} = 0.345425\,\frac{\mathrm{C\,K}}{\mathrm{m\,s^2}}$
$1\,\frac{\mathrm{s\,C\,K}}{\mathrm{m}} = 0.104150 \cdot 10^{-10}$	1 Ni'uPa-$\frac{TQ\Theta}{L} = 10^{-10} = 5.20533\,\frac{\mathrm{s\,C\,K}}{\mathrm{m}}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{m^2}} = 3.45400 \cdot 10^{-300}$ (*)	1 Ni'uCiNo-$\frac{Q\Theta}{L^2} = 10^{-300} = 0.132253\,\frac{\mathrm{C\,K}}{\mathrm{m^2}}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{m^2\,s}} = 0.114352 \cdot 10^{-430}$	1 Ni'uVoCi-$\frac{Q\Theta}{L^2T} = 10^{-430} = 4.34410\,\frac{\mathrm{C\,K}}{\mathrm{m^2\,s}}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{m^2\,s^2}} = 0.00234502 \cdot 10^{-1000}$	1 Ni'uPaNoNo-$\frac{Q\Theta}{L^2T^2} = 10^{-1000} = 213.554\,\frac{\mathrm{C\,K}}{\mathrm{m^2\,s^2}}$ (*)
$1\,\frac{\mathrm{s\,C\,K}}{\mathrm{m^2}} = 151.414 \cdot 10^{-130}$	1 Ni'uPaRe-$\frac{TQ\Theta}{L^2} = 10^{-120} = 3105.01\,\frac{\mathrm{s\,C\,K}}{\mathrm{m^2}}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{m^3}} = 0.0102314 \cdot 10^{-410}$	1 Ni'uVoPa-$\frac{Q\Theta}{L^3} = 10^{-410} = 53.3421\,\frac{\mathrm{C\,K}}{\mathrm{m^3}}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{m^3\,s}} = 210.212 \cdot 10^{-550}$	1 Ni'uMuVo-$\frac{Q\Theta}{L^3T} = 10^{-540} = 2431.20\,\frac{\mathrm{C\,K}}{\mathrm{m^3\,s}}$
$1\,\frac{\mathrm{C\,K}}{\mathrm{m^3\,s^2}} = 4.23201 \cdot 10^{-1120}$	1 Ni'uPaPaRe-$\frac{Q\Theta}{L^3T^2} = 10^{-1120} = 0.120445\,\frac{\mathrm{C\,K}}{\mathrm{m^3\,s^2}}$

$1\,\frac{\mathrm{s\,C\,K}}{\mathrm{m^3}} = 0.305432 \cdot 10^{-240}$

$1\,\mathrm{kg\,C\,K} = 0.0101022 \cdot 10^{-10}$

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{s}} = 203.204 \cdot 10^{-150}$

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{s^2}} = 4.13111 \cdot 10^{-320}$

$1\,\mathrm{kg\,s\,C\,K} = 0.301214 \cdot 10^{120}$

$1\,\mathrm{kg\,m\,C\,K} = 3.40211 \cdot 10^{100}$

$1\,\frac{\mathrm{kg\,m\,C\,K}}{\mathrm{s}} = 0.112504 \cdot 10^{-30}$

$1\,\frac{\mathrm{kg\,m\,C\,K}}{\mathrm{s^2}} = 0.00231105 \cdot 10^{-200}$

$1\,\mathrm{kg\,m\,s\,C\,K} = 145.035 \cdot 10^{230}$

$1\,\mathrm{kg\,m^2\,C\,K} = 0.00210442 \cdot 10^{220}$

$1\,\frac{\mathrm{kg\,m^2\,C\,K}}{\mathrm{s}} = 42.4104 \cdot 10^{40}$

$1\,\frac{\mathrm{kg\,m^2\,C\,K}}{\mathrm{s^2}} = 1.30140 \cdot 10^{-50}$

$1\,\mathrm{kg\,m^2\,s\,C\,K} = 0.102431 \cdot 10^{350}$

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m}} = 14.2134 \cdot 10^{-130}$

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m\,s}} = 0.330332 \cdot 10^{-300}$

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m\,s^2}} = 0.0110522 \cdot 10^{-430}$

$1\,\frac{\mathrm{kg\,s\,C\,K}}{\mathrm{m}} = 503.432 \cdot 10^{0}$

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^2}} = 0.0252340 \cdot 10^{-240}$

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^2\,s}} = 552.403 \cdot 10^{-420}$ (*)

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^2\,s^2}} = 20.0023 \cdot 10^{-550}$ (*)

$1\,\frac{\mathrm{kg\,s\,C\,K}}{\mathrm{m^2}} = 1.23242 \cdot 10^{-110}$

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^3}} = 45.1425 \cdot 10^{-400}$

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^3\,s}} = 1.35315 \cdot 10^{-530}$

$1\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^3\,s^2}} = 0.0321024 \cdot 10^{-1100}$

$1\,\frac{\mathrm{kg\,s\,C\,K}}{\mathrm{m^3}} = 0.00222240 \cdot 10^{-220}$

1 Ni'uReVo-$\frac{TQ\Theta}{L^3} = 10^{-240} = 1.52205\,\frac{\mathrm{s\,C\,K}}{\mathrm{m^3}}$

1 Ni'uPa-$MQ\Theta = 10^{-10} = 54.5450\ \mathrm{kg\,C\,K}$

1 Ni'uPaVo-$\frac{MQ\Theta}{T} = 10^{-140} = 2511.10\,\frac{\mathrm{kg\,C\,K}}{\mathrm{s}}$

1 Ni'uCiRe-$\frac{MQ\Theta}{T^2} = 10^{-320} = 0.122432\,\frac{\mathrm{kg\,C\,K}}{\mathrm{s^2}}$

1 PaRe-$MTQ\Theta = 10^{120} = 1.55032\ \mathrm{kg\,s\,C\,K}$ (*)

1 PaNo-$MLQ\Theta = 10^{100} = 0.134425\ \mathrm{kg\,m\,C\,K}$

1 Ni'uCi-$\frac{MLQ\Theta}{T} = 10^{-30} = 4.45212\,\frac{\mathrm{kg\,m\,C\,K}}{\mathrm{s}}$

1 Ni'uReNo-$\frac{MLQ\Theta}{T^2} = 10^{-200} = 221.135\,\frac{\mathrm{kg\,m\,C\,K}}{\mathrm{s^2}}$

1 ReVo-$MLTQ\Theta = 10^{240} = 3152.34\ \mathrm{kg\,m\,s\,C\,K}$

1 ReRe-$ML^2Q\Theta = 10^{220} = 242.410\ \mathrm{kg\,m^2\,C\,K}$

1 Vo-$\frac{ML^2Q\Theta}{T} = 10^{40} = 0.0120314\,\frac{\mathrm{kg\,m^2\,C\,K}}{\mathrm{s}}$

1 Ni'uMu-$\frac{ML^2Q\Theta}{T^2} = 10^{-50} = 0.355132\,\frac{\mathrm{kg\,m^2\,C\,K}}{\mathrm{s^2}}$ (*)

1 CiMu-$ML^2TQ\Theta = 10^{350} = 5.32354\ \mathrm{kg\,m^2\,s\,C\,K}$

1 Ni'uPaCi-$\frac{MQ\Theta}{L} = 10^{-130} = 0.0324515\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m}}$

1 Ni'uCiNo-$\frac{MQ\Theta}{LT} = 10^{-300} = 1.41232\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m\,s}}$

1 Ni'uVoCi-$\frac{MQ\Theta}{LT^2} = 10^{-430} = 50.1135\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m\,s^2}}$

$1\,\frac{MTQ\Theta}{L} = 1 = 0.00110152\,\frac{\mathrm{kg\,s\,C\,K}}{\mathrm{m}}$

1 Ni'uReVo-$\frac{MQ\Theta}{L^2} = 10^{-240} = 20.2200\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^2}}$ (*)

1 Ni'uVoRe-$\frac{MQ\Theta}{L^2T} = 10^{-420} = 0.00100321\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^2\,s}}$ (*)

1 Ni'uMuMu-$\frac{MQ\Theta}{L^2T^2} = 10^{-550} = 0.0255522\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^2\,s^2}}$ (**)

1 Ni'uPaPa-$\frac{MTQ\Theta}{L^2} = 10^{-110} = 0.411043\,\frac{\mathrm{kg\,s\,C\,K}}{\mathrm{m^2}}$

1 Ni'uVoNo-$\frac{MQ\Theta}{L^3} = 10^{-400} = 0.0112125\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^3}}$

1 Ni'uMuCi-$\frac{MQ\Theta}{L^3T} = 10^{-530} = 0.334324\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^3\,s}}$

1 Ni'uPaPaNo-$\frac{MQ\Theta}{L^3T^2} = 10^{-1100} = 14.4120\,\frac{\mathrm{kg\,C\,K}}{\mathrm{m^3\,s^2}}$

1 Ni'uReRe-$\frac{MTQ\Theta}{L^3} = 10^{-220} = 225.542\,\frac{\mathrm{kg\,s\,C\,K}}{\mathrm{m^3}}$