




Innovation in the P4 “Stack”

Jennifer Rexford
Princeton University

“Classic” OpenFlow (1.x)




Simple API as a Magnet

- Simple, open interface
 - OpenFlow 1.0 table of match-action rules
 - ... with a small set of headers and actions
- Useful recruiting aid
 - Programming languages
 - Verification
- Many success stories
 - Higher-level control abstractions
 - ... and efficient analysis and compilation

Examples: Static Policies


- Data-plane policy as a function
 - Input: located packet (header fields and location)
 - Output: a set of located packets




- Data-plane verification
 - Checking that the function satisfies invariants
 - E.g., no loops, no blackholes, access control, ...

Examples: Combining Apps

- Slicing
 - Multiple tenants
 - Traffic isolation





- Composition
 - Modular applications
 - On the same traffic




Examples: Network Topology

- Abstract topology
 - Controller apps see a virtual topology
 - E.g., one big switch
- Network Info Base
 - Network data model
 - Distributed key-value store



Examples: Reading/Writing State


- Queries
 - Traffic and topology
 - Declarative
 - Modular
- Consistent updates
 - Transition from one policy to another
 - ...while preserving key invariants



All taking OpenFlow 1.x “as is”...

... but now we can take these lessons
and design a *better* interface

P4



Many New Opportunities

Applications

Language

Compiler



- Applications
 - Compelling P4 apps
 - To stress-test the P4 design
 - ... and identify gaps
- Language
 - Expression language for primitive actions
 - Support for modular programs
 - More flexible control flow
 - Unambiguous specification
 - QoS mechanisms, monitoring

Many New Opportunities

Applications

Language

Compiler



- Compiler
 - Exploiting opportunities for concurrency
 - Techniques for proving program equivalence
 - Making effective use of the target switch's resources
 - Updating a switch from one P4 program to another
 - Supporting a wide range of target switches

Collaboration Opportunities

- Crossing the divide
 - Industry with research
 - Computer networking with other fields
- Building a community
 - Open language
 - Open-source software
 - Repository of example P4 applications
 - Tutorials, workshops, hackathons, ...
 - Summer internships for grad students

The Day Ahead

- 9:00-11:00: P4 community
- 11:00-11:30: Break/demos
- 11:30-12:30: Panel on user perspectives
- 12:30-1:30: Lunch/demos
- 1:30-3:00: Language evolution & research
- 3:00-3:30: Break/demos
- 3:30-5:00: Applications & targets
- 5:00-5:30: Wrap-up
- 5:30-6:30: Reception/demos

Demos

- [Xilinx](#): P4 for an FPGA target
- [Barefoot](#): Inband Network Telemetry in P4
- [Dell](#): Tunnel splicing with visibility and monitoring
- [Intel](#): P4 Applied to a vSwitch Data Plane
- [Microsoft](#): Verification of P4 programs
- [Netronome](#): P4 for Network Flow Processors
- [Yale](#): Magellan: Compiling Datapath-Oblivious Packet Processors to P4
- [Rocker](#): P4 switch support in Rocker
- [USC](#): In-network layer-4 load balancing in P4
- [ON.Lab](#): An ONOS controller for a P4 switch
- [Princeton](#): Utilization Aware Load Balancing using P4

Thank you!