

1. System architecture

Every path from the screen to the database goes through one gate. Nothing the agent does can move money.



2. The Ask loop (what happens when you type a question)

LangGraph state machine. Dashed boxes use the model router when a key is configured; otherwise rules run instead. Same numbers either way.



3. What each user action invokes

Reads are plain queries. Writes always pass through the executor (policy, validation, audit). User-only actions are denied to the agent.

YOU DO	API	ENGINE	TOOLS / DATA TOUCHED	GOVERNANCE
Connect bank, approve, import	POST consents, approve, import	Batch graph: ingest > categorize > analyze > advise	MockAAConnector, categorize_batch (rules, then model task=categorization), detect_transfers, evaluate_alerts	Consent first; user-only; audited
Open Dashboard	GET /api/dashboard	read_models (SQL only)	transactions, budgets, goals, alerts	read only
Correct a category	POST transaction category	recategorize tool via executor	transactions + merchant_overrides; needs_review cleared	audit row; undo available
Undo a change	POST /api/undo	undo tool	restores audited prior value	refuses if data changed since
Generate monthly review	POST /api/monthly-reviews	Batch graph (analyze > advise > review)	findings, advice_items (drafts), monthly_reviews	drafts only; agent denied approve
Approve / reject advice	POST advice/{id}/decision	decide_advice	advice_items status	user-only (agent: deny)
Ask a question	POST /api/ask	Ask agent graph (loop, slide 2)	15 read-only tools via executor	input gate; every call audited
What if (compare)	POST /api/whatif/compare	compare_options, simulation core	simulations table; goal impact	read-only; draft left pending
Investigate anomaly / change	POST investigate/anomaly | change	investigation core: hypotheses, evidence	anomalies, investigations, hypotheses, evidence_items	confidence labelled; causal claims gated
Alerts and goals	GET alerts, goals; POST alert decision	alerts.py, goals.py	alerts, goals, alert_preferences	decisions user-only
Activity tab	GET /api/timeline	build_timeline	audit_events, agent_tasks, plan_steps	append-only log
Model router status	GET /api/llm/status	router.snapshot()	key fingerprints and counters only	no key material exposed