ash	
RAC	
erl erl	
CL	
n concept of a scripting language is a memory address paired with a symbolic name (or identifier) which ins a value?	1 point
oops	
ariables	
three (3) of the following are scripting languages? (Select 3)	1 point
erl	
Scripting language is a task automation and configuration management framework from Microsoft?	1 point
avaScript	
is an example of how scripts are commonly used today?	1 point
utocorrection	
	1 point
oops	
ariables	
	1 point
inux	
	1 point
rint(Hello World)	
	1 point
ython generally takes more lines of code than C or Java to accomplish the same task.	
many spaces must be used to indent a block of code in Python?	1 point
Iultiples of 3.	
ny number 1 or more as long as the same indentation is used within a code block.	
	1 point
reat everything between that hash and the next hash encountered in the program as a comment.	
	1 point
14159	
t(pi)	
(pi)	
i	
i=3.14159	
or False. In the Python statements below	
	1 point
mple1="3"	1 point
	1 point
ple1 is a string variable type.	1 point
mple1="3" ple1 is a string variable type. rue	1 point
mple1="3" ple1 is a string variable type. rue	1 point
ple1 is a string variable type. rue alse	
ple1 is a string variable type. rue alse will be printed by this Python code block?	
ple1 is a string variable type. rue alse will be printed by this Python code block?	
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi	
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3)	
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33	
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33	
pipel is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33	1 point
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33	
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33 i3 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers:	1 point
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33 iia many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers: print(country)	1 point
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33 i3 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers:	1 point
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33 iia many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers: print(country)	1 point
ple1 is a string variable type. rue alse will be printed by this Python code block? ""3" =3*pi nt(pi3) 33 iia many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers: print(country)	1 point
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33 i3 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers: print(country)	1 point
ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33 i3 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers: print(country)	1 point
mple 1 is a string variable type. True alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33 i3 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers: print(country) 93 ntil it reaches a specified country is one good reason to write your own function in Python? here is no library function already written that will do what you need.	1 point
mple1="3" ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi ntt(pi3) 33 i3 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers: print(country) 93 intil it reaches a specified country is one good reason to write your own function in Python?	1 point
mple1="3" ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi ntt[pi3) 33 ii many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers: print(country) 93 intil it reaches a specified country is one good reason to write your own function in Python? here is no library function already written that will do what you need. ython only operates through the execution of functions.	1 point
mple1="3" pile1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi ntt[pi3) 33 33 34 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 pers of the United Nations General Assembly? country in UNMembers: print(country) 93 nttil it reaches a specified country is one good reason to write your own function in Python? there is no library function already written that will do what you need. ython only operates through the execution of functions. unctions execute far faster than standard Python code.	1 point
mple1="3" pile1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pi ntt[pi3) 33 33 34 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 pers of the United Nations General Assembly? country in UNMembers: print(country) 93 nttil it reaches a specified country is one good reason to write your own function in Python? there is no library function already written that will do what you need. ython only operates through the execution of functions. unctions execute far faster than standard Python code.	1 point
mple1 is a string variable type. rue alse will be printed by this Python code block? "3" "3" "3" "4" "5" "6 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers: print(country) 93 ntil it reaches a specified country is one good reason to write your own function in Python? here is no library function already written that will do what you need. ython only operates through the execution of functions. unctions execute far faster than standard Python code. here are extra Python operators that will only execute inside of a defined function.	1 point
mple1="3" ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pl nt(pl3) 33 i3 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 pers of the United Nations General Assembly? country in UNMembers: print(country) 93 ntil it reaches a specified country is one good reason to write your own function in Python? here is no library function already written that will do what you need. ython only operates through the execution of functions. unctions execute far faster than standard Python code. here are extra Python operators that will only execute inside of a defined function. a two (2) of these Python libraries provide useful graphics and visualization functions? (Select 2) umPy statplotlib	1 point
imple1="3" ple1 is a string variable type. True alse will be printed by this Python code block? "3" "3" "3" "3" "3" "3" "3" "	1 point
mple1="3" ple1 is a string variable type. rue alse will be printed by this Python code block? "3" =3*pl nt(pl3) 33 i3 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 pers of the United Nations General Assembly? country in UNMembers: print(country) 93 ntil it reaches a specified country is one good reason to write your own function in Python? here is no library function already written that will do what you need. ython only operates through the execution of functions. unctions execute far faster than standard Python code. here are extra Python operators that will only execute inside of a defined function. a two (2) of these Python libraries provide useful graphics and visualization functions? (Select 2) umPy statplotlib	1 point
mple1="3" ple1 is a string variable type. true alse will be printed by this Python code block? "3" =3*pi nt(pi3) 33 33 34 35 36 many times will the following Python for loop be executed assuming UNMembers is a list of the 193 bers of the United Nations General Assembly? country in UNMembers: print(country) 93 ntil it reaches a specified country sis one good reason to write your own function in Python? here is no library function already written that will do what you need. ython only operates through the execution of functions, unctions execute far faster than standard Python code. here are extra Python operators that will only execute inside of a defined function. In two (2) of these Python libraries provide useful graphics and visualization functions? (Select 2) umPy latplotlib latalsModels andas	1 point
	retreets (3) of the following are scripting languages? (Select 3) ret et les 1-1- 1- 1- 1- 1- 1- 1- 1- 1-

Submit

Save draft