NAME
qlbar-0.2.2 − Cool Toolbar for X11

SYNOPSIS
qlbar [-hHVv] [-c config file] [-m menu file] [--bar-color color] [--balloon-color color] [--font-color color] [-f name] [-s size] [-d directory] [-B true/false] [--bar-height height] [--bar-width width] [-t seconds] [--icon-width widh] [--icon-height height] [--voffset pixels] [--hoffset pixels] [-l layout] [--daemonize] [--double true/false] [--click-interval msec]

DESCRIPTION
qlbar is a Toolbar for X11. It allows quick launch applications that user specifies in menu file. QLBar (default) appears as 1 pixel height line at the top of the screen, but most appearance parameters may be configured. See OPTIONS.

OPTIONS
−−balloon−color
> background color of tooltip balloon

−−bar−color
> specifies qlbar color

−−bar−height
> height of a bar in pixels, default 1

−−bar−width
> width of a bar in pixels, default is computed as: icon width multiply icon count

−t or **−−bar−time**
> delay in seconds after that toolbar will hide

−i or **--click-interval**
> interval (in milliseconds) between button click in double click mode

−c or **−−config**
> config file
> Default $HOME/.qlbar/config is used

−−double
> true or false use of double click to execute command

−−font−color
> tooltip balloon font color

−d or **−−font−dir**
> path to directory that contains TTF fonts

−f or **−−font−name**
> font used on balloon tip

−s or **−−font−size**
> tooltip balloon font size

−D or **−−daemonize**
> make qlbar run in the background

−h or **−−help**
> help screen

−H or **−−horizontal**
> this option indicates that toolbar will be placed horizontaly. Same as **−l horizontal**

−−hoffset
> horizontal offset from the corner of screen in pixels. Corner is specified by **−p** or **--position** option and is only affected when **−H** or **−l horizontal** has been choosen

−−icon−width
> width of the icons in pixels

−−icon−height
> height of the icons in pixels

−l or **−−layout**
> layout may be **horizontal** (default) or **vertical**

−L or **−−log**
> application will produce logs (by default to stderr)

−−loglevel
> this option specifies log level that will be logged. May one of: trace, debug, info, warn, error, fatal

−−logfile
> this option specifies the log output file

−m or **−−menu**
> file containing items information: name, execute path, icon file path. Menu file format is compatible with fluxbox menu file and contains lines as follow:
> [exec] (application name) {execute path} <icon path>
> Default $HOME/.qlbar/menu is used

−p or **−−position**
> position of the toolbar: n, ne, e, se, s, sw, w, nw

−B or **−−show−balloon**
> true or false show or not baloon, default balloon is shown

−V or **−−vertical**
> indicates that toolbar will be placed verticaly

−v or **−−verbose**
> produces lots of output

−−voffset
> vertical offset from the corner of screen in pixels. Corner is specified by **−p** or **--position** option and is only affected when **−V** or **−l vertical** has been choosen

TODO
> - transparent rectangle with alpha that appears when user moves mouse over toolbar item
> - sliding bar instead of sudden appear, hide
> - fixed qlbar icon, with clock, reminder, or other...
> - right click context menu over every item with extra features (configure)

BUGS REPORTING
> pablo@wizard.uek.krakow.pl

COPYRIGHT
> GPL.

AUTHOR
> The author of **qlbar** is Pawel Prokop (pablo@wizard.uek.krakow.pl)
> homepage of this project is : http://prokop.uek.krakow.pl/projects/qlbar.html