



Git Hub Task -1

1. Create a GitHub account.



2. Set up MFA For the git hub account using a mobile app



3. Execute all commands shown in the video.

1. Check the installed Git version.

```
HP@abhishek MINGW64 ~  
$ git --version  
git version 2.37.1.windows.1
```

2. git status →

```
HP@abhishek MINGW64 ~/Desktop/Hiring-application  
$ git status  
fatal: not a git repository (or any of the parent directories): .git  
  
HP@abhishek MINGW64 ~/Desktop/Hiring-application  
$ |
```

4. Initializes a Git repository in the current directory.

```
HP@abhishek MINGW64 ~/Desktop/Hiring-application  
$ ls -a  
./ ../ docker
```

5. git config -l

```

HP@abhishek MINGW64 ~/Desktop/Hiring-application
$ git init
Initialized empty Git repository in C:/Users/HP/Desktop/Hiring-application/.git/

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ ls -a
./ ../ .git/ docker

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git config -l
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=E:/Entire devops tasks/Git/mingw64/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager-core
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Alli Abhishek
user.email=allimaster@gmail.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$

```

6.

8. git add

```

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   abhishek
        new file:   docker

```

```

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git add docker abhishek

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   abhishek
        new file:   docker

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   abhishek
        new file:   docker

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ |

```

9. git reset.

```

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git reset

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        abhishek
        docker

nothing added to commit but untracked files present (use "git add" to track)

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$

```

10. git commit -m "message"

```
HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   abhishek
        new file:   destination
        new file:   docker
        new file:   movie
        new file:   tour
        new file:   travel

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git commit -m " add six files"
[master (root-commit) 4254bc5] add six files
 6 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 abhishek
 create mode 100644 destination
 create mode 100644 docker
 create mode 100644 movie
 create mode 100644 tour
 create mode 100644 travel

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git status
On branch master
nothing to commit, working tree clean

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ |
```

11. git log

```
nothing to commit, working tree clean

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git log
commit 4254bc5cddaf9fa51968dc320091ba918fcd4f1e (HEAD -> master)
Author: Alli Abhishek <allimaster@gmail.com>
Date:   Tue Sep 22 19:55:35 2026 +0530

    add six files

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$
```

12. . git push -u origin master

13. git remote add origin <URL>

14.git remote

```
HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git remote add origin git@github.com:pa9845007-oss/Abhishek-682-.git

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git remote -v
origin  git@github.com:pa9845007-oss/Abhishek-682-.git (fetch)
origin  git@github.com:pa9845007-oss/Abhishek-682-.git (push)

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 258 bytes | 129.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote:   https://github.com/pa9845007-oss/Abhishek-682-/pull/new/master
remote:
To github.com:pa9845007-oss/Abhishek-682-.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ |
```

15.git pull

```
HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git pull
remote: Enumerating objects: 13, done.
remote: Counting objects: 100% (13/13), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 13 (delta 2), reused 12 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (13/13), 1.08 KiB | 12.00 KiB/s, done.
From github.com:pa9845007-oss/Abhishek-682-
 * [new branch]      feature -> origin/feature
 * [new branch]      main -> origin/main
Already up to date.
```

```
HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git push -u origin master
Everything up-to-date
branch 'master' set up to track 'origin/master'.

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    docker

no changes added to commit (use "git add" and/or "git commit -a")

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git add docker

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git commit -m "Added docker successfully"
[master fcf60f5] Added docker successfully
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 docker

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 237 bytes | 237.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:pa9845007-oss/Abhishek-682-.git
 4254bc5..fcf60f5  master -> master

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ |
```

16. git clone

```

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git clone git@github.com:pa9845007-oss/Abhishek-682-.git
Cloning into 'Abhishek-682-'...
remote: Enumerating objects: 18, done.
remote: Counting objects: 100% (18/18), done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 18 (delta 3), reused 17 (delta 2), pack-reused 0 (from 0)
Receiving objects: 100% (18/18), done.
Resolving deltas: 100% (3/3), done.

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ ls
Abhishek-682-/  abhishek  destination  movie  tour  travel

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ cd Hiring-application
bash: cd: Hiring-application: No such file or directory

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ cd Abhishek-682
bash: cd: Abhishek-682: No such file or directory

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ cd Abhishek-682/
bash: cd: Abhishek-682/: No such file or directory

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ ls
Abhishek-682-/  abhishek  destination  movie  tour  travel

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ |

```

17.git revert

```

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ git clone git@github.com:pa9845007-oss/pratice-git.git
Cloning into 'pratice-git'...
remote: Enumerating objects: 10, done.
remote: Counting objects: 100% (10/10), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 10 (delta 1), reused 10 (delta 1), pack-reused 0 (from 0)
Receiving objects: 100% (10/10), done.
Resolving deltas: 100% (1/1), done.

HP@abhishek MINGW64 ~/Desktop/Hiring-application (master)
$ ls
Abhishek-682-/  abhishek  destination  movie  pratice-git/  tour  travel

```