

TDM	729.89	915.51	185.62▲25.43%	FLR	660.27	745.28	85.01▲12.88%
HUM	749.73	924.29	174.56▲23.28%	UVD	155.59	181.57	25.98▲16.70%
DMW	833.72	1004.01	170.29▲20.43%	QUV	440.55	540.21	99.66▲22.62%
YZJ	903.49	1127.46	223.97▲24.79%	HZT	285.51	344.98	59.47▲20.83%
GLY	982.07	1219.39	237.32▲24.17%	PCW	811.44	1029.66	218.22▲26.89%
VDA	113.74	143.41	29.67▲26.09%	AIK	361.77	451.39	89.62▲24.77%
UVV	468.08	535.41	67.33▲14.38%	ZJJ	858.36	994.57	136.21▲15.87%
HJS	545.49	659.05	113.56▲20.82%	RHJ	894.79	1046.68	151.89▲16.97%
EOC	566.96	664.89	97.93▲17.24%	VOV	425.08	509.95	84.87▲19.97%

PPJ	912.63	1038.36	125.73▲13.78%	ZBK	391.59	491.48	99.89▲25.51%
UAQ	1309.55	1655.62	346.07▲26.43%	BNY	969.21	1130.65	161.44▲16.66%
DAQ	1295.17	1641.66	346.49▲26.75%	SDM	735.44	913.39	177.95▲24.20%
PNR	654.33	775.84	121.51▲18.57%	TQQ	1323.91	1646.42	322.51▲24.36%
ZTM	511.89	621.21	109.32▲21.35%	OIS	543.42	667.24	123.82▲22.79%
YIB	1025.17	1222.96	197.79▲19.34%				

Histogram Processing and Histogram Statistics

Local Histogram Processing






FIGURE 3.26 (a) Original image. (b) Result of global histogram equalization. (c) Result of local histogram equalization applied to (a), using a neighborhood of size 3×3 .

Local Histogram Processing



a b c


FIGURE 3.26 (a) Original image. (b) Result of global histogram equalization. (c) Result of local histogram equalization applied to (a), using a neighborhood of size 3×3 .

Mean

$$m = \frac{1}{MN} \sum_{x=0}^{M-1} \sum_{y=0}^{N-1} f(x, y)$$

Variance

$$\sigma^2 = \frac{1}{MN} \sum_{x=0}^{M-1} \sum_{y=0}^{N-1} [f(x, y) - m]^2$$



Mean
(Avg. Intensity)

$$m = \sum_{i=0}^{L-1} r_i P(r_i)$$

$$P(r_i) = \frac{n_i}{MN}$$

Variance
(Intensity Contrast)

$$\mu_2(r) = \sum_{i=0}^{L-1} (r_i - m)^2 P(r_i)$$

2-bit $\Rightarrow (0, 1, 2, 3)$

5x5

0	0	1	1	2
1	2	3	0	1
3	1	2	2	0
2	3	1	0	0
1	1	3	2	2

$$m_s = 1.44$$

$$m_I = 1.44$$

$$P(r_0) = \frac{6}{25}$$

$$P(r_1) = \frac{7}{25}$$

$$P(r_2) = \frac{7}{25}$$


$$P(r_3) = \frac{5}{25}$$

Local Processing

$$m_{S_{xy}} = \sum_{i=0}^{L-1} r_i p_{S_{xy}}(r_i)$$

$$\sigma_{S_{xy}}^2 = \sum_{i=0}^{L-1} (r_i - m_{S_{xy}})^2 p_{S_{xy}}(r_i)$$

Using Histogram Statistics for Image Enhancement



a b c

FIGURE 3.27 (a) SEM image of a tungsten filament magnified approximately $130\times$. (b) Result of global histogram equalization. (c) Image enhanced using local histogram statistics. (Original image courtesy of Mr. Michael Shaffer, Department of Geological Sciences, University of Oregon, Eugene.)

Using Histogram Statistics for Image Enhancement

$$g(x, y) = \begin{cases} E \cdot f(x, y) & \text{if } m_{S_{xy}} \leq k_0 m_G \text{ AND } k_1 \sigma_G \leq \sigma_{S_{xy}} \leq k_2 \sigma_G \\ f(x, y) & \text{otherwise} \end{cases}$$

Food for thought!

1. What is histogram processing in digital image processing?
2. What is local histogram processing?
3. Why is local histogram processing often preferred over global histogram methods?
4. What are histogram statistics and how are they useful?
5. How can histogram statistics be used for image enhancement?

Programming assignment

- Implement histogram statistics and local histogram processing techniques to enhance image contrast and analyze how regional intensity variations affect image quality.
- **Concepts Used**
 - Image histogram
 - Histogram statistics (mean, variance)
 - Global vs local histogram processing
 - Sliding window technique
 - Image enhancement
- **Tasks**
 - Read a grayscale image.
 - Compute the global histogram and calculate basic statistics such as mean and variance.
 - Divide the image into small windows (e.g., 3×3 or 7×7) and compute local histogram statistics.
 - Enhance the image using a local contrast enhancement method (e.g., local histogram equalization or intensity adjustment based on local mean).
 - Display the original and enhanced images.
 - Compare global and local enhancement results and briefly comment on improvements in detail visibility.

AI supported self-learning (Prompts compatible with ChatGPT)

Active Learners (Learning by Doing)

1. Provide a grayscale image matrix and guide me to compute global mean and variance first, then compute local statistics using a 3×3 window.
2. Walk me through implementing local histogram processing in Python using NumPy and explain how regional contrast improves.

Reflective Learners (Learning by Thinking)

1. Explain why local histogram processing often produces better enhancement than global methods, and summarize the reasoning.
2. How do mean and variance describe image intensity distribution? Explain conceptually.

Sensing Learners (Concrete & Practical)

1. Demonstrate histogram statistics using actual pixel values and show how they indicate whether an image has low or high contrast.
2. Provide a real-world example where local histogram enhancement reveals details that global enhancement misses.

Intuitive Learners (Concepts & Patterns)

1. Explain local histogram processing as a neighborhood-based statistical transformation rather than a global intensity mapping.
2. How does variance relate mathematically to contrast? Explain the underlying pattern.

Visual Learners (Diagrams & Structure)

1. Show an image enhanced using global histogram equalization and another using local processing, and visually explain the difference.
2. Illustrate how a sliding window moves across an image to compute local statistics.

Verbal Learners (Words & Explanation)

1. Explain local histogram processing in simple language using an analogy such as adjusting brightness in different parts of a photograph.
2. Describe histogram statistics and their role in enhancement as if teaching a beginner.

Sequential Learners (Step-by-Step Logic)

1. Explain step by step how to compute local mean and variance using a sliding window.
2. Break down the algorithm for performing local contrast enhancement into ordered steps.

Global Learners (Big Picture First)

1. Explain how histogram statistics support automated image enhancement systems before diving into calculations.
2. Provide a big-picture comparison of global vs local histogram methods and when each should be used.