



Safari File Edit View History Bookmarks Develop Window Help
36% Thu 17 Sep 10:05
estudo
dash.cloudflare.com
Portal UNI² • Serviços
1 · O binário de um oct...
2 · Máscara, prefixo e q...
3 · A faixa de uma sub-...
Como anunciar na Inter...
oauth-login-lab/public/...
Workers & Pages | Pau...
Paulol.b.w@gmail.c...
Workers & Pages
oauth-login-lab
Ask AI
Support
Quick search... ⌘K
Account home
Recents
Domains
Observe
Investigate
Analytics
Build
Compute
Workers & Pages
Observability
Workers for Platforms
Containers
Durable Objects
Queues
Workflows
Browser Run
Deployments
Metrics
Custom domains
Settings
paauloCezar/oauth-login-lab
Build
Git repository
paauloCezar/oauth-login-lab
Disconnect
Manage
Build configuration
Build command:
Build output: public
Root directory:
Build comments: Enabled
Build cache Beta
Disabled
Enable
Branch control
Production branch: main
Automatic deployments: Enabled
Build watch paths
Include paths: *
Build system version
Version 3
Deploy Hooks
No deploy hooks defined
Production
Build
Variables and secrets
Bindings
Runtime
General
Pages configuration


Safari File Edit View History Bookmarks Develop Window Help
Thu 17 Sep 10:05
estudo
dash.cloudflare.com
Portal UNI² • Serviços
1 · O binário de um oct...
2 · Máscara, prefixo e q...
3 · A faixa de uma sub-...
Como anunciar na Inter...
oauth-login-lab/public/...
Workers & Pages | Pau...
Paulol.b.w@gmail.c...
Deployments
Metrics
Custom domains
Settings
paauloCezar/oauth-login-lab
Quick search... ⌘K
Account home
Recents
Domains
Observe
Investigate
Analytics
Build
Compute
Workers & Pages
Observability
Workers for Platforms
Containers
Durable Objects
Queues
Workflows
Browser Run
Variables and secrets
+ Add
Define the text, secret or build variables for your project
Type
Name
Value
Configure API tokens and other runtime variables
Import .env
Bindings
+ Add
Define the set of resources available to your Pages Functions
Configure ways to interact with storage, databases, AI and more from your Worker
Runtime
Define the runtime configuration for your Pages Functions
Placement
Default
Compatibility date
2026-09-17
Production
Build
Variables and secrets
Bindings
Runtime
General
Pages configuration


Safari File Edit View History Bookmarks Develop Window Help
Thu 17 Sep 10:05
estudo
dash.cloudflare.com
Portal UNI² • Serviços
1 · O binário de um oct...
2 · Máscara, prefixo e q...
3 · A faixa de uma sub-...
Como anunciar na Inter...
oauth-login-lab/public/...
Workers & Pages | Pau...
Paulol.b.w@gmail.c...
Deployments
Metrics
Custom domains
Settings
paauloCezar/oauth-login-lab
Quick search... ⌘K
Account home
Recents
Domains
Observe
Investigate
Analytics
Build
Compute
Workers & Pages
Observability
Workers for Platforms
Containers
Durable Objects
Queues
Workflows
Browser Run
Compatibility flags
Compatibility flags
Fail open/closed
Fail open
General
Name
oauth-login-lab
Rename
Notifications
Subscribe to specific events by adding a notification to your project
Manage
Preview access
Preview deployments are public by default. Restrict previews with Cloudflare Access so visitors must sign in before viewing them.
You can customize who is allowed in Zero Trust.
This protects preview deployment URLs only. Production pages.dev and custom domains are managed separately in Zero Trust.
Restrict previews
Permanently delete this Pages project including all deployments, assets, functions and configurations associated with it.
Delete
Production
Build
Variables and secrets
Bindings
Runtime
General
Pages configuration
Support
System Status
Careers
Terms of Use
Report Security Issues
Privacy Policy
Cookie Preferences
© 2026 Cloudflare, Inc.