## The enumext package in action

- 1. First type of questions
  - A) value

\* B) |x=5| correct D) value


E) I, II, and III

D) value

E) value

- C) value
- 2. Second type of questions
  - $2\alpha + 2\delta = 90^{\circ}$
  - $\alpha = \delta$ II.
  - III.  $\angle EDF = 45^{\circ}$
  - A) I only
- \* D) I and III only
- B) II only
- C) I and II only
- \* 3. Third type of questions
  - $(1) 2\alpha + 2\delta = 90^{\circ}$
  - (2)  $\angle EDF = 45^{\circ}$
  - A) value
  - B) value
  - \* C) some note y value
    - Some text here

4. Question with image and label above:



- 5. A question
  - A) value
  - B) value
  - C) value
- \* D) other note correct
  - E) value
- 6. Question with image on left side:
- \* Mucak

## printkeyans $\mathbf{2}$

Some text here

- **1.** B) x = 5
- **2.** D)
- **3.** C) some note y

- 4. A) La letra A \*
  - 5. D) other note

\*

\* 6. Mucak

\*

## printkeyans\*

Some text here

- 1. **B)** x = 5
- 3. C) some note y
- 5. D) other note

- 2. **D**)
- 4. A) La letra A \*
- \* 6. Mucak

## foreachkeyans

Some text here

- B) x = 5
- D)
- C) some note y
- A) La letra A
- D) other note

Mucak

Some text here