

## PROBLEM IDENTIFICATION

#### STATEMENT

IoT has proven to have a significant impact on human life by the integration of devices in a myriad of industries. There will be around 125 IoT devices connected to the internet by 2030.

Developing deployable technology in the form of algorithms, frameworks or even complete SIEM Systems, could be extremely useful to get a better understanding of the behavior of malware infections where IoT devices are the main target.

# STAKEHOLDERS TO PROVIDE KEY INSIGHTS

- Cyber Security Teams
- Antivirus Companies
- IoT Companies

#### SCOPE OF SOLUTION SPACE

Dataset: 20 malware captures executed in IoT devices, and 3 captures for benign IoT devices traffic. Published in January 2020. These were captured in the Stratosphere Laboratory, AIC group, FEL, CTU University, Czech Republic.

#### **KEY DATA SOURCES**


- Log files provided by the laboratory
- Classification methods spreadsheets




### CRITERIA FOR SUCCESS

- Implement a Machine Learning
  algorithm able to detect at least 80%
  of malicious network flows
- Implementing a Malware Type Detector
- Having a deployable pipeline for

malware detection in real-time setting





Not getting enough

computational power to analyze all log files.


 Malware information being outdated and not representative of how new malware works

Class imbalance for the binary class or multi class project


### **KEY FINDINGS AND INSIGHTS**

Binary classification project with a final dataset of:

380,000 observations 67 features



## **FEATURE HANDLING**



Feature drop was based on:

- Collinearity

- 0.50

- 0.25


- 0.00


- -0.25

-0.50

-0.75

- Correlation with label 1
- Distribution differences between Class 0 and 1 (example of Protocol)





## **MODEL RESULTS AND ANALYSIS**

