

Entrenamiento de modelos de IA

Marcelo Ferreiro Sánchez, Pablo Chantada Saborido
Laura Cabaleiro Pintos & Pepe Romero Conde

14 de abril de 2026

Índice

1. Introducción	2
2. GAN	2
3. AdaBoost	2
3.1. Dataset Orixinal	2
3.2. Dataset Aumentado	2
4. Evaluación e comparativa	2
5. Conclusións	2
6. Traballo Futuro	2

1. Introducción

AdaBoost [1], GAN [2]

2. GAN

3. AdaBoost

Librería de Optimización Bayesiana [3], en particular programación entera (el número de estimadores en AdaBoost tiene que ser un número entero) [4].

3.1. Dataset Orixinal

3.2. Dataset Aumentado

4. Evaluación e comparativa

5. Conclusiones

6. Trabajo Futuro

Referencias

- [1] Y. Freund and R. E. Schapire, “Experiments with a new boosting algorithm,” pp. 148–156, 1996.
- [2] I. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair, A. Courville, and Y. Bengio, “Generative adversarial nets,” in *Advances in Neural Information Processing Systems*, vol. 27, 2014.
- [3] F. Nogueira, “Bayesian Optimization: Open source constrained global optimization tool for Python,” 2014–. [Online]. Available: <https://github.com/bayesian-optimization/BayesianOptimization>
- [4] E. C. Garrido-Merchán and D. Hernández-Lobato, “Dealing with categorical and integer-valued variables in bayesian optimization with gaussian processes,” *Neurocomputing*, vol. 380, p. 20–35, Mar. 2020. [Online]. Available: <http://dx.doi.org/10.1016/j.neucom.2019.11.004>