

Solver Specification and Verification Report:

`highOrderManufacturedFDAImplicitPETSc`

Manufactured monodomain-like PDE–ODE solver with high-order finite volumes, Picard, diagonal- I_{ion} , and JFNK nonlinear coupling on a PETSc Krylov backend

Pablo

July 1, 2026

Abstract

This report documents the numerical formulation implemented in:

`highOrderManufacturedFDAImplicitPETSc`.

The solver is a method of manufactured solutions (MMS) analogue of the electro-activation solver: it solves a monodomain-like reaction–diffusion PDE for the transmembrane potential V_m , evolves local state ODEs for (u_1, u_2, u_3) , evaluates a nonlinear ionic-current surrogate $I_{\text{ion}}(V_m, u_1, u_2, u_3)$, and allows the same nonlinear coupling strategies used in the physiological solver: `Picard`, `diagonalIion`, and `JFNK`. The PDE can be discretised with the standard cell-centred finite-volume operator or with a high-order Local Regression Estimators (LRE) reconstruction. The nonlinear source can be evaluated at cell centres or integrated from cell quadrature points. In the default high-order source path the state ODEs are advanced once per cell and then reconstructed to the ionic quadrature points; a legacy option can instead advance the state ODE independently at each quadrature point. Time integration is a θ method with `backwardEuler` ($\theta = 1$) or `crankNicolson` ($\theta = 1/2$), and the cell-average mass operator can be `lumped` or high-order `consistent`. Linear voltage systems are solved through a thin PETSc wrapper that caches the KSP, matrix and ILU(T) symbolic factorisation across nonlinear iterations and time steps; an Eigen fallback (`SparseLU/BiCGSTAB`) is also available. `JFNK` uses a persistent matrix-free `MatShell`+KSP pair, defaulting to restarted GMRES, and an optional preconditioner derived from $\mathbf{A}$ with a local I_{ion} linearisation (`diagonalIion`). The sparse-matrix assemblies of $\mathbf{M}$ and $\mathbf{K}$ are chunked over cells/faces to bound the transient triplet-vector peak on large 3D unstructured meshes. The current implementation also exposes an automatic memory-optimisation mode with adaptive stiffness triplet reservation, compact consistent-mass assembly, conditional allocation of ionic quadrature-point fields, and allocator trimming around large setup phases. The results section is data driven: tables are generated from the current tutorial outputs and fitted directly from the aggregated `errors_vs_N` files.

Contents

1	Purpose and notation	2
2	Governing equations	3
2.1	Electrophysiology motivation	3
2.2	Manufactured PDE–ODE system	3
2.3	Exact solution and the role of β	4
3	Spatial discretisation	4
3.1	Finite-volume integral form	4
3.2	Standard cell-centred operator	5
3.3	High-order LRE operator	5
3.4	Lumped and consistent mass matrices	6
3.5	High-order averaging of I_{ion} and states	6

4	Time integration	7
4.1	The θ method	7
4.2	ODE states inside one PDE time step	7
5	Nonlinear coupled solve	7
5.1	Residual and diagnostics	7
5.2	Picard fixed-point method	8
5.3	Diagonal- I_{ion} linearisation	8
5.4	Jacobian-free Newton–Krylov	9
5.5	Armijo line search and rollback	10
6	Linear-algebra backend and implementation notes	10
6.1	JFNK preconditioner: <code>diagonalIion ILU(T)</code>	11
6.2	Chunked assembly of $\mathbf{M}$ and $\mathbf{K}$	12
6.3	Memory layout in the time loop	12
7	Theoretical accuracy and practical error floors	13
8	Solver controls	14
9	Output diagnostics	16
10	Error Measures and Convergence Rates	16
11	Results	17
11.1	Two-dimensional manufactured problem	17
11.1.1	Picard	18
11.1.2	<code>diagonalIion</code>	23
11.1.3	JFNK	28
11.2	Two-dimensional results: comments	34
11.3	Three-dimensional manufactured problem	34
11.3.1	Picard	34
11.3.2	<code>diagonalIion</code>	40
11.3.3	JFNK	45
12	Notes	51

1 Purpose and notation

The MMS problem is not a physiological ionic model. Its role is to provide an exact solution for a PDE–ODE–source structure that is deliberately close to the electro-activation solver. If the same finite-volume operator, same source quadrature, same state ODE integration, same θ time discretisation, and same nonlinear coupling are used here and in the electro solver, then the observed MMS convergence gives evidence for the numerical order of those shared building blocks.

Symbol	Meaning	Location in solver
$\Omega \subset \mathbb{R}^d$	computational domain, $d = 1, 2, 3$	OpenFOAM mesh
K_i	finite-volume cell	<code>mesh.cells()</code>
$ K_i $	cell volume	<code>mesh.V()</code>
$V_m(\mathbf{x}, t)$	manufactured transmembrane potential	<code>Vm</code>
$\mathbf{u} = (u_1, u_2, u_3)$	manufactured state variables	<code>u1,u2,u3</code>
$I_{\text{ion}}(V_m, \mathbf{u})$	nonlinear source surrogate	<code>Iion</code>
χ and C_m	monodomain scaling constants	<code>cardiacProperties</code>
$\mathbf{D}$	conductivity tensor	<code>conductivity</code>
$\mathbf{M}$	cell-average mass operator	<code>M</code> (moved into <code>BImplicit</code> after <code>A/B</code>)
$\mathbf{K}$	volume-normalised diffusion/stiffness operator	<code>K</code>
$\mathbf{L} = (\chi C_m)^{-1} \mathbf{K}$	scaled diffusion operator	absorbed into <code>A/B</code> (no separate st)
$\mathbf{A}, \mathbf{B}$	implicit θ -scheme matrices	<code>AImplicit, BImplicit</code>
$F(\mathbf{x})$	nonlinear residual for voltage candidate $\mathbf{x}$	<code>residualFor</code>
$\mathbf{P}$	persistent JFNK preconditioner matrix $\approx \mathbf{A} - \theta \text{diag}(\mathbf{d})$	<code>jfnkP</code>

The cell-centred vector of voltages at time t^n is denoted $\mathbf{V}^n \in \mathbb{R}^{N_c}$. A nonlinear iteration inside one time step uses the superscript k , e.g. $\mathbf{V}^k$ is a candidate for $\mathbf{V}^{n+1}$. Quadrature point q in cell K_i is denoted $\mathbf{x}_{iq}$ with positive weight ω_{iq} .

2 Governing equations

2.1 Electrophysiology motivation

The physiological monodomain equation can be written, in one common convention, as

$$\chi C_m \frac{\partial V_m}{\partial t} = \nabla \cdot (\mathbf{D} \nabla V_m) - \chi C_m I_{\text{ion}}(V_m, \mathbf{s}) + I_{\text{ext}}, \quad (1)$$

where $\mathbf{s}$ are ionic states and I_{ion} is often stored as a voltage rate with units V s^{-1} . Dividing by χC_m gives

$$\frac{\partial V_m}{\partial t} = \frac{1}{\chi C_m} \nabla \cdot (\mathbf{D} \nabla V_m) - I_{\text{ion}}(V_m, \mathbf{s}) + \frac{I_{\text{ext}}}{\chi C_m}. \quad (2)$$

The manufactured solver replaces the physiological states by three smooth MMS states and replaces the cell-model ionic current by a constructed nonlinear function. The purpose is not to reproduce cellular electrophysiology, but to exercise the same numerical responsibilities: diffusion, local ODEs, nonlinear source, quadrature, implicit time stepping, and nonlinear iteration.

2.2 Manufactured PDE–ODE system

The solver advances

$$\frac{\partial V_m}{\partial t} = \frac{1}{\chi C_m} \nabla \cdot (\mathbf{D} \nabla V_m) - I_{\text{ion}}(V_m, u_1, u_2, u_3), \quad (3)$$

$$\dot{u}_1 = (u_1 + u_3 - V_m)^2 u_2^2 + \frac{1}{2} (u_1 + u_3 - V_m) u_2^2 (V_m - u_3), \quad (4)$$

$$\dot{u}_2 = -(u_1 + u_3 - V_m) u_2^3, \quad (5)$$

$$\dot{u}_3 = 0. \quad (6)$$

The nonlinear ionic-current surrogate is

$$I_{\text{ion}}(V_m, u_1, u_2, u_3) = -\frac{1}{2} (u_1 + u_3 - V_m) u_2^2 (V_m - u_3) + \frac{\beta}{\chi C_m} (V_m - u_3). \quad (7)$$

The PDE source used in the matrix right-hand side is

$$S(V_m, \mathbf{u}) = -I_{\text{ion}}(V_m, \mathbf{u}). \quad (8)$$

Thus the term called `Iion` in the output is the nonlinear manufactured current, while the term passed into the voltage equation is its negative.

2.3 Exact solution and the role of β

The exact fields are built from two smooth spatial functions F and G :

$$V_m^*(\mathbf{x}, t) = \sqrt{1+t} F(\mathbf{x}), \quad (9)$$

$$u_1^*(\mathbf{x}, t) = (1+t)G(\mathbf{x}) + V_m^*(\mathbf{x}, t), \quad (10)$$

$$u_2^*(\mathbf{x}, t) = \frac{1}{(1+t)\sqrt{G(\mathbf{x})}}, \quad (11)$$

$$u_3^*(\mathbf{x}, t) = 0. \quad (12)$$

The solver uses

$$F = \begin{cases} \cos(\pi x), & d = 1, \\ \cos(\pi x) \cos(2\pi y), & d = 2, \\ \cos(\pi x) \cos(2\pi y) \cos(3\pi z), & d = 3, \end{cases} \quad G = \begin{cases} 1+x, & d = 1, \\ 1+xy^2, & d = 2, \\ 1+xy^2z^3, & d = 3. \end{cases} \quad (13)$$

The constant β closes the analytical balance between the Laplacian of F and the conductivity tensor. For a diagonal constant conductivity sampled from `conductivity[0]`,

$$\beta = \begin{cases} -\pi^2 D_{xx}, & d = 1, \\ -\pi^2 (D_{xx} + 4D_{yy}), & d = 2, \\ -\pi^2 (D_{xx} + 4D_{yy} + 9D_{zz}), & d = 3. \end{cases} \quad (14)$$

This choice makes the manufactured source compatible with the exact trigonometric mode under the selected conductivity tensor. Boundary values for V_m , u_1 , u_2 , and u_3 are overwritten with the exact solution where appropriate, so the verification error is a discretisation error rather than a boundary-data error.

3 Spatial discretisation

3.1 Finite-volume integral form

Integrating (3) over a control volume K_i and dividing by the cell volume gives the cell-average balance used by the implementation:

$$\frac{1}{|K_i|} \int_{K_i} \frac{\partial V_m}{\partial t} dV = \frac{1}{\chi C_m |K_i|} \int_{\partial K_i} \mathbf{n} \cdot \mathbf{D} \nabla V_m dA + \frac{1}{|K_i|} \int_{K_i} S(V_m, \mathbf{u}) dV. \quad (15)$$

After spatial discretisation the semi-discrete cell-average problem has the matrix form

$$\mathbf{M} \frac{d\mathbf{V}}{dt} = \mathbf{L} \mathbf{V} + \mathbf{S}(\mathbf{V}, \mathbf{u}), \quad \mathbf{L} = \frac{1}{\chi C_m} \mathbf{K}. \quad (16)$$

Here $\mathbf{KV}$ approximates the volume-normalised divergence $(1/|K_i|) \int_{\partial K_i} \mathbf{n} \cdot \mathbf{D} \nabla V_m dA$, and $\mathbf{S}_i$ is a cell-average source rate, not a volume-integrated source. Consequently the lumped finite-volume mass used by the code is the identity matrix.

3.2 Standard cell-centred operator

When `useHighOrder_Vm=false`, the solver assembles the standard cell-centred finite-volume diffusion operator. For an internal face f between cells P and N , the orthogonal part is of the form

$$\frac{1}{|K_P|} \int_f \mathbf{n} \cdot \mathbf{D} \nabla V_m dA \approx \frac{a_f}{|K_P|} (V_N - V_P), \quad (17)$$

where a_f contains the face area, face-normal direction, conductivity tensor, and distance between cell centres. Boundary faces use the OpenFOAM patch type. `zeroGradient` and `empty` patches give no-flux contributions; fixed value patches contribute known boundary terms.

For smooth solutions on regular orthogonal meshes, this standard finite-volume operator is second-order accurate in space for diffusion. On skewed or non-orthogonal meshes the effective order depends on the mesh quality and the non-orthogonal treatment.

3.3 High-order LRE operator

When `useHighOrder_Vm=true`, the solver uses Local Regression Estimators (LRE) stencils. Around each cell centre $\mathbf{x}_i$, a polynomial reconstruction of degree N is fitted from neighbouring cell values:

$$V_m(\mathbf{x}_i + \mathbf{r}) \approx V_i + \nabla V_i \cdot \mathbf{r} + \frac{1}{2} \mathbf{r}^T H_i \mathbf{r} + \frac{1}{6} T_i[\mathbf{r}, \mathbf{r}, \mathbf{r}] + \dots \quad (18)$$

The dictionary entries `N`, `Nn`, `k`, and `maxStencilSize` control the polynomial degree, target number of stencil neighbours, radial weight exponent, and maximum stencil size. The solver can evaluate reconstructed values, gradients, Hessians, and third-order tensors, depending on the selected polynomial order.

Boundary patches are classified automatically before the LRE objects are constructed. `fixedValue` and `fixedVoltage` patches are inserted into the LRE stencils as boundary ghost points so that the manufactured boundary value can be used. `zeroGradient` patches are passed to LRE as `mirrorPatches`, which doubles the local stencil by reflecting neighbour locations across the boundary plane and preserves the full reconstruction order at homogeneous Neumann boundaries. `empty`, `processor`, and `unsupported` patches are left out of the explicit include/mirror lists. A patch cannot be both included as a Dirichlet ghost patch and mirrored; the LRE constructor checks this and aborts if the dictionary is inconsistent.

The high-order dictionaries are read from `highOrderCoeffs/LRECoeffs_Vm` for the diffusion/mass reconstruction and from `highOrderCoeffs/LRECoeffs_Iion` for source/state quadrature. The entry `LRECoeffs_Iion` is required when high-order ionic quadrature is enabled. The name `LRECoeffs_states` no longer aliases the ionic quadrature coefficients; it is reserved for the optional state-reconstruction interpolator used by `stateIntegrationMode=cellCentredReconstruct`.

The high-order stiffness matrix is assembled by evaluating reconstructed gradients at face quadrature points:

$$(\mathbf{KV})_i \approx \frac{1}{|K_i|} \sum_{f \in \partial K_i} \sigma_{if} |f| \sum_{q \in f} \omega_{fq} \mathbf{n}_f \cdot \mathbf{D}_{\text{own}(f)} \nabla_h V_m(\mathbf{x}_{fq}), \quad (19)$$

where σ_{if} is the owner/neighbour orientation sign. For the manufactured verification cases the conductivity is constant, so using the owner-cell tensor in this face reconstruction is equivalent to any consistent face interpolation. Fixed-value boundaries contribute known exact-boundary terms to a separate vector $\mathbf{b}(t)$. The resulting operator is sparse but has a wider stencil than the standard finite-volume Laplacian. For smooth fields, good stencils, sufficiently accurate quadrature, and non-degenerate meshes, the expected spatial consistency improves with the LRE polynomial degree. In practice the observed order is the minimum of: reconstruction order, quadrature order, time-integration order, ODE tolerance floor, nonlinear residual floor, and mesh/stencil conditioning. If the error is controlled only by the interpolation/reconstruction of V_m , then the expected behaviour is the usual polynomial one: linear reconstruction (p1) gives second-order accuracy, quadratic reconstruction (p2) gives third-order accuracy, and cubic reconstruction (p3) gives fourth-order accuracy.

3.4 Lumped and consistent mass matrices

The lumped mass operator is the identity:

$$\mathbf{M}_{ij}^{\text{lump}} = \delta_{ij}. \quad (20)$$

This follows from the volume-normalised finite-volume form in (15): the unknowns are advanced as cell-average rates, so the volume factor has already been divided out of both the diffusion operator and the source. The identity mass is cheap, robust, positive, and coincides with the usual one-degree-of-freedom cell-centred update. If high-order V_m is disabled, the solver uses this diagonal mass even if the input asks for `consistent`, because there is no high-order reconstruction operator to integrate.

The `consistent` mass matrix is available when `useHighOrder_Vm=true` and is assembled with cell quadrature and the LRE reconstruction coefficients. For quadrature point $\mathbf{x}_{iq}$ in cell K_i , write the local Taylor/LRE reconstruction as

$$V_{mh}(\mathbf{x}_{iq}) = \sum_j c_{ijq} V_j, \quad (21)$$

where the non-zero coefficients c_{ijq} are restricted to the cell stencil of K_i and include the self coefficient. The implemented consistent cell-average mass is then

$$\mathbf{M}_{ij}^{\text{cons}} \approx \sum_{q \in K_i} \bar{\omega}_{iq} c_{ijq}, \quad \bar{\omega}_{iq} = \frac{\omega_{iq}}{\sum_{q'} \omega_{iq'}}. \quad (22)$$

It is therefore a high-order averaging/projection operator induced by the LRE reconstruction, not a Galerkin mass matrix with products of basis functions. It better matches the high-order spatial approximation, but it is sparse rather than diagonal and increases the cost and conditioning sensitivity of the implicit solve.

3.5 High-order averaging of I_{ion} and states

The cell-average source rate can be approximated either by a cell-centred rule or by quadrature. Since $S = -I_{\text{ion}}$, when `useHighOrder_Iion=false` or when the mesh is effectively one-dimensional, the solver uses the cell-centred rate

$$S_i \approx -I_{\text{ion}}(V_i, u_{1,i}, u_{2,i}, u_{3,i}). \quad (23)$$

When `useHighOrder_Iion=true` and $d > 1$, the voltage and states are evaluated at ionic quadrature points and the source rate is averaged back to the cell:

$$S_i \approx - \sum_{q \in K_i} \bar{\omega}_{iq} I_{\text{ion}}(V_{mh}(\mathbf{x}_{iq}), u_{1,iq}, u_{2,iq}, u_{3,iq}). \quad (24)$$

These quadrature-point scalar fields are allocated only for multi-dimensional high-order ionic integration, i.e. when `useHighOrder_Iion=true` and $d > 1$. In all other cases the solver still reports the nominal number of ionic integration points for auditability, but the allocated quadrature-point storage is zero and the source/state update stays cell-centred.

There are two state-update modes for the high-order ionic path:

- `cellCentredReconstruct` (default) advances the ODE once per cell from the time-step-start states using the cell-centred old voltage and the current cell-centred voltage candidate. The updated cell-centred states are then reconstructed to ionic quadrature points with the separate `LRECoeffs_states` interpolator before evaluating I_{ion} . This is the default because it costs one ODE integration per cell.
- `gaussPointODE` reconstructs the old and candidate voltages to each ionic quadrature point and advances an independent state ODE at every quadrature point. The quadrature-point states are then averaged back to cell centres. This legacy path costs one ODE integration per quadrature point.

4 Time integration

4.1 The θ method

Let $\Delta t = t^{n+1} - t^n$. The solver maps `backwardEuler` to $\theta = 1$ and `crankNicolson` to $\theta = 1/2$. Applying the θ method to (16) gives

$$\mathbf{M} \frac{\mathbf{V}^{n+1} - \mathbf{V}^n}{\Delta t} = \mathbf{L} (\theta \mathbf{V}^{n+1} + (1 - \theta) \mathbf{V}^n) + \theta \mathbf{S}^{n+1} + (1 - \theta) \mathbf{S}^n + \theta \mathbf{b}^{n+1} + (1 - \theta) \mathbf{b}^n. \quad (25)$$

Equivalently,

$$\mathbf{A} \mathbf{V}^{n+1} = \mathbf{B} \mathbf{V}^n + \theta \mathbf{S}^{n+1} + (1 - \theta) \mathbf{S}^n + \theta \mathbf{b}^{n+1} + (1 - \theta) \mathbf{b}^n, \quad (26)$$

$$\mathbf{A} = \frac{1}{\Delta t} \mathbf{M} - \theta \mathbf{L}, \quad \mathbf{B} = \frac{1}{\Delta t} \mathbf{M} + (1 - \theta) \mathbf{L}. \quad (27)$$

In the implementation, $\mathbf{L}$ is never stored as a separate sparse matrix. The solver builds $\mathbf{M}$ and $\mathbf{K}$ once (with the chunked assemblies described in §6.2) and constructs $\mathbf{A}$, $\mathbf{B}$ directly from the relation $\mathbf{L} = (\chi C_m)^{-1} \mathbf{K}$ via expression-template arithmetic on the sparse matrices: $\mathbf{A} \leftarrow \mathbf{M}/\Delta t - (\theta/\chi C_m) \mathbf{K}$ and $\mathbf{B} \leftarrow \mathbf{M}/\Delta t + ((1 - \theta)/\chi C_m) \mathbf{K}$. After $\mathbf{A}$ is copied from $\mathbf{M}$, the storage of $\mathbf{M}$ is moved into $\mathbf{B}$ to avoid keeping a third copy of the mass matrix alive throughout the run.

`backwardEuler` is first order in time and strongly damping. It is usually the most robust choice for stiff or poorly converged nonlinear problems. `crankNicolson` is second order in time for smooth solutions and converged nonlinear/source terms, but is less dissipative. Its observed order can drop if the nonlinear iterations, state ODE tolerance, or spatial error dominate.

4.2 ODE states inside one PDE time step

For a voltage candidate $V_m^{n+1,k}$, the state ODEs are advanced from the same time-step-start states $\mathbf{u}^n$. Inside the ODE integrator, voltage is interpolated linearly between the old and candidate values:

$$V_m(\tau) = (1 - \alpha) V_m^n + \alpha V_m^{n+1,k}, \quad \alpha = \frac{\tau}{\Delta t}, \quad 0 \leq \tau \leq \Delta t. \quad (28)$$

The available state solvers are:

<code>stateODESolver</code>	Method	Nominal order
Euler or <code>forwardEuler</code>	explicit Euler	1
RK4	classical Runge–Kutta	4
RKF45 or <code>RKT45</code>	adaptive embedded Fehlberg pair	4/5

For RKF45, the fifth-order candidate is accepted and the fourth-order embedded estimate supplies the local error indicator

$$e = \max_j \frac{|u_j^{(5)} - u_j^{(4)}|}{\text{stateODEAbsTol} + \text{stateODERelTol} \max(|u_j^{(5)}|, |u_j^{(4)}|)}. \quad (29)$$

A sub-step is accepted if $e \leq 1$ or if the minimum step has been reached; the next sub-step is scaled by a safety factor proportional to $e^{-1/4}$. In convergence studies, the ODE tolerances must be tight enough that the state integration error does not mask the spatial or PDE time-integration order.

5 Nonlinear coupled solve

5.1 Residual and diagnostics

For any voltage candidate $\mathbf{x}$, the solver evaluates the corresponding state fields and source by calling `evaluateNonlinearFields`. This means: reconstruct V_m to I_{ion} quadrature points if required,

reset/evolve states from t^n to t^{n+1} using $\mathbf{x}$, compute I_{ion} , and assemble the source. The coupled voltage residual is

$$\mathbf{F}(\mathbf{x}) = \mathbf{A}\mathbf{x} - [\mathbf{B}\mathbf{V}^n + \theta(\mathbf{S}(\mathbf{x}) + \mathbf{b}^{n+1}) + (1 - \theta)(\mathbf{S}^n + \mathbf{b}^n)], \quad (30)$$

where $\mathbf{b}^n$ and $\mathbf{b}^{n+1}$ are known boundary/source contributions from the manufactured boundary treatment.

The solver records several relative diagnostics:

$$R_{\text{cpl}} = \frac{\|\mathbf{F}(\mathbf{x})\|_2}{\|\mathbf{r}(\mathbf{x})\|_2 + \epsilon}, \quad R_{V_m} = \frac{\|\mathbf{V}^{k+1} - \mathbf{V}^k\|_2}{\|\mathbf{V}^k\|_2 + \epsilon}, \quad (31)$$

$$R_{I_{\text{ion}}} = \frac{\|\mathbf{l}_{\text{ion}}^{k+1} - \mathbf{l}_{\text{ion}}^k\|_2}{\|\mathbf{l}_{\text{ion}}^k\|_2 + \epsilon}, \quad R_{u_j} = \frac{\|\mathbf{u}_j^{k+1} - \mathbf{u}_j^k\|_2}{\|\mathbf{u}_j^k\|_2 + \epsilon}. \quad (32)$$

Here ϵ is the OpenFOAM `SMALL` safeguard. When high-order I_{ion} quadrature uses `gaussPointODE`, state residuals are measured at the quadrature points. In the default `cellCentredReconstruct` mode, and in the low-order source path, the authoritative states are cell-centred and the state residuals are measured at cell centres. The maximum state residual is

$$R_{\mathbf{u}} = \max(R_{u_1}, R_{u_2}, R_{u_3}). \quad (33)$$

The residual history is written to `postProcessing/highOrderManufacturedFDAImplicitPETSc/nonlinearResiduals.dat` when `writeNonlinearResiduals=true`.

5.2 Picard fixed-point method

Picard treats the nonlinear source as lagged during each linear voltage solve. Given $\mathbf{V}^k$, the solver computes $\mathbf{S}^k = \mathbf{S}(\mathbf{V}^k, \mathbf{u}(\mathbf{V}^k))$ and then solves

$$\mathbf{A}\hat{\mathbf{V}}^{k+1} = \mathbf{B}\mathbf{V}^n + \theta(\mathbf{S}^k + \mathbf{b}^{n+1}) + (1 - \theta)(\mathbf{S}^n + \mathbf{b}^n). \quad (34)$$

The relaxed update is

$$\mathbf{V}^{k+1} = \mathbf{V}^k + \omega (\hat{\mathbf{V}}^{k+1} - \mathbf{V}^k), \quad \omega = \text{nonlinearRelaxation}. \quad (35)$$

Convergence requires at least `minNonlinearIterations`; in the Picard branch the active criteria are $R_{V_m} \leq \text{nonlinearVmTolerance}$ and all state residuals below `nonlinearStatesTolerance`. If Picard exhausts the iteration budget, the current implementation accepts the last Picard iterate and prints a warning, matching the legacy `highOrderManufacturedFDAImplicit` behaviour. The source vector used for the Picard residual diagnostic is the lagged source from the current corrector evaluation; the fully coupled residual is not a Picard stopping criterion in this branch.

5.3 Diagonal- I_{ion} linearisation

`diagonalIion` keeps the same scalar voltage unknowns but adds an approximate row-wise source sensitivity to the matrix. The implementation perturbs all internal voltage unknowns by the same scalar `diagonalIionEpsilon`, re-imposes the exact boundary values, and uses the result as a diagonal surrogate:

$$d_i \approx \frac{S_i(\mathbf{V}^k + \varepsilon \mathbf{1}) - S_i(\mathbf{V}^k)}{\varepsilon}, \quad \varepsilon = \text{diagonalIionEpsilon}. \quad (36)$$

The linearised source is

$$S_i(\mathbf{V}^{k+1}) \approx S_i(\mathbf{V}^k) + d_i (V_i^{k+1} - V_i^k). \quad (37)$$

Moving the unknown part to the left gives

$$(\mathbf{A} - \theta \text{diag}(\mathbf{d})) \hat{\mathbf{V}}^{k+1} = \mathbf{r}(\mathbf{S}^k) - \theta \mathbf{d} \odot \mathbf{V}^k, \quad (38)$$

Algorithm 1 Picard nonlinear coupling

Input: Old solution $\mathbf{V}^n, \mathbf{u}^n$, source $\mathbf{S}^n$

- 1: Build $\mathbf{A}$ and $\mathbf{B}$ from $\mathbf{M}, \mathbf{L}, \theta$, and Δt
- 2: Initialise $\mathbf{V}^0$ from $\mathbf{V}^n$ and impose exact boundary values at t^{n+1}
- 3: **for** $k = 0, \dots, N_{\text{nl}} - 1$ **do**
- 4: Evaluate states and source $\mathbf{S}^k$ from $\mathbf{V}^k$
- 5: Solve $\mathbf{A}\hat{\mathbf{V}}^{k+1} = \mathbf{r}(\mathbf{S}^k)$
- 6: Relax $\mathbf{V}^{k+1} = \mathbf{V}^k + \omega(\hat{\mathbf{V}}^{k+1} - \mathbf{V}^k)$
- 7: Apply exact boundary values; the source is refreshed at the next Picard corrector
- 8: Compute $R_{V_m}, R_{u_1}, R_{u_2}, R_{u_3}, R_{I_{\text{ion}}}$
- 9: **if** minimum iterations reached and Picard tolerances hold **then**
- 10: accept and exit loop
- 11: **end if**
- 12: **end for**

Output: Last Picard iterate is accepted; a warning is printed if not converged

where $\odot$ is componentwise multiplication and

$$\mathbf{r}(\mathbf{S}^k) = \mathbf{B}\mathbf{V}^n + \theta \left(\mathbf{S}^k + \mathbf{b}^{n+1} \right) + (1 - \theta) (\mathbf{S}^n + \mathbf{b}^n). \quad (39)$$

This is the same right-hand side used by the Picard voltage solve; the `diagonalIion` branch only moves the local linearised source contribution to the left-hand side. This is not a full Newton Jacobian. For a strictly cell-local source it approximates the local voltage sensitivity, including the effect of re-integrating the states for the perturbed candidate. With high-order reconstruction/quadrature active, it should be read as a diagonal surrogate for a uniform-direction row sensitivity: off-diagonal Jacobian couplings from reconstruction and state reconstruction are not assembled. It is often more implicit than Picard while remaining cheaper and simpler than JFNK.

Algorithm 2 `diagonalIion` nonlinear coupling

Input: Old solution $\mathbf{V}^n, \mathbf{u}^n$, source $\mathbf{S}^n$

- 1: Initialise $\mathbf{V}^0$ from $\mathbf{V}^n$ and impose exact boundary values at t^{n+1}
 - 2: **for** $k = 0, \dots, N_{\text{nl}} - 1$ **do**
 - 3: Evaluate $\mathbf{S}^k$ and I_{ion}^k from $\mathbf{V}^k$
 - 4: Perturb all internal V_m values by `diagonalIionEpsilon`, re-apply boundary values, and re-evaluate source
 - 5: Form the diagonal surrogate d_i by the row-wise finite difference
 - 6: Solve $(\mathbf{A} - \theta \text{diag}(\mathbf{d}))\hat{\mathbf{V}}^{k+1} = \mathbf{r}(\mathbf{S}^k) - \theta \mathbf{d} \odot \mathbf{V}^k$
 - 7: Relax the voltage update
 - 8: Re-evaluate source/states at the relaxed voltage
 - 9: Check coupled, voltage, I_{ion} , and optional state criteria
 - 10: **if** minimum iterations reached and diagonal tolerances hold **then**
 - 11: accept and exit loop
 - 12: **end if**
 - 13: **end for**
 - 14: **if** not converged and `nonlinearAcceptUnconverged=false` **then**
 - 15: roll back V_m, I_{ion} , and states to the beginning of the time step
 - 16: **end if**
-

5.4 Jacobian-free Newton–Krylov

JFNK seeks a zero of (30):

$$\mathbf{F}(\mathbf{x}) = 0. \quad (40)$$

Newton's method would solve

$$\mathbf{J}(\mathbf{x}_k)\delta_k = -\mathbf{F}(\mathbf{x}_k), \quad \mathbf{x}_{k+1} = \mathbf{x}_k + \alpha\delta_k, \quad (41)$$

but the full Jacobian is not assembled. Instead, a Krylov method only needs products $\mathbf{J}\mathbf{v}$, approximated by the finite difference

$$\mathbf{J}(\mathbf{x})\mathbf{v} \approx \frac{\mathbf{F}(\mathbf{x} + \epsilon\mathbf{v}) - \mathbf{F}(\mathbf{x})}{\epsilon}, \quad \epsilon = \text{JfnkEpsilon} \frac{1 + \|\mathbf{x}\|_2}{\|\mathbf{v}\|_2 + \epsilon_{\text{mach}}}. \quad (42)$$

Each matrix-free Krylov product therefore performs a full nonlinear residual evaluation: ODE solve, source evaluation, source quadrature if active, and matrix-vector application. This is the main cost of JFNK.

With the PETSc backend, the matrix-free solve is delegated to the persistent shell KSP; the default `jfnkPetscKspType=gmres` gives restarted GMRES with restart length `jfnkPetscRestart`, but other PETSc KSP types can be selected through the dictionary or the PETSc options database. With the Eigen fallback, the in-file implementation uses restarted GMRES(m), where $m = \text{jfnkMaxKrylovIterations}$ and the number of restarts is `jfnkMaxRestarts`; its Arnoldi basis is orthogonalised in the code and the least-squares projected problem is solved with Eigen's column-pivoted Householder QR. The configured Krylov solve stops when its relative residual is below `jfnkLinearTolerance` or when the iteration/restart budget is exhausted.

5.5 Armijo line search and rollback

After the Krylov solve proposes a Newton correction δ_k , the solver optionally uses Armijo backtracking. Starting from $\alpha = \text{nonlinearRelaxation}$, it accepts the trial step if

$$\|\mathbf{F}(\mathbf{x}_k + \alpha\delta_k)\|_2^2 \leq (1 - 2c\alpha) \|\mathbf{F}(\mathbf{x}_k)\|_2^2, \quad c = \text{jfnkArmijoC}. \quad (43)$$

If the condition fails, α is halved until either the condition is met, `jfnkLineSearchMaxIter` is reached, or `jfnkLineSearchAlphaMin` is reached. This globalises Newton by discouraging steps that increase the nonlinear residual.

For JFNK and `diagonalIion`, if the nonlinear solver reaches the maximum number of iterations without convergence, the default behaviour is a rollback: V_m , I_{ion} , and the state fields are restored to the beginning of the time step. Setting `nonlinearAcceptUnconverged=true` disables this rollback and accepts the last iterate. Picard is the exception: to preserve the legacy manufactured implicit behaviour, an unconverged Picard iteration accepts the last Picard iterate with a warning.

6 Linear-algebra backend and implementation notes

The PDE-level operators $\mathbf{A}$, $\mathbf{B}$, $\mathbf{K}$, and the JFNK preconditioner $\mathbf{P}$ are stored as Eigen `SparseMatrix<scalar, RowMajor>` while the heavy linear solves run through PETSc by default. The solver wraps the PETSc API in two small classes that exist in the anonymous namespace of the translation unit:

- `PetscKspMatrixSolver` owns a (matrix, KSP, preconditioner) triple. The first call to `reset()` translates an Eigen `SparseMatrix` into a PETSc `MatSeqAIJ`, builds the KSP, and triggers the symbolic ILU(T) factorisation. Subsequent updates call `updateValues()`: this zeros the PETSc `Mat` in place (`MatZeroEntries`), refreshes its numerical entries (`MatSetValue/MatAssemblyEnd`), and asks the PETSc preconditioner to recompute its numerical factor while reusing the existing symbolic structure (`KSPSetReusePreconditioner(PETSC_FALSE)` followed by `KSPSetUp`). This means $\mathbf{P}$ can be refreshed many times per time step without freeing and re-allocating the ILU(T) factor.
- `PetscShellKspSolver` wraps a matrix-free shell-matrix used by JFNK. A persistent `Mat` of type `MatShell`, a KSP, the right-hand side and solution vectors, and the two callback contexts (`matVec`,

Algorithm 3 Jacobian-free Newton–Krylov nonlinear coupling

Input: Old solution $V^n, \mathbf{u}^n$, old source S^n

```
1: Build initial guess  $\mathbf{x}_0$  from  $V^n$  or extrapolation
2: for  $k = 0, \dots, N_{\text{nl}} - 1$  do
3:   Evaluate  $F(\mathbf{x}_k)$ , states, source, and  $I_{\text{ion}}$ 
4:   if minimum iterations reached and nonlinear tolerances hold then
5:     accept  $\mathbf{x}_k$  and exit loop
6:   end if
7:   Define matrix-free product  $\mathbf{v} \mapsto [F(\mathbf{x}_k + \epsilon \mathbf{v}) - F(\mathbf{x}_k)]/\epsilon$ 
8:   Use the configured matrix-free Krylov solve to approximate  $\mathbf{J}\delta_k = -F(\mathbf{x}_k)$ 
9:   if jfnkLineSearch=true then
10:    Set  $\alpha \leftarrow \text{nonlinearRelaxation}$ 
11:    while Armijo condition (43) fails and budget remains do
12:       $\alpha \leftarrow \max(\alpha/2, \text{jfnkLineSearchAlphaMin})$ 
13:    end while
14:  else
15:     $\alpha \leftarrow \text{nonlinearRelaxation}$ 
16:  end if
17:  Update  $\mathbf{x}_{k+1} = \mathbf{x}_k + \alpha \delta_k$ 
18:  Re-evaluate states/source at  $\mathbf{x}_{k+1}$  and write residual diagnostics
19:  if minimum iterations reached and nonlinear tolerances hold then
20:    accept  $\mathbf{x}_{k+1}$  and exit loop
21:  end if
22: end for
23: if not converged and nonlinearAcceptUnconverged=false then
24:   roll back  $V_m, I_{\text{ion}}$ , and states to their time-step-start values
25: end if
```

`applyPreconditioner`) are allocated once outside the time loop. Each Newton iteration only refreshes the `std::function` payloads of those contexts and calls `KSPSolve`; the PETSc KSP object and its work storage persist across solves. Numerically this is identical to constructing a fresh shell matrix per Newton iteration, but it avoids allocating and freeing roughly $40 m N_c$ scalars per JFNK call (with $m = \text{jfnkPetscRestart}$ and N_c the number of cells).

For users who prefer to stay in pure Eigen, `linearSolverBackend` can be set to `Eigen`. In that mode the voltage solve uses `Eigen::SparseLU` or `Eigen::BiCGSTAB` and the JFNK inner GMRES uses the in-file implementations `solveGMRES` (no preconditioner) or `solveLeftPreconditionedGMRES` with the Eigen `IncompleteLUT`. The two backends are numerically equivalent for the same matrix and tolerances: they differ only in the linear solver implementation, not in the PDE residual.

PETSc type names are normalised before the KSP/PC objects are created. KSP aliases such as `PETSc`, `GMRES`, `KSPGMRES`, and `JFNK` select PETSc `gmres`; `BiCGSTAB`/`BCGS` select `bcgs`; and `SparseLU`/`LU` select `preonly`. PC aliases `off`, `false`, `none`, and `noPC` select PETSc `none`; `ILUT` selects `ilu`; `SparseLU`/`LU` select `lu`; and the common misspelling `jakobi` is accepted as `jacobi`. If `petscUseOptions=true`, PETSc’s options database can still override solver details through the configured options prefix.

6.1 JFNK preconditioner: `diagonalIion` `ILU(T)`

When `jfnkPreconditioner=diagonalIion`, the inner GMRES applies a left preconditioner $\mathbf{P}^{-1}$ defined implicitly by an `ILU(T)` factorisation of

$$\mathbf{P} = \mathbf{A} - \theta \text{diag}(\mathbf{d}), \quad d_i = \frac{S_i(\mathbf{x} + \epsilon \mathbf{1}) - S_i(\mathbf{x})}{\epsilon}, \quad (44)$$

which is exactly the matrix that the `diagonalIion` nonlinear method would solve. The preconditioner solver type (`jfnkPreconditionerKspType`, `jfnkPreconditionerPcType`) defaults to a direct application

of the ILU(T) factor (preonly+ilu). The two ILU(T) controls `jfnkPreconditionerDropTolerance` and `jfnkPreconditionerFillFactor` are passed verbatim to PETSc's `PCFactorSetDropTolerance` and `PCFactorSetFill`. The preconditioner is refreshed every `jfnkPreconditionerUpdateFrequency` Newton iterations inside a time step. Across time steps it stays alive through the cached `PetscKspMatrixSolver` above. Selecting `jfnkPreconditioner=diffusion` uses $\mathbf{A}$ as the preconditioner matrix without the diagonal source correction. Selecting `jfnkPreconditioner=none` disables the left preconditioner and runs the matrix-free Krylov solve without the shell preconditioner.

The persistent matrix $\mathbf{P} = \text{jfnkP}$ is allocated once. The first preconditioner update copies $\mathbf{A}$ into $\mathbf{P}$ (full sparse copy); all subsequent updates only overwrite the value buffer `P.valuePtr()` from `AImplicit.valuePtr()` via `std::copy` and then add the diagonal correction in place. This is correct because the sparsity pattern of $\mathbf{A}$ is invariant in time, and the `addDiagonalToMatrix` helper only touches diagonal entries that already exist in $\mathbf{A}$ (the identity/lumped mass path and the LRE consistent-mass self coefficients provide the diagonal entries used by the correction).

6.2 Chunked assembly of $\mathbf{M}$ and $\mathbf{K}$

The high-order stiffness matrix is the dominant transient memory cost of the setup phase. On a 3D unstructured tetrahedral mesh with $\sim 290\text{k}$ cells, p_3 LRE reconstruction, ~ 60 -cell stencils, and stabilisation active, the monolithic assembly accumulates of order 4×10^8 Eigen triplets in a single `std::vector<Triplet>`. Because the initial reservation cannot match this exactly without an extra pre-pass, the vector would grow by capacity-doubling, briefly holding both the old and new buffer in memory.

To avoid that transient peak, the solver assembles both $\mathbf{M}$ and $\mathbf{K}$ in fixed-size chunks. For $\mathbf{K}$ the chunks are blocks of `faceChunk = 50 000` internal faces; for $\mathbf{M}$ they are blocks of `cellChunk = 50 000` cells. Each chunk fills a triplet buffer of bounded size, builds a chunk-local sparse matrix $\mathbf{K}_{\text{local}}$ (resp. $\mathbf{M}_{\text{local}}$) via `setFromTriplets`, and folds it into the accumulated matrix:

$$\mathbf{K} \leftarrow \mathbf{K} + \mathbf{K}_{\text{local}}, \quad \mathbf{M} \leftarrow \mathbf{M} + \mathbf{M}_{\text{local}}, \quad (45)$$

where the first chunk uses assignment instead of accumulation. After the chunked sweep over internal faces, the boundary-face contributions are appended through the same flush mechanism. The triplet buffer is cleared between chunks and explicitly released (`std::vector<Triplet>().swap(triplets)`) at the end of the routine.

For the stiffness matrix, the chunk triplet reservation is controlled by `stiffnessTripletsPerFaceReserve`. With `memoryOptimization=off` this keeps the conservative historical value of 800 triplets per face. With `memoryOptimization=on`, or with `memoryOptimization=auto` on large 3D high-order cases, the reserve is selected from `memoryOptimizationFluxTripletsPerFace` for flux-only assemblies and from `memoryOptimizationStabilisedTripletsPerFace` when stabilisation is active. This changes only the capacity of the temporary `std::vector`; the set of triplets that pass `addTripletIfNeeded(...)` is unchanged.

For the consistent high-order mass matrix, `compactMassAssembly` can accumulate all quadrature-point contributions to a cell row in a small local buffer before emitting triplets. The compact path therefore emits one triplet per final row/stencil entry instead of one triplet per quadrature contribution. Mathematically it assembles the same mass matrix; only the local floating-point summation order is changed. The first non-empty mass and stiffness chunks are moved into the global Eigen sparse matrix with `swap()`, avoiding an extra full sparse copy during setup.

Numerically the chunked assembly is identical to the monolithic one: sparse matrix addition is associative and commutative, and the per-triplet filter `addTripletIfNeeded(...)` is independent of the chunking because it inspects each triplet value before insertion.

6.3 Memory layout in the time loop

Several sparse matrices and PETSc objects live across the time loop, so the solver is careful about which copies are kept:

- **M** is moved (not copied) into **B** once the implicit matrices are assembled. After this point **M** is empty and only **A** and **B** hold the time-discrete operators.
- In the Picard/diagonalIion branches, the modified system matrix $\mathbf{A}_{\text{Current}} = \mathbf{A} - \theta \text{diag}(\mathbf{d})$ is allocated once outside the corrector loop; subsequent corrector iterations refresh its value buffer from **A** via `std::copy` and re-apply the diagonal correction in place. The branch is also skipped entirely for pure Picard when the PETSc cached solver is used, since that branch never needs a separately stored linearised matrix.
- The Picard solve uses a single `PetscKspMatrixSolver` cached across the run via `reset()` on the first call. Because **A** is time-constant in the Picard branch, no further numerical updates are needed.
- The JFNK preconditioner solver uses the `updateValues()` fast path described above, so the ILU(T) factor is built once symbolically and only its numerical entries are recomputed per refresh.
- The seven ionic quadrature-point scalar fields (`VmOld`, `VmGuess`, `source`, `Iion`, and three states) are sized with `allocatedIionIntegrationPoints`. This is zero unless high-order ionic integration is actually active in $d > 1$, so pure cell-centred source runs do not pay for unused quadrature-point storage.
- The diagnostic high-order flux/laplacian reconstruction is not evaluated on every time step. The solver always forms the numerical laplacian used in the RHS diagnostic from the already assembled matrix expression $\mathbf{KV} + \mathbf{b}$. The expensive `computeHighOrderLaplacian` path that fills `fluxVm_H0` is only run when an output time needs the flux field, and once more during final post-processing.
- On glibc systems the solver tightens the allocator before any large allocation: `M.ARENA_MAX` is set to 2 to prevent the OpenMP ODE thread pool from forcing dozens of arenas, `M.MMAP_THRESHOLD` and `M.TRIM_THRESHOLD` are lowered to 64 KiB so that mid-sized Eigen temporaries during the LRE QR factorisations are placed in `mmap`'d regions that are returned to the OS on free. When `memoryOptimizationTrimHeap=true` and the memory optimisation mode is effective, `malloc_trim(0)` is called after the mass-matrix assembly, after the stiffness-matrix assembly, and after **A/B** are built; this releases the heap padding left behind by the very large number of small Eigen allocations performed during LRE setup.
- When `profileTimings=true`, setup also prints peak-RSS checkpoints before and after mass assembly, before and after stiffness assembly, and after implicit matrix construction. These checkpoints report the monotone `getrusage(RUSAGE_SELF).ru_maxrss` peak, not the instantaneous RSS.

These choices do not change any numerical output; they only change peak resident memory and the cost of repeated linear solves.

7 Theoretical accuracy and practical error floors

For a smooth manufactured solution and exact nonlinear solves, the intended orders are:

Component	Expected order	Main caveat
standard FV diffusion	second order in space on regular orthogonal meshes	mesh quality
LRE high-order reconstruction	increases with polynomial degree N	stencil quality and quadrature
backwardEuler	first order in time	numerical damping
crankNicolson	second order in time	requires converged nonlinear/source terms
Euler states	first order in time	rarely appropriate for high-order studies
RK4 states	fourth order for smooth ODEs	fixed step over PDE Δt
RKF45 states	adaptive fourth/fifth-order pair	tolerance sets error floor
Picard/JFNK/diagonal	nonlinear iteration, not spatial order by itself	residual tolerance must be small enough

The measured MMS order is the order of the entire chain. It can be limited by the largest of the following errors: spatial reconstruction, mass matrix approximation, source quadrature, PDE time stepping, state ODE integration, linear solver tolerance, nonlinear residual tolerance, and floating-point or conditioning effects. In particular, a high-order spatial method will not show its nominal order unless Δt , ODE tolerances, and nonlinear tolerances are sufficiently tight.

8 Solver controls

The numerical controls are read from `constant/spatialIntegrationProperties` and `constant/timeIntegrationProperties`. The tutorial `run_convergence.py` writes these dictionaries.

Control	Meaning
<code>useHighOrder_Vm</code>	Selects standard FV or LRE high-order diffusion/mass reconstruction for V_m .
<code>useHighOrder_Iion</code>	Selects cell-centred source evaluation or high-order ionic quadrature in $d > 1$. State placement is then controlled by <code>stateIntegrationMode</code> .
<code>useHighOrder_states</code>	Legacy alias used only if <code>useHighOrder_Iion</code> is absent.
<code>implicitScheme</code>	<code>backwardEuler</code> or <code>crankNicolson</code> ; sets θ .
<code>massMatrix</code>	<code>lumped</code> identity cell-average mass operator or LRE consistent high-order averaging mass.
<code>highOrderCoeffs/stabilisationAlpha</code>	Optional positive face-stabilisation strength for the high-order diffusion operator; defaults to zero.
<code>highOrderCoeffs/LRECoeffs_Vm</code>	LRE settings N , N_n , k , and <code>maxStencilSize</code> for V_m diffusion and the consistent mass matrix.
<code>highOrderCoeffs/LRECoeffs_Iion</code>	Required LRE settings N , N_n , k , and <code>maxStencilSize</code> for ionic quadrature.
<code>highOrderCoeffs/LRECoeffs_states</code>	Required only for <code>stateIntegrationMode=cellCentredReconstruct</code> with high-order ionic quadrature; controls reconstruction of cell-centred states to ionic quadrature points.
<code>stateIntegrationMode</code>	<code>cellCentredReconstruct</code> (default, one ODE solve per cell plus state reconstruction) or <code>gaussPointODE</code> (legacy, one ODE solve per ionic quadrature point).
<code>linearSolverBackend</code>	PETSc (default) routes the voltage solve through PETSc; Eigen keeps the original in-process Eigen path.
<code>linearSolver</code>	Eigen sparse solver name when the Eigen backend is selected: <code>BiCGSTAB</code> or <code>SparseLU</code> .
<code>tolerance</code> , <code>maxIterations</code>	Linear PDE solver stopping tolerance and iteration cap.
<code>petscLinearKspType</code> , <code>petscLinearPcType</code> , <code>petscLinearRestart</code>	PETSc KSP type (<code>gmres</code> , <code>bcgs</code> , <code>preonly</code> , ...), preconditioner type (<code>ilu</code> , <code>lu</code> , <code>none</code> , ...) and GMRES restart length for the Picard voltage solve.
<code>petscLinearOptionsPrefix</code> , <code>petscUseOptions</code>	Options-database prefix and switch that lets the user override KSP/PC settings from the PETSc options database.
<code>nonlinearMethod</code>	<code>Picard</code> , <code>diagonalIion</code> , or <code>JFNK</code> .
<code>nonlinearIterations</code>	Maximum nonlinear iterations per PDE time step.
<code>minNonlinearIterations</code>	Minimum nonlinear iterations before convergence can be accepted.
<code>nonlinearTolerance</code>	Coupled residual tolerance for JFNK/diagonal branches.
<code>nonlinearVmTolerance</code>	Relative L_2 tolerance for the voltage update.
<code>nonlinearStatesTolerance</code>	Relative L_2 tolerance for state updates.
<code>nonlinearRequireStatesConvergence</code>	If true, state residuals are part of the JFNK/diagonal stopping test.

Control	Meaning
<code>nonlinearAcceptUnconverged</code>	If false, JFNK/diagonal roll back on nonlinear failure.
<code>nonlinearIionTolerance</code>	Relative L_2 tolerance for I_{ion} changes.
<code>nonlinearRelaxation</code>	Picard relaxation or initial Newton step length.
<code>jfnkLinearSolverBackend</code>	PETSc (default) for the persistent shell-Krylov solver or Eigen for the in-file GMRES implementations.
<code>jfnkMaxKrylovIterations</code>	GMRES restart length m (also the Krylov budget for the matrix-free solve).
<code>jfnkMaxRestarts</code>	Number of restarted GMRES cycles.
<code>jfnkLinearTolerance</code>	GMRES relative residual tolerance.
<code>jfnkPetscKspType,</code> <code>jfnkPetscPcType,</code> <code>jfnkPetscRestart,</code> <code>jfnkPetscOptionsPrefix</code>	PETSc KSP/PC settings and options-database prefix used by the persistent shell-Krylov solver.
<code>jfnkEpsilon</code>	Scaling of the finite-difference Jacobian-vector perturbation.
<code>jfnkInitGuessOrder</code>	JFNK-only initial guess: constant old voltage for order 0, or linear extrapolation from the previous two committed voltages for order ≥ 1 .
<code>jfnkInitGuessVmMin/Max</code>	Clamp for extrapolated guess and optionally for ODE input.
<code>jfnkClampODEInput</code>	If true, clamps voltage passed to state ODE evaluations.
<code>jfnkLineSearch,</code> <code>jfnkLineSearchMaxIter,</code> <code>jfnkLineSearchAlphaMin,</code> <code>jfnkArmijoC</code>	Armijo backtracking controls.
<code>jfnkPreconditioner</code>	Left preconditioner for the JFNK Krylov solve: <code>none</code> , <code>diffusion</code> (alias <code>linear</code> , <code>AImplicit</code>) or <code>diagonalIion</code> (alias <code>diagonal</code> , <code>localDiagonal</code>).
<code>jfnkPreconditionerKspType,</code> <code>jfnkPreconditionerPcType</code>	KSP and PC types for the preconditioner solve, typically <code>preonly+ilu</code> to apply the cached ILU(T) factor directly.
<code>jfnkPreconditionerDropTolerance,</code> <code>jfnkPreconditionerFillFactor</code>	PETSc ILU(T) drop tolerance and fill factor for the JFNK preconditioner factorisation.
<code>jfnkPreconditionerTolerance,</code> <code>jfnkPreconditionerMaxIterations</code>	Inner KSP tolerance and iteration cap for the preconditioner solve (used by iterative inner solvers; the default <code>preonly</code> ignores them).
<code>jfnkPreconditionerUpdateFrequency</code> <code>jfnkPreconditionerOptionsPrefix</code>	How often the preconditioner matrix and factor are refreshed (every n Newton iterations) and the PETSc options-database prefix.
<code>diagonalIionEpsilon</code>	Finite-difference perturbation for diagonal source derivative.
<code>stateODESolver</code>	RKF45, RKT45, RK4, or Euler.
<code>stateODEInitialStep,</code> <code>stateODEAbsTol,</code> <code>stateODERelTol,</code> <code>stateODEMaxSteps</code>	Adaptive ODE step and tolerance controls. The same values can fall back to <code>initialODEStep</code> , <code>absTol</code> , <code>relTol</code> , and <code>maxSteps</code> in <code>timeIntegrationProperties</code> ; <code>stateODETolerance</code> and <code>stateODEMaxSubSteps</code> are retained as legacy fallbacks.
<code>stateODEUseOpenMP,</code> <code>stateODENumThreads,</code> <code>stateODEOpenMPThreshold</code>	Enables OpenMP parallelisation of the per-cell/per-quadrature-point state ODE integration, sets the thread count and the cell threshold above which the parallel region is entered.

Control	Meaning
<code>memoryOptimization</code>	off, on, or auto. In auto, memory optimisations are effective only for 3D high-order V_m runs with at least <code>memoryOptimizationCellThreshold</code> cells.
<code>memoryOptimizationCellThreshold</code>	Cell-count threshold used by <code>memoryOptimization=auto</code> ; default 8000.
<code>memoryOptimizationAdaptiveTripletReserve</code>	If effective, selects a smaller or stabilised stiffness triplet reserve instead of the conservative 800 triplets per face.
<code>memoryOptimizationFluxTripletsPerFace</code>	Triplets-per-face reserve used for high-order stiffness assembly.
<code>memoryOptimizationStabilisedTripletReserve</code>	Triplets-per-face only and stabilised cases. Values are clamped to at least 16.
<code>memoryOptimizationTrimHeap</code>	Enables gated <code>malloc_trim(0)</code> calls after large setup phases when memory optimisation is effective.
<code>memoryOptimizationCompactMassAssembly</code>	Enables compact row-wise triplet emission for the consistent high-order mass matrix when memory optimisation is effective.
<code>profileTimings</code>	Records per-phase wall-clock timings (assembly, GMRES, preconditioner setup/apply, sparse solves) for the final summary.
<code>writeNonlinearResiduals</code>	Writes per-iteration nonlinear residual diagnostics.

9 Output diagnostics

At the final time, the solver writes cell-centred fields, manufactured exact fields, error fields, reconstructed/quadrature diagnostics when available, and a text summary. The summary includes mesh size, dimension, Δt , time scheme, mass matrix, high-order settings for V_m and I_{ion} , selected nonlinear method, relevant tolerances, ODE controls, nonlinear convergence statistics, effective memory-optimisation settings, allocated ionic quadrature-point storage, wall-clock timings, and peak resident memory. These diagnostics are intended to make each convergence point auditable: the numerical method used to generate a data point is recorded alongside the error data.

10 Error Measures and Convergence Rates

The solver writes cell-centred volume-weighted L_1 , L_2 , and L_∞ errors for V_m , u_1 , and u_2 . For a generic field $q \in \{V_m, u_1, u_2\}$, let q_i be the numerical value stored at the centre of cell K_i , $q^*(\mathbf{x}, t)$ the manufactured exact solution, and

$$e_i(q) = q_i - q^*(\mathbf{C}_i, t), \quad |\Omega_h| = \sum_i |K_i|. \quad (46)$$

The cell-centred errors written by the solver are

$$E_1^C(q) = \frac{1}{|\Omega_h|} \sum_i |K_i| |e_i(q)|, \quad (47)$$

$$E_2^C(q) = \left[\frac{1}{|\Omega_h|} \sum_i |K_i| e_i(q)^2 \right]^{1/2}, \quad (48)$$

$$E_\infty^C(q) = \max_i |e_i(q)|. \quad (49)$$

These are volume-weighted mean/RMS errors, not unnormalised integral norms.

The solver also writes reconstructed quadrature errors, denoted by the superscript G . Let $\mathbf{x}_{iq}$ be a quadrature point in cell K_i and let ω_{iq} be its normalised quadrature weight, so that $m_{iq} = |K_i| \omega_{iq}$

is the physical measure associated with that point. For voltage, q_{iq}^G is the LRE/Taylor reconstructed voltage $V_{m,h}(\mathbf{x}_{iq})$; for the states, when high-order ionic integration is active, q_{iq}^G is the state value used at the ionic quadrature point. In the default `cellCentredReconstruct` mode this value is reconstructed from the advanced cell-centred state; in the legacy `gaussPointODE` mode it is the state advanced directly at that quadrature point. The quadrature-point error is

$$e_{iq}^G(q) = q_{iq}^G - q^*(\mathbf{x}_{iq}, t), \quad |\Omega_h|_G = \sum_i \sum_q m_{iq}. \quad (50)$$

The corresponding quadrature errors are

$$E_1^G(q) = \frac{1}{|\Omega_h|_G} \sum_i \sum_q m_{iq} |e_{iq}^G(q)|, \quad (51)$$

$$E_2^G(q) = \left[\frac{1}{|\Omega_h|_G} \sum_i \sum_q m_{iq} (e_{iq}^G(q))^2 \right]^{1/2}, \quad (52)$$

$$E_\infty^G(q) = \max_{i,q} |e_{iq}^G(q)|. \quad (53)$$

If the corresponding high-order diagnostic is inactive, the report maps the cell-centred errors into the same output columns.

For the quadrature diagnostics, the exact-solution RMS norm and the relative percentage error are

$$\|q^*\|_{2,G} = \left[\frac{1}{|\Omega_h|_G} \sum_i \sum_q m_{iq} (q^*(\mathbf{x}_{iq}, t))^2 \right]^{1/2}, \quad E_{\text{rel},2}^G(q) = 100 \frac{E_2^G(q)}{\max(\|q^*\|_{2,G}, \text{SMALL})}. \quad (54)$$

Pairwise rates use consecutive mesh sizes,

$$p_{N_1, N_2} = \frac{\log(E_{N_1}/E_{N_2})}{\log(h_{N_1}/h_{N_2})}, \quad h_N = 1/N. \quad (55)$$

The convergence tables below recompute log-log fits directly from the `errors_vs_N` files. The 2D tables use $N = 10$ – 100 and $N = 70$ – 100 ; the 3D tables use $N = 10$ – 30 and $N = 20$ – 30 .

11 Results

This section collects the current convergence tables generated from `/home/pablo/OpenFOAM/pablo-v2312/run/tutorials_electro/highOrderManufacturedFDAImplicitPETSc/results/example0/`. All result blocks in this section use `crankNicolson` time integration, the consistent mass matrix, and `RKF45` for the state ODEs. The tables are split by dimension, nonlinear method, mesh family, stabilisation parameter, and time step. Their first column records the actual `Vm-states-Iion` triplet used in each run.

11.1 Two-dimensional manufactured problem

The tables in this subsection are generated directly from the current `/home/pablo/OpenFOAM/pablo-v2312/run/tutorials_electro/highOrderManufacturedFDAImplicitPETSc/results/example0` result tree. The method-specific roots are `/home/pablo/OpenFOAM/pablo-v2312/run/tutorials_electro/highOrderManufacturedFDAImplicitPETSc/results/example0/2D_CN_cons_Picard_RKF45`, `/home/pablo/OpenFOAM/pablo-v2312/run/tutorials_electro/highOrderManufacturedFDAImplicitPETSc/results/example0/2D_CN_cons_diagonalIion_RKF45`, `/home/pablo/OpenFOAM/pablo-v2312/run/tutorials_electro/highOrderManufacturedFDAImplicitPETSc/results/example0/2D_CN_cons_JFNK_RKF45`. All entries use `crankNicolson`, the consistent mass matrix, and `RKF45` for the state ODEs. The first column reports `Vm-states-Iion`: the V_m reconstruction degree, the state treatment (`CCp*`, `GP`, or `na`), and the I_{ion} quadrature/reconstruction setting. Fits use $N = 10$ – 100 for the broad mesh range and $N = 70$ – 100 for the fine-mesh range.

Vm-states-Ion	Mesh type	α	Fit $N = 10-100$						Fit $N = 70-100$						t_{Σ} [s]	RSS $_{\Sigma}$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p2--CCp1--p2	triangular unstr	0.1	2.104	2.578	2.283	2.101	2.292	2.039	1.972	2.185	2.455	2.057	2.479	2.018	596.61	25104.2
p2--CCp1--p3	hexa	0.0	2.212	2.708	2.272	2.248	2.283	2.215	2.026	2.303	2.199	2.167	2.206	2.114	132.77	19802.8
p2--CCp1--p3	hexa	0.1	2.223	2.759	2.291	2.248	2.304	2.214	2.030	2.364	2.229	2.167	2.238	2.114	120.06	21058.9
p2--CCp1--p3	triangular unstr	0.0	2.118	2.532	2.273	2.126	2.279	2.050	1.977	2.149	2.394	2.074	2.419	2.023	777.40	22967.1
p2--CCp1--p3	triangular unstr	0.1	2.104	2.578	2.283	2.126	2.292	2.050	1.972	2.185	2.455	2.074	2.479	2.023	627.52	25163.3
p2--CCp2--p1	hexa	0.0	2.149	2.608	2.203	3.039	2.203	2.289	2.019	2.210	2.155	2.989	2.155	2.169	140.24	19917.8
p2--CCp2--p1	hexa	0.1	2.152	2.651	2.211	3.040	2.211	2.310	2.021	2.247	2.173	2.991	2.172	2.189	125.89	20909.1
p2--CCp2--p1	triangular unstr	0.0	2.056	2.374	2.166	2.166	2.161	2.161	1.982	2.068	2.260	2.260	2.263	2.263	754.03	23653.5
p2--CCp2--p1	triangular unstr	0.1	2.043	2.402	2.162	2.162	2.158	2.158	1.980	2.081	2.286	2.286	2.285	2.285	617.64	25105.4
p2--CCp2--p2	hexa	0.0	2.212	2.708	2.284	3.063	2.283	2.480	2.026	2.303	2.206	3.000	2.206	2.250	141.14	20114.9
p2--CCp2--p2	hexa	0.1	2.224	2.760	2.305	3.063	2.305	2.527	2.030	2.365	2.239	3.001	2.239	2.294	134.56	21038.7
p2--CCp2--p2	triangular unstr	0.0	2.118	2.532	2.286	3.012	2.279	2.428	1.977	2.149	2.413	2.995	2.420	2.443	727.80	23875.1
p2--CCp2--p2	triangular unstr	0.1	2.104	2.579	2.300	3.012	2.293	2.467	1.972	2.186	2.481	2.996	2.482	2.511	613.39	25257.0
p2--CCp2--p3	hexa	0.0	2.212	2.708	2.284	3.058	2.283	2.480	2.026	2.303	2.206	2.999	2.206	2.251	140.66	20243.0
p2--CCp2--p3	hexa	0.1	2.224	2.760	2.305	3.058	2.305	2.527	2.030	2.365	2.239	3.000	2.239	2.296	143.18	21098.7
p2--CCp2--p3	triangular unstr	0.0	2.118	2.532	2.286	3.010	2.279	2.425	1.977	2.149	2.413	2.995	2.420	2.443	725.90	23969.0
p2--CCp2--p3	triangular unstr	0.1	2.104	2.579	2.300	3.010	2.293	2.465	1.972	2.186	2.481	2.996	2.482	2.512	622.84	25335.9
p2--CCp3--p1	hexa	0.0	2.149	2.608	2.203	3.175	2.203	2.220	2.019	2.210	2.155	2.123	2.155	2.154	167.65	21118.3
p2--CCp3--p1	hexa	0.1	2.152	2.651	2.211	3.250	2.211	2.227	2.021	2.247	2.173	2.151	2.172	2.171	198.67	21530.3
p2--CCp3--p1	triangular unstr	0.0	2.056	2.374	2.166	2.166	2.161	2.161	1.982	2.068	2.260	2.260	2.263	2.263	773.41	25977.5
p2--CCp3--p1	triangular unstr	0.1	2.043	2.402	2.162	2.162	2.158	2.158	1.980	2.081	2.286	2.286	2.285	2.285	668.09	26830.7
p2--CCp3--p2	hexa	0.0	2.212	2.708	2.284	3.846	2.283	2.347	2.026	2.303	2.206	2.397	2.206	2.204	162.87	21297.1
p2--CCp3--p2	hexa	0.1	2.224	2.760	2.305	3.936	2.304	2.369	2.030	2.365	2.239	2.584	2.238	2.237	184.34	21724.7
p2--CCp3--p2	triangular unstr	0.0	2.118	2.532	2.286	3.422	2.279	2.345	1.977	2.149	2.413	2.437	2.420	2.419	793.59	26150.4
p2--CCp3--p2	triangular unstr	0.1	2.104	2.579	2.300	3.528	2.293	2.358	1.972	2.186	2.481	2.550	2.482	2.482	653.69	27025.5
p2--CCp3--p3	hexa	0.0	2.212	2.708	2.284	3.839	2.283	2.346	2.026	2.303	2.206	2.351	2.206	2.204	159.34	21389.3
p2--CCp3--p3	hexa	0.1	2.224	2.760	2.305	3.933	2.304	2.368	2.030	2.365	2.239	2.531	2.238	2.237	169.65	21784.7
p2--CCp3--p3	triangular unstr	0.0	2.118	2.532	2.286	3.389	2.279	2.343	1.977	2.149	2.413	2.404	2.420	2.419	803.40	26267.3
p2--CCp3--p3	triangular unstr	0.1	2.104	2.579	2.300	3.497	2.293	2.356	1.972	2.186	2.481	2.509	2.482	2.482	596.37	27166.6
p2--GP--p1	hexa	0.0	2.149	2.608	2.004	2.716	2.109	2.720	2.019	2.210	2.002	2.416	2.034	2.422	114.99	18745.8
p2--GP--p1	hexa	0.1	2.152	2.651	2.004	2.757	2.107	2.760	2.021	2.247	2.002	2.470	2.033	2.476	131.63	20347.1
p2--GP--p1	triangular unstr	0.0	2.056	2.374	2.166	2.166	2.161	2.161	1.982	2.068	2.260	2.260	2.263	2.263	643.71	21946.4
p2--GP--p1	triangular unstr	0.1	2.043	2.402	2.162	2.162	2.158	2.158	1.980	2.081	2.286	2.286	2.285	2.285	626.12	24414.7
p2--GP--p2	hexa	0.0	2.212	2.708	2.004	2.942	2.118	2.941	2.026	2.303	2.001	2.734	2.020	2.738	133.29	18953.3
p2--GP--p2	hexa	0.1	2.224	2.760	2.004	2.969	2.116	2.968	2.030	2.365	2.001	2.794	2.019	2.797	154.46	20458.3
p2--GP--p2	triangular unstr	0.0	2.118	2.532	1.993	2.860	2.044	2.862	1.977	2.149	2.000	2.751	2.026	2.757	655.40	22216.4
p2--GP--p2	triangular unstr	0.1	2.104	2.579	1.993	2.895	2.042	2.896	1.972	2.186	2.000	2.820	2.025	2.823	649.16	24557.3
p2--GP--p3	hexa	0.0	2.212	2.708	2.004	2.940	2.118	2.940	2.026	2.303	2.001	2.739	2.020	2.743	129.78	19057.3
p2--GP--p3	hexa	0.1	2.224	2.760	2.004	2.967	2.117	2.966	2.030	2.365	2.001	2.798	2.019	2.801	196.31	20537.1
p2--GP--p3	triangular unstr	0.0	2.118	2.532	1.993	2.863	2.044	2.865	1.977	2.149	2.000	2.758	2.026	2.764	683.61	22289.2
p2--GP--p3	triangular unstr	0.1	2.104	2.579	1.993	2.897	2.041	2.898	1.972	2.186	2.000	2.825	2.025	2.829	626.99	24625.8
p3--na--N0	hexa	0.0	2.121	2.481	2.256	2.256	2.258	2.258	1.999	2.037	2.472	2.472	2.469	2.469	127.96	21803.9
p3--na--N0	hexa	0.1	2.104	2.476	2.238	2.238	2.240	2.240	1.996	2.034	2.467	2.467	2.464	2.464	175.14	24520.5
p3--na--N0	triangular unstr	0.0	2.033	2.201	2.348	2.348	2.345	2.345	1.972	1.988	3.183	3.183	3.172	3.172	725.87	27537.3
p3--na--N0	triangular unstr	0.1	2.021	2.196	2.333	2.333	2.331	2.331	1.972	1.987	3.182	3.182	3.171	3.171	700.89	31526.0
p3--CCp1--p1	hexa	0.0	2.180	2.629	2.347	2.353	2.360	2.339	2.003	2.055	2.608	2.289	2.617	2.247	157.29	22965.0
p3--CCp1--p1	hexa	0.1	2.155	2.624	2.323	2.353	2.335	2.339	1.998	2.051	2.600	2.289	2.608	2.247	167.80	25249.5
p3--CCp1--p1	triangular unstr	0.0	2.033	2.201	2.348	2.348	2.345	2.345	1.972	1.988	3.183	3.183	3.172	3.172	853.69	28339.2
p3--CCp1--p1	triangular unstr	0.1	2.021	2.196	2.333	2.333	2.331	2.331	1.972	1.987	3.182	3.182	3.171	3.171	638.38	31988.0
p3--CCp1--p2	hexa	0.0	2.672	3.361	2.672	2.229	2.497	2.184	2.142	2.316	1.405	2.150	1.266	2.093	166.44	23100.5
p3--CCp1--p2	hexa	0.1	2.615	3.360	2.623	2.229	2.442	2.184	2.103	2.281	1.306	2.150	1.209	2.093	170.38	25367.0
p3--CCp1--p2	triangular unstr	0.0	2.439	2.843	2.197	2.101	2.046	2.038	1.999	2.026	0.132	2.057	0.463	2.016	850.23	28492.7
p3--CCp1--p2	triangular unstr	0.1	2.369	2.829	2.121	2.101	1.976	2.038	1.995	2.023	0.125	2.057	0.459	2.016	645.23	32105.2
p3--CCp1--p3	hexa	0.0	2.672	3.361	2.672	2.247	2.497	2.210	2.142	2.316	1.405	2.166	1.266	2.111	161.31	23166.0
p3--CCp1--p3	hexa	0.1	2.615	3.360	2.623	2.247	2.442	2.210	2.103	2.281	1.306	2.166	1.209	2.111	173.48	25411.9
p3--CCp1--p3	triangular unstr	0.0	2.439	2.843	2.196	2.126	2.045	2.048	1.999	2.026	0.132	2.073	0.463	2.021	861.85	28573.6
p3--CCp1--p3	triangular unstr	0.1	2.369	2.829	2.121	2.126	1.976	2.048	1.995	2.023	0.125	2.073	0.459	2.021	920.66	32166.9
p3--CCp2--p1	hexa	0.0	2.181	2.631	2.362	3.042	2.362	2.762	2.003	2.055	2.629	2.999	2.619	2.745	171.36	23027.8
p3--CCp2--p1	hexa	0.1	2.156	2.626	2.337	3.042	2.337	2.758	1.998	2.051	2.620	2.999	2.611	2.740	201.57	25251.4
p3--CCp2--p1	triangular unstr	0.0	2.033	2.201	2.348	2.348	2.345	2.345	1.972	1.988	3.183	3.183	3.172	3.172	902.08	28536.7
p3--CCp2--p1	triangular unstr	0.1	2.021	2.196	2.333	2.333	2.331	2.331	1.972	1.987	3.182	3.182	3.171	3.171	846.35	31989.9
p3--CCp2--p2	hexa	0.0	3.520	3.971	2.698	3.063	2.707	3.071	4.171	4.123	0.669	3.002	0.641	2.724	156.32	23188.1
p3--CCp2--p2	hexa	0.1	3.547	4.002	2.648	3.063	2.657	3.069	4.104	4.100	0.514	3.002	0.488	2.717	238.50	25382.0
p3--CCp2--p2	triangular unstr	0.0	3.748	3.924	2.081	3.013	2.060	2.855	2.165	2.958	0.011	2.997	0.007	1.544	936.56	28757.3
p3--CCp2--p2	triangular unstr	0.1	3.692	3.923	1.983	3.013	1.961	2.852	1.802	2.887	0.004	2.997	0.001	1.543	822.29	32135.0
p3--CCp2--p3	hexa	0.0	3.520	3.971	2.698	3.058	2.707	3.064	4.171	4.123	0.669	3.001	0.641	2.729	152.33	23274.7
p3--CCp2--p3	hexa	0.1	3.547	4.002	2.648	3.058	2.657	3.062	4.104	4.100	0.514	3.001	0.488	2.721	241.40	25437.1
p3--CCp2--p3	triangular unstr	0.0	3.748	3.923	2.081	3.011	2.060									

Vm-states-Ion	Mesh type	α	Fit $N = 10-100$						Fit $N = 70-100$						t_Σ [s]	RSS $_\Sigma$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p3--GP--p1	hexa	0.1	2.156	2.626	2.002	2.756	1.991	2.752	1.998	2.051	2.002	2.653	2.008	2.642	196.90	24560.6
p3--GP--p1	triangular unstr	0.0	2.033	2.201	2.348	2.348	2.345	1.972	1.988	3.183	3.183	3.172	3.172	3.172	792.64	27566.0
p3--GP--p1	triangular unstr	0.1	2.021	2.196	2.333	2.333	2.331	2.331	1.972	1.987	3.182	3.182	3.171	3.171	711.74	31533.8
p3--GP--p2	hexa	0.0	3.520	3.971	2.000	3.744	1.999	3.748	4.171	4.124	2.001	1.458	2.006	1.396	178.12	21950.5
p3--GP--p2	hexa	0.1	3.547	4.002	1.999	3.757	1.998	3.761	4.105	4.100	2.001	1.348	2.006	1.284	181.72	24663.2
p3--GP--p2	triangular unstr	0.0	3.749	3.924	1.992	2.844	2.005	2.843	2.165	2.958	2.000	-0.092	2.012	-0.097	974.21	27701.8
p3--GP--p2	triangular unstr	0.1	3.693	3.924	1.992	2.836	2.005	2.836	1.802	2.887	2.000	-0.098	2.012	-0.103	907.50	31675.3
p3--GP--p3	hexa	0.0	3.520	3.971	2.000	3.738	1.999	3.742	4.171	4.124	2.001	1.420	2.006	1.355	206.65	22042.1
p3--GP--p3	hexa	0.1	3.547	4.002	2.000	3.751	1.999	3.755	4.105	4.100	2.001	1.305	2.006	1.239	227.33	24736.5
p3--GP--p3	triangular unstr	0.0	3.748	3.924	1.992	2.812	2.005	2.811	2.165	2.958	2.000	-0.108	2.012	-0.114	802.37	27772.6
p3--GP--p3	triangular unstr	0.1	3.693	3.923	1.992	2.803	2.005	2.803	1.802	2.887	2.000	-0.115	2.012	-0.120	733.20	31735.5

$$\Delta t = 10^{-3}$$

Table 5: 2D manufactured results for diagonalIon, crankNicolson, consistent mass, RKF45 states, and $\Delta t = 10^{-3}$. The first convergence block is fitted over $N = 10-100$; the second over $N = 70-100$. The first column records the actual Vm-states-Ion triplet used by the run.

Vm-states-Ion	Mesh type	α	Fit $N = 10-100$						Fit $N = 70-100$						t_Σ [s]	RSS $_\Sigma$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
NO--na--NO	hexa	0.0	1.997	1.997	1.998	1.998	1.998	1.998	2.000	2.000	2.004	2.004	2.004	2.004	66.387	16461.7
NO--na--NO	hexa	0.1	1.851	1.851	1.607	1.607	1.613	1.613	2.294	2.294	2.140	2.140	2.142	2.142	121.55	18342.1
NO--na--NO	triangular unstr	0.0	0.798	0.798	0.777	0.777	0.783	0.783	0.963	0.963	1.038	1.038	1.107	1.107	375.50	17145.7
NO--na--NO	triangular unstr	0.1	0.785	0.785	0.771	0.771	0.776	0.776	0.953	0.953	1.027	1.027	1.097	1.097	537.35	20800.8
NO--CCp1--p1	hexa	0.0	1.997	1.997	1.999	2.354	1.998	2.333	2.000	2.000	2.004	2.290	2.004	2.242	104.98	16905.3
NO--CCp1--p1	hexa	0.1	1.851	1.851	1.608	2.354	1.613	2.310	2.294	2.294	2.140	2.290	2.142	2.226	158.70	18479.0
NO--CCp1--p1	triangular unstr	0.0	0.798	0.798	0.777	0.777	0.783	0.783	0.963	0.963	1.038	1.038	1.107	1.107	486.71	17867.2
NO--CCp1--p1	triangular unstr	0.1	0.785	0.785	0.771	0.771	0.776	0.776	0.953	0.953	1.027	1.027	1.097	1.097	595.77	20904.5
NO--CCp1--p2	hexa	0.0	1.997	1.997	2.000	2.229	1.999	2.184	2.000	2.000	2.004	2.150	2.004	2.094	115.96	17132.7
NO--CCp1--p2	hexa	0.1	1.851	1.851	1.608	2.229	1.614	2.181	2.295	2.295	2.140	2.150	2.142	2.092	177.55	18601.7
NO--CCp1--p2	triangular unstr	0.0	0.798	0.798	0.777	2.111	0.783	1.163	0.963	0.963	1.038	2.102	1.107	1.150	554.31	18116.1
NO--CCp1--p2	triangular unstr	0.1	0.785	0.785	0.771	2.112	0.776	1.171	0.953	0.953	1.027	2.105	1.097	1.143	726.29	21044.1
NO--CCp1--p3	hexa	0.0	1.997	1.997	2.000	2.247	1.999	2.211	2.000	2.000	2.004	2.167	2.004	2.113	115.51	17272.0
NO--CCp1--p3	hexa	0.1	1.851	1.851	1.608	2.247	1.614	2.206	2.295	2.295	2.140	2.167	2.142	2.110	210.02	18665.7
NO--CCp1--p3	triangular unstr	0.0	0.798	0.798	0.777	2.139	0.783	1.131	0.963	0.963	1.038	2.131	1.107	1.144	522.54	18249.6
NO--CCp1--p3	triangular unstr	0.1	0.785	0.785	0.771	2.140	0.776	1.138	0.953	0.953	1.027	2.135	1.097	1.137	605.11	21107.3
NO--CCp2--p1	hexa	0.0	1.997	1.997	2.000	3.042	1.997	2.510	1.999	1.999	2.004	2.998	2.003	2.157	163.49	17393.5
NO--CCp2--p1	hexa	0.1	1.851	1.851	1.603	3.038	1.613	1.942	2.294	2.294	2.140	2.987	2.142	2.167	258.60	18604.2
NO--CCp2--p1	triangular unstr	0.0	0.798	0.798	0.777	0.777	0.783	0.783	0.963	0.963	1.038	1.038	1.107	1.107	633.81	18972.1
NO--CCp2--p1	triangular unstr	0.1	0.785	0.785	0.771	0.771	0.776	0.776	0.953	0.953	1.027	1.027	1.097	1.097	848.91	21040.1
NO--CCp2--p2	hexa	0.0	1.995	1.995	2.003	3.063	1.997	2.671	1.999	1.999	2.004	3.002	2.003	2.246	198.35	17648.5
NO--CCp2--p2	hexa	0.1	1.853	1.853	1.597	3.061	1.619	2.063	2.289	2.289	2.140	2.996	2.141	2.192	269.27	18821.5
NO--CCp2--p2	triangular unstr	0.0	0.799	0.799	0.777	1.940	0.783	0.775	0.963	0.963	1.038	1.095	1.107	1.097	779.96	19260.5
NO--CCp2--p2	triangular unstr	0.1	0.786	0.786	0.771	1.955	0.776	0.772	0.953	0.953	1.027	1.090	1.097	1.087	754.35	21228.6
NO--CCp2--p3	hexa	0.0	1.995	1.995	2.003	3.058	1.997	2.670	1.999	1.999	2.004	3.001	2.003	2.251	219.51	17774.7
NO--CCp2--p3	hexa	0.1	1.853	1.853	1.597	3.056	1.619	2.064	2.289	2.289	2.140	2.995	2.141	2.193	258.90	18968.1
NO--CCp2--p3	triangular unstr	0.0	0.799	0.799	0.777	1.950	0.783	0.775	0.963	0.963	1.038	1.098	1.107	1.097	634.20	19406.0
NO--CCp2--p3	triangular unstr	0.1	0.786	0.786	0.771	1.966	0.776	0.772	0.953	0.953	1.027	1.092	1.097	1.087	913.75	21372.5
NO--CCp3--p1	hexa	0.0	1.997	1.997	1.998	3.944	1.997	2.030	1.999	1.999	2.004	2.505	2.004	2.004	334.52	18754.3
NO--CCp3--p1	hexa	0.1	1.851	1.851	1.600	3.114	1.613	1.657	2.294	2.294	2.140	2.324	2.142	2.170	378.04	19859.4
NO--CCp3--p1	triangular unstr	0.0	0.798	0.798	0.777	0.777	0.783	0.783	0.963	0.963	1.038	1.038	1.107	1.107	1067.1	21482.2
NO--CCp3--p1	triangular unstr	0.1	0.785	0.785	0.771	0.771	0.776	0.776	0.953	0.953	1.027	1.027	1.097	1.097	1049.8	23311.5
NO--CCp3--p2	hexa	0.0	1.996	1.996	1.998	4.244	1.996	2.092	1.999	1.999	2.004	3.862	2.003	2.002	342.67	19008.4
NO--CCp3--p2	hexa	0.1	1.853	1.853	1.590	3.420	1.617	1.718	2.289	2.289	2.140	2.581	2.141	2.203	351.87	20077.6
NO--CCp3--p2	triangular unstr	0.0	0.799	0.799	0.777	1.070	0.783	0.795	0.963	0.963	1.038	1.038	1.107	1.110	1034.3	21759.2
NO--CCp3--p2	triangular unstr	0.1	0.786	0.786	0.771	1.080	0.776	0.797	0.953	0.953	1.027	1.028	1.097	1.100	1164.8	23565.8
NO--CCp3--p3	hexa	0.0	1.996	1.996	1.998	4.257	1.996	2.090	1.999	1.999	2.004	3.849	2.003	2.002	383.46	19125.2
NO--CCp3--p3	hexa	0.1	1.853	1.853	1.590	3.408	1.617	1.717	2.289	2.289	2.140	2.570	2.141	2.203	369.57	20194.4
NO--CCp3--p3	triangular unstr	0.0	0.799	0.799	0.777	1.053	0.783	0.795	0.963	0.963	1.038	1.038	1.107	1.110	824.24	21903.0
NO--CCp3--p3	triangular unstr	0.1	0.786	0.786	0.771	1.062	0.776	0.796	0.953	0.953	1.027	1.028	1.097	1.100	1012.6	23686.4
NO--GP--p1	hexa	0.0	1.997	1.997	1.999	2.050	1.998	2.053	2.000	2.000	2.000	2.007	2.000	2.007	83.484	16618.9
NO--GP--p1	hexa	0.1	1.851	1.851	1.999	2.042	1.990	2.046	2.294	2.294	2.000	2.015	2.008	2.016	169.69	18446.5
NO--GP--p1	triangular unstr	0.0	0.798	0.798	0.777	0.777	0.783	0.783	0.963	0.963	1.038	1.038	1.107	1.107	499.64	17283.5
NO--GP--p1	triangular unstr	0.1	0.785	0.785	0.771	0.771	0.776	0.776	0.953	0.953	1.027	1.027	1.097	1.097	657.51	20901.9
NO--GP--p2	hexa	0.0	1.997	1.997	1.999	2.013	1.998	2.015	1.999	1.999	2.000	2.002	2.000	2.002	202.57	16847.9
NO--GP--p2	hexa	0.1	1.853	1.853	1.999	2.013	1.998	2.014	2.290	2.290	2.000	2.003	2.001	2.003	267.50	18578.8
NO--GP--p2	triangular unstr	0.0	0.799	0.799	1.878	1.417	1.101	1.410	0.963	0.963	1.677	1.218	1.112	1.269	347.95	17526.6
NO--GP--p2	triangular unstr	0.1	0.786	0.786	1.880	1.426	1.105	1.419	0.953	0.953	1.680	1.219	1.104	1.270	548.75	21024.5
NO--GP--p3	hexa	0.0	1.997	1.997	1.999	2.016	1.999	2.018	1.999	1.999	2.000	2.002	2.000	2.002	233.61	16957.7
NO--GP--p3	hexa	0.1	1.853	1.853	1.999	2.016	1.998	2.018	2.290	2.290	2.000	2.004	2.002	2.004	260.87	18624.0
NO--GP--p3	triangular unstr	0.0	0.799	0.799	1.878	1.388	1.101	1.383	0.963	0.963	1.677	1.205	1.112	1.258	405.61	17643.7
NO--GP--p3	triangular unstr	0.1	0.786	0.786	1.880	1.397	1.106	1.391	0.953	0.953	1.680	1.206	1.104	1.258	700.56	21097.0
p1--na--NO	hexa	0.0	1.912	2.147	1.616	1.616	1.626	1.626	2.611	2.168	2.380	2.380	2.385	2.385	161.28	17839.1
p1--na--NO	hexa	0.1	1.971	2.163	1.677	1.677	1.687	1.687	2.615	2.141	2.414	2.414	2.419	2.419	189.26	19067.4
p1--na--NO	triangular unstr	0.0	2.292	2.131	2.004	2.004	2.003	2.003	2.600	2.164	2.545	2.545	2.542	2.542	773.26	19883.4
p1--na--NO	triangular unstr	0.1	2.345	2.112	2.092	2.092	2.089	2.089	2.552	2.095	2.516	2.516	2.515	2.515	976.30	21554.6
p1--CCp1--p1	hexa	0.0	1.912	2.147	1.616	2.350	1.626	1.955	2.611	2.168	2.380	2.295	2.385	2.369	231.15	18280.8

		Fit $N = 10-100$					Fit $N = 70-100$					t_{Σ} [s]	RSS $_{\Sigma}$ [MB]			
Vm-states-Ion	Mesh type	α	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p1--CCp1--p1	hexa	0.1	1.971	2.163	1.677	2.351	1.687	2.045	2.615	2.141	2.414	2.294	2.419	2.382	248.72	19264.1
p1--CCp1--p1	triangular unstr	0.0	2.292	2.131	2.004	2.004	2.003	2.003	2.600	2.164	2.545	2.545	2.542	2.542	973.13	20403.7
p1--CCp1--p1	triangular unstr	0.1	2.345	2.112	2.092	2.092	2.089	2.089	2.552	2.095	2.516	2.516	2.515	2.515	1046.9	21754.1
p1--CCp1--p2	hexa	0.0	1.912	2.147	1.616	2.228	1.626	2.057	2.611	2.168	2.380	2.154	2.385	2.233	236.12	18508.2
p1--CCp1--p2	hexa	0.1	1.971	2.163	1.676	2.228	1.686	2.104	2.615	2.141	2.414	2.153	2.419	2.209	259.07	19395.4
p1--CCp1--p2	triangular unstr	0.0	2.292	2.131	2.004	2.103	2.003	2.036	2.600	2.164	2.545	2.063	2.542	2.283	1044.4	20638.8
p1--CCp1--p2	triangular unstr	0.1	2.345	2.112	2.092	2.203	2.089	2.066	2.552	2.095	2.516	2.061	2.515	2.188	1052.1	21916.4
p1--CCp1--p3	hexa	0.0	1.912	2.147	1.616	2.246	1.626	2.063	2.611	2.168	2.380	2.171	2.385	2.256	236.80	18612.1
p1--CCp1--p3	hexa	0.1	1.971	2.163	1.676	2.246	1.686	2.115	2.615	2.141	2.414	2.170	2.419	2.234	258.99	19447.7
p1--CCp1--p3	triangular unstr	0.0	2.292	2.131	2.004	2.127	2.003	2.040	2.600	2.164	2.545	2.081	2.542	2.312	1049.2	20766.1
p1--CCp1--p3	triangular unstr	0.1	2.345	2.112	2.092	2.128	2.089	2.076	2.552	2.095	2.516	2.078	2.515	2.216	1107.6	21983.2
p1--CCp2--p1	hexa	0.0	1.912	2.147	1.616	2.293	1.626	1.665	2.611	2.168	2.380	2.782	2.385	2.394	263.19	18761.8
p1--CCp2--p1	hexa	0.1	1.971	2.163	1.676	2.953	1.687	1.736	2.615	2.141	2.414	2.858	2.419	2.428	293.62	19371.8
p1--CCp2--p1	triangular unstr	0.0	2.292	2.131	2.004	2.004	2.003	2.003	2.600	2.164	2.545	2.545	2.542	2.542	1109.4	21489.3
p1--CCp2--p1	triangular unstr	0.1	2.345	2.112	2.092	2.092	2.089	2.089	2.552	2.095	2.516	2.516	2.515	2.515	1214.9	22111.9
p1--CCp2--p2	hexa	0.0	1.912	2.147	1.616	2.990	1.627	1.689	2.611	2.168	2.380	2.882	2.385	2.400	271.94	18974.1
p1--CCp2--p2	hexa	0.1	1.972	2.163	1.676	3.018	1.687	1.765	2.615	2.141	2.414	2.931	2.419	2.435	314.85	19557.6
p1--CCp2--p2	triangular unstr	0.0	2.292	2.131	2.004	2.676	2.003	1.978	2.600	2.164	2.546	2.665	2.542	2.522	1119.2	21722.9
p1--CCp2--p2	triangular unstr	0.1	2.345	2.112	2.092	2.799	2.089	2.063	2.552	2.095	2.516	2.731	2.515	2.504	1251.5	22294.3
p1--CCp2--p3	hexa	0.0	1.912	2.147	1.616	2.987	1.627	1.688	2.611	2.168	2.380	2.884	2.385	2.400	289.83	19073.9
p1--CCp2--p3	hexa	0.1	1.972	2.163	1.676	3.015	1.687	1.765	2.615	2.141	2.414	2.931	2.419	2.435	328.75	19618.5
p1--CCp2--p3	triangular unstr	0.0	2.292	2.131	2.004	2.681	2.003	1.978	2.600	2.164	2.546	2.668	2.542	2.522	1128.9	21852.8
p1--CCp2--p3	triangular unstr	0.1	2.345	2.112	2.092	2.802	2.089	2.062	2.552	2.095	2.516	2.736	2.515	2.504	1283.7	22413.7
p1--CCp3--p1	hexa	0.0	1.912	2.147	1.617	2.034	1.626	1.630	2.611	2.168	2.380	2.378	2.385	2.406	395.23	20040.1
p1--CCp3--p1	hexa	0.1	1.971	2.163	1.677	2.164	1.687	1.692	2.615	2.141	2.414	2.408	2.419	2.441	436.47	20506.7
p1--CCp3--p1	triangular unstr	0.0	2.292	2.131	2.004	2.004	2.003	2.003	2.600	2.164	2.545	2.545	2.542	2.542	1416.4	23811.3
p1--CCp3--p1	triangular unstr	0.1	2.345	2.112	2.092	2.092	2.089	2.089	2.552	2.095	2.516	2.516	2.515	2.515	1506.6	24280.8
p1--CCp3--p2	hexa	0.0	1.913	2.147	1.617	2.239	1.627	1.635	2.611	2.168	2.380	2.377	2.385	2.426	409.23	20223.1
p1--CCp3--p2	hexa	0.1	1.972	2.163	1.677	2.394	1.688	1.698	2.615	2.141	2.414	2.402	2.419	2.463	432.50	20725.2
p1--CCp3--p2	triangular unstr	0.0	2.292	2.131	2.004	2.031	2.003	1.965	2.600	2.164	2.546	2.521	2.542	2.523	1390.3	24059.1
p1--CCp3--p2	triangular unstr	0.1	2.345	2.112	2.092	2.141	2.089	2.052	2.552	2.095	2.516	2.506	2.515	2.510	1558.2	24526.5
p1--CCp3--p3	hexa	0.0	1.913	2.147	1.617	2.224	1.627	1.634	2.611	2.168	2.380	2.376	2.385	2.426	418.15	20356.2
p1--CCp3--p3	hexa	0.1	1.972	2.163	1.677	2.379	1.688	1.698	2.615	2.141	2.414	2.401	2.419	2.462	447.84	20842.8
p1--CCp3--p3	triangular unstr	0.0	2.292	2.131	2.004	2.028	2.003	1.965	2.600	2.164	2.546	2.522	2.542	2.523	1368.8	24169.1
p1--CCp3--p3	triangular unstr	0.1	2.345	2.112	2.092	2.136	2.089	2.052	2.552	2.095	2.516	2.506	2.515	2.510	1450.6	24662.7
p1--GP--p1	hexa	0.0	1.912	2.147	1.997	2.152	1.836	2.158	2.611	2.168	2.005	2.309	2.249	2.308	204.40	17929.4
p1--GP--p1	hexa	0.1	1.971	2.163	1.999	2.219	1.895	2.225	2.615	2.141	2.003	2.309	2.222	2.308	241.70	19121.1
p1--GP--p1	triangular unstr	0.0	2.292	2.131	2.004	2.004	2.003	2.003	2.600	2.164	2.545	2.545	2.542	2.542	842.03	19912.6
p1--GP--p1	triangular unstr	0.1	2.345	2.112	2.092	2.092	2.089	2.089	2.552	2.095	2.516	2.516	2.515	2.515	1027.9	21576.0
p1--GP--p2	hexa	0.0	1.913	2.147	1.998	2.181	1.949	2.179	2.611	2.168	2.001	2.155	2.096	2.151	320.49	18117.7
p1--GP--p2	hexa	0.1	1.972	2.163	1.999	2.199	1.972	2.197	2.615	2.141	2.001	2.150	2.071	2.145	327.66	19246.6
p1--GP--p2	triangular unstr	0.0	2.292	2.131	1.991	2.067	2.009	2.066	2.600	2.164	2.002	2.176	2.268	2.168	931.04	20140.0
p1--GP--p2	triangular unstr	0.1	2.345	2.112	1.992	2.087	2.034	2.085	2.552	2.095	2.000	2.109	2.167	2.105	1145.7	21718.7
p1--GP--p3	hexa	0.0	1.913	2.147	1.999	2.194	1.949	2.193	2.611	2.168	2.001	2.170	2.096	2.166	334.71	18237.7
p1--GP--p3	hexa	0.1	1.972	2.163	1.999	2.215	1.973	2.213	2.615	2.141	2.001	2.165	2.071	2.160	331.70	19282.7
p1--GP--p3	triangular unstr	0.0	2.292	2.131	1.992	2.080	2.009	2.079	2.600	2.164	2.002	2.209	2.268	2.200	969.28	20260.7
p1--GP--p3	triangular unstr	0.1	2.345	2.112	1.992	2.106	2.034	2.104	2.552	2.095	2.000	2.134	2.167	2.129	1166.4	21785.8
p2--na--NO	hexa	0.0	2.128	2.568	2.142	2.142	2.143	2.143	2.020	2.183	2.025	2.025	2.026	2.026	177.84	18691.0
p2--na--NO	hexa	0.1	2.129	2.608	2.143	2.143	2.144	2.144	2.022	2.213	2.027	2.027	2.028	2.028	199.53	20243.9
p2--na--NO	triangular unstr	0.0	2.058	2.376	2.090	2.090	2.086	2.086	1.991	2.077	1.998	1.998	2.002	2.002	880.50	21921.3
p2--na--NO	triangular unstr	0.1	2.045	2.405	2.079	2.079	2.075	2.075	1.989	2.091	1.996	1.996	1.997	1.997	1011.0	24393.0
p2--CCp1--p1	hexa	0.0	2.150	2.609	2.164	2.356	2.166	2.334	2.023	2.214	2.029	2.293	2.030	2.232	253.21	19462.0
p2--CCp1--p1	hexa	0.1	2.153	2.652	2.167	2.356	2.170	2.335	2.026	2.251	2.031	2.293	2.032	2.235	289.62	20876.6
p2--CCp1--p1	triangular unstr	0.0	2.058	2.376	2.090	2.090	2.086	2.086	1.991	2.077	1.998	1.998	2.002	2.002	1108.5	22641.8
p2--CCp1--p1	triangular unstr	0.1	2.045	2.405	2.079	2.079	2.075	2.075	1.989	2.091	1.996	1.996	1.997	1.997	1210.2	24958.0
p2--CCp1--p2	hexa	0.0	2.213	2.709	2.224	2.230	2.235	2.188	2.031	2.308	2.039	2.151	2.041	2.094	256.27	19682.3
p2--CCp1--p2	hexa	0.1	2.225	2.760	2.235	2.230	2.248	2.187	2.036	2.369	2.043	2.151	2.046	2.094	306.21	20992.6
p2--CCp1--p2	triangular unstr	0.0	2.121	2.535	2.161	2.102	2.166	2.040	1.990	2.162	2.003	2.058	2.012	2.018	1086.9	22876.5
p2--CCp1--p2	triangular unstr	0.1	2.108	2.582	2.154	2.101	2.160	2.039	1.987	2.199	1.998	2.058	2.003	2.018	1327.0	25104.0
p2--CCp1--p3	hexa	0.0	2.213	2.709	2.224	2.248	2.235	2.214	2.031	2.308	2.039	2.168	2.041	2.113	260.37	19802.6
p2--CCp1--p3	hexa	0.1	2.225	2.760	2.235	2.248	2.248	2.214	2.036	2.369	2.043	2.168	2.046	2.113	317.77	21046.5
p2--CCp1--p3	triangular unstr	0.0	2.121	2.535	2.161	2.127	2.166	2.050	1.990	2.162	2.003	2.074	2.012	2.023	1172.1	22980.5
p2--CCp1--p3	triangular unstr	0.1	2.108	2.582	2.154	2.126	2.160	2.050	1.987	2.199	1.998	2.074	2.003	2.023	1310.8	25177.5
p2--CCp2--p1	hexa	0.0	2.150	2.609	2.166	3.039	2.166	2.253	2.023	2.214	2.029	2.986	2.030	2.044	293.23	19904.3
p2--CCp2--p1	hexa	0.1	2.153	2.653	2.170	3.040	2.170	2.269	2.026	2.251	2.032	2.989	2.032	2.050	347.11	20900.2
p2--CCp2--p1	triangular unstr	0.0	2.058	2.376	2.090	2.090	2.086	2.086	1.991	2.077	1.998	1.998	2.002	2.002	1269.2	23668.3
p2--CCp2--p1	triangular unstr	0.1	2.045	2.405	2.079	2.079	2.075	2.075	1.989	2.091	1.996	1.996	1.997	1.997	1460.7	25105.2
p2--CCp2--p2	hexa	0.0	2.214	2.709	2.236	3.063	2.235	2.434	2.032	2.308	2.041	2.999	2			

		Fit $N = 10-100$										Fit $N = 70-100$									
Vm-states-Ion	Mesh type	α	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	t_Σ [s]	RSS $_\Sigma$ [MB]					
p2--CCp3--p2	triangular unstr	0.1	2.108	2.583	2.166	3.390	2.160	2.225	1.987	2.200	1.999	2.010	2.002	2.001	1726.2	27073.5					
p2--CCp3--p3	hexa	0.0	2.214	2.709	2.236	3.789	2.235	2.298	2.032	2.308	2.041	2.133	2.041	2.039	449.72	21383.6					
p2--CCp3--p3	hexa	0.1	2.226	2.761	2.249	3.877	2.249	2.313	2.037	2.371	2.046	2.262	2.046	2.044	645.79	21799.0					
p2--CCp3--p3	triangular unstr	0.0	2.122	2.536	2.172	3.267	2.166	2.229	1.990	2.162	2.003	1.957	2.012	2.010	1428.8	26265.6					
p2--CCp3--p3	triangular unstr	0.1	2.108	2.583	2.166	3.356	2.160	2.223	1.987	2.200	1.999	1.972	2.002	2.001	1337.8	27180.5					
p2--GP--p1	hexa	0.0	2.150	2.609	2.003	2.689	2.102	2.694	2.023	2.214	2.001	2.304	2.011	2.312	229.19	18746.2					
p2--GP--p1	hexa	0.1	2.153	2.653	2.003	2.728	2.100	2.732	2.026	2.251	2.001	2.350	2.011	2.358	250.07	20328.7					
p2--GP--p1	triangular unstr	0.0	2.058	2.376	2.090	2.090	2.086	2.086	1.991	2.077	1.998	1.998	2.002	2.002	944.25	21969.6					
p2--GP--p1	triangular unstr	0.1	2.045	2.405	2.079	2.079	2.075	2.075	1.989	2.091	1.996	1.996	1.997	1.997	1097.3	24415.8					
p2--GP--p2	hexa	0.0	2.214	2.709	2.003	2.924	2.114	2.923	2.032	2.308	2.000	2.644	2.007	2.650	315.69	18954.4					
p2--GP--p2	hexa	0.1	2.226	2.761	2.003	2.952	2.112	2.951	2.037	2.371	2.000	2.706	2.007	2.711	388.09	20460.4					
p2--GP--p2	triangular unstr	0.0	2.122	2.536	1.992	2.805	2.037	2.807	1.990	2.162	1.998	2.489	2.003	2.499	1056.9	22218.4					
p2--GP--p2	triangular unstr	0.1	2.108	2.583	1.992	2.840	2.035	2.842	1.987	2.200	1.998	2.553	2.002	2.561	1200.0	24559.1					
p2--GP--p3	hexa	0.0	2.214	2.709	2.004	2.923	2.114	2.922	2.032	2.308	2.000	2.650	2.007	2.656	377.79	19059.3					
p2--GP--p3	hexa	0.1	2.226	2.761	2.004	2.950	2.113	2.950	2.037	2.371	2.000	2.711	2.007	2.716	499.25	20511.8					
p2--GP--p3	triangular unstr	0.0	2.122	2.536	1.993	2.809	2.037	2.812	1.990	2.162	1.998	2.500	2.003	2.510	1067.6	22304.9					
p2--GP--p3	triangular unstr	0.1	2.108	2.583	1.993	2.842	2.035	2.846	1.987	2.200	1.998	2.564	2.002	2.572	1257.2	24623.2					
p3--na--NO	hexa	0.0	2.125	2.485	2.132	2.132	2.135	2.135	2.013	2.050	2.025	2.025	2.024	2.024	245.34	21804.9					
p3--na--NO	hexa	0.1	2.108	2.481	2.114	2.114	2.117	2.117	2.010	2.048	2.020	2.020	2.020	2.020	377.83	24497.7					
p3--na--NO	triangular unstr	0.0	2.041	2.209	2.061	2.061	2.060	2.060	1.999	2.015	2.008	2.008	2.008	2.008	1086.6	27536.0					
p3--na--NO	triangular unstr	0.1	2.029	2.204	2.046	2.046	2.046	2.046	1.999	2.014	2.008	2.008	2.007	2.007	999.45	31524.1					
p3--CCp1--p1	hexa	0.0	2.185	2.634	2.188	2.354	2.201	2.339	2.020	2.072	2.038	2.290	2.040	2.248	337.38	22971.3					
p3--CCp1--p1	hexa	0.1	2.160	2.629	2.164	2.354	2.176	2.339	2.016	2.068	2.031	2.290	2.032	2.248	538.47	25276.2					
p3--CCp1--p1	triangular unstr	0.0	2.041	2.209	2.061	2.061	2.060	2.060	1.999	2.015	2.008	2.008	2.008	2.008	1249.8	28336.6					
p3--CCp1--p1	triangular unstr	0.1	2.029	2.204	2.046	2.046	2.046	2.046	1.999	2.014	2.008	2.008	2.007	2.007	1225.3	31983.9					
p3--CCp1--p2	hexa	0.0	2.620	3.309	2.640	2.229	2.603	2.184	2.117	2.267	2.264	2.150	2.211	2.094	357.27	23092.7					
p3--CCp1--p2	hexa	0.1	2.564	3.307	2.592	2.229	2.554	2.184	2.084	2.237	2.206	2.150	2.160	2.094	569.95	25382.7					
p3--CCp1--p2	triangular unstr	0.0	2.396	2.791	2.510	2.101	2.460	2.038	2.003	2.026	2.041	2.058	2.014	2.017	1285.8	28499.6					
p3--CCp1--p2	triangular unstr	0.1	2.330	2.777	2.443	2.101	2.397	2.038	1.999	2.022	2.031	2.058	2.006	2.017	1349.2	32108.1					
p3--CCp1--p3	hexa	0.0	2.620	3.309	2.640	2.247	2.603	2.210	2.117	2.267	2.264	2.167	2.211	2.112	395.31	23152.0					
p3--CCp1--p3	hexa	0.1	2.564	3.307	2.592	2.247	2.554	2.210	2.084	2.237	2.206	2.167	2.160	2.112	560.65	25436.5					
p3--CCp1--p3	triangular unstr	0.0	2.396	2.791	2.509	2.126	2.460	2.048	2.003	2.026	2.041	2.074	2.014	2.023	1443.9	28577.5					
p3--CCp1--p3	triangular unstr	0.1	2.330	2.777	2.443	2.126	2.397	2.048	2.000	2.023	2.031	2.074	2.006	2.023	1751.9	32158.6					
p3--CCp2--p1	hexa	0.0	2.187	2.637	2.200	3.042	2.203	2.642	2.020	2.073	2.041	2.999	2.040	2.257	414.93	23046.5					
p3--CCp2--p1	hexa	0.1	2.162	2.631	2.175	3.042	2.177	2.638	2.016	2.069	2.033	2.999	2.033	2.251	538.68	25254.3					
p3--CCp2--p1	triangular unstr	0.0	2.041	2.209	2.061	2.061	2.060	2.060	1.999	2.015	2.008	2.008	2.008	2.008	1635.1	28534.6					
p3--CCp2--p1	triangular unstr	0.1	2.029	2.204	2.046	2.046	2.046	2.046	1.999	2.014	2.008	2.008	2.007	2.007	1687.7	31978.8					
p3--CCp2--p2	hexa	0.0	3.539	3.992	3.284	3.063	3.303	3.110	4.323	4.278	4.078	3.002	4.085	3.055	444.41	23186.7					
p3--CCp2--p2	hexa	0.1	3.570	4.025	3.312	3.063	3.332	3.109	4.298	4.271	4.078	3.002	4.086	3.049	516.67	25373.1					
p3--CCp2--p2	triangular unstr	0.0	4.057	4.096	3.842	3.013	3.861	3.085	4.475	4.165	4.251	2.997	4.258	3.023	1695.1	28749.0					
p3--CCp2--p2	triangular unstr	0.1	4.077	4.105	3.880	3.013	3.901	3.082	4.459	4.138	4.198	2.997	4.214	3.022	1613.4	32141.5					
p3--CCp2--p3	hexa	0.0	3.539	3.992	3.284	3.058	3.303	3.102	4.323	4.278	4.078	3.001	4.085	3.050	450.49	23294.3					
p3--CCp2--p3	hexa	0.1	3.570	4.025	3.312	3.058	3.332	3.101	4.298	4.271	4.078	3.001	4.086	3.044	521.37	25432.6					
p3--CCp2--p3	triangular unstr	0.0	4.057	4.096	3.842	3.011	3.861	3.072	4.476	4.165	4.251	2.997	4.259	3.019	1574.2	28818.3					
p3--CCp2--p3	triangular unstr	0.1	4.077	4.105	3.880	3.011	3.901	3.070	4.459	4.138	4.198	2.997	4.214	3.017	1663.2	32205.2					
p3--CCp3--p1	hexa	0.0	2.186	2.637	2.200	3.993	2.202	2.225	2.020	2.073	2.041	2.812	2.040	2.040	549.23	23615.9					
p3--CCp3--p1	hexa	0.1	2.161	2.631	2.174	3.993	2.177	2.201	2.016	2.069	2.033	2.809	2.033	2.032	659.38	25283.6					
p3--CCp3--p1	triangular unstr	0.0	2.041	2.209	2.061	2.061	2.060	2.060	1.999	2.015	2.008	2.008	2.008	2.008	1648.9	30662.0					
p3--CCp3--p1	triangular unstr	0.1	2.029	2.204	2.046	2.046	2.046	2.046	1.999	2.014	2.008	2.008	2.007	2.007	1792.5	32119.3					
p3--CCp3--p2	hexa	0.0	3.538	3.993	3.290	4.231	3.304	3.441	4.323	4.279	4.079	4.284	4.086	4.100	543.80	23800.5					
p3--CCp3--p2	hexa	0.1	3.569	4.026	3.319	4.231	3.333	3.485	4.299	4.271	4.081	4.283	4.087	4.101	701.99	25398.9					
p3--CCp3--p2	triangular unstr	0.0	4.058	4.096	3.846	4.109	3.863	3.934	4.476	4.165	4.253	4.049	4.258	4.241	1698.7	30891.7					
p3--CCp3--p2	triangular unstr	0.1	4.078	4.105	3.885	4.109	3.903	3.989	4.460	4.139	4.202	4.049	4.214	4.191	1679.5	32279.4					
p3--CCp3--p3	hexa	0.0	3.538	3.993	3.290	4.241	3.304	3.438	4.323	4.279	4.079	4.302	4.086	4.100	549.65	23864.2					
p3--CCp3--p3	hexa	0.1	3.569	4.026	3.319	4.241	3.333	3.481	4.299	4.271	4.081	4.300	4.087	4.100	753.98	25461.3					
p3--CCp3--p3	triangular unstr	0.0	4.057	4.096	3.846	4.114	3.862	3.932	4.476	4.165	4.254	4.050	4.259	4.242	1879.3	31010.9					
p3--CCp3--p3	triangular unstr	0.1	4.077	4.105	3.884	4.114	3.903	3.986	4.460	4.139	4.202	4.050	4.214	4.192	1453.5	32339.0					
p3--GP--p1	hexa	0.0	2.187	2.637	2.001	2.598	1.989	2.596	2.020	2.073	2.000	2.068	1.999	2.066	358.46	21855.3					
p3--GP--p1	hexa	0.1	2.161	2.631	2.001	2.592	1.988	2.589	2.016	2.069	2.000	2.060	1.999	2.059	534.78	24560.3					
p3--GP--p1	triangular unstr	0.0	2.041	2.209	2.061	2.061	2.060	2.060	1.999	2.015	2.008	2.008	2.008	2.008	1511.9	27558.5					
p3--GP--p1	triangular unstr	0.1	2.029	2.204	2.046	2.046	2.046	2.046	1.999	2.014	2.008	2.008	2.007	2.007	1438.6	31546.0					
p3--GP--p2	hexa	0.0	3.538	3.992	1.999	4.003	1.997	4.010	4.323	4.279	2.000	4.194	2.001	4.195	430.39	21968.9					
p3--GP--p2	hexa	0.1	3.569	4.026	1.999	4.033	1.997	4.040	4.299	4.271	2.000	4.212	2.000	4.213	512.98	24660.5					
p3--GP--p2	triangular unstr	0.0	4.057	4.096	1.992	4.077	2.002	4.083	4.476	4.165	1.998	4.204	2.003	4.204	1565.6	27688.4					
p3--GP--p2	triangular unstr	0.1	4.077	4.105	1.992	4.094	2.001	4.098	4.460	4.138	1.998	4.195	2.003	4.198	1452.0	31683.3					
p3--GP--p3	hexa	0.0	3.538	3.992	1.999	4.000	1.998	4.008	4.323	4.279	2.000	4.198	2.001	4.200	451.44	22029.4					
p3--GP--p3	hexa	0.1	3.569	4.026	1.999	4.031	1.997	4.039	4.299	4.271	2.000	4.217	2.001	4.219	669.66	24733.5					
p3--GP--p3	triangular unstr	0.0	4.057	4.096	1.992	4.079	2.002	4.086	4.476	4.165											

Table 6: 2D manufactured results for JFNK, crankNicolson, consistent mass, RKF45 states, and $\Delta t = 10^{-2}$. The first convergence block is fitted over $N = 10$ –100; the second over $N = 70$ –100. The first column records the actual Vm-states-Ion triplet used by the run.

Vm-states-Ion	Mesh type	α	Fit $N = 10-100$						Fit $N = 70-100$						t_{Σ} [s]	RSS $_{\Sigma}$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
NO--na--NO	hexa	0.0	1.992	1.992	2.135	2.135	2.134	2.134	1.985	1.985	2.500	2.500	2.497	2.497	9.266	16550.6
NO--na--NO	hexa	0.1	1.849	1.849	1.612	1.612	1.618	1.618	2.278	2.278	2.159	2.159	2.163	2.163	30.513	18377.9
NO--na--NO	triangular unstr	0.0	0.730	0.730	0.778	0.778	0.784	0.784	0.862	0.862	1.037	1.037	1.107	1.107	78.833	17294.1
NO--na--NO	triangular unstr	0.1	0.722	0.722	0.772	0.772	0.777	0.777	0.871	0.871	1.027	1.027	1.097	1.097	105.57	20811.1
NO--CCp1--p1	hexa	0.0	1.993	1.993	2.136	2.354	2.134	2.333	1.985	1.985	2.504	2.289	2.497	2.242	19.227	17065.9
NO--CCp1--p1	hexa	0.1	1.849	1.849	1.611	2.354	1.618	2.310	2.278	2.278	2.159	2.289	2.163	2.225	34.874	18494.9
NO--CCp1--p1	triangular unstr	0.0	0.730	0.730	0.778	0.778	0.784	0.784	0.862	0.862	1.037	1.037	1.107	1.107	170.83	18064.6
NO--CCp1--p1	triangular unstr	0.1	0.722	0.722	0.772	0.772	0.777	0.777	0.871	0.871	1.027	1.027	1.097	1.097	182.33	20922.1
NO--CCp1--p2	hexa	0.0	1.993	1.993	2.139	2.229	2.134	2.184	1.985	1.985	2.513	2.150	2.495	2.094	31.171	17365.6
NO--CCp1--p2	hexa	0.1	1.849	1.849	1.609	2.229	1.619	2.181	2.278	2.278	2.159	2.149	2.163	2.091	39.662	18652.2
NO--CCp1--p2	triangular unstr	0.0	0.730	0.730	0.778	2.111	0.784	1.164	0.862	0.862	1.037	2.101	1.107	1.150	175.21	18431.4
NO--CCp1--p2	triangular unstr	0.1	0.722	0.722	0.772	2.112	0.777	1.172	0.871	0.871	1.027	2.105	1.097	1.143	210.74	21075.5
NO--CCp1--p3	hexa	0.0	1.993	1.993	2.139	2.247	2.134	2.211	1.985	1.985	2.513	2.167	2.495	2.112	30.669	17519.9
NO--CCp1--p3	hexa	0.1	1.849	1.849	1.609	2.247	1.619	2.206	2.278	2.278	2.159	2.166	2.163	2.109	39.208	18733.1
NO--CCp1--p3	triangular unstr	0.0	0.730	0.730	0.778	2.139	0.784	1.132	0.862	0.862	1.037	2.131	1.107	1.144	153.75	18596.0
NO--CCp1--p3	triangular unstr	0.1	0.722	0.722	0.772	2.140	0.777	1.139	0.871	0.871	1.027	2.135	1.097	1.136	206.41	21132.4
NO--CCp2--p1	hexa	0.0	1.992	1.992	2.141	3.042	2.132	2.624	1.985	1.985	2.517	2.999	2.491	2.603	37.647	17579.3
NO--CCp2--p1	hexa	0.1	1.849	1.849	1.607	3.038	1.618	1.948	2.278	2.278	2.158	2.987	2.162	2.187	43.859	18732.4
NO--CCp2--p1	triangular unstr	0.0	0.730	0.730	0.778	0.778	0.784	0.784	0.862	0.862	1.037	1.037	1.107	1.107	293.34	19273.3
NO--CCp2--p1	triangular unstr	0.1	0.722	0.722	0.772	0.772	0.777	0.777	0.871	0.871	1.027	1.027	1.097	1.097	279.89	21288.3
NO--CCp2--p2	hexa	0.0	1.991	1.991	2.145	3.063	2.120	2.764	1.986	1.986	2.519	3.002	2.444	2.629	49.227	17885.7
NO--CCp2--p2	hexa	0.1	1.851	1.851	1.600	3.061	1.624	2.068	2.274	2.274	2.155	2.996	2.162	2.210	46.755	19025.5
NO--CCp2--p2	triangular unstr	0.0	0.730	0.730	0.778	1.941	0.784	0.776	0.862	0.862	1.037	1.095	1.107	1.097	252.35	19638.5
NO--CCp2--p2	triangular unstr	0.1	0.722	0.722	0.772	1.957	0.777	0.773	0.871	0.871	1.027	1.090	1.097	1.087	265.88	21625.1
NO--CCp2--p3	hexa	0.0	1.991	1.991	2.145	3.058	2.120	2.763	1.986	1.986	2.519	3.001	2.444	2.632	48.850	18015.0
NO--CCp2--p3	hexa	0.1	1.851	1.851	1.600	3.056	1.624	2.069	2.274	2.274	2.155	2.995	2.162	2.211	51.083	19169.8
NO--CCp2--p3	triangular unstr	0.0	0.730	0.730	0.778	1.952	0.784	0.776	0.862	0.862	1.037	1.098	1.107	1.096	337.96	19809.5
NO--CCp2--p3	triangular unstr	0.1	0.722	0.722	0.772	1.968	0.777	0.773	0.871	0.871	1.027	1.093	1.097	1.087	316.88	21810.7
NO--CCp3--p1	hexa	0.0	1.992	1.992	2.139	4.063	2.132	2.165	1.985	1.985	2.517	3.183	2.491	2.491	67.019	18928.3
NO--CCp3--p1	hexa	0.1	1.849	1.849	1.605	3.118	1.618	1.661	2.278	2.278	2.158	2.340	2.163	2.189	85.420	20094.7
NO--CCp3--p1	triangular unstr	0.0	0.730	0.730	0.778	0.778	0.784	0.784	0.862	0.862	1.037	1.037	1.107	1.107	435.49	21779.7
NO--CCp3--p1	triangular unstr	0.1	0.722	0.722	0.772	0.772	0.777	0.777	0.871	0.871	1.027	1.027	1.097	1.097	353.60	23790.8
NO--CCp3--p2	hexa	0.0	1.992	1.992	2.141	4.277	2.120	2.216	1.985	1.985	2.519	4.233	2.444	2.443	71.573	19210.9
NO--CCp3--p2	hexa	0.1	1.851	1.851	1.594	3.421	1.622	1.722	2.274	2.274	2.155	2.589	2.162	2.221	74.356	20366.7
NO--CCp3--p2	triangular unstr	0.0	0.730	0.730	0.778	1.071	0.784	0.796	0.862	0.862	1.037	1.037	1.107	1.109	463.11	22135.9
NO--CCp3--p2	triangular unstr	0.1	0.722	0.722	0.772	1.081	0.777	0.798	0.871	0.871	1.027	1.028	1.097	1.100	362.07	24132.6
NO--CCp3--p3	hexa	0.0	1.992	1.992	2.141	4.293	2.120	2.214	1.985	1.985	2.519	4.254	2.444	2.443	61.808	19363.5
NO--CCp3--p3	hexa	0.1	1.851	1.851	1.594	3.409	1.622	1.721	2.274	2.274	2.155	2.578	2.162	2.221	74.433	20513.0
NO--CCp3--p3	triangular unstr	0.0	0.730	0.730	0.778	1.054	0.784	0.796	0.862	0.862	1.037	1.037	1.107	1.109	399.21	22286.3
NO--CCp3--p3	triangular unstr	0.1	0.722	0.722	0.772	1.064	0.777	0.797	0.871	0.871	1.027	1.028	1.097	1.100	347.65	24284.2
NO--GP--p1	hexa	0.0	1.992	1.992	2.000	2.057	2.005	2.061	1.985	1.985	2.002	2.031	2.023	2.031	13.090	16727.8
NO--GP--p1	hexa	0.1	1.849	1.849	2.000	2.049	1.997	2.053	2.278	2.278	2.002	2.039	2.030	2.039	24.074	18448.5
NO--GP--p1	triangular unstr	0.0	0.730	0.730	0.778	0.778	0.784	0.784	0.862	0.862	1.037	1.037	1.107	1.107	95.302	17470.9
NO--GP--p1	triangular unstr	0.1	0.722	0.722	0.772	0.772	0.777	0.777	0.871	0.871	1.027	1.027	1.097	1.097	132.10	20899.6
NO--GP--p2	hexa	0.0	1.992	1.992	1.999	2.015	2.002	2.017	1.986	1.986	2.001	2.010	2.011	2.010	29.398	17030.0
NO--GP--p2	hexa	0.1	1.851	1.851	1.999	2.015	2.001	2.017	2.274	2.274	2.001	2.011	2.013	2.011	38.154	18577.5
NO--GP--p2	triangular unstr	0.0	0.730	0.730	1.878	1.418	1.102	1.411	0.862	0.862	1.678	1.219	1.112	1.269	195.38	17820.7
NO--GP--p2	triangular unstr	0.1	0.722	0.722	1.880	1.427	1.107	1.420	0.871	0.871	1.682	1.220	1.104	1.270	175.66	21048.0
NO--GP--p3	hexa	0.0	1.992	1.992	1.999	2.019	2.002	2.021	1.986	1.986	2.001	2.011	2.011	2.011	48.439	17196.3
NO--GP--p3	hexa	0.1	1.851	1.851	1.999	2.019	2.001	2.021	2.274	2.274	2.001	2.013	2.013	2.013	49.173	18656.2
NO--GP--p3	triangular unstr	0.0	0.730	0.730	1.878	1.389	1.102	1.384	0.862	0.862	1.678	1.206	1.112	1.258	201.79	17995.4
NO--GP--p3	triangular unstr	0.1	0.722	0.722	1.881	1.398	1.107	1.392	0.871	0.871	1.682	1.207	1.104	1.259	233.70	21114.5
p1--na--NO	hexa	0.0	1.911	2.146	1.616	1.616	1.626	1.626	2.612	2.168	2.381	2.381	2.387	2.387	77.310	17878.7
p1--na--NO	hexa	0.1	1.971	2.163	1.677	1.677	1.687	1.687	2.614	2.141	2.416	2.416	2.422	2.422	99.193	19092.2
p1--na--NO	triangular unstr	0.0	2.271	2.126	2.004	2.004	2.002	2.002	2.384	2.115	2.552	2.552	2.549	2.549	627.40	19950.2
p1--na--NO	triangular unstr	0.1	2.301	2.106	2.092	2.092	2.090	2.090	2.222	2.054	2.524	2.524	2.524	2.524	630.44	21567.4
p1--CCp1--p1	hexa	0.0	1.911	2.146	1.616	2.349	1.626	1.955	2.612	2.168	2.381	2.294	2.387	2.369	87.842	18383.4
p1--CCp1--p1	hexa	0.1	1.971	2.163	1.677	2.351	1.6									

Vm-states-Ion	Mesh type	α	Fit $N = 10-100$						Fit $N = 70-100$						t_{Σ} [s]	RSS $_{\Sigma}$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p1--CCp2--p3	hexa	0.0	1.912	2.146	1.616	2.987	1.627	1.688	2.612	2.168	2.381	2.884	2.387	2.400	116.33	19324.3
p1--CCp2--p3	hexa	0.1	1.971	2.163	1.676	3.015	1.687	1.765	2.613	2.141	2.416	2.932	2.422	2.437	104.74	19816.2
p1--CCp2--p3	triangular unstr	0.0	2.271	2.126	2.004	2.681	2.002	1.977	2.384	2.115	2.552	2.672	2.549	2.527	750.46	22285.7
p1--CCp2--p3	triangular unstr	0.1	2.301	2.106	2.092	2.802	2.090	2.062	2.222	2.054	2.524	2.740	2.523	2.510	622.87	22859.8
p1--CCp3--p1	hexa	0.0	1.911	2.146	1.616	2.034	1.626	1.630	2.612	2.168	2.381	2.378	2.387	2.407	147.06	20233.9
p1--CCp3--p1	hexa	0.1	1.971	2.163	1.677	2.165	1.687	1.692	2.614	2.141	2.416	2.409	2.422	2.443	125.22	20735.8
p1--CCp3--p1	triangular unstr	0.0	2.271	2.126	2.004	2.004	2.002	2.002	2.384	2.115	2.552	2.552	2.549	2.549	800.43	24287.5
p1--CCp3--p1	triangular unstr	0.1	2.301	2.106	2.092	2.092	2.090	2.052	2.222	2.054	2.524	2.524	2.524	2.524	683.45	24737.2
p1--CCp3--p2	hexa	0.0	1.912	2.146	1.617	2.239	1.627	1.634	2.612	2.168	2.381	2.377	2.387	2.426	138.21	20509.6
p1--CCp3--p2	hexa	0.1	1.971	2.163	1.677	2.394	1.688	1.698	2.613	2.141	2.416	2.402	2.422	2.464	125.55	21018.0
p1--CCp3--p2	triangular unstr	0.0	2.271	2.126	2.004	2.031	2.002	1.964	2.384	2.115	2.552	2.527	2.549	2.528	782.76	24626.8
p1--CCp3--p2	triangular unstr	0.1	2.301	2.106	2.092	2.141	2.090	2.052	2.222	2.054	2.524	2.511	2.523	2.516	735.35	25077.5
p1--CCp3--p3	hexa	0.0	1.912	2.146	1.617	2.225	1.627	1.634	2.612	2.168	2.381	2.376	2.387	2.426	133.40	20650.3
p1--CCp3--p3	hexa	0.1	1.971	2.163	1.677	2.379	1.688	1.697	2.613	2.141	2.416	2.402	2.422	2.463	133.26	21151.4
p1--CCp3--p3	triangular unstr	0.0	2.271	2.126	2.004	2.027	2.002	1.964	2.384	2.115	2.552	2.527	2.549	2.528	745.42	24787.5
p1--CCp3--p3	triangular unstr	0.1	2.301	2.106	2.092	2.136	2.090	2.052	2.222	2.054	2.524	2.512	2.523	2.516	764.59	25234.9
p1--GP--p1	hexa	0.0	1.911	2.146	1.998	2.154	1.838	2.160	2.612	2.168	2.007	2.316	2.258	2.316	81.233	17974.1
p1--GP--p1	hexa	0.1	1.971	2.163	1.999	2.221	1.898	2.227	2.614	2.141	2.005	2.319	2.234	2.318	102.12	19138.4
p1--GP--p1	triangular unstr	0.0	2.271	2.126	2.004	2.004	2.002	2.002	2.384	2.115	2.552	2.552	2.549	2.549	564.30	20001.6
p1--GP--p1	triangular unstr	0.1	2.301	2.106	2.092	2.092	2.090	2.090	2.222	2.054	2.524	2.524	2.524	2.524	637.92	21601.4
p1--GP--p2	hexa	0.0	1.912	2.146	1.999	2.182	1.951	2.181	2.612	2.168	2.002	2.161	2.105	2.157	98.467	18270.7
p1--GP--p2	hexa	0.1	1.971	2.163	1.999	2.201	1.975	2.199	2.613	2.141	2.001	2.156	2.080	2.151	101.53	19255.2
p1--GP--p2	triangular unstr	0.0	2.271	2.126	1.992	2.069	2.012	2.068	2.384	2.115	2.004	2.184	2.284	2.176	612.59	20336.8
p1--GP--p2	triangular unstr	0.1	2.301	2.106	1.992	2.089	2.038	2.087	2.222	2.054	2.002	2.117	2.186	2.113	623.45	21725.5
p1--GP--p3	hexa	0.0	1.912	2.146	1.999	2.196	1.951	2.195	2.612	2.168	2.002	2.177	2.105	2.173	102.50	18421.3
p1--GP--p3	hexa	0.1	1.971	2.163	1.999	2.217	1.975	2.215	2.613	2.141	2.001	2.172	2.080	2.167	109.22	19318.6
p1--GP--p3	triangular unstr	0.0	2.271	2.126	1.992	2.082	2.012	2.081	2.384	2.115	2.004	2.219	2.284	2.210	633.00	20513.5
p1--GP--p3	triangular unstr	0.1	2.301	2.106	1.992	2.109	2.038	2.106	2.222	2.054	2.002	2.144	2.186	2.139	616.82	21804.6
p2--na--N0	hexa	0.0	2.127	2.567	2.176	2.176	2.176	2.176	2.016	2.179	2.139	2.139	2.139	2.139	93.266	18711.6
p2--na--N0	hexa	0.1	2.128	2.607	2.180	2.180	2.181	2.181	2.018	2.209	2.153	2.153	2.153	2.153	97.913	20308.0
p2--na--N0	triangular unstr	0.0	2.056	2.374	2.166	2.166	2.161	2.161	1.982	2.068	2.260	2.260	2.263	2.263	599.62	21949.5
p2--na--N0	triangular unstr	0.1	2.043	2.402	2.162	2.162	2.158	2.158	1.980	2.081	2.286	2.286	2.285	2.285	576.14	24413.9
p2--CCp1--p1	hexa	0.0	2.149	2.608	2.201	2.356	2.203	2.337	2.019	2.209	2.154	2.292	2.154	2.244	121.17	19564.2
p2--CCp1--p1	hexa	0.1	2.151	2.651	2.208	2.356	2.211	2.338	2.021	2.247	2.171	2.291	2.172	2.246	108.40	20884.4
p2--CCp1--p1	triangular unstr	0.0	2.056	2.374	2.166	2.166	2.161	2.161	1.982	2.068	2.260	2.260	2.263	2.263	632.48	22835.8
p2--CCp1--p1	triangular unstr	0.1	2.043	2.402	2.162	2.162	2.158	2.158	1.980	2.081	2.286	2.286	2.285	2.285	681.24	25000.8
p2--CCp1--p2	hexa	0.0	2.212	2.708	2.272	2.230	2.283	2.188	2.026	2.303	2.199	2.150	2.206	2.095	117.83	19824.1
p2--CCp1--p2	hexa	0.1	2.223	2.759	2.291	2.229	2.304	2.188	2.030	2.364	2.229	2.150	2.238	2.095	120.32	21014.9
p2--CCp1--p2	triangular unstr	0.0	2.118	2.532	2.273	2.101	2.279	2.040	1.977	2.149	2.394	2.057	2.419	2.018	655.10	23158.1
p2--CCp1--p2	triangular unstr	0.1	2.104	2.578	2.283	2.101	2.292	2.039	1.972	2.186	2.455	2.057	2.479	2.018	606.77	25195.1
p2--CCp1--p3	hexa	0.0	2.212	2.708	2.272	2.248	2.283	2.215	2.026	2.303	2.199	2.167	2.206	2.114	118.26	19938.4
p2--CCp1--p3	hexa	0.1	2.223	2.759	2.291	2.248	2.304	2.214	2.030	2.364	2.229	2.167	2.238	2.114	132.47	21079.0
p2--CCp1--p3	triangular unstr	0.0	2.118	2.532	2.273	2.126	2.279	2.050	1.977	2.149	2.394	2.074	2.419	2.023	655.96	23321.8
p2--CCp1--p3	triangular unstr	0.1	2.104	2.578	2.283	2.126	2.292	2.050	1.972	2.186	2.455	2.074	2.479	2.023	592.54	25287.0
p2--CCp2--p1	hexa	0.0	2.149	2.608	2.203	2.303	2.203	2.289	2.019	2.210	2.155	2.298	2.155	2.169	126.07	20011.9
p2--CCp2--p1	hexa	0.1	2.152	2.651	2.211	3.040	2.211	2.310	2.021	2.247	2.173	2.991	2.172	2.189	126.42	20929.3
p2--CCp2--p1	triangular unstr	0.0	2.056	2.374	2.166	2.166	2.161	2.161	1.982	2.068	2.260	2.260	2.263	2.263	714.55	23917.2
p2--CCp2--p1	triangular unstr	0.1	2.043	2.402	2.162	2.162	2.158	2.158	1.980	2.081	2.286	2.286	2.285	2.285	625.61	25225.6
p2--CCp2--p2	hexa	0.0	2.212	2.708	2.284	3.063	2.283	2.480	2.026	2.303	2.206	3.000	2.206	2.250	132.79	20290.6
p2--CCp2--p2	hexa	0.1	2.224	2.760	2.305	3.063	2.305	2.527	2.030	2.365	2.239	3.001	2.239	2.294	132.29	21085.1
p2--CCp2--p2	triangular unstr	0.0	2.118	2.532	2.286	3.012	2.279	2.428	1.977	2.149	2.413	2.995	2.420	2.443	735.63	24244.0
p2--CCp2--p2	triangular unstr	0.1	2.104	2.579	2.300	3.012	2.293	2.467	1.972	2.186	2.481	2.996	2.482	2.511	603.12	25454.5
p2--CCp2--p3	hexa	0.0	2.212	2.708	2.284	3.058	2.283	2.480	2.026	2.303	2.206	2.999	2.206	2.251	135.22	20417.3
p2--CCp2--p3	hexa	0.1	2.224	2.760	2.305	3.058	2.305	2.527	2.030	2.365	2.239	3.000	2.239	2.296	130.50	21160.4
p2--CCp2--p3	triangular unstr	0.0	2.118	2.532	2.286	3.010	2.279	2.425	1.977	2.149	2.413	2.995	2.420	2.443	697.92	24412.9
p2--CCp2--p3	triangular unstr	0.1	2.104	2.579	2.300	3.010	2.293	2.465	1.972	2.186	2.481	2.996	2.482	2.512	598.37	25581.7
p2--CCp3--p1	hexa	0.0	2.149	2.608	2.203	3.175	2.203	2.220	2.019	2.210	2.155	2.123	2.155	2.154	148.20	21250.7
p2--CCp3--p1	hexa	0.1	2.152	2.651	2.211	3.250	2.211	2.227	2.021	2.247	2.173	2.151	2.172	2.171	137.68	21647.8
p2--CCp3--p1	triangular unstr	0.0	2.056	2.374	2.166	2.166	2.161	2.161	1.982	2.068	2.260	2.260	2.263	2.263	753.15	26381.9
p2--CCp3--p1	triangular unstr	0.1	2.043	2.402	2.162	2.162	2.158	2.158	1.980	2.081	2.286	2.286	2.285	2.285	659.73	27285.2
p2--CCp3--p2	hexa	0.0	2.212	2.708	2.284	3.846	2.283	2.347	2.026	2.303	2.206	2.397	2.206	2.204	148.27	21478.1
p2--CCp3--p2	hexa	0.1	2.224	2.760	2.305	3.936	2.304	2.369	2.030	2.365	2.239	2.584	2.238	2.237	157.69	21927.2
p2--CCp3--p2	triangular unstr	0.0	2.118	2.532	2.286	3.422	2.279	2.345	1.977	2.149	2.413	2.437	2.420	2.419	729.00	26704.4
p2--CCp3--p2	triangular unstr	0.1	2.104	2.579	2.300	3.528	2.293	2.358	1.972	2.186	2.481	2.550	2.482	2.482	657.26	27605.0
p2--CCp3--p3	hexa	0.0	2.212	2.708	2.284	3.839	2.283	2.346	2.026	2.303	2.206	2.351	2.206	2.204	159.02	21614.3
p2--CCp3--p3	hexa	0.1	2.224	2.760	2.305	3.933	2.304	2.368	2.030	2.365	2.239	2.531	2.238	2.237	188.88	22066.7
p2--CCp3--p3	triangular unstr	0.0	2.118	2.532	2.286	3.389	2.279	2.343	1.977	2.149	2.413	2.404	2.420	2.419	714.03	26849.9
p2--CCp3--p3	triangular unstr	0.1	2.104	2.579	2.300	3.497	2.293									

Vm-states-Ion	Mesh type	α	Fit $N = 10-100$						Fit $N = 70-100$						t_Σ [s]	RSS $_\Sigma$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p3--na--N0	triangular unstr	0.0	2.033	2.201	2.348	2.348	2.345	2.345	1.972	1.988	3.183	3.183	3.172	3.172	689.38	27545.2
p3--na--N0	triangular unstr	0.1	2.021	2.196	2.333	2.333	2.331	2.331	1.972	1.987	3.182	3.182	3.171	3.171	760.32	31535.9
p3--CCp1--p1	hexa	0.0	2.180	2.629	2.347	2.353	2.360	2.339	2.003	2.055	2.608	2.289	2.617	2.247	167.38	23001.8
p3--CCp1--p1	hexa	0.1	2.155	2.624	2.323	2.353	2.335	2.339	1.998	2.051	2.600	2.289	2.608	2.247	204.47	25294.3
p3--CCp1--p1	triangular unstr	0.0	2.033	2.201	2.348	2.348	2.345	2.345	1.972	1.988	3.183	3.183	3.172	3.172	737.71	28449.0
p3--CCp1--p1	triangular unstr	0.1	2.021	2.196	2.333	2.333	2.331	2.331	1.972	1.987	3.182	3.182	3.171	3.171	623.17	31985.4
p3--CCp1--p2	hexa	0.0	2.672	3.361	2.672	2.229	2.497	2.184	2.142	2.316	1.405	2.150	1.266	2.093	152.92	23136.5
p3--CCp1--p2	hexa	0.1	2.615	3.360	2.623	2.229	2.442	2.184	2.103	2.281	1.306	2.150	1.209	2.093	202.04	25404.4
p3--CCp1--p2	triangular unstr	0.0	2.439	2.843	2.197	2.101	2.046	2.038	1.999	2.026	0.132	2.057	0.463	2.016	745.72	28688.4
p3--CCp1--p2	triangular unstr	0.1	2.369	2.829	2.121	2.101	1.976	2.038	1.995	2.022	0.125	2.057	0.459	2.016	632.27	32128.5
p3--CCp1--p3	hexa	0.0	2.672	3.361	2.672	2.247	2.497	2.210	2.142	2.316	1.405	2.166	1.266	2.111	153.33	23218.0
p3--CCp1--p3	hexa	0.1	2.615	3.360	2.623	2.247	2.442	2.210	2.103	2.281	1.306	2.166	1.209	2.111	191.23	25439.1
p3--CCp1--p3	triangular unstr	0.0	2.439	2.843	2.196	2.126	2.045	2.048	1.999	2.026	0.132	2.073	0.463	2.021	752.75	28791.6
p3--CCp1--p3	triangular unstr	0.1	2.369	2.829	2.121	2.126	1.976	2.048	1.995	2.023	0.125	2.073	0.459	2.021	640.42	32187.4
p3--CCp2--p1	hexa	0.0	2.181	2.631	2.362	3.042	2.362	2.762	2.003	2.055	2.629	2.999	2.619	2.745	158.82	23118.4
p3--CCp2--p1	hexa	0.1	2.156	2.626	2.337	3.042	2.337	2.758	1.998	2.051	2.620	2.999	2.611	2.740	161.93	25259.8
p3--CCp2--p1	triangular unstr	0.0	2.033	2.201	2.348	2.348	2.345	2.345	1.972	1.988	3.183	3.183	3.172	3.172	860.40	28760.1
p3--CCp2--p1	triangular unstr	0.1	2.021	2.196	2.333	2.333	2.331	2.331	1.972	1.987	3.182	3.182	3.171	3.171	830.09	32013.2
p3--CCp2--p2	hexa	0.0	3.520	3.971	2.698	3.063	2.707	3.071	4.171	4.123	0.669	3.002	0.641	2.724	159.00	23274.3
p3--CCp2--p2	hexa	0.1	3.547	4.002	2.648	3.063	2.657	3.069	4.104	4.100	0.514	3.002	0.488	2.717	162.70	25376.0
p3--CCp2--p2	triangular unstr	0.0	3.748	3.924	2.081	3.013	2.060	2.855	2.167	2.959	0.011	2.997	0.007	1.544	906.22	29070.9
p3--CCp2--p2	triangular unstr	0.1	3.692	3.923	1.983	3.013	1.961	2.852	1.804	2.888	0.004	2.997	0.001	1.543	824.68	32175.8
p3--CCp2--p3	hexa	0.0	3.520	3.971	2.698	3.058	2.707	3.064	4.171	4.123	0.669	3.001	0.641	2.729	145.69	23372.0
p3--CCp2--p3	hexa	0.1	3.547	4.002	2.648	3.058	2.657	3.062	4.104	4.100	0.514	3.001	0.488	2.721	166.94	25416.4
p3--CCp2--p3	triangular unstr	0.0	3.748	3.924	2.081	3.011	2.060	2.849	2.167	2.959	0.011	2.996	0.007	1.567	891.74	29233.2
p3--CCp2--p3	triangular unstr	0.1	3.692	3.923	1.982	3.011	1.961	2.846	1.805	2.888	0.004	2.996	0.001	1.565	810.88	32261.1
p3--CCp3--p1	hexa	0.0	2.181	2.631	2.362	4.082	2.362	2.385	2.003	2.056	2.629	3.391	2.619	2.619	164.32	23744.0
p3--CCp3--p1	hexa	0.1	2.156	2.626	2.337	4.082	2.337	2.361	1.998	2.051	2.620	3.388	2.611	2.611	209.86	25311.2
p3--CCp3--p1	triangular unstr	0.0	2.033	2.201	2.348	2.348	2.345	2.345	1.972	1.988	3.183	3.183	3.172	3.172	952.56	31101.1
p3--CCp3--p1	triangular unstr	0.1	2.021	2.196	2.333	2.333	2.331	2.331	1.972	1.987	3.182	3.182	3.171	3.171	832.89	32230.4
p3--CCp3--p2	hexa	0.0	3.520	3.971	2.705	4.177	2.709	2.869	4.171	4.124	0.671	3.889	0.642	0.730	181.97	24009.8
p3--CCp3--p2	hexa	0.1	3.547	4.002	2.656	4.177	2.658	2.840	4.105	4.100	0.516	3.888	0.490	0.578	236.84	25434.9
p3--CCp3--p2	triangular unstr	0.0	3.749	3.924	2.085	3.907	2.062	2.112	2.167	2.959	0.011	2.695	0.007	0.004	829.89	31443.8
p3--CCp3--p2	triangular unstr	0.1	3.693	3.924	1.987	3.906	1.963	2.027	1.804	2.888	0.004	2.694	0.001	-0.001	826.54	32405.2
p3--CCp3--p3	hexa	0.0	3.520	3.971	2.705	4.182	2.709	2.866	4.171	4.124	0.671	3.875	0.642	0.729	173.66	24132.2
p3--CCp3--p3	hexa	0.1	3.547	4.002	2.656	4.182	2.658	2.835	4.105	4.100	0.516	3.873	0.490	0.577	255.78	25497.1
p3--CCp3--p3	triangular unstr	0.0	3.749	3.924	2.085	3.889	2.061	2.108	2.167	2.959	0.011	2.592	0.007	0.004	862.24	31610.3
p3--CCp3--p3	triangular unstr	0.1	3.693	3.924	1.986	3.889	1.963	2.022	1.804	2.888	0.004	2.591	0.001	-0.001	738.79	32495.2
p3--GP--p1	hexa	0.0	2.181	2.631	2.002	2.762	1.992	2.757	2.003	2.056	2.002	2.661	2.008	2.650	148.12	21874.5
p3--GP--p1	hexa	0.1	2.156	2.626	2.002	2.756	1.991	2.752	1.998	2.051	2.002	2.653	2.008	2.642	178.17	24556.5
p3--GP--p1	triangular unstr	0.0	2.033	2.201	2.348	2.348	2.345	2.345	1.972	1.988	3.183	3.183	3.172	3.172	693.51	27581.7
p3--GP--p1	triangular unstr	0.1	2.021	2.196	2.333	2.333	2.331	2.331	1.972	1.987	3.182	3.182	3.171	3.171	800.77	31560.1
p3--GP--p2	hexa	0.0	3.520	3.971	2.000	3.744	1.999	3.748	4.171	4.124	2.001	1.458	2.006	1.396	170.50	21996.1
p3--GP--p2	hexa	0.1	3.547	4.002	1.999	3.757	1.998	3.761	4.105	4.100	2.001	1.348	2.006	1.284	202.72	24666.6
p3--GP--p2	triangular unstr	0.0	3.749	3.924	1.992	2.844	2.005	2.843	2.167	2.959	2.000	-0.092	2.012	-0.097	805.00	27710.0
p3--GP--p2	triangular unstr	0.1	3.693	3.924	1.992	2.836	2.005	2.836	1.804	2.888	2.000	-0.098	2.012	-0.103	699.63	31685.8
p3--GP--p3	hexa	0.0	3.520	3.971	2.000	3.738	1.999	3.742	4.171	4.124	2.001	1.420	2.006	1.355	174.93	22054.6
p3--GP--p3	hexa	0.1	3.547	4.002	2.000	3.751	1.999	3.756	4.105	4.100	2.001	1.305	2.006	1.239	246.90	24749.6
p3--GP--p3	triangular unstr	0.0	3.749	3.924	1.992	2.812	2.005	2.811	2.167	2.959	2.000	-0.108	2.012	-0.114	882.90	27779.4
p3--GP--p3	triangular unstr	0.1	3.693	3.923	1.992	2.803	2.005	2.803	1.804	2.888	2.000	-0.115	2.012	-0.120	886.85	31746.3

$$\Delta t = 10^{-3}$$

Table 7: 2D manufactured results for JFNK, crankNicolson, consistent mass, RKF45 states, and $\Delta t = 10^{-3}$. The first convergence block is fitted over $N = 10-100$; the second over $N = 70-100$. The first column records the actual Vm-states-Ion triplet used by the run.

Vm-states-Ion	Mesh type	α	Fit $N = 10-100$						Fit $N = 70-100$						t_Σ [s]	RSS $_\Sigma$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
NO--na--NO	hexa	0.0	1.997	1.997	1.998	1.998	1.998	1.998	2.000	2.000	2.004	2.004	2.004	2.004	62.774	16499.9
NO--na--NO	hexa	0.1	1.851	1.851	1.607	1.607	1.613	1.613	2.294	2.294	2.140	2.140	2.142	2.142	104.37	18378.4
NO--na--NO	triangular unstr	0.0	0.798	0.798	0.777	0.777	0.783	0.783	0.963	0.963	1.038	1.038	1.107	1.107	229.82	17289.7
NO--na--NO	triangular unstr	0.1	0.785	0.785	0.771	0.771	0.776	0.776	0.953	0.953	1.027	1.027	1.097	1.097	335.59	20799.8
NO--CCp1--p1	hexa	0.0	1.997	1.997	1.999	2.354	1.998	2.333	2.000	2.000	2.004	2.290	2.004	2.242	99.950	17020.5
NO--CCp1--p1	hexa	0.1	1.851	1.851	1.608	2.354	1.613	2.310	2.294	2.294	2.140	2.290	2.142	2.226	139.82	18502.9
NO--CCp1--p1	triangular unstr	0.0	0.798	0.798	0.777	0.777	0.783	0.783	0.963	0.963	1.038	1.038	1.107	1.107	463.94	18085.7
NO--CCp1--p1	triangular unstr	0.1	0.785	0.785	0.771	0.771	0.776	0.776	0.953	0.953	1.027	1.027	1.097	1.097	503.50	20923.6
NO--CCp1--p2	hexa	0.0	1.997	1.997	2.000	2.229	1.999	2.184	2.000	2.000	2.004	2.150	2.004	2.094	130.30	17331.8
NO--CCp1--p2	hexa	0.1	1.851	1.851	1.608	2.229	1.614	2.181	2.295	2.295	2.140	2.150	2.142	2.092	154.64	18665.6
NO--CCp1--p2	triangular unstr	0.0	0.798	0.798	0.777	2.111	0.783	1.163	0.963	0.963	1.038	2.102	1.107	1.150	438.67	18426.9
NO--CCp1--p2	triangular unstr	0.1	0.785	0.785	0.771	2.112	0.776	1.171	0.953	0.953	1.027	2.105	1.097	1.143	521.01	21072.2
NO--CCp1--p3	hexa	0.0	1.997	1.997	2.000	2.247	1.999	2.211	2.000	2.000	2.004	2.167	2.004	2.113	132.84	17490.5
NO--CCp1--p3	hexa	0.1	1.851	1.851	1.608	2.247	1.614	2.206	2.295	2.295	2.140	2.167	2.142	2.110	151.61	18741.9
NO--CCp1--p3	triangular unstr	0.0	0.798	0.798	0.777	2.139	0.783	1.131	0.963	0.963	1.038	2.131	1.107	1.144	439.70	18599.6
NO--CCp1--p3	triangular unstr	0.1	0.785	0.785	0.771	2.140	0.776	1.138	0.953	0.953	1.027	2.135	1.097	1.137	524.48	21149.1
NO--CCp2--p1	hexa	0.0	1.997	1.997	2.000	3.042	1.997	2.510	1.999	1.999	2.004	2.998	2.003	2.157	167.05	17530.6
NO--CCp2--p1	hexa	0.1	1.851	1.851	1.603	3.038	1.613	1.942	2.294	2.294	2.140	2.987	2.142	2.167	200.77	18748.5

		Fit $N = 10-100$						Fit $N = 70-100$								
Vm-states-Ion	Mesh type	α	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	t_Σ [s]	RSS $_\Sigma$ [MB]
NO---CCp2---p1	triangular unstr	0.0	0.798	0.798	0.777	0.777	0.783	0.783	0.963	0.963	1.038	1.038	1.107	1.107	729.76	19279.0
NO---CCp2---p1	triangular unstr	0.1	0.785	0.785	0.771	0.771	0.776	0.776	0.953	0.953	1.027	1.027	1.097	1.097	767.38	21262.3
NO---CCp2---p2	hexa	0.0	1.995	1.995	2.003	3.063	1.997	2.671	1.999	1.999	2.004	3.002	2.003	2.246	196.75	17862.5
NO---CCp2---p2	hexa	0.1	1.853	1.853	1.597	3.061	1.619	2.063	2.289	2.289	2.140	2.996	2.141	2.192	217.72	19033.8
NO---CCp2---p2	triangular unstr	0.0	0.799	0.799	0.777	1.940	0.783	0.775	0.963	0.963	1.038	1.095	1.107	1.097	840.38	19631.4
NO---CCp2---p2	triangular unstr	0.1	0.786	0.786	0.771	1.955	0.776	0.772	0.953	0.953	1.027	1.090	1.097	1.087	707.36	21596.1
NO---CCp2---p3	hexa	0.0	1.995	1.995	2.003	3.058	1.997	2.670	1.999	1.999	2.004	3.001	2.003	2.251	224.42	17998.3
NO---CCp2---p3	hexa	0.1	1.853	1.853	1.597	3.056	1.619	2.064	2.289	2.289	2.140	2.995	2.141	2.193	226.37	19155.7
NO---CCp2---p3	triangular unstr	0.0	0.799	0.799	0.777	1.950	0.783	0.775	0.963	0.963	1.038	1.098	1.107	1.097	743.74	19802.3
NO---CCp2---p3	triangular unstr	0.1	0.786	0.786	0.771	1.966	0.776	0.772	0.953	0.953	1.027	1.092	1.097	1.087	808.05	21765.1
NO---CCp3---p1	hexa	0.0	1.997	1.997	1.998	3.944	1.997	2.030	1.999	1.999	2.004	2.505	2.004	2.004	362.53	18892.7
NO---CCp3---p1	hexa	0.1	1.851	1.851	1.600	3.114	1.613	1.657	2.294	2.294	2.140	2.324	2.142	2.170	356.97	20106.8
NO---CCp3---p1	triangular unstr	0.0	0.798	0.798	0.777	0.777	0.783	0.783	0.963	0.963	1.038	1.038	1.107	1.107	1284.8	21788.5
NO---CCp3---p1	triangular unstr	0.1	0.785	0.785	0.771	0.771	0.776	0.776	0.953	0.953	1.027	1.027	1.097	1.097	1109.8	23745.7
NO---CCp3---p2	hexa	0.0	1.996	1.996	1.998	4.244	1.996	2.092	1.999	1.999	2.004	3.862	2.003	2.002	388.72	19203.1
NO---CCp3---p2	hexa	0.1	1.853	1.853	1.590	3.420	1.617	1.718	2.289	2.289	2.140	2.581	2.141	2.203	371.88	20400.8
NO---CCp3---p2	triangular unstr	0.0	0.799	0.799	0.777	1.070	0.783	0.795	0.963	0.963	1.038	1.038	1.107	1.110	1354.0	22118.9
NO---CCp3---p2	triangular unstr	0.1	0.786	0.786	0.771	1.080	0.776	0.797	0.953	0.953	1.027	1.028	1.097	1.100	1096.4	24075.7
NO---CCp3---p3	hexa	0.0	1.996	1.996	1.998	4.257	1.996	2.090	1.999	1.999	2.004	3.849	2.003	2.002	412.25	19356.7
NO---CCp3---p3	hexa	0.1	1.853	1.853	1.590	3.408	1.617	1.717	2.289	2.289	2.140	2.570	2.141	2.203	375.60	20540.9
NO---CCp3---p3	triangular unstr	0.0	0.799	0.799	0.777	1.053	0.783	0.795	0.963	0.963	1.038	1.038	1.107	1.110	1357.6	22304.1
NO---CCp3---p3	triangular unstr	0.1	0.786	0.786	0.771	1.062	0.776	0.796	0.953	0.953	1.027	1.028	1.097	1.100	1205.0	24248.2
NO---GP---p1	hexa	0.0	1.997	1.997	1.999	2.050	1.998	2.053	2.000	2.000	2.000	2.007	2.000	2.007	87.918	16718.4
NO---GP---p1	hexa	0.1	1.851	1.851	1.999	2.042	1.990	2.046	2.294	2.294	2.000	2.015	2.008	2.016	112.16	18447.0
NO---GP---p1	triangular unstr	0.0	0.798	0.798	0.777	0.777	0.783	0.783	0.963	0.963	1.038	1.038	1.107	1.107	299.64	17478.6
NO---GP---p1	triangular unstr	0.1	0.785	0.785	0.771	0.771	0.776	0.776	0.953	0.953	1.027	1.027	1.097	1.097	455.19	20904.7
NO---GP---p2	hexa	0.0	1.997	1.997	1.999	2.013	1.998	2.015	1.999	1.999	2.000	2.002	2.000	2.002	219.26	17038.3
NO---GP---p2	hexa	0.1	1.853	1.853	1.999	2.013	1.998	2.014	2.290	2.290	2.000	2.003	2.001	2.003	209.11	18552.2
NO---GP---p2	triangular unstr	0.0	0.799	0.799	1.878	1.417	1.101	1.410	0.963	0.963	1.677	1.218	1.112	1.269	541.47	17817.7
NO---GP---p2	triangular unstr	0.1	0.786	0.786	1.880	1.426	1.105	1.419	0.953	0.953	1.680	1.219	1.104	1.270	539.30	21041.9
NO---GP---p3	hexa	0.0	1.997	1.997	1.999	2.016	1.999	2.018	1.999	1.999	2.000	2.002	2.000	2.002	253.15	17191.9
NO---GP---p3	hexa	0.1	1.853	1.853	1.999	2.016	1.998	2.018	2.290	2.290	2.000	2.004	2.002	2.004	265.83	18636.6
NO---GP---p3	triangular unstr	0.0	0.799	0.799	1.878	1.388	1.101	1.383	0.963	0.963	1.677	1.205	1.112	1.258	777.03	18010.7
NO---GP---p3	triangular unstr	0.1	0.786	0.786	1.880	1.397	1.106	1.391	0.953	0.953	1.680	1.206	1.104	1.258	770.03	21110.3
p1---na---NO	hexa	0.0	1.912	2.147	1.616	1.616	1.626	1.626	2.611	2.168	2.380	2.380	2.385	2.385	150.02	17887.6
p1---na---NO	hexa	0.1	1.971	2.163	1.677	1.677	1.687	1.687	2.615	2.141	2.414	2.414	2.419	2.419	175.68	19071.9
p1---na---NO	triangular unstr	0.0	2.292	2.131	2.004	2.004	2.003	2.003	2.600	2.164	2.545	2.545	2.542	2.542	839.15	19894.4
p1---na---NO	triangular unstr	0.1	2.345	2.112	2.092	2.092	2.089	2.089	2.552	2.095	2.516	2.516	2.515	2.515	866.93	21562.5
p1---CCp1---p1	hexa	0.0	1.912	2.147	1.616	2.350	1.626	1.955	2.611	2.168	2.380	2.295	2.385	2.369	210.62	18392.6
p1---CCp1---p1	hexa	0.1	1.971	2.163	1.677	2.351	1.687	2.045	2.615	2.141	2.414	2.294	2.419	2.382	241.87	19302.2
p1---CCp1---p1	triangular unstr	0.0	2.292	2.131	2.004	2.004	2.003	2.003	2.600	2.164	2.545	2.545	2.542	2.542	886.52	20537.9
p1---CCp1---p1	triangular unstr	0.1	2.345	2.112	2.092	2.092	2.089	2.089	2.552	2.095	2.516	2.516	2.515	2.515	1042.2	21806.4
p1---CCp1---p2	hexa	0.0	1.912	2.147	1.616	2.228	1.626	2.057	2.611	2.168	2.380	2.154	2.385	2.233	214.61	18677.9
p1---CCp1---p2	hexa	0.1	1.971	2.163	1.676	2.228	1.686	2.104	2.615	2.141	2.414	2.153	2.419	2.209	253.57	19440.2
p1---CCp1---p2	triangular unstr	0.0	2.292	2.131	2.004	2.103	2.003	2.036	2.600	2.164	2.545	2.063	2.542	2.283	860.24	20876.2
p1---CCp1---p2	triangular unstr	0.1	2.345	2.112	2.092	2.103	2.089	2.066	2.552	2.095	2.516	2.061	2.515	2.188	998.30	22029.6
p1---CCp1---p3	hexa	0.0	1.912	2.147	1.616	2.246	1.626	2.063	2.611	2.168	2.380	2.171	2.385	2.256	209.58	18812.9
p1---CCp1---p3	hexa	0.1	1.971	2.163	1.676	2.246	1.686	2.115	2.615	2.141	2.414	2.170	2.419	2.234	237.29	19520.2
p1---CCp1---p3	triangular unstr	0.0	2.292	2.131	2.004	2.127	2.003	2.040	2.600	2.164	2.545	2.081	2.542	2.312	847.53	21045.5
p1---CCp1---p3	triangular unstr	0.1	2.345	2.112	2.092	2.128	2.089	2.076	2.552	2.095	2.516	2.078	2.515	2.216	1030.2	22141.1
p1---CCp2---p1	hexa	0.0	1.912	2.147	1.616	2.903	1.626	1.665	2.611	2.168	2.380	2.782	2.385	2.394	238.64	18898.4
p1---CCp2---p1	hexa	0.1	1.971	2.163	1.676	2.953	1.687	1.736	2.615	2.141	2.414	2.858	2.419	2.428	260.96	19460.9
p1---CCp2---p1	triangular unstr	0.0	2.292	2.131	2.004	2.004	2.003	2.003	2.600	2.164	2.545	2.545	2.542	2.542	1038.1	21734.5
p1---CCp2---p1	triangular unstr	0.1	2.345	2.112	2.092	2.092	2.089	2.089	2.552	2.095	2.516	2.516	2.515	2.515	1177.4	22368.2
p1---CCp2---p2	hexa	0.0	1.912	2.147	1.616	2.990	1.627	1.689	2.611	2.168	2.380	2.882	2.385	2.400	247.89	19179.4
p1---CCp2---p2	hexa	0.1	1.972	2.163	1.676	3.018	1.687	1.765	2.615	2.141	2.414	2.931	2.419	2.435	276.80	19673.1
p1---CCp2---p2	triangular unstr	0.0	2.292	2.131	2.004	2.676	2.003	1.978	2.600	2.164	2.546	2.665	2.542	2.522	1028.7	22067.9
p1---CCp2---p2	triangular unstr	0.1	2.345	2.112	2.092	2.799	2.089	2.063	2.552	2.095	2.516	2.731	2.515	2.504	1202.9	22669.4
p1---CCp2---p3	hexa	0.0	1.912	2.147	1.616	2.987	1.627	1.688	2.611	2.168	2.380	2.884	2.385	2.400	262.69	19310.6
p1---CCp2---p3	hexa	0.1	1.972	2.163	1.676	3.015	1.687	1.765	2.615	2.141	2.414	2.931	2.419	2.435	293.94	19820.1
p1---CCp2---p3	triangular unstr	0.0	2.292	2.131	2.004	2.681	2.003	1.978	2.600	2.164	2.546	2.668	2.542	2.522	1032.6	22243.1
p1---CCp2---p3	triangular unstr	0.1	2.345	2.112	2.092	2.802	2.089	2.062	2.552	2.095	2.516	2.736	2.515	2.504	1219.5	22819.4
p1---CCp3---p1	hexa	0.0	1.912	2.147	1.617	2.034	1.626	1.630	2.611	2.168	2.380	2.378	2.385	2.406	388.93	20236.1
p1---CCp3---p1	hexa	0.1	1.971	2.163	1.677	2.164	1.687	1.692	2.615	2.141	2.414	2.408	2.419	2.441	405.12	20745.1
p1---CCp3---p1	triangular unstr	0.0	2.292	2.131	2.004	2.004	2.003	2.003	2.600	2.164	2.545	2.545	2.542	2.542	1377.6	24229.1
p1---CCp3---p1	triangular unstr	0.1	2.345	2.112	2.092	2.092	2.089	2.089	2.552	2.095	2.516	2.516	2.515	2.515	1489.4	24696.5
p1---CCp3---p2	hexa	0.0	1.913	2.147	1.617	2.239	1.627	1.635	2.611	2.168	2.380	2.377	2.385	2.426	398.56	20515.3
p1---CCp3---p2	hexa	0.1	1.972	2.163	1.677	2.394	1.688	1.698	2.615	2.141	2.414	2.402	2			

Vm-states-Iion	Mesh type	α	Fit $N = 10-100$						Fit $N = 70-100$						t_Σ [s]	RSS $_\Sigma$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p3---CCp2---p3	hexa	0.1	3.570	4.025	3.311	3.058	3.331	3.101	4.299	4.272	4.076	3.001	4.084	3.044	548.85	25443.2
p3---CCp2---p3	triangular unstr	0.0	4.057	4.096	3.842	3.011	3.861	3.072	4.477	4.165	4.252	2.997	4.259	3.019	1625.8	29189.0
p3---CCp2---p3	triangular unstr	0.1	4.076	4.105	3.880	3.011	3.901	3.070	4.461	4.139	4.199	2.997	4.214	3.017	1579.9	32250.7
p3---CCp3---p1	hexa	0.0	2.186	2.637	2.200	3.993	2.202	2.225	2.020	2.073	2.041	2.812	2.040	2.040	526.58	23777.7
p3---CCp3---p1	hexa	0.1	2.161	2.631	2.174	3.993	2.177	2.201	2.016	2.069	2.033	2.809	2.033	2.032	653.85	25298.9
p3---CCp3---p1	triangular unstr	0.0	2.041	2.209	2.061	2.061	2.060	2.060	1.999	2.015	2.008	2.008	2.008	2.008	1660.4	31065.9
p3---CCp3---p1	triangular unstr	0.1	2.029	2.204	2.046	2.046	2.046	2.046	1.999	2.014	2.008	2.008	2.007	2.007	1871.3	32210.7
p3---CCp3---p2	hexa	0.0	3.538	3.993	3.290	4.231	3.304	3.441	4.324	4.279	4.081	4.284	4.087	4.101	561.34	24015.9
p3---CCp3---p2	hexa	0.1	3.569	4.026	3.319	4.231	3.333	3.485	4.299	4.272	4.078	4.283	4.084	4.097	661.30	25419.6
p3---CCp3---p2	triangular unstr	0.0	4.058	4.096	3.846	4.109	3.863	3.934	4.476	4.164	4.253	4.049	4.258	4.241	1691.8	31398.8
p3---CCp3---p2	triangular unstr	0.1	4.078	4.105	3.884	4.109	3.903	3.988	4.461	4.139	4.202	4.049	4.214	4.191	1831.7	32387.7
p3---CCp3---p3	hexa	0.0	3.538	3.993	3.290	4.241	3.304	3.438	4.324	4.279	4.081	4.302	4.087	4.101	533.17	24150.7
p3---CCp3---p3	hexa	0.1	3.569	4.026	3.319	4.241	3.333	3.481	4.299	4.272	4.078	4.300	4.084	4.097	510.03	25470.3
p3---CCp3---p3	triangular unstr	0.0	4.057	4.096	3.846	4.114	3.862	3.932	4.477	4.165	4.254	4.050	4.259	4.242	1732.8	31562.0
p3---CCp3---p3	triangular unstr	0.1	4.077	4.105	3.884	4.114	3.903	3.986	4.461	4.139	4.202	4.050	4.214	4.192	1720.3	32487.7
p3---GP---p1	hexa	0.0	2.187	2.637	2.001	2.598	1.989	2.596	2.020	2.073	2.000	2.068	1.999	2.066	290.60	21859.5
p3---GP---p1	hexa	0.1	2.161	2.631	2.001	2.592	1.988	2.589	2.016	2.069	2.000	2.060	1.999	2.059	432.06	24569.5
p3---GP---p1	triangular unstr	0.0	2.041	2.209	2.061	2.061	2.060	2.060	1.999	2.015	2.008	2.008	2.008	2.008	1230.9	27569.1
p3---GP---p1	triangular unstr	0.1	2.029	2.204	2.046	2.046	2.046	2.046	1.999	2.014	2.008	2.008	2.007	2.007	1092.4	31558.3
p3---GP---p2	hexa	0.0	3.538	3.992	1.999	4.003	1.997	4.010	4.324	4.279	2.000	4.194	2.001	4.196	381.25	21971.2
p3---GP---p2	hexa	0.1	3.569	4.026	1.999	4.033	1.997	4.040	4.299	4.272	2.000	4.212	2.000	4.213	511.96	24681.8
p3---GP---p2	triangular unstr	0.0	4.057	4.096	1.992	4.077	2.002	4.083	4.476	4.164	1.998	4.204	2.003	4.204	1724.5	27714.9
p3---GP---p2	triangular unstr	0.1	4.077	4.105	1.992	4.094	2.001	4.098	4.461	4.139	1.998	4.195	2.003	4.198	1145.9	31669.6
p3---GP---p3	hexa	0.0	3.538	3.992	1.999	4.000	1.998	4.008	4.324	4.279	2.000	4.198	2.001	4.200	440.53	22050.9
p3---GP---p3	hexa	0.1	3.569	4.026	1.999	4.031	1.997	4.039	4.299	4.272	2.000	4.217	2.001	4.219	472.62	24729.1
p3---GP---p3	triangular unstr	0.0	4.057	4.096	1.992	4.079	2.002	4.086	4.477	4.165	1.998	4.227	2.003	4.229	1466.0	27775.6
p3---GP---p3	triangular unstr	0.1	4.077	4.105	1.992	4.098	2.002	4.103	4.461	4.139	1.998	4.219	2.003	4.222	1625.2	31740.2

11.2 Two-dimensional results: comments

The current 2D tables fix the time scheme and mass matrix to `crankNicolson` and `consistent`, and use `RKF45` for the state ODEs. The first column now records the full `Vm-states-Iion` triplet, so configurations that share the same voltage and ionic reconstruction but differ in state treatment are no longer collapsed into the same label.

Under this fixed discretisation, `Picard`, `diagonalIion`, and `JFNK` produce comparable observed convergence orders to the precision reported in the tables. The practical distinction in this MMS sweep is therefore computational cost and nonlinear robustness rather than asymptotic accuracy.

On the structured hexa mesh, the clearest high-order verification remains the higher-order voltage reconstructions paired with compatible state and ionic quadrature settings. The unstructured triangular mesh is more sensitive to the selected `Vm-states-Iion` triplet, the stabilisation parameter α , and the time step.

11.3 Three-dimensional manufactured problem

The tables in this subsection are generated directly from the current `/home/pablo/OpenFOAM/pablo-v2312/run/tutorials_electro/highOrderManufacturedFDAImplicitPETSc/results/example0` result tree. The method-specific roots are `/home/pablo/OpenFOAM/pablo-v2312/run/tutorials_electro/highOrderManufacturedFDAImplicitPETSc/results/example0/3D_CN_cons_Picard_RKF45`, `/home/pablo/OpenFOAM/pablo-v2312/run/tutorials_electro/highOrderManufacturedFDAImplicitPETSc/results/example0/3D_CN_cons_diagonalIion_RKF45`, `/home/pablo/OpenFOAM/pablo-v2312/run/tutorials_electro/highOrderManufacturedFDAImplicitPETSc/results/example0/3D_CN_cons_JFNK_RKF45`. All entries use `crankNicolson`, the `consistent` mass matrix, and `RKF45` for the state ODEs. The first column reports `Vm-states-Iion`: the V_m reconstruction degree, the state treatment (CCp*, GP, or na), and the I_{ion} quadrature/reconstruction setting. Fits use $N = 10-30$ for the broad mesh range and $N = 20-30$ for the fine-mesh range.

11.3.1 Picard

$$\Delta t = 10^{-2}$$

Vm-states-Ion		Mesh type	α	Fit $N = 10-30$						Fit $N = 20-30$						t_{Σ} [s]	RSS $_{\Sigma}$ [MB]
				V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
NO--CCp3--p3	tetra unstr	0.0	0.664	0.664	0.375	0.888	0.373	0.432	0.826	0.826	0.617	0.684	0.616	0.665	428.12	19793.8	
NO--CCp3--p3	tetra unstr	0.1	0.677	0.677	0.398	0.926	0.396	0.454	0.823	0.823	0.629	0.697	0.628	0.677	432.58	23574.8	
NO--GP--p1	hexa	0.0	1.984	1.984	1.992	2.072	1.992	2.077	1.992	1.992	1.996	2.038	1.997	2.041	59.598	4506.2	
NO--GP--p1	hexa	0.1	1.459	1.459	1.992	2.073	1.993	2.079	1.429	1.429	1.996	2.038	1.996	2.041	71.966	6563.7	
NO--GP--p1	tetra unstr	0.0	0.664	0.664	0.375	0.375	0.373	0.373	0.826	0.826	0.617	0.617	0.616	0.616	51.433	5256.8	
NO--GP--p1	tetra unstr	0.1	0.677	0.677	0.398	0.398	0.396	0.396	0.823	0.823	0.629	0.629	0.628	0.628	147.95	12251.1	
NO--GP--p2	hexa	0.0	1.983	1.983	1.984	2.014	1.985	2.018	1.992	1.992	1.992	2.007	1.993	2.009	158.85	5951.4	
NO--GP--p2	hexa	0.1	1.482	1.482	1.984	2.015	1.985	2.018	1.447	1.447	1.992	2.007	1.993	2.010	155.23	7217.8	
NO--GP--p2	tetra unstr	0.0	0.664	0.664	1.832	0.861	0.516	0.859	0.826	0.826	1.792	0.867	0.652	0.866	77.643	5716.7	
NO--GP--p2	tetra unstr	0.1	0.677	0.677	1.844	0.883	0.546	0.881	0.823	0.823	1.812	0.884	0.668	0.883	175.86	12501.7	
NO--GP--p3	hexa	0.0	1.983	1.983	1.983	2.010	1.984	2.014	1.992	1.992	1.992	2.005	1.993	2.008	399.48	8785.1	
NO--GP--p3	hexa	0.1	1.482	1.482	1.984	2.011	1.985	2.015	1.447	1.447	1.992	2.006	1.992	2.008	325.33	9791.0	
NO--GP--p3	tetra unstr	0.0	0.664	0.664	1.828	0.863	0.513	0.862	0.826	0.826	1.790	0.868	0.651	0.868	138.65	6716.1	
NO--GP--p3	tetra unstr	0.1	0.677	0.677	1.840	0.885	0.542	0.884	0.823	0.823	1.810	0.885	0.667	0.885	256.75	12995.9	
p1--na--NO	hexa	0.0	1.967	2.095	1.927	1.927	1.930	1.930	1.919	2.125	1.838	1.838	1.845	1.845	76.120	7133.9	
p1--na--NO	hexa	0.1	2.067	2.093	2.047	2.047	2.048	2.048	2.066	2.124	2.033	2.033	2.035	2.035	77.548	8693.9	
p1--na--NO	tetra unstr	0.0	1.474	1.866	1.140	1.140	1.142	1.142	1.771	1.928	1.419	1.419	1.428	1.428	261.81	10336.8	
p1--na--NO	tetra unstr	0.1	1.613	1.909	1.262	1.262	1.264	1.264	1.889	1.963	1.556	1.556	1.558	1.558	251.13	11875.1	
p1--CCp1--p1	hexa	0.0	1.967	2.095	1.926	2.166	1.930	2.193	1.919	2.125	1.836	2.207	1.845	2.115	102.19	7284.7	
p1--CCp1--p1	hexa	0.1	2.067	2.093	2.046	2.167	2.048	2.225	2.066	2.124	2.033	2.208	2.035	2.168	108.52	8861.8	
p1--CCp1--p1	tetra unstr	0.0	1.474	1.866	1.140	1.140	1.142	1.142	1.771	1.928	1.419	1.419	1.428	1.428	326.80	11245.2	
p1--CCp1--p1	tetra unstr	0.1	1.613	1.909	1.262	1.262	1.264	1.264	1.889	1.963	1.556	1.556	1.558	1.558	280.71	12509.6	
p1--CCp1--p2	hexa	0.0	1.967	2.095	1.925	2.098	1.930	2.083	1.919	2.125	1.835	2.130	1.845	2.049	112.64	8199.6	
p1--CCp1--p2	hexa	0.1	2.067	2.093	2.046	2.098	2.047	2.090	2.066	2.124	2.033	2.130	2.035	2.061	102.35	9508.0	
p1--CCp1--p2	tetra unstr	0.0	1.474	1.866	1.139	1.973	1.142	1.493	1.771	1.928	1.419	1.984	1.428	1.590	360.40	11702.0	
p1--CCp1--p2	tetra unstr	0.1	1.613	1.909	1.262	1.973	1.264	1.621	1.889	1.963	1.556	1.983	1.558	1.721	283.85	12931.0	
p1--CCp1--p3	hexa	0.0	1.967	2.095	1.925	2.094	1.930	2.081	1.919	2.125	1.835	2.127	1.845	2.048	126.80	11006.7	
p1--CCp1--p3	hexa	0.1	2.067	2.093	2.046	2.094	2.047	2.088	2.066	2.124	2.033	2.127	2.035	2.060	121.17	11450.9	
p1--CCp1--p3	tetra unstr	0.0	1.474	1.866	1.139	1.965	1.142	1.505	1.771	1.928	1.419	1.982	1.428	1.597	366.81	12637.4	
p1--CCp1--p3	tetra unstr	0.1	1.613	1.909	1.262	1.965	1.264	1.632	1.889	1.963	1.556	1.982	1.558	1.727	288.00	13736.6	
p1--CCp2--p1	hexa	0.0	1.966	2.095	1.926	3.169	1.929	2.043	1.919	2.125	1.831	3.089	1.845	1.844	108.14	7668.9	
p1--CCp2--p1	hexa	0.1	2.065	2.093	2.050	3.170	2.046	2.200	2.066	2.124	2.033	3.090	2.034	2.090	133.55	8866.9	
p1--CCp2--p1	tetra unstr	0.0	1.474	1.866	1.140	1.140	1.142	1.142	1.771	1.928	1.419	1.419	1.428	1.428	383.95	14523.2	
p1--CCp2--p1	tetra unstr	0.1	1.613	1.909	1.262	1.262	1.264	1.264	1.889	1.963	1.556	1.556	1.558	1.558	340.65	15430.1	
p1--CCp2--p2	hexa	0.0	1.965	2.095	1.925	3.244	1.929	2.095	1.919	2.125	1.828	3.143	1.845	1.846	119.40	8935.3	
p1--CCp2--p2	hexa	0.1	2.064	2.093	2.051	3.245	2.045	2.265	2.065	2.124	2.033	3.145	2.034	2.115	124.52	9632.8	
p1--CCp2--p2	tetra unstr	0.0	1.475	1.866	1.139	2.917	1.142	1.199	1.771	1.928	1.418	2.913	1.428	1.465	406.79	14966.3	
p1--CCp2--p2	tetra unstr	0.1	1.613	1.909	1.262	2.928	1.264	1.336	1.889	1.963	1.555	2.938	1.558	1.614	343.96	15843.4	
p1--CCp2--p3	hexa	0.0	1.965	2.095	1.925	3.250	1.929	2.098	1.919	2.125	1.828	3.146	1.845	1.848	138.47	11754.3	
p1--CCp2--p3	hexa	0.1	2.064	2.093	2.051	3.251	2.045	2.269	2.065	2.124	2.033	3.148	2.034	2.117	146.88	12096.8	
p1--CCp2--p3	tetra unstr	0.0	1.475	1.866	1.139	2.922	1.142	1.211	1.771	1.928	1.418	2.906	1.428	1.476	419.30	15835.9	
p1--CCp2--p3	tetra unstr	0.1	1.613	1.909	1.262	2.938	1.264	1.348	1.889	1.963	1.555	2.938	1.558	1.624	349.25	16789.7	
p1--CCp3--p1	hexa	0.0	1.967	2.095	1.922	4.067	1.929	1.877	1.919	2.125	1.830	4.138	1.845	1.729	154.68	9571.5	
p1--CCp3--p1	hexa	0.1	2.066	2.093	2.046	4.057	2.047	2.042	2.066	2.124	2.032	4.119	2.034	2.007	181.97	9945.3	
p1--CCp3--p1	tetra unstr	0.0	1.474	1.866	1.140	1.140	1.142	1.142	1.771	1.928	1.419	1.419	1.428	1.428	587.62	23052.2	
p1--CCp3--p1	tetra unstr	0.1	1.613	1.909	1.262	1.262	1.264	1.264	1.889	1.963	1.556	1.556	1.558	1.558	503.46	24024.5	
p1--CCp3--p2	hexa	0.0	1.967	2.095	1.920	4.009	1.930	1.853	1.920	2.125	1.827	4.112	1.846	1.682	204.40	10809.0	
p1--CCp3--p2	hexa	0.1	2.066	2.093	2.045	4.000	2.047	2.039	2.066	2.124	2.031	4.092	2.034	1.993	200.25	11136.9	
p1--CCp3--p2	tetra unstr	0.0	1.475	1.866	1.139	2.936	1.142	1.202	1.771	1.928	1.418	2.110	1.428	1.472	609.85	23479.2	
p1--CCp3--p2	tetra unstr	0.1	1.613	1.909	1.262	3.163	1.264	1.332	1.889	1.963	1.555	2.437	1.558	1.614	508.43	24409.8	
p1--CCp3--p3	hexa	0.0	1.967	2.095	1.920	4.003	1.930	1.852	1.920	2.125	1.827	4.114	1.846	1.680	228.53	13640.9	
p1--CCp3--p3	hexa	0.1	2.066	2.093	2.045	3.992	2.047	2.039	2.066	2.124	2.031	4.094	2.034	1.993	218.65	13990.9	
p1--CCp3--p3	tetra unstr	0.0	1.475	1.866	1.139	2.837	1.142	1.240	1.771	1.928	1.418	2.066	1.428	1.496	657.70	24392.8	
p1--CCp3--p3	tetra unstr	0.1	1.613	1.909	1.262	3.084	1.264	1.375	1.889	1.963	1.555	2.395	1.558	1.644	515.30	25375.1	
p1--GP--p1	hexa	0.0	1.967	2.095	1.992	2.157	1.999	2.164	1.919	2.125	1.997	2.201	2.001	2.201	104.41	7341.0	
p1--GP--p1	hexa	0.1	2.067	2.093	1.993	2.155	2.002	2.162	2.066	2.124	1.997	2.199	2.005	2.199	109.30	8899.4	
p1--GP--p1	tetra unstr	0.0	1.474	1.866	1.140	1.140	1.142	1.142	1.771	1.928	1.419	1.419	1.428	1.428	247.77	10396.4	
p1--GP--p1	tetra unstr	0.1	1.613	1.909	1.262	1.262	1.264	1.264	1.889	1.963	1.556	1.556	1.558	1.558	222.16	11931.7	
p1--GP--p2	hexa	0.0	1.968	2.095	1.984	2.094	1.989	2.098	1.920	2.125	1.993	2.129	1.997	2.128	190.37	8084.3	
p1--GP--p2	hexa	0.1	2.067	2.093	1.985	2.093	1.991	2.096	2.066	2.124	1.993	2.128	1.998	2.126	187.99	9545.7	
p1--GP--p2	tetra unstr	0.0	1.475	1.866	1.918	1.862	1.726	1.866	1.771	1.928	1.953	1.877	1.777	1.880	288.75	10853.6	
p1--GP--p2	tetra unstr	0.1	1.613	1.909	1.920	1.897	1.790	1.900	1.889	1.963	1.955	1.921	1.848	1.922	250.54	12308.8	
p1--GP--p3	hexa	0.0	1.968	2.095	1.984	2.091	1.989	2.094	1.920	2.125	1.993	2.126	1.996	2.125	374.96	10772.3	
p1--GP--p3	hexa	0.1	2.067	2.093	1.984	2.089	1.990	2.093	2.066	2.124	1.993	2.124	1.998	2.123	363.94	11158.1	
p1--GP--p3	tetra unstr	0.0	1.475	1.866	1.914	1.870	1.723	1.874	1.771	1.928	1.951	1.889	1.775	1.892	341.86	11836.5	
p1--GP--p3	tetra unstr	0.1	1.613	1.909	1.916	1.900	1.786	1.903	1.889	1.963	1.953	1.927	1.846	1.929	311.35	13265.5	
p2--na--NO	hexa	0.0	1.947	3.025	1.944	1.944	1.948	1.948	2.001	2.766	2.003	2.003	2.005	2.005	159.49	25851.3	
p2--na--NO	hexa	0.1	1.946	3.053	1.943	1.943	1.947	1.947	2.000	2.807	2.002	2.002	2.005	2.005	15		

		Fit $N = 10-30$										Fit $N = 20-30$										t_{Σ} [s]	RSS $_{\Sigma}$ [MB]
Vm-states-Ion	Mesh type	α	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G									
p2--CCp1--p3	tetra unstr	0.1	2.347	2.823	2.013	1.963	2.016	1.968	2.727	2.903	2.362	1.981	2.372	1.983	557.20							23166.7	
p2--CCp2--p1	hexa	0.0	2.003	3.107	1.999	3.170	2.004	2.077	2.035	2.884	2.038	3.091	2.040	2.074	196.47							13056.7	
p2--CCp2--p1	hexa	0.1	2.008	3.133	2.005	3.171	2.009	2.096	2.037	2.925	2.040	3.091	2.043	2.083	175.37							15810.1	
p2--CCp2--p1	tetra unstr	0.0	2.043	2.626	1.868	1.868	1.869	1.869	2.248	2.602	2.078	2.078	2.084	2.084	632.62							22303.5	
p2--CCp2--p1	tetra unstr	0.1	2.198	2.743	1.984	1.984	1.987	1.987	2.433	2.768	2.271	2.271	2.279	2.279	636.46							24373.4	
p2--CCp2--p2	hexa	0.0	2.040	3.142	2.036	3.246	2.040	2.173	2.059	2.936	2.063	3.146	2.065	2.129	209.25							13797.8	
p2--CCp2--p2	hexa	0.1	2.050	3.166	2.046	3.246	2.050	2.209	2.064	2.975	2.068	3.146	2.070	2.147	206.11							16457.2	
p2--CCp2--p2	tetra unstr	0.0	2.103	2.704	1.863	2.944	1.864	1.932	2.384	2.719	2.114	2.972	2.121	2.120	659.62							22775.0	
p2--CCp2--p2	tetra unstr	0.1	2.349	2.824	2.014	2.945	2.016	2.103	2.732	2.904	2.367	2.972	2.373	2.405	574.74							24845.4	
p2--CCp2--p3	hexa	0.0	2.040	3.142	2.036	3.251	2.040	2.176	2.059	2.936	2.063	3.149	2.065	2.130	232.99							15899.4	
p2--CCp2--p3	hexa	0.1	2.050	3.166	2.046	3.251	2.050	2.212	2.064	2.975	2.068	3.149	2.070	2.149	215.34							17754.7	
p2--CCp2--p3	tetra unstr	0.0	2.103	2.704	1.863	2.958	1.864	1.943	2.384	2.719	2.114	2.980	2.121	2.133	670.04							23686.6	
p2--CCp2--p3	tetra unstr	0.1	2.349	2.824	2.014	2.959	2.016	2.110	2.732	2.904	2.367	2.981	2.373	2.411	579.70							25797.4	
p2--CCp3--p1	hexa	0.0	2.003	3.107	1.999	4.087	2.004	2.022	2.035	2.884	2.038	4.142	2.040	2.059	217.71							13837.2	
p2--CCp3--p1	hexa	0.1	2.008	3.133	2.004	4.082	2.009	2.028	2.037	2.925	2.040	4.137	2.043	2.062	220.37							15812.2	
p2--CCp3--p1	tetra unstr	0.0	2.043	2.626	1.868	1.868	1.869	1.869	2.248	2.602	2.078	2.078	2.084	2.084	810.83							30956.5	
p2--CCp3--p1	tetra unstr	0.1	2.198	2.743	1.984	1.984	1.987	1.987	2.433	2.768	2.271	2.271	2.279	2.279	778.61							32393.4	
p2--CCp3--p2	hexa	0.0	2.041	3.142	2.035	4.022	2.040	2.074	2.059	2.936	2.063	4.109	2.065	2.104	243.82							14932.0	
p2--CCp3--p2	hexa	0.1	2.050	3.166	2.045	4.017	2.050	2.087	2.064	2.975	2.068	4.103	2.070	2.111	245.01							16536.1	
p2--CCp3--p2	tetra unstr	0.0	2.103	2.704	1.863	3.893	1.864	1.896	2.384	2.719	2.114	3.841	2.121	2.127	812.04							31354.9	
p2--CCp3--p2	tetra unstr	0.1	2.349	2.824	2.014	3.911	2.016	2.046	2.732	2.904	2.367	3.890	2.373	2.389	790.86							32882.0	
p2--CCp3--p3	hexa	0.0	2.041	3.142	2.035	4.014	2.040	2.075	2.059	2.936	2.063	4.110	2.065	2.105	256.46							17495.5	
p2--CCp3--p3	hexa	0.1	2.050	3.166	2.045	4.010	2.050	2.087	2.064	2.975	2.068	4.104	2.070	2.112	259.96							18178.2	
p2--CCp3--p3	tetra unstr	0.0	2.103	2.704	1.863	3.888	1.864	1.929	2.384	2.719	2.114	3.831	2.121	2.146	944.89							32180.7	
p2--CCp3--p3	tetra unstr	0.1	2.349	2.824	2.014	3.907	2.016	2.072	2.732	2.904	2.367	3.883	2.373	2.403	819.01							33736.5	
p2--GP--p1	hexa	0.0	2.003	3.107	2.011	3.133	2.845	3.122	2.035	2.884	2.004	3.005	2.449	2.999	209.03							26058.5	
p2--GP--p1	hexa	0.1	2.008	3.133	2.011	3.142	2.888	3.131	2.037	2.925	2.004	3.021	2.476	3.015	171.87							23988.3	
p2--GP--p1	tetra unstr	0.0	2.043	2.626	1.868	1.868	1.869	1.869	2.248	2.602	2.078	2.078	2.084	2.084	419.78							18303.6	
p2--GP--p1	tetra unstr	0.1	2.198	2.743	1.984	1.984	1.987	1.987	2.433	2.768	2.271	2.271	2.279	2.279	402.79							21700.4	
p2--GP--p2	hexa	0.0	2.041	3.142	2.004	3.230	2.898	3.215	2.059	2.936	2.001	3.092	2.432	3.083	291.55							26710.8	
p2--GP--p2	hexa	0.1	2.050	3.166	2.004	3.236	2.920	3.222	2.064	2.975	2.001	3.105	2.440	3.095	265.41							24629.7	
p2--GP--p2	tetra unstr	0.0	2.103	2.704	1.928	2.794	2.100	2.796	2.384	2.719	1.960	2.779	2.102	2.784	421.04							18693.3	
p2--GP--p2	tetra unstr	0.1	2.349	2.824	1.928	2.831	2.146	2.833	2.732	2.904	1.960	2.861	2.166	2.866	432.63							21997.2	
p2--GP--p3	hexa	0.0	2.041	3.142	2.003	3.235	2.897	3.220	2.059	2.936	2.000	3.095	2.432	3.085	524.46							28002.3	
p2--GP--p3	hexa	0.1	2.050	3.166	2.003	3.242	2.920	3.227	2.064	2.975	2.000	3.108	2.439	3.097	385.37							25931.2	
p2--GP--p3	tetra unstr	0.0	2.103	2.704	1.924	2.802	2.082	2.802	2.384	2.719	1.958	2.769	2.088	2.773	463.12							19698.3	
p2--GP--p3	tetra unstr	0.1	2.349	2.824	1.924	2.847	2.128	2.847	2.732	2.904	1.958	2.864	2.152	2.868	486.74							22652.1	
p3--na--NO	hexa	0.0	2.313	3.204	2.308	2.308	2.312	2.312	2.193	2.830	2.197	2.197	2.200	2.200	784.33							77066.1	
p3--na--NO	hexa	0.1	2.278	3.207	2.274	2.274	2.278	2.278	2.169	2.826	2.174	2.174	2.176	2.176	737.90							76981.0	
p3--na--NO	tetra unstr	0.0	2.189	2.753	2.216	2.216	2.217	2.217	2.121	2.431	2.176	2.176	2.179	2.179	1208.8							45193.0	
p3--na--NO	tetra unstr	0.1	2.155	2.754	2.192	2.192	2.193	2.193	2.080	2.410	2.142	2.142	2.144	2.144	1221.0							53420.2	
p3--CCp1--p1	hexa	0.0	2.761	3.638	2.698	2.166	2.745	2.264	2.550	3.526	2.508	2.207	2.552	2.199	959.09							44827.9	
p3--CCp1--p1	hexa	0.1	2.717	3.647	2.659	2.166	2.706	2.261	2.501	3.534	2.465	2.207	2.509	2.198	861.81							45950.9	
p3--CCp1--p1	tetra unstr	0.0	2.189	2.753	2.216	2.216	2.217	2.217	2.121	2.431	2.176	2.176	2.179	2.179	1763.5							45814.3	
p3--CCp1--p1	tetra unstr	0.1	2.155	2.754	2.192	2.192	2.193	2.193	2.080	2.410	2.142	2.142	2.144	2.144	1488.6							53115.7	
p3--CCp1--p2	hexa	0.0	3.129	3.794	3.046	2.097	3.078	2.094	2.914	3.838	2.857	2.130	2.869	2.063	870.58							45473.1	
p3--CCp1--p2	hexa	0.1	3.103	3.804	3.033	2.097	3.064	2.093	2.862	3.851	2.828	2.130	2.835	2.063	929.39							46595.2	
p3--CCp1--p2	tetra unstr	0.0	3.009	3.711	2.897	1.970	2.893	1.968	3.092	3.661	3.022	1.982	3.021	1.961	1680.0							46130.8	
p3--CCp1--p2	tetra unstr	0.1	3.120	3.786	3.019	1.970	3.015	1.968	3.099	3.741	3.149	1.982	3.147	1.960	1559.0							53372.8	
p3--CCp1--p3	hexa	0.0	3.129	3.794	3.046	2.094	3.078	2.092	2.914	3.838	2.857	2.127	2.869	2.062	856.84							46769.8	
p3--CCp1--p3	hexa	0.1	3.103	3.804	3.033	2.094	3.064	2.091	2.862	3.851	2.828	2.127	2.835	2.062	942.46							47890.2	
p3--CCp1--p3	tetra unstr	0.0	3.009	3.711	2.897	1.963	2.892	1.966	3.091	3.661	3.021	1.981	3.021	1.960	1636.3							46753.4	
p3--CCp1--p3	tetra unstr	0.1	3.120	3.786	3.018	1.963	3.015	1.966	3.099	3.741	3.149	1.981	3.147	1.960	1566.4							53951.5	
p3--CCp2--p1	hexa	0.0	2.781	3.643	2.755	3.172	2.763	2.955	2.572	3.538	2.566	3.092	2.573	2.804	852.69							44826.7	
p3--CCp2--p1	hexa	0.1	2.738	3.653	2.719	3.172	2.726	2.951	2.523	3.546	2.524	3.092	2.530	2.794	884.41							45948.7	
p3--CCp2--p1	tetra unstr	0.0	2.189	2.753	2.216	2.216	2.217	2.217	2.121	2.431	2.176	2.176	2.179	2.179	1617.2							47060.5	
p3--CCp2--p1	tetra unstr	0.1	2.155	2.754	2.192	2.192	2.193	2.193	2.080	2.410	2.142	2.142	2.144	2.144	1545.2							53594.1	
p3--CCp2--p2	hexa	0.0	3.332	3.812	3.211	3.247	3.230	3.235	3.260	3.882	3.083	3.147	3.113	3.176	877.41							45474.7	

Vm-states-Iion	Mesh type	α	Fit $N = 10-30$						Fit $N = 20-30$						t_Σ [s]	RSS $_\Sigma$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p3--GP--p2	hexa	0.1	3.348	3.823	1.994	3.897	2.447	3.916	3.272	3.896	1.996	3.964	2.167	3.975	846.01	77996.9
p3--GP--p2	tetra unstr	0.0	3.196	3.775	1.927	3.844	2.032	3.845	3.461	3.808	1.961	3.840	1.977	3.846	1658.5	45560.0
p3--GP--p2	tetra unstr	0.1	3.450	3.862	1.927	3.883	2.028	3.884	3.777	3.920	1.961	3.904	1.974	3.909	1726.4	53889.0
p3--GP--p3	hexa	0.0	3.331	3.812	1.994	3.886	2.452	3.905	3.257	3.881	1.995	3.960	2.170	3.970	1232.6	79222.2
p3--GP--p3	hexa	0.1	3.348	3.823	1.993	3.890	2.446	3.909	3.272	3.896	1.995	3.966	2.167	3.976	1248.1	79294.2
p3--GP--p3	tetra unstr	0.0	3.195	3.776	1.923	3.842	2.021	3.844	3.460	3.809	1.958	3.837	1.974	3.844	1679.4	46150.6
p3--GP--p3	tetra unstr	0.1	3.450	3.862	1.923	3.884	2.017	3.885	3.777	3.921	1.958	3.904	1.971	3.911	1530.7	54383.0

$$\Delta t = 10^{-3}$$

Table 11: 3D manufactured results for diagonalIion, crankNicolson, consistent mass, RKF45 states, and $\Delta t = 10^{-3}$. The first convergence block is fitted over $N = 10-30$; the second over $N = 20-30$. The first column records the actual Vm-states-Iion triplet used by the run.

Vm-states-Iion	Mesh type	α	Fit $N = 10-30$						Fit $N = 20-30$						t_Σ [s]	RSS $_\Sigma$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
NO--na--NO	hexa	0.0	1.985	1.985	1.985	1.985	1.985	1.985	1.993	1.993	1.993	1.993	1.993	1.993	122.72	4051.0
NO--na--NO	hexa	0.1	1.438	1.438	1.293	1.293	1.302	1.302	1.413	1.413	1.211	1.211	1.220	1.220	157.38	6313.0
NO--na--NO	tetra unstr	0.0	0.663	0.663	0.377	0.377	0.375	0.375	0.829	0.829	0.617	0.617	0.617	0.617	201.73	5025.8
NO--na--NO	tetra unstr	0.1	0.677	0.677	0.400	0.400	0.398	0.398	0.828	0.828	0.629	0.629	0.629	0.629	592.24	12057.2
NO--CCp1--p1	hexa	0.0	1.986	1.986	1.989	2.167	1.986	2.246	1.993	1.993	1.995	2.208	1.993	2.188	161.77	4760.6
NO--CCp1--p1	hexa	0.1	1.438	1.438	1.298	2.167	1.302	2.230	1.413	1.413	1.212	2.208	1.220	2.158	290.23	6574.4
NO--CCp1--p1	tetra unstr	0.0	0.663	0.663	0.377	0.377	0.375	0.375	0.829	0.829	0.617	0.617	0.617	0.617	386.53	6193.2
NO--CCp1--p1	tetra unstr	0.1	0.677	0.677	0.400	0.400	0.398	0.398	0.828	0.828	0.629	0.629	0.629	0.629	669.90	12252.5
NO--CCp1--p2	hexa	0.0	1.986	1.986	1.991	2.098	1.986	2.090	1.993	1.993	1.995	2.130	1.993	2.062	223.61	6202.6
NO--CCp1--p2	hexa	0.1	1.438	1.438	1.300	2.098	1.303	2.086	1.413	1.413	1.212	2.130	1.220	2.055	302.02	7373.6
NO--CCp1--p2	tetra unstr	0.0	0.663	0.663	0.377	1.924	0.375	0.459	0.829	0.829	0.617	1.896	0.617	0.670	403.89	6652.1
NO--CCp1--p2	tetra unstr	0.1	0.677	0.677	0.400	1.928	0.398	0.484	0.828	0.828	0.629	1.903	0.629	0.684	710.39	12503.9
NO--CCp1--p3	hexa	0.0	1.986	1.986	1.991	2.094	1.986	2.088	1.993	1.993	1.995	2.127	1.993	2.060	305.02	9028.5
NO--CCp1--p3	hexa	0.1	1.438	1.438	1.300	2.095	1.303	2.085	1.413	1.413	1.212	2.127	1.220	2.054	442.70	10162.7
NO--CCp1--p3	tetra unstr	0.0	0.663	0.663	0.377	1.922	0.375	0.462	0.829	0.829	0.617	1.906	0.617	0.671	474.23	7668.9
NO--CCp1--p3	tetra unstr	0.1	0.677	0.677	0.400	1.926	0.398	0.487	0.828	0.828	0.629	1.912	0.629	0.685	749.34	13003.3
NO--CCp2--p1	hexa	0.0	1.977	1.977	2.002	3.171	1.978	2.610	1.989	1.989	1.999	3.091	1.989	2.376	231.17	5533.9
NO--CCp2--p1	hexa	0.1	1.447	1.447	1.258	3.172	1.313	2.174	1.428	1.428	1.175	3.092	1.236	1.620	346.79	6924.0
NO--CCp2--p1	tetra unstr	0.0	0.663	0.663	0.377	0.377	0.375	0.375	0.829	0.829	0.617	0.617	0.617	0.617	772.64	9414.5
NO--CCp2--p1	tetra unstr	0.1	0.677	0.677	0.400	0.400	0.398	0.398	0.828	0.828	0.629	0.629	0.629	0.629	960.39	13641.3
NO--CCp2--p2	hexa	0.0	1.969	1.969	2.004	3.247	1.970	2.745	1.985	1.985	1.998	3.146	1.985	2.481	293.43	6950.3
NO--CCp2--p2	hexa	0.1	1.457	1.457	1.251	3.248	1.326	2.314	1.443	1.443	1.170	3.147	1.253	1.712	405.66	8181.0
NO--CCp2--p2	tetra unstr	0.0	0.663	0.663	0.377	2.079	0.375	0.467	0.829	0.829	0.617	1.272	0.617	0.673	833.91	9946.2
NO--CCp2--p2	tetra unstr	0.1	0.677	0.677	0.400	2.127	0.398	0.488	0.828	0.828	0.629	1.333	0.629	0.684	1015.5	14096.3
NO--CCp2--p3	hexa	0.0	1.969	1.969	2.004	3.252	1.970	2.751	1.985	1.985	1.998	3.149	1.985	2.488	427.37	9779.4
NO--CCp2--p3	hexa	0.1	1.457	1.457	1.251	3.253	1.326	2.323	1.443	1.443	1.170	3.150	1.253	1.720	576.86	10941.5
NO--CCp2--p3	tetra unstr	0.0	0.663	0.663	0.378	1.991	0.375	0.469	0.829	0.829	0.617	1.240	0.617	0.676	814.59	11030.6
NO--CCp2--p3	tetra unstr	0.1	0.677	0.677	0.400	2.038	0.398	0.489	0.828	0.828	0.629	1.295	0.629	0.686	1051.9	14990.0
NO--CCp3--p1	hexa	0.0	1.980	1.980	1.993	4.033	1.980	2.052	1.992	1.992	1.995	4.072	1.992	2.002	427.29	7432.8
NO--CCp3--p1	hexa	0.1	1.453	1.453	1.241	4.015	1.318	1.271	1.431	1.431	1.167	4.028	1.238	1.184	537.11	8767.6
NO--CCp3--p1	tetra unstr	0.0	0.663	0.663	0.377	0.377	0.375	0.375	0.829	0.829	0.617	0.617	0.617	0.617	1766.1	18179.3
NO--CCp3--p1	tetra unstr	0.1	0.677	0.677	0.400	0.400	0.398	0.398	0.828	0.828	0.629	0.629	0.629	0.629	1720.8	22209.3
NO--CCp3--p2	hexa	0.0	1.975	1.975	1.992	3.981	1.975	2.098	1.990	1.990	1.995	4.053	1.990	2.007	508.10	8849.4
NO--CCp3--p2	hexa	0.1	1.469	1.469	1.230	3.966	1.336	1.300	1.449	1.449	1.160	4.019	1.258	1.185	645.50	9995.3
NO--CCp3--p2	tetra unstr	0.0	0.663	0.663	0.378	0.891	0.375	0.420	0.829	0.829	0.617	0.675	0.617	0.658	1800.1	18709.2
NO--CCp3--p2	tetra unstr	0.1	0.677	0.677	0.400	0.930	0.398	0.443	0.828	0.828	0.629	0.689	0.629	0.671	1826.2	22660.9
NO--CCp3--p3	hexa	0.0	1.975	1.975	1.992	3.973	1.975	2.099	1.991	1.991	1.995	4.055	1.990	2.007	682.75	11674.3
NO--CCp3--p3	hexa	0.1	1.469	1.469	1.230	3.959	1.336	1.300	1.449	1.449	1.160	4.021	1.258	1.184	835.59	12809.8
NO--CCp3--p3	tetra unstr	0.0	0.663	0.663	0.378	0.888	0.375	0.434	0.829	0.829	0.617	0.684	0.617	0.666	1936.3	19795.1
NO--CCp3--p3	tetra unstr	0.1	0.677	0.677	0.400	0.927	0.398	0.456	0.828	0.828	0.629	0.698	0.629	0.678	1866.5	23532.0
NO--GP--p1	hexa	0.0	1.985	1.985	1.992	2.071	1.992	2.077	1.993	1.993	1.996	2.038	1.996	2.041	299.85	4511.0
NO--GP--p1	hexa	0.1	1.461	1.461	1.992	2.073	1.992	2.079	1.431	1.431	1.996	2.038	1.995	2.041	345.03	6562.4
NO--GP--p1	tetra unstr	0.0	0.663	0.663	0.377	0.377	0.375	0.375	0.829	0.829	0.617	0.617	0.617	0.617	254.13	5262.5
NO--GP--p1	tetra unstr	0.1	0.677	0.677	0.400	0.400	0.398	0.398	0.828	0.828	0.629	0.629	0.629	0.629	586.17	12250.4
NO--GP--p2	hexa	0.0	1.984	1.984	1.984	2.014	1.984	2.018	1.992	1.992	1.992	2.007	1.993	2.009	979.42	5953.0
NO--GP--p2	hexa	0.1	1.483	1.483	1.984	2.014	1.985	2.018	1.450	1.450	1.992	2.007	1.992	2.009	849.58	7217.6
NO--GP--p2	tetra unstr	0.0	0.663	0.663	1.832	0.862	0.518	0.860	0.829	0.829	1.792	0.867	0.653	0.866	441.41	5718.4
NO--GP--p2	tetra unstr	0.1	0.677	0.677	1.843	0.883	0.547	0.882	0.828	0.828	1.812	0.884	0.668	0.883	880.58	12497.6
NO--GP--p3	hexa	0.0	1.984	1.984	1.983	2.010	1.984	2.014	1.992	1.992	1.992	2.005	1.992	2.008	1784.3	8779.5
NO--GP--p3	hexa	0.1	1.483	1.483	1.984	2.011	1.984	2.015	1.450	1.450	1.992	2.005	1.992	2.008	1811.7	9791.1
NO--GP--p3	tetra unstr	0.0	0.663	0.663	1.828	0.864	0.514	0.862	0.829	0.829	1.790	0.869	0.652	0.868	946.10	6720.5
NO--GP--p3	tetra unstr	0.1	0.677	0.677	1.840	0.885	0.543	0.884	0.828	0.828	1.810	0.886	0.667	0.885	1222.1	12996.5
p1--na--NO	hexa	0.0	1.967	2.095	1.924	1.924	1.927	1.927	1.920	2.125	1.833	1.833	1.840	1.840	206.83	7134.2
p1--na--NO	hexa	0.1	2.067	2.093	2.044	2.044	2.044	2.044	2.067	2.124	2.028	2.028	2.029	2.029	219.86	8694.8
p1--na--NO	tetra unstr	0.0	1.475	1.866	1.142	1.142	1.144	1.144	1.768	1.927	1.422	1.422	1.432	1.432	655.41	10344.2
p1--na--NO	tetra unstr	0.1	1.612	1.909	1.265	1.265	1.267	1.267	1.884	1.962	1.558	1.558	1.561	1.561	654.84	11878.0
p1--CCp1--p1	hexa	0.0	1.967	2.095	1.924	2.166	1.926	2.192	1.920	2.125	1.833	2.207	1.840	2.114	252.70	7284.9
p1--CCp1--p1	hexa	0.1	2.067	2.093	2.043	2.167	2.044	2.224	2.067	2.124	2.028	2.208	2.029	2.167	281.56	8859.1
p1--CCp1--p1	tetra unstr	0.0	1.475	1.866	1.142	1.142	1.144	1.144	1.768	1.927	1.422	1.422	1.432	1.432	847.66	11240.4
p1--CCp1--p1	tetra unstr	0.1	1.612	1.909	1.265	1.265	1.267	1.267	1.884	1.962	1.558	1.558	1.561	1.561	760.10	12504.4
p1--CCp1--p2	hexa	0.0	1.967	2.095	1.924	2.098	1.926	2.083	1.920	2.125	1.833	2.130	1.840	2.049	296.92	8201.1

Vm-states-Ion		Mesh type	α	Fit $N = 10-30$						Fit $N = 20-30$						t_Σ [s]	RSS $_\Sigma$ [MB]
				V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p1--CCp1--p2	hexa		0.1	2.067	2.093	2.043	2.098	2.044	2.090	2.067	2.124	2.028	2.130	2.029	2.061	325.52	9504.8
p1--CCp1--p2	tetra unstr		0.0	1.475	1.866	1.142	1.973	1.144	1.493	1.768	1.927	1.422	1.984	1.432	1.592	880.24	11704.0
p1--CCp1--p2	tetra unstr		0.1	1.612	1.909	1.265	1.973	1.267	1.622	1.884	1.962	1.558	1.983	1.561	1.723	772.60	12931.7
p1--CCp1--p3	hexa		0.0	1.967	2.095	1.924	2.094	1.926	2.081	1.920	2.125	1.833	2.127	1.840	2.048	399.00	11002.1
p1--CCp1--p3	hexa		0.1	2.067	2.093	2.043	2.094	2.044	2.088	2.067	2.124	2.028	2.127	2.029	2.059	398.19	11445.5
p1--CCp1--p3	tetra unstr		0.0	1.475	1.866	1.142	1.965	1.144	1.506	1.768	1.927	1.422	1.982	1.432	1.599	908.84	12636.4
p1--CCp1--p3	tetra unstr		0.1	1.612	1.909	1.265	1.965	1.267	1.633	1.884	1.962	1.558	1.982	1.561	1.729	805.41	13737.5
p1--CCp2--p1	hexa		0.0	1.966	2.095	1.924	3.169	1.926	2.040	1.920	2.125	1.827	3.089	1.840	1.840	312.61	7660.9
p1--CCp2--p1	hexa		0.1	2.065	2.093	2.048	3.170	2.043	2.196	2.066	2.124	2.028	3.090	2.028	2.085	386.88	8866.5
p1--CCp2--p1	tetra unstr		0.0	1.475	1.866	1.142	1.142	1.144	1.144	1.768	1.927	1.422	1.422	1.432	1.432	1202.6	14517.9
p1--CCp2--p1	tetra unstr		0.1	1.612	1.909	1.265	1.265	1.267	1.267	1.884	1.962	1.558	1.558	1.561	1.561	1051.4	15428.2
p1--CCp2--p2	hexa		0.0	1.966	2.095	1.924	3.244	1.925	2.092	1.920	2.125	1.824	3.143	1.840	1.841	373.41	8935.8
p1--CCp2--p2	hexa		0.1	2.064	2.093	2.050	3.245	2.042	2.261	2.065	2.124	2.028	3.145	2.028	2.109	392.88	9631.5
p1--CCp2--p2	tetra unstr		0.0	1.475	1.866	1.141	2.917	1.145	1.201	1.768	1.927	1.422	2.912	1.432	1.469	1212.9	14965.3
p1--CCp2--p2	tetra unstr		0.1	1.612	1.909	1.264	2.928	1.267	1.339	1.884	1.962	1.558	2.938	1.561	1.617	1068.2	15829.5
p1--CCp2--p3	hexa		0.0	1.966	2.095	1.924	3.250	1.925	2.095	1.920	2.125	1.824	3.146	1.840	1.843	520.09	11754.7
p1--CCp2--p3	hexa		0.1	2.064	2.093	2.050	3.251	2.042	2.265	2.065	2.124	2.028	3.148	2.028	2.111	534.05	12101.7
p1--CCp2--p3	tetra unstr		0.0	1.475	1.866	1.141	2.922	1.145	1.213	1.768	1.927	1.422	2.906	1.432	1.479	1211.2	15837.4
p1--CCp2--p3	tetra unstr		0.1	1.612	1.909	1.264	2.938	1.267	1.350	1.884	1.962	1.558	2.938	1.561	1.627	1100.2	16782.6
p1--CCp3--p1	hexa		0.0	1.967	2.095	1.919	4.067	1.926	1.874	1.920	2.125	1.826	4.139	1.840	1.725	511.31	9564.9
p1--CCp3--p1	hexa		0.1	2.066	2.093	2.043	4.057	2.043	2.038	2.067	2.124	2.026	4.119	2.029	2.002	575.29	9935.4
p1--CCp3--p1	tetra unstr		0.0	1.475	1.866	1.142	1.142	1.144	1.144	1.768	1.927	1.422	1.422	1.432	1.432	2161.6	23052.8
p1--CCp3--p1	tetra unstr		0.1	1.612	1.909	1.265	1.265	1.267	1.267	1.884	1.962	1.558	1.558	1.561	1.561	1778.9	24017.3
p1--CCp3--p2	hexa		0.0	1.967	2.095	1.917	4.010	1.926	1.850	1.921	2.125	1.823	4.112	1.841	1.677	723.19	10810.6
p1--CCp3--p2	hexa		0.1	2.066	2.093	2.042	4.000	2.043	2.035	2.067	2.124	2.025	4.092	2.029	1.988	668.21	11136.3
p1--CCp3--p2	tetra unstr		0.0	1.475	1.866	1.141	2.935	1.145	1.205	1.768	1.927	1.422	2.111	1.432	1.475	2163.9	23477.6
p1--CCp3--p2	tetra unstr		0.1	1.612	1.909	1.264	3.163	1.267	1.335	1.884	1.962	1.558	2.438	1.561	1.616	1804.9	24406.4
p1--CCp3--p3	hexa		0.0	1.967	2.095	1.917	4.003	1.926	1.849	1.921	2.125	1.823	4.114	1.841	1.676	932.98	13646.1
p1--CCp3--p3	hexa		0.1	2.066	2.093	2.042	3.992	2.043	2.035	2.067	2.124	2.025	4.094	2.029	1.988	879.35	13988.5
p1--CCp3--p3	tetra unstr		0.0	1.475	1.866	1.141	2.836	1.145	1.243	1.768	1.927	1.422	2.067	1.432	1.500	2330.3	24391.1
p1--CCp3--p3	tetra unstr		0.1	1.612	1.909	1.264	3.084	1.267	1.378	1.884	1.962	1.558	2.395	1.561	1.647	1858.2	25370.1
p1--GP--p1	hexa		0.0	1.968	2.095	1.992	2.157	1.999	2.164	1.920	2.125	1.997	2.201	2.001	2.200	357.41	7338.5
p1--GP--p1	hexa		0.1	2.067	2.093	1.993	2.155	2.001	2.162	2.067	2.124	1.997	2.199	2.004	2.199	375.47	8901.2
p1--GP--p1	tetra unstr		0.0	1.475	1.866	1.142	1.142	1.144	1.144	1.768	1.927	1.422	1.422	1.432	1.432	610.55	10400.1
p1--GP--p1	tetra unstr		0.1	1.612	1.909	1.265	1.265	1.267	1.267	1.884	1.962	1.558	1.558	1.561	1.561	644.92	11931.5
p1--GP--p2	hexa		0.0	1.968	2.095	1.984	2.094	1.989	2.098	1.921	2.125	1.993	2.129	1.996	2.128	863.68	8084.6
p1--GP--p2	hexa		0.1	2.067	2.093	1.985	2.092	1.991	2.096	2.067	2.124	1.993	2.128	1.998	2.126	852.43	9548.3
p1--GP--p2	tetra unstr		0.0	1.475	1.866	1.918	1.862	1.726	1.866	1.768	1.927	1.953	1.877	1.777	1.880	810.89	10858.2
p1--GP--p2	tetra unstr		0.1	1.612	1.909	1.920	1.897	1.790	1.900	1.884	1.962	1.955	1.921	1.849	1.923	831.86	12353.3
p1--GP--p3	hexa		0.0	1.968	2.095	1.984	2.091	1.989	2.094	1.921	2.125	1.993	2.126	1.996	2.124	1939.9	10771.9
p1--GP--p3	hexa		0.1	2.067	2.093	1.984	2.089	1.990	2.093	2.067	2.124	1.993	2.124	1.998	2.123	1752.9	11162.2
p1--GP--p3	tetra unstr		0.0	1.475	1.866	1.914	1.870	1.723	1.873	1.768	1.927	1.951	1.889	1.775	1.892	1182.8	11857.3
p1--GP--p3	tetra unstr		0.1	1.612	1.909	1.916	1.900	1.786	1.903	1.884	1.962	1.953	1.927	1.847	1.929	1142.1	13225.7
p2--na--NO	hexa		0.0	1.947	3.025	1.942	1.942	1.946	1.946	2.001	2.766	2.000	2.000	2.003	2.003	345.81	25850.3
p2--na--NO	hexa		0.1	1.946	3.053	1.941	1.941	1.946	1.946	2.000	2.807	1.999	1.999	2.002	2.002	333.19	23777.0
p2--na--NO	tetra unstr		0.0	2.044	2.627	1.867	1.867	1.868	1.868	2.248	2.603	2.077	2.077	2.084	2.084	1218.3	18239.1
p2--na--NO	tetra unstr		0.1	2.198	2.744	1.985	1.985	1.987	1.987	2.429	2.767	2.271	2.271	2.279	2.279	1233.7	21605.4
p2--CCp1--p1	hexa		0.0	2.003	3.107	1.993	2.168	2.001	2.183	2.035	2.884	2.031	2.209	2.036	2.145	445.26	13056.2
p2--CCp1--p1	hexa		0.1	2.008	3.133	1.997	2.167	2.006	2.192	2.037	2.925	2.033	2.209	2.038	2.152	454.48	15812.8
p2--CCp1--p1	tetra unstr		0.0	2.044	2.627	1.867	1.867	1.868	1.868	2.248	2.603	2.077	2.077	2.084	2.084	1728.9	19037.9
p2--CCp1--p1	tetra unstr		0.1	2.198	2.744	1.985	1.985	1.987	1.987	2.429	2.767	2.271	2.271	2.279	2.279	1458.2	21897.2
p2--CCp1--p2	hexa		0.0	2.040	3.141	2.024	2.098	2.036	2.087	2.059	2.936	2.052	2.131	2.060	2.062	516.68	13704.3
p2--CCp1--p2	hexa		0.1	2.049	3.165	2.033	2.098	2.046	2.088	2.064	2.974	2.056	2.131	2.065	2.062	505.95	16457.1
p2--CCp1--p2	tetra unstr		0.0	2.105	2.705	1.863	1.971	1.814	1.960	2.382	2.719	2.113	1.982	2.122	1.974	1831.4	19519.9
p2--CCp1--p2	tetra unstr		0.1	2.348	2.824	2.014	1.971	2.018	1.970	2.721	2.901	2.364	1.982	2.374	1.986	2025.1	22291.9
p2--CCp1--p3	hexa		0.0	2.040	3.141	2.024	2.095	2.036	2.085	2.059	2.936	2.052	2.127	2.060	2.061	646.23	15346.1
p2--CCp1--p3	hexa		0.1	2.049	3.165	2.033	2.095	2.046	2.086	2.064	2.974	2.056	2.127	2.065	2.061	625.23	17752.0
p2--CCp1--p3	tetra unstr		0.0	2.105	2.705	1.863	1.963	1.864	1.958	2.382	2.719	2.113	1.981	2.122	1.973	1812.3	20472.8
p2--CCp1--p3	tetra unstr		0.1	2.347	2.824	2.014	1.963	2.018	1.968	2.721	2.901	2.364	1.981	2.374	1.984	1955.3	23168.1
p2--CCp2--p1	hexa		0.0	2.003	3.107	1.998	3.170	2.002	2.075	2.035	2.884	2.035	3.091	2.037	2.071	534.33	13059.3
p2--CCp2--p1	hexa		0.1	2.008	3.133	2.003	3.171	2.007	2.094	2.037	2.925	2.037	3.091	2.039	2.079	573.07	15812.8
p2--CCp2--p1	tetra unstr		0.0	2.044	2.627	1.867	1.867	1.868	1.868	2.248	2.603	2.077	2.077	2.084	2.084	1963.6	22309.5
p2--CCp2--p1	tetra unstr		0.1	2.198	2.744	1.985	1.985	1.987	1.987	2.429	2.767	2.271	2.271	2.279	2.279	2075.7	24373.9
p2--CCp2--p2	hexa		0.0	2.040	3.142	2.034	3.246	2.037	2.170	2.059	2.936	2.059	3.146	2.061	2.125	604.10	13794.7
p2--CCp2--p2	hexa		0.1	2.050	3.166	2.043	3.246	2.047	2.206	2.064	2.975	2.064	3.146	2.066	2.143	549.34	16456.9
p2--CCp2--p2	tetra unstr		0.0	2.105	2.705	1.863	2.944	1.864	1.932	2.384	2.720	2.116	2.972	2.122	2.121	2247.5	22778.6
p2--CCp2--p2	tetra unstr	</															

			Fit $N = 10-30$						Fit $N = 20-30$						t_{Σ} [s]	RSS $_{\Sigma}$ [MB]
Vm-states-Ion	Mesh type	α	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p2--CCp3--p3	tetra unstr	0.1	2.350	2.825	2.016	3.907	2.018	2.074	2.727	2.903	2.369	3.884	2.376	2.406	3223.8	33736.6
p2--GP--p1	hexa	0.0	2.004	3.107	2.011	3.133	2.844	3.122	2.035	2.884	2.004	3.004	2.447	2.998	590.22	26061.8
p2--GP--p1	hexa	0.1	2.008	3.133	2.011	3.142	2.886	3.131	2.037	2.925	2.004	3.021	2.473	3.014	514.55	23988.2
p2--GP--p1	tetra unstr	0.0	2.044	2.627	1.867	1.867	1.868	1.868	2.248	2.603	2.077	2.077	2.084	2.084	1154.9	18312.9
p2--GP--p1	tetra unstr	0.1	2.198	2.744	1.985	1.985	1.987	1.987	2.429	2.767	2.271	2.271	2.279	2.279	1382.5	21701.0
p2--GP--p2	hexa	0.0	2.041	3.142	2.004	3.230	2.897	3.215	2.060	2.936	2.001	3.092	2.431	3.082	1167.8	26712.3
p2--GP--p2	hexa	0.1	2.051	3.166	2.004	3.236	2.920	3.221	2.064	2.975	2.001	3.105	2.439	3.094	1039.5	24632.4
p2--GP--p2	tetra unstr	0.0	2.105	2.705	1.928	2.794	2.100	2.795	2.384	2.720	1.960	2.779	2.102	2.783	1472.4	18701.6
p2--GP--p2	tetra unstr	0.1	2.350	2.825	1.928	2.831	2.146	2.833	2.727	2.903	1.960	2.862	2.167	2.866	1684.2	21997.0
p2--GP--p3	hexa	0.0	2.041	3.142	2.003	3.235	2.896	3.220	2.060	2.936	2.000	3.095	2.430	3.085	2138.9	28004.9
p2--GP--p3	hexa	0.1	2.051	3.166	2.003	3.241	2.919	3.226	2.064	2.975	2.000	3.108	2.438	3.097	1870.2	25931.7
p2--GP--p3	tetra unstr	0.0	2.105	2.705	1.924	2.801	2.082	2.802	2.384	2.720	1.958	2.768	2.089	2.773	1914.1	19696.0
p2--GP--p3	tetra unstr	0.1	2.350	2.825	1.924	2.846	2.128	2.847	2.727	2.903	1.958	2.864	2.153	2.868	2017.0	22649.7
p3--na--NO	hexa	0.0	2.313	3.204	2.303	2.303	2.307	2.307	2.193	2.830	2.189	2.189	2.192	2.192	886.77	77052.6
p3--na--NO	hexa	0.1	2.278	3.207	2.269	2.269	2.273	2.273	2.169	2.827	2.166	2.166	2.168	2.168	879.82	77137.1
p3--na--NO	tetra unstr	0.0	2.189	2.753	2.208	2.208	2.209	2.209	2.121	2.431	2.162	2.162	2.165	2.165	2511.9	45194.0
p3--na--NO	tetra unstr	0.1	2.155	2.755	2.184	2.184	2.185	2.185	2.080	2.410	2.128	2.128	2.130	2.130	2695.5	53563.8
p3--CCp1--p1	hexa	0.0	2.758	3.637	2.675	2.166	2.727	2.263	2.547	3.524	2.476	2.207	2.525	2.199	1245.6	44827.9
p3--CCp1--p1	hexa	0.1	2.713	3.646	2.635	2.166	2.687	2.261	2.497	3.532	2.433	2.207	2.481	2.197	1364.9	45948.3
p3--CCp1--p1	tetra unstr	0.0	2.189	2.753	2.208	2.208	2.209	2.209	2.121	2.431	2.162	2.162	2.165	2.165	3533.2	45819.6
p3--CCp1--p1	tetra unstr	0.1	2.155	2.755	2.184	2.184	2.185	2.185	2.080	2.410	2.128	2.128	2.130	2.130	3589.5	53125.0
p3--CCp1--p2	hexa	0.0	3.096	3.790	2.987	2.097	3.017	2.094	2.864	3.829	2.773	2.130	2.782	2.063	1235.1	45475.2
p3--CCp1--p2	hexa	0.1	3.064	3.800	2.965	2.097	2.994	2.093	2.807	3.842	2.734	2.130	2.739	2.063	1437.7	46594.9
p3--CCp1--p2	tetra unstr	0.0	2.979	3.699	2.857	1.970	2.857	1.968	3.035	3.633	2.949	1.982	2.960	1.961	3474.5	46128.5
p3--CCp1--p2	tetra unstr	0.1	3.071	3.771	2.960	1.971	2.963	1.968	3.012	3.707	3.038	1.982	3.053	1.960	3711.0	53360.2
p3--CCp1--p3	hexa	0.0	3.096	3.790	2.987	2.094	3.017	2.092	2.864	3.829	2.773	2.127	2.782	2.062	1365.3	46770.8
p3--CCp1--p3	hexa	0.1	3.064	3.800	2.965	2.094	2.994	2.091	2.807	3.842	2.734	2.127	2.739	2.062	1565.9	47889.1
p3--CCp1--p3	tetra unstr	0.0	2.978	3.699	2.856	1.963	2.857	1.966	3.034	3.633	2.949	1.981	2.960	1.960	3499.2	46754.4
p3--CCp1--p3	tetra unstr	0.1	3.071	3.772	2.959	1.963	2.963	1.966	3.011	3.707	3.037	1.981	3.053	1.960	3720.5	53945.5
p3--CCp2--p1	hexa	0.0	2.782	3.644	2.745	3.172	2.752	2.948	2.574	3.538	2.546	3.092	2.553	2.790	1235.5	44827.1
p3--CCp2--p1	hexa	0.1	2.739	3.653	2.708	3.172	2.715	2.943	2.524	3.546	2.503	3.092	2.509	2.778	1453.5	45947.7
p3--CCp2--p1	tetra unstr	0.0	2.189	2.753	2.208	2.208	2.209	2.209	2.121	2.431	2.162	2.162	2.165	2.165	3723.2	47059.4
p3--CCp2--p1	tetra unstr	0.1	2.155	2.755	2.184	2.184	2.185	2.185	2.080	2.410	2.128	2.128	2.130	2.130	3912.0	53592.4
p3--CCp2--p2	hexa	0.0	3.335	3.812	3.202	3.247	3.220	3.232	3.264	3.882	3.065	3.147	3.095	3.171	1292.4	45473.8
p3--CCp2--p2	hexa	0.1	3.352	3.823	3.223	3.247	3.241	3.244	3.280	3.896	3.083	3.147	3.114	3.186	1418.8	46596.0
p3--CCp2--p2	tetra unstr	0.0	3.198	3.777	2.984	2.942	2.981	2.996	3.463	3.810	3.182	2.970	3.187	3.073	3489.9	47450.9
p3--CCp2--p2	tetra unstr	0.1	3.452	3.863	3.162	2.942	3.161	3.045	3.775	3.921	3.433	2.970	3.439	3.121	3872.8	53952.5
p3--CCp2--p3	hexa	0.0	3.335	3.812	3.202	3.253	3.220	3.231	3.264	3.882	3.065	3.150	3.095	3.171	1464.5	46767.1
p3--CCp2--p3	hexa	0.1	3.352	3.823	3.223	3.253	3.241	3.243	3.279	3.896	3.083	3.150	3.114	3.185	1614.2	47891.1
p3--CCp2--p3	tetra unstr	0.0	3.198	3.777	2.984	2.957	2.981	3.007	3.463	3.810	3.182	2.980	3.187	3.076	3546.9	48213.3
p3--CCp2--p3	tetra unstr	0.1	3.451	3.863	3.162	2.957	3.160	3.055	3.776	3.921	3.433	2.980	3.439	3.123	3932.9	54665.7
p3--CCp3--p1	hexa	0.0	2.781	3.644	2.742	4.034	2.751	2.764	2.573	3.538	2.546	4.068	2.552	2.578	1433.7	44827.5
p3--CCp3--p1	hexa	0.1	2.737	3.653	2.705	4.034	2.713	2.735	2.523	3.546	2.502	4.068	2.508	2.535	1461.2	45807.1
p3--CCp3--p1	tetra unstr	0.0	2.189	2.753	2.208	2.208	2.209	2.209	2.121	2.431	2.162	2.162	2.165	2.165	4234.3	53364.4
p3--CCp3--p1	tetra unstr	0.1	2.155	2.755	2.184	2.184	2.185	2.185	2.080	2.410	2.128	2.128	2.130	2.130	4611.4	58671.2
p3--CCp3--p2	hexa	0.0	3.332	3.813	3.194	3.978	3.216	3.106	3.260	3.882	3.069	4.042	3.091	3.018	1557.5	45473.6
p3--CCp3--p2	hexa	0.1	3.349	3.823	3.214	3.978	3.236	3.135	3.275	3.896	3.087	4.042	3.109	3.036	1885.2	46590.2
p3--CCp3--p2	tetra unstr	0.0	3.198	3.777	2.985	3.943	2.981	3.010	3.463	3.810	3.182	3.960	3.187	3.210	4203.9	53808.9
p3--CCp3--p2	tetra unstr	0.1	3.452	3.863	3.163	3.943	3.161	3.182	3.775	3.921	3.433	3.960	3.438	3.453	4665.1	59130.7
p3--CCp3--p3	hexa	0.0	3.332	3.813	3.194	3.971	3.216	3.106	3.260	3.882	3.069	4.044	3.091	3.018	2220.1	46767.6
p3--CCp3--p3	hexa	0.1	3.349	3.823	3.214	3.971	3.236	3.136	3.275	3.896	3.087	4.044	3.109	3.037	2072.9	47885.4
p3--CCp3--p3	tetra unstr	0.0	3.197	3.777	2.984	3.944	2.980	3.056	3.462	3.810	3.182	3.962	3.186	3.240	3881.6	54514.6
p3--CCp3--p3	tetra unstr	0.1	3.451	3.863	3.162	3.944	3.160	3.224	3.775	3.921	3.433	3.962	3.438	3.483	4625.4	59967.2
p3--GP--p1	hexa	0.0	2.781	3.644	2.003	3.789	2.716	3.807	2.573	3.538	2.000	3.679	2.354	3.683	1524.3	77272.0
p3--GP--p1	hexa	0.1	2.738	3.653	2.003	3.796	2.706	3.814	2.523	3.546	2.000	3.687	2.345	3.692	1268.9	77349.1
p3--GP--p1	tetra unstr	0.0	2.189	2.753	2.208	2.208	2.209	2.209	2.121	2.431	2.162	2.162	2.165	2.165	3571.4	45305.4
p3--GP--p1	tetra unstr	0.1	2.155	2.755	2.184	2.184	2.185	2.185	2.080	2.410	2.128	2.128	2.130	2.130	4078.1	53641.4
p3--GP--p2	hexa	0.0	3.332	3.813	1.994	3.892	2.454	3.910	3.260	3.882	1.996	3.955	2.171	3.965	2174.1	77922.8
p3--GP--p2	hexa	0.1	3.350	3.823	1.994	3.896	2.447	3.914	3.275	3.896	1.996	3.961	2.167	3.971	1884.3	77844.3
p3--GP--p2	tetra unstr	0.0	3.198	3.777	1.927	3.839	2.032	3.841	3.463	3.810	1.961	3.829	1.977	3.835	3649.2	45565.9
p3--GP--p2	tetra unstr	0.1	3.452	3.863	1.927	3.878	2.028	3.879	3.775	3.921	1.961	3.893	1.974	3.898	4018.1	53890.5
p3--GP--p3	hexa	0.0	3.332	3.813	1.994	3.884	2.452	3.904	3.260	3.882	1.995	3.956	2.170	3.967	3319.0	79065.9
p3--GP--p3	hexa	0.1	3.349	3.823	1.993	3.889	2.446	3.908	3.275	3.896	1.995	3.962	2.167	3.973	3166.2	79290.2
p3--GP--p3	tetra unstr	0.0	3.197	3.777	1.923	3.838	2.021	3.840	3.462	3.810	1.958	3.826	1.974	3.833	3682.2	46152.2
p3--GP--p3	tetra unstr	0.1	3.451	3.863	1.923	3.879	2.017	3.880	3.775	3.921	1.958	3.893	1.971	3.900	4260.6	54387.8

11.3.3 JFNK

$\Delta t = 10^{-2}$

Table 12: 3D manufactured results for JFNK, crankNicolson, consistent mass, RKF45 states, and $\Delta t = 10^{-2}$. The first convergence block is fitted over $N = 10-30$; the second over $N = 20-30$. The first column records the actual Vm-states-Ion triplet used by the run.

Vm-states-Ion	Mesh type	α	Fit $N = 10-30$						Fit $N = 20-30$						t_Σ [s]	RSS $_\Sigma$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
NO--na--NO	hexa	0.0	1.985	1.985	1.994	1.994	1.994	1.993	1.993	2.009	2.009	2.009	2.009	10.903	4081.0	
NO--na--NO	hexa	0.1	1.436	1.436	1.297	1.297	1.306	1.306	1.411	1.411	1.214	1.214	1.223	1.223	26.673	6311.1
NO--na--NO	tetra unstr	0.0	0.664	0.664	0.375	0.375	0.373	0.373	0.826	0.826	0.617	0.617	0.616	0.616	46.900	5184.6
NO--na--NO	tetra unstr	0.1	0.677	0.677	0.398	0.398	0.396	0.396	0.823	0.823	0.629	0.629	0.628	0.628	125.86	12050.8
NO--CCp1--p1	hexa	0.0	1.985	1.985	1.998	2.166	1.995	2.246	1.992	1.992	2.010	2.208	2.009	2.189	29.636	4914.5
NO--CCp1--p1	hexa	0.1	1.436	1.436	1.287	2.167	1.306	2.230	1.411	1.411	1.205	2.208	1.224	2.159	34.670	6578.7
NO--CCp1--p1	tetra unstr	0.0	0.664	0.664	0.375	0.375	0.373	0.373	0.826	0.826	0.617	0.617	0.616	0.616	150.50	6443.0
NO--CCp1--p1	tetra unstr	0.1	0.677	0.677	0.398	0.398	0.396	0.396	0.823	0.823	0.629	0.629	0.628	0.628	221.53	12246.8
NO--CCp1--p2	hexa	0.0	1.985	1.985	1.999	2.098	1.994	2.090	1.992	1.992	2.011	2.130	2.009	2.062	36.531	6570.2
NO--CCp1--p2	hexa	0.1	1.436	1.436	1.283	2.098	1.307	2.087	1.411	1.411	1.201	2.130	1.224	2.056	43.424	8032.6
NO--CCp1--p2	tetra unstr	0.0	0.664	0.664	0.375	1.924	0.373	0.457	0.826	0.826	0.617	1.896	0.616	0.669	145.87	7077.7
NO--CCp1--p2	tetra unstr	0.1	0.677	0.677	0.398	1.928	0.396	0.483	0.823	0.823	0.629	1.903	0.628	0.683	234.85	12496.9
NO--CCp1--p3	hexa	0.0	1.985	1.985	1.999	2.094	1.994	2.088	1.992	1.992	2.011	2.127	2.009	2.061	51.184	9863.2
NO--CCp1--p3	hexa	0.1	1.436	1.436	1.283	2.095	1.307	2.085	1.411	1.411	1.201	2.127	1.224	2.054	54.930	11329.7
NO--CCp1--p3	tetra unstr	0.0	0.664	0.664	0.375	1.923	0.373	0.460	0.826	0.826	0.617	1.906	0.616	0.670	160.88	8341.1
NO--CCp1--p3	tetra unstr	0.1	0.677	0.677	0.398	1.926	0.396	0.485	0.823	0.823	0.629	1.912	0.628	0.684	232.20	12995.8
NO--CCp2--p1	hexa	0.0	1.977	1.977	2.009	3.171	1.987	2.618	1.989	1.989	2.014	3.091	2.005	2.390	49.078	5690.6
NO--CCp2--p1	hexa	0.1	1.447	1.447	1.257	3.172	1.318	2.180	1.426	1.426	1.176	3.092	1.239	1.626	58.805	7158.6
NO--CCp2--p1	tetra unstr	0.0	0.664	0.664	0.375	0.375	0.373	0.373	0.826	0.826	0.617	0.617	0.616	0.616	258.79	9806.2
NO--CCp2--p1	tetra unstr	0.1	0.677	0.677	0.398	0.398	0.396	0.396	0.823	0.823	0.629	0.629	0.628	0.628	286.75	14003.1
NO--CCp2--p2	hexa	0.0	1.969	1.969	2.010	3.247	1.979	2.753	1.985	1.985	2.013	3.146	2.001	2.494	58.558	7339.2
NO--CCp2--p2	hexa	0.1	1.457	1.457	1.248	3.248	1.333	2.320	1.441	1.441	1.170	3.147	1.257	1.718	65.331	8808.0
NO--CCp2--p2	tetra unstr	0.0	0.664	0.664	0.375	2.080	0.373	0.465	0.826	0.826	0.617	1.273	0.616	0.673	242.81	10440.8
NO--CCp2--p2	tetra unstr	0.1	0.677	0.677	0.398	2.128	0.396	0.486	0.823	0.823	0.629	1.333	0.628	0.683	294.45	14639.7
NO--CCp2--p3	hexa	0.0	1.969	1.969	2.010	3.252	1.979	2.758	1.985	1.985	2.013	3.149	2.001	2.501	76.531	10633.9
NO--CCp2--p3	hexa	0.1	1.457	1.457	1.248	3.253	1.333	2.328	1.441	1.441	1.170	3.150	1.257	1.726	93.257	12108.2
NO--CCp2--p3	tetra unstr	0.0	0.664	0.664	0.375	1.992	0.373	0.466	0.826	0.826	0.617	1.241	0.616	0.675	284.94	11706.3
NO--CCp2--p3	tetra unstr	0.1	0.677	0.677	0.398	2.039	0.396	0.487	0.823	0.823	0.629	1.295	0.628	0.686	307.72	15907.4
NO--CCp3--p1	hexa	0.0	1.980	1.980	2.001	4.033	1.989	2.062	1.991	1.991	2.011	4.072	2.007	2.017	96.802	7587.6
NO--CCp3--p1	hexa	0.1	1.452	1.452	1.244	4.015	1.323	1.276	1.429	1.429	1.170	4.028	1.241	1.186	112.52	9061.8
NO--CCp3--p1	tetra unstr	0.0	0.664	0.664	0.375	0.375	0.373	0.373	0.826	0.826	0.617	0.617	0.616	0.616	550.88	18575.4
NO--CCp3--p1	tetra unstr	0.1	0.677	0.677	0.398	0.398	0.396	0.396	0.823	0.823	0.629	0.629	0.628	0.628	510.66	22778.3
NO--CCp3--p2	hexa	0.0	1.976	1.976	2.000	3.980	1.985	2.107	1.990	1.990	2.011	4.053	2.005	2.022	102.30	9238.3
NO--CCp3--p2	hexa	0.1	1.469	1.469	1.233	3.966	1.343	1.305	1.447	1.447	1.163	4.019	1.261	1.187	129.37	10707.1
NO--CCp3--p2	tetra unstr	0.0	0.664	0.664	0.375	0.890	0.373	0.418	0.826	0.826	0.617	0.674	0.616	0.657	624.23	19203.7
NO--CCp3--p2	tetra unstr	0.1	0.677	0.677	0.398	0.930	0.396	0.441	0.823	0.823	0.629	0.689	0.628	0.670	524.97	23405.3
NO--CCp3--p3	hexa	0.0	1.976	1.976	2.000	3.973	1.985	2.108	1.990	1.990	2.011	4.054	2.005	2.022	122.31	12535.0
NO--CCp3--p3	hexa	0.1	1.469	1.469	1.233	3.959	1.343	1.305	1.447	1.447	1.163	4.021	1.261	1.186	143.65	14002.8
NO--CCp3--p3	tetra unstr	0.0	0.664	0.664	0.375	0.888	0.373	0.432	0.826	0.826	0.617	0.684	0.616	0.665	573.46	20474.6
NO--CCp3--p3	tetra unstr	0.1	0.677	0.677	0.398	0.926	0.396	0.454	0.823	0.823	0.629	0.697	0.628	0.677	559.54	24674.4
NO--GP--p1	hexa	0.0	1.984	1.984	1.992	2.072	1.992	2.077	1.992	1.992	1.996	2.038	1.997	2.041	50.383	4665.5
NO--GP--p1	hexa	0.1	1.459	1.459	1.992	2.073	1.993	2.079	1.429	1.429	1.996	2.038	1.996	2.041	45.835	6563.2
NO--GP--p1	tetra unstr	0.0	0.664	0.664	0.375	0.375	0.373	0.373	0.826	0.826	0.617	0.617	0.616	0.616	48.848	5486.9
NO--GP--p1	tetra unstr	0.1	0.677	0.677	0.398	0.398	0.396	0.396	0.823	0.823	0.629	0.629	0.628	0.628	127.67	12249.4
NO--GP--p2	hexa	0.0	1.983	1.983	1.984	2.014	1.985	2.018	1.992	1.992	1.992	2.007	1.993	2.009	130.18	6314.9
NO--GP--p2	hexa	0.1	1.482	1.482	1.984	2.015	1.985	2.018	1.447	1.447	1.992	2.007	1.993	2.010	110.28	7695.8
NO--GP--p2	tetra unstr	0.0	0.664	0.664	1.832	0.861	0.516	0.859	0.826	0.826	1.792	0.867	0.652	0.866	134.81	6127.4
NO--GP--p2	tetra unstr	0.1	0.677	0.677	1.844	0.883	0.546	0.881	0.823	0.823	1.812	0.884	0.668	0.883	173.59	12494.7
NO--GP--p3	hexa	0.0	1.983	1.983	1.983	2.010	1.984	2.014	1.992	1.992	1.992	2.005	1.993	2.008	326.06	9615.9
NO--GP--p3	hexa	0.1	1.482	1.482	1.984	2.011	1.985	2.015	1.447	1.447	1.992	2.006	1.992	2.008	241.31	11005.2
NO--GP--p3	tetra unstr	0.0	0.664	0.664	1.828	0.863	0.513	0.862	0.826	0.826	1.790	0.868	0.651	0.868	256.29	7394.5
NO--GP--p3	tetra unstr	0.1	0.677	0.677	1.840	0.885	0.542	0.884	0.823	0.823	1.810	0.885	0.667	0.885	252.73	12996.4
p1--na--NO	hexa	0.0	1.967	2.095	1.927	1.927	1.930	1.930	1.919	2.125	1.838	1.838	1.845	1.845	73.508	7146.7
p1--na--NO	hexa	0.1	2.067	2.093	2.047	2.047	2.048	2.048	2.066	2.124	2.033	2.033	2.035	2.035	66.261	8682.2
p1--na--NO	tetra unstr	0.0	1.474	1.866	1.140	1.140	1.142	1.142	1.771	1.928	1.419	1.419	1.428	1.428	201.56	10384.5
p1--na--NO	tetra unstr	0.1	1.613	1.909	1.262	1.262	1.264	1.264	1.889	1.963	1.556	1.556	1.558	1.558	201.05	11873.0
p1--CCp1--p1	hexa	0.0	1.967	2.095	1.926	2.166	1.930	2.193	1.919	2.125	1.836	2.207	1.845	2.115	78.985	7316.5
p1--CCp1--p1	hexa	0.1	2.067	2.093	2.046	2.167	2.048	2.225	2.066	2.124	2.033	2.208	2.035	2.168	95.760	8858.9
p1--CCp1--p1	tetra unstr	0.0	1.474	1.866	1.140	1.140	1.142									

		Fit $N = 10-30$										Fit $N = 20-30$									
Vm-states-Ion	Mesh type	α	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	t_{Σ} [s]	RSS $_{\Sigma}$ [MB]					
p1--CCp2--p3	hexa	0.0	1.965	2.095	1.925	3.250	1.929	2.098	1.919	2.125	1.828	3.146	1.845	1.848	125.46	12814.8					
p1--CCp2--p3	hexa	0.1	2.064	2.093	2.051	3.251	2.045	2.269	2.065	2.124	2.033	3.148	2.034	2.117	116.80	13283.4					
p1--CCp2--p3	tetra unstr	0.0	1.475	1.866	1.139	2.922	1.142	1.211	1.771	1.928	1.418	2.906	1.428	1.476	436.87	16692.6					
p1--CCp2--p3	tetra unstr	0.1	1.613	1.909	1.262	2.938	1.264	1.348	1.889	1.963	1.555	2.938	1.558	1.624	358.67	17518.9					
p1--CCp3--p1	hexa	0.0	1.967	2.095	1.922	4.067	1.929	1.877	1.919	2.125	1.830	4.138	1.845	1.729	151.89	9769.3					
p1--CCp3--p1	hexa	0.1	2.066	2.093	2.046	4.057	2.047	2.042	2.066	2.124	2.032	4.119	2.034	2.007	144.90	10198.8					
p1--CCp3--p1	tetra unstr	0.0	1.474	1.866	1.140	1.140	1.142	1.142	1.771	1.928	1.419	1.419	1.428	1.428	604.20	23563.3					
p1--CCp3--p1	tetra unstr	0.1	1.613	1.909	1.262	1.262	1.264	1.264	1.889	1.963	1.556	1.556	1.558	1.558	550.67	24379.4					
p1--CCp3--p2	hexa	0.0	1.967	2.095	1.920	4.009	1.930	1.853	1.920	2.125	1.827	4.112	1.846	1.682	158.35	11421.3					
p1--CCp3--p2	hexa	0.1	2.066	2.093	2.045	4.000	2.047	2.039	2.066	2.124	2.031	4.092	2.034	1.993	155.38	11864.5					
p1--CCp3--p2	tetra unstr	0.0	1.475	1.866	1.139	2.936	1.142	1.202	1.771	1.928	1.418	2.110	1.428	1.472	647.90	24195.5					
p1--CCp3--p2	tetra unstr	0.1	1.613	1.909	1.262	3.163	1.264	1.332	1.889	1.963	1.555	2.437	1.558	1.614	545.13	25023.2					
p1--CCp3--p3	hexa	0.0	1.967	2.095	1.920	4.003	1.930	1.852	1.920	2.125	1.827	4.114	1.846	1.680	216.54	14712.4					
p1--CCp3--p3	hexa	0.1	2.066	2.093	2.045	3.992	2.047	2.039	2.066	2.124	2.031	4.094	2.034	1.993	188.45	15149.0					
p1--CCp3--p3	tetra unstr	0.0	1.475	1.866	1.139	2.837	1.142	1.240	1.771	1.928	1.418	2.066	1.428	1.496	650.11	25455.3					
p1--CCp3--p3	tetra unstr	0.1	1.613	1.909	1.262	3.084	1.264	1.375	1.889	1.963	1.555	2.395	1.558	1.644	534.40	26289.6					
p1--GP--p1	hexa	0.0	1.967	2.095	1.992	2.157	1.999	2.164	1.919	2.125	1.997	2.201	2.001	2.201	94.746	7340.6					
p1--GP--p1	hexa	0.1	2.067	2.093	1.993	2.155	2.002	2.162	2.066	2.124	1.997	2.199	2.005	2.199	86.296	8892.3					
p1--GP--p1	tetra unstr	0.0	1.474	1.866	1.140	1.140	1.142	1.142	1.771	1.928	1.419	1.419	1.428	1.428	207.54	10483.4					
p1--GP--p1	tetra unstr	0.1	1.613	1.909	1.262	1.262	1.264	1.264	1.889	1.963	1.556	1.556	1.558	1.558	211.38	11964.7					
p1--GP--p2	hexa	0.0	1.968	2.095	1.984	2.094	1.989	2.098	1.920	2.125	1.993	2.129	1.997	2.128	170.47	8587.1					
p1--GP--p2	hexa	0.1	2.067	2.093	1.985	2.093	1.991	2.096	2.066	2.124	1.993	2.128	1.998	2.126	146.84	9578.2					
p1--GP--p2	tetra unstr	0.0	1.475	1.866	1.918	1.862	1.726	1.866	1.771	1.928	1.953	1.877	1.777	1.880	282.21	11109.8					
p1--GP--p2	tetra unstr	0.1	1.613	1.909	1.920	1.897	1.790	1.900	1.889	1.963	1.955	1.921	1.848	1.922	322.57	12472.4					
p1--GP--p3	hexa	0.0	1.968	2.095	1.984	2.091	1.989	2.094	1.920	2.125	1.993	2.126	1.996	2.125	316.14	12162.0					
p1--GP--p3	hexa	0.1	2.067	2.093	1.984	2.089	1.990	2.093	2.066	2.124	1.993	2.124	1.998	2.123	275.06	12472.4					
p1--GP--p3	tetra unstr	0.0	1.475	1.866	1.914	1.870	1.723	1.874	1.771	1.928	1.951	1.889	1.775	1.892	354.44	12384.3					
p1--GP--p3	tetra unstr	0.1	1.613	1.909	1.916	1.900	1.786	1.903	1.889	1.963	1.953	1.927	1.846	1.929	367.74	13559.1					
p2--na--N0	hexa	0.0	1.947	3.025	1.944	1.944	1.948	1.948	2.001	2.766	2.003	2.003	2.005	2.005	150.14	25853.8					
p2--na--N0	hexa	0.1	1.946	3.053	1.943	1.943	1.947	1.947	2.000	2.807	2.002	2.002	2.005	2.005	121.96	21776.5					
p2--na--N0	tetra unstr	0.0	2.043	2.626	1.868	1.868	1.869	1.869	2.248	2.602	2.078	2.078	2.084	2.084	311.22	18260.0					
p2--na--N0	tetra unstr	0.1	2.198	2.743	1.984	1.984	1.987	1.987	2.433	2.768	2.271	2.271	2.279	2.279	393.20	21620.4					
p2--CCp1--p1	hexa	0.0	2.003	3.107	1.995	2.168	2.003	2.183	2.035	2.884	2.035	2.209	2.040	2.147	195.99	13057.6					
p2--CCp1--p1	hexa	0.1	2.008	3.133	2.000	2.167	2.008	2.193	2.037	2.925	2.037	2.209	2.042	2.153	171.78	15809.6					
p2--CCp1--p1	tetra unstr	0.0	2.043	2.626	1.868	1.868	1.869	1.869	2.248	2.602	2.078	2.078	2.084	2.084	424.47	19182.3					
p2--CCp1--p1	tetra unstr	0.1	2.198	2.743	1.984	1.984	1.987	1.987	2.433	2.768	2.271	2.271	2.279	2.279	410.00	21990.9					
p2--CCp1--p2	hexa	0.0	2.040	3.142	2.028	2.098	2.039	2.087	2.059	2.936	2.057	2.131	2.064	2.063	170.77	13778.1					
p2--CCp1--p2	hexa	0.1	2.049	3.165	2.037	2.098	2.049	2.088	2.063	2.975	2.062	2.131	2.069	2.063	166.93	16457.9					
p2--CCp1--p2	tetra unstr	0.0	2.103	2.703	1.863	1.971	1.864	1.960	2.383	2.718	2.113	1.982	2.121	1.974	419.96	19827.3					
p2--CCp1--p2	tetra unstr	0.1	2.347	2.823	2.013	1.971	2.016	1.970	2.727	2.903	2.362	1.982	2.372	1.985	409.58	22505.6					
p2--CCp1--p3	hexa	0.0	2.040	3.142	2.028	2.095	2.039	2.085	2.059	2.936	2.057	2.127	2.064	2.061	168.67	16260.0					
p2--CCp1--p3	hexa	0.1	2.049	3.165	2.037	2.095	2.049	2.086	2.063	2.975	2.062	2.127	2.069	2.061	192.63	17828.6					
p2--CCp1--p3	tetra unstr	0.0	2.103	2.703	1.863	1.963	1.864	1.958	2.383	2.718	2.112	1.981	2.121	1.972	468.73	21087.9					
p2--CCp1--p3	tetra unstr	0.1	2.347	2.823	2.013	1.963	2.016	1.968	2.727	2.903	2.362	1.981	2.372	1.983	412.36	23563.6					
p2--CCp2--p1	hexa	0.0	2.003	3.107	1.999	3.170	2.004	2.077	2.035	2.884	2.038	3.091	2.040	2.074	184.42	13081.2					
p2--CCp2--p1	hexa	0.1	2.008	3.133	2.005	3.171	2.009	2.096	2.037	2.925	2.040	3.091	2.043	2.083	193.86	15814.8					
p2--CCp2--p1	tetra unstr	0.0	2.043	2.626	1.868	1.868	1.869	1.869	2.248	2.602	2.078	2.078	2.084	2.084	574.74	22548.2					
p2--CCp2--p1	tetra unstr	0.1	2.198	2.743	1.984	1.984	1.987	1.987	2.433	2.768	2.271	2.271	2.279	2.279	474.93	24551.7					
p2--CCp2--p2	hexa	0.0	2.040	3.142	2.036	3.246	2.040	2.173	2.059	2.936	2.063	3.146	2.065	2.129	211.08	14044.3					
p2--CCp2--p2	hexa	0.1	2.050	3.166	2.046	3.246	2.050	2.209	2.064	2.975	2.068	3.146	2.070	2.147	173.89	16455.3					
p2--CCp2--p2	tetra unstr	0.0	2.103	2.704	1.863	2.944	1.864	1.932	2.384	2.719	2.114	2.972	2.121	2.120	588.74	23176.3					
p2--CCp2--p2	tetra unstr	0.1	2.349	2.824	2.014	2.945	2.016	2.103	2.732	2.904	2.367	2.972	2.373	2.405	471.63	25125.6					
p2--CCp2--p3	hexa	0.0	2.040	3.142	2.036	3.251	2.040	2.176	2.059	2.936	2.063	3.149	2.065	2.130	221.97	16914.1					
p2--CCp2--p3	hexa	0.1	2.050	3.166	2.046	3.251	2.050	2.212	2.064	2.975	2.068	3.149	2.070	2.149	206.85	17986.4					
p2--CCp2--p3	tetra unstr	0.0	2.103	2.704	1.863	2.958	1.864	1.943	2.384	2.719	2.114	2.980	2.121	2.133	539.90	24442.6					
p2--CCp2--p3	tetra unstr	0.1	2.349	2.824	2.014	2.959	2.016	2.110	2.732	2.904	2.367	2.981	2.373	2.411	504.22	26263.2					
p2--CCp3--p1	hexa	0.0	2.003	3.107	1.999	4.087	2.004	2.022	2.035	2.884	2.038	4.142	2.040	2.059	219.13	14040.2					
p2--CCp3--p1	hexa	0.1	2.008	3.133	2.004	4.082	2.009	2.028	2.037	2.925	2.040	4.137	2.043	2.062	240.33	15818.3					
p2--CCp3--p1	tetra unstr	0.0	2.043	2.626	1.868	1.868	1.869	1.869	2.248	2.602	2.078	2.078	2.084	2.084	769.58	31316.2					
p2--CCp3--p1	tetra unstr	0.1	2.198	2.743	1.984	1.984	1.987	1.987	2.433	2.768	2.271	2.271	2.279	2.279	642.00	32700.4					
p2--CCp3--p2	hexa	0.0	2.041	3.142	2.035	4.022	2.040	2.074	2.059	2.936	2.063	4.109	2.065	2.104	235.26	15527.0					
p2--CCp3--p2	hexa	0.1	2.050	3.166	2.045	4.017	2.050	2.087	2.064	2.975	2.068	4.103	2.070	2.111	268.32	16648.2					
p2--CCp3--p2	tetra unstr	0.0	2.103	2.704	1.863	3.893	1.864	1.896	2.384	2.719	2.114	3.841	2.121	2.127	785.01	31949.9					
p2--CCp3--p2	tetra unstr	0.1	2.349	2.824	2.014	3.911	2.016	2.046	2.732	2.904	2.367	3.890	2.373	2.389	665.64	33324.8					
p2--CCp3--p3	hexa	0.0	2.041	3.142	2.035	4.014	2.040	2.075	2.059	2.936	2.063	4.110	2.065	2.105	273.20	18513.7					
p2--CCp3--p3	hexa	0.1	2.050	3.166	2.045	4.010	2.050	2.087	2.064	2.975	2.068	4.104	2.070	2.112	261.59	18886.3					
p2--CCp3--p3	tetra unstr	0.0	2.103	2.704	1.863	3.888	1.864	1.929	2.384	2.719	2.114	3.831	2.121	2.146	808.64	33209.9					
p2--CCp3--p3	tetra unstr	0.1	2.349	2.824	2.014	3.907	2.016	2.072	2.732	2.904	2.367	3.									

			Fit $N = 10-30$						Fit $N = 20-30$						t_Σ [s]	RSS $_\Sigma$ [MB]
Vm-states-Ion	Mesh type	α	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p3--na--N0	tetra unstr	0.0	2.189	2.753	2.216	2.216	2.217	2.217	2.121	2.431	2.176	2.176	2.179	2.179	1102.0	45158.7
p3--na--N0	tetra unstr	0.1	2.155	2.754	2.192	2.192	2.193	2.193	2.080	2.410	2.142	2.142	2.144	2.144	1239.7	53472.5
p3--CCp1--p1	hexa	0.0	2.761	3.638	2.698	2.166	2.745	2.264	2.550	3.526	2.508	2.207	2.552	2.199	938.71	44823.5
p3--CCp1--p1	hexa	0.1	2.717	3.647	2.659	2.166	2.706	2.261	2.501	3.534	2.465	2.207	2.509	2.198	936.37	45946.8
p3--CCp1--p1	tetra unstr	0.0	2.189	2.753	2.216	2.216	2.217	2.217	2.121	2.431	2.176	2.176	2.179	2.179	1491.7	45872.4
p3--CCp1--p1	tetra unstr	0.1	2.155	2.754	2.192	2.192	2.193	2.193	2.080	2.410	2.142	2.142	2.144	2.144	1295.9	53128.9
p3--CCp1--p2	hexa	0.0	3.129	3.794	3.046	2.097	3.078	2.094	2.914	3.838	2.857	2.130	2.869	2.063	914.47	45474.8
p3--CCp1--p2	hexa	0.1	3.103	3.804	3.033	2.097	3.064	2.093	2.862	3.851	2.828	2.130	2.835	2.063	936.18	46596.0
p3--CCp1--p2	tetra unstr	0.0	3.009	3.711	2.897	1.970	2.893	1.968	3.092	3.661	3.022	1.982	3.021	1.961	1555.3	46211.2
p3--CCp1--p2	tetra unstr	0.1	3.120	3.786	3.019	1.970	3.015	1.968	3.099	3.741	3.149	1.982	3.147	1.960	1320.1	53378.0
p3--CCp1--p3	hexa	0.0	3.129	3.794	3.046	2.094	3.078	2.092	2.914	3.838	2.857	2.127	2.869	2.062	843.74	46768.3
p3--CCp1--p3	hexa	0.1	3.103	3.804	3.033	2.094	3.064	2.091	2.862	3.851	2.828	2.127	2.835	2.062	877.74	47889.0
p3--CCp1--p3	tetra unstr	0.0	3.009	3.711	2.897	1.963	2.892	1.966	3.091	3.661	3.021	1.981	3.021	1.960	1563.1	46935.0
p3--CCp1--p3	tetra unstr	0.1	3.120	3.786	3.018	1.963	3.015	1.966	3.099	3.741	3.149	1.981	3.147	1.960	1265.7	53955.0
p3--CCp2--p1	hexa	0.0	2.781	3.643	2.755	3.172	2.763	2.955	2.572	3.538	2.566	3.092	2.573	2.804	857.17	44820.2
p3--CCp2--p1	hexa	0.1	2.738	3.653	2.719	3.172	2.726	2.951	2.523	3.546	2.524	3.092	2.530	2.794	909.48	45950.9
p3--CCp2--p1	tetra unstr	0.0	2.189	2.753	2.216	2.216	2.217	2.217	2.121	2.431	2.176	2.176	2.179	2.179	1585.8	46884.2
p3--CCp2--p1	tetra unstr	0.1	2.155	2.754	2.192	2.192	2.193	2.193	2.080	2.410	2.142	2.142	2.144	2.144	1324.3	53666.8
p3--CCp2--p2	hexa	0.0	3.332	3.812	3.211	3.247	3.230	3.235	3.260	3.882	3.083	3.147	3.113	3.176	872.52	45473.9
p3--CCp2--p2	hexa	0.1	3.350	3.823	3.234	3.247	3.253	3.247	3.275	3.896	3.103	3.147	3.135	3.190	914.55	46594.9
p3--CCp2--p2	tetra unstr	0.0	3.196	3.775	2.986	2.942	2.983	2.997	3.461	3.809	3.184	2.970	3.189	3.072	1570.5	47660.3
p3--CCp2--p2	tetra unstr	0.1	3.450	3.862	3.163	2.942	3.162	3.045	3.777	3.920	3.434	2.970	3.440	3.120	1383.0	54049.4
p3--CCp2--p3	hexa	0.0	3.332	3.812	3.211	3.253	3.230	3.234	3.260	3.882	3.083	3.150	3.113	3.175	870.79	46768.6
p3--CCp2--p3	hexa	0.1	3.350	3.823	3.234	3.253	3.253	3.246	3.275	3.896	3.103	3.150	3.135	3.189	942.03	47892.3
p3--CCp2--p3	tetra unstr	0.0	3.195	3.776	2.985	2.957	2.983	3.007	3.461	3.809	3.184	2.980	3.188	3.076	1477.5	48574.3
p3--CCp2--p3	tetra unstr	0.1	3.450	3.862	3.163	2.957	3.161	3.054	3.777	3.921	3.434	2.980	3.440	3.122	1312.3	54827.0
p3--CCp3--p1	hexa	0.0	2.780	3.644	2.753	4.033	2.762	2.775	2.572	3.538	2.566	4.067	2.573	2.597	848.74	44827.5
p3--CCp3--p1	hexa	0.1	2.737	3.653	2.716	4.033	2.725	2.746	2.522	3.545	2.523	4.068	2.530	2.555	924.30	45949.8
p3--CCp3--p1	tetra unstr	0.0	2.189	2.753	2.216	2.216	2.217	2.217	2.121	2.431	2.176	2.176	2.179	2.179	1771.8	53595.6
p3--CCp3--p1	tetra unstr	0.1	2.155	2.754	2.192	2.192	2.193	2.193	2.080	2.410	2.142	2.142	2.144	2.144	1473.3	58804.8
p3--CCp3--p2	hexa	0.0	3.330	3.812	3.205	3.978	3.228	3.112	3.256	3.881	3.086	4.042	3.110	3.026	838.54	45472.8
p3--CCp3--p2	hexa	0.1	3.347	3.823	3.226	3.978	3.250	3.143	3.271	3.895	3.106	4.042	3.131	3.046	962.87	46597.6
p3--CCp3--p2	tetra unstr	0.0	3.196	3.775	2.987	3.943	2.983	3.011	3.461	3.808	3.184	3.959	3.188	3.209	1352.6	54152.0
p3--CCp3--p2	tetra unstr	0.1	3.450	3.862	3.164	3.942	3.162	3.181	3.777	3.920	3.434	3.959	3.440	3.451	1423.9	59374.8
p3--CCp3--p3	hexa	0.0	3.330	3.812	3.205	3.971	3.228	3.112	3.256	3.881	3.086	4.044	3.110	3.027	887.10	46768.3
p3--CCp3--p3	hexa	0.1	3.347	3.823	3.226	3.971	3.250	3.143	3.271	3.895	3.106	4.044	3.131	3.046	959.95	47890.5
p3--CCp3--p3	tetra unstr	0.0	3.195	3.776	2.986	3.944	2.982	3.056	3.460	3.809	3.184	3.961	3.188	3.240	1351.6	55284.1
p3--CCp3--p3	tetra unstr	0.1	3.449	3.862	3.163	3.944	3.161	3.224	3.777	3.920	3.434	3.961	3.439	3.481	1400.7	60458.9
p3--GP--p1	hexa	0.0	2.780	3.644	2.003	3.792	2.717	3.810	2.572	3.538	2.000	3.687	2.355	3.691	1126.1	77279.7
p3--GP--p1	hexa	0.1	2.737	3.653	2.003	3.799	2.707	3.817	2.522	3.546	2.000	3.695	2.347	3.700	777.00	72810.8
p3--GP--p1	tetra unstr	0.0	2.189	2.753	2.216	2.216	2.217	2.217	2.121	2.431	2.176	2.176	2.179	2.179	1407.6	45295.2
p3--GP--p1	tetra unstr	0.1	2.155	2.754	2.192	2.192	2.193	2.193	2.080	2.410	2.142	2.142	2.144	2.144	1255.5	53554.9
p3--GP--p2	hexa	0.0	3.331	3.812	1.994	3.893	2.454	3.912	3.257	3.881	1.996	3.958	2.171	3.969	1014.5	77925.3
p3--GP--p2	hexa	0.1	3.348	3.823	1.994	3.897	2.447	3.916	3.272	3.896	1.996	3.964	2.167	3.975	750.17	69196.2
p3--GP--p2	tetra unstr	0.0	3.196	3.775	1.927	3.844	2.032	3.845	3.461	3.808	1.961	3.840	1.977	3.846	1367.1	45574.8
p3--GP--p2	tetra unstr	0.1	3.450	3.862	1.927	3.883	2.028	3.884	3.777	3.920	1.961	3.904	1.974	3.909	1245.5	53807.3
p3--GP--p3	hexa	0.0	3.331	3.812	1.994	3.886	2.452	3.905	3.257	3.881	1.995	3.960	2.170	3.970	1172.7	79220.7
p3--GP--p3	hexa	0.1	3.348	3.823	1.993	3.890	2.446	3.909	3.272	3.896	1.995	3.966	2.167	3.976	870.62	70486.9
p3--GP--p3	tetra unstr	0.0	3.195	3.776	1.923	3.842	2.021	3.844	3.460	3.809	1.958	3.837	1.974	3.844	1258.6	46320.8
p3--GP--p3	tetra unstr	0.1	3.450	3.862	1.923	3.884	2.017	3.885	3.777	3.921	1.958	3.904	1.971	3.911	1397.1	54335.8

$$\Delta t = 10^{-3}$$

Table 13: 3D manufactured results for JFNK, crankNicolson, consistent mass, RKF45 states, and $\Delta t = 10^{-3}$. The first convergence block is fitted over $N = 10-30$; the second over $N = 20-30$. The first column records the actual Vm-states-Ion triplet used by the run.

			Fit $N = 10-30$						Fit $N = 20-30$						t_Σ [s]	RSS $_\Sigma$ [MB]
Vm-states-Ion	Mesh type	α	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
NO--na--NO	hexa	0.0	1.985	1.985	1.985	1.985	1.985	1.985	1.993	1.993	1.993	1.993	1.993	1.993	72.358	4083.5
NO--na--NO	hexa	0.1	1.438	1.438	1.293	1.293	1.302	1.302	1.413	1.413	1.211	1.211	1.220	1.220	103.30	6309.8
NO--na--NO	tetra unstr	0.0	0.663	0.663	0.377	0.377	0.375	0.375	0.829	0.829	0.617	0.617	0.617	0.617	166.32	5142.7
NO--na--NO	tetra unstr	0.1	0.677	0.677	0.400	0.400	0.398	0.398	0.828	0.828	0.629	0.629	0.629	0.629	351.54	12049.4
NO--CCp1--p1	hexa	0.0	1.986	1.986	1.989	2.167	1.986	2.246	1.993	1.993	1.995	2.208	1.993	2.188	146.88	4921.8
NO--CCp1--p1	hexa	0.1	1.438	1.438	1.298	2.167	1.302	2.230	1.413	1.413	1.212	2.208	1.220	2.158	141.64	6578.8
NO--CCp1--p1	tetra unstr	0.0	0.663	0.663	0.377	0.377	0.375	0.375	0.829	0.829	0.617	0.617	0.617	0.617	397.40	6398.6
NO--CCp1--p1	tetra unstr	0.1	0.677	0.677	0.400	0.400	0.398	0.398	0.828	0.828	0.629	0.629	0.629	0.629	587.73	12245.9
NO--CCp1--p2	hexa	0.0	1.986	1.986	1.991	2.098	1.986	2.090	1.993	1.993	1.995	2.130	1.993	2.062	207.40	6567.7
NO--CCp1--p2	hexa	0.1	1.438	1.438	1.300	2.098	1.303	2.086	1.413	1.413	1.212	2.130	1.220	2.055	200.35	8038.6
NO--CCp1--p2	tetra unstr	0.0	0.663	0.663	0.377	1.924	0.375	0.459	0.829	0.829	0.617	1.896	0.617	0.670	423.96	7036.9
NO--CCp1--p2	tetra unstr	0.1	0.677	0.677	0.400	1.928	0.398	0.484	0.828	0.828	0.629	1.903	0.629	0.684	613.00	12498.1
NO--CCp1--p3	hexa	0.0	1.986	1.986	1.991	2.094	1.986	2.088	1.993	1.993	1.995	2.127	1.993	2.060	288.40	9876.9
NO--CCp1--p3	hexa	0.1	1.438	1.438	1.300	2.095	1.303	2.085	1.413	1.413	1.212	2.127	1.220	2.054	282.07	11332.3
NO--CCp1--p3	tetra unstr	0.0	0.663	0.663	0.377	1.922	0.375	0.462	0.829	0.829	0.617	1.906	0.617	0.671	469.85	8302.9
NO--CCp1--p3	tetra unstr	0.1	0.677	0.677	0.400	1.926	0.398	0.487	0.828	0.828	0.629	1.912	0.629	0.685	615.47	13000.4
NO--CCp2--p1	hexa	0.0	1.977	1.977	2.002	3.171	1.978	2.610	1.989	1.989	1.999	3.091	1.989	2.376	216.25	5692.4
NO--CCp2--p1	hexa	0.1	1.447	1.447	1.258	3.172	1.313	2.174	1.428	1.428	1.175	3.092	1.236	1.620	226.43	7165.9

Vm-states-Ion		Mesh type	α	Fit $N = 10-30$						Fit $N = 20-30$						t_{Σ} [s]	RSS $_{\Sigma}$ [MB]
				V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
NO--CcP2--p1	tetra unstr	0.0	0.663	0.663	0.377	0.377	0.375	0.375	0.829	0.829	0.617	0.617	0.617	0.617	773.69	9761.4	
NO--CcP2--p1	tetra unstr	0.1	0.677	0.677	0.400	0.400	0.398	0.398	0.828	0.828	0.629	0.629	0.629	0.629	936.72	14003.0	
NO--CcP2--p2	hexa	0.0	1.969	1.969	2.004	3.247	1.970	2.745	1.985	1.985	1.998	3.146	1.985	2.481	275.43	7341.0	
NO--CcP2--p2	hexa	0.1	1.457	1.457	1.251	3.248	1.326	2.314	1.443	1.443	1.170	3.147	1.253	1.712	331.22	8813.8	
NO--CcP2--p2	tetra unstr	0.0	0.663	0.663	0.377	2.079	0.375	0.467	0.829	0.829	0.617	1.272	0.617	0.673	824.29	10398.8	
NO--CcP2--p2	tetra unstr	0.1	0.677	0.677	0.400	2.127	0.398	0.488	0.828	0.828	0.629	1.333	0.629	0.684	919.93	14641.5	
NO--CcP2--p3	hexa	0.0	1.969	1.969	2.004	3.252	1.970	2.751	1.985	1.985	1.998	3.149	1.985	2.488	407.86	10640.1	
NO--CcP2--p3	hexa	0.1	1.457	1.457	1.251	3.253	1.326	2.323	1.443	1.443	1.170	3.150	1.253	1.720	489.56	12109.3	
NO--CcP2--p3	tetra unstr	0.0	0.663	0.663	0.377	1.991	0.375	0.469	0.829	0.829	0.617	1.240	0.617	0.676	921.20	11665.9	
NO--CcP2--p3	tetra unstr	0.1	0.677	0.677	0.400	2.038	0.398	0.489	0.828	0.828	0.629	1.295	0.629	0.686	992.95	15908.5	
NO--CcP3--p1	hexa	0.0	1.980	1.980	1.993	4.033	1.980	2.052	1.992	1.992	1.995	4.072	1.992	2.002	420.83	7592.3	
NO--CcP3--p1	hexa	0.1	1.453	1.453	1.241	4.015	1.318	1.271	1.431	1.431	1.167	4.028	1.238	1.184	548.92	9065.3	
NO--CcP3--p1	tetra unstr	0.0	0.663	0.663	0.377	0.377	0.375	0.375	0.829	0.829	0.617	0.617	0.617	0.617	2082.3	18530.6	
NO--CcP3--p1	tetra unstr	0.1	0.677	0.677	0.400	0.400	0.398	0.398	0.828	0.828	0.629	0.629	0.629	0.629	1750.0	22782.3	
NO--CcP3--p2	hexa	0.0	1.975	1.975	1.992	3.981	1.975	2.098	1.990	1.990	1.995	4.053	1.990	2.007	505.78	9240.4	
NO--CcP3--p2	hexa	0.1	1.469	1.469	1.230	3.966	1.336	1.300	1.449	1.449	1.160	4.019	1.258	1.185	655.78	10710.5	
NO--CcP3--p2	tetra unstr	0.0	0.663	0.663	0.378	0.891	0.375	0.420	0.829	0.829	0.617	0.675	0.617	0.658	2065.6	19164.9	
NO--CcP3--p2	tetra unstr	0.1	0.677	0.677	0.400	0.930	0.398	0.443	0.828	0.828	0.629	0.689	0.629	0.671	1777.1	23407.9	
NO--CcP3--p3	hexa	0.0	1.975	1.975	1.992	3.973	1.975	2.099	1.991	1.991	1.995	4.055	1.990	2.007	668.97	12534.2	
NO--CcP3--p3	hexa	0.1	1.469	1.469	1.230	3.959	1.336	1.300	1.449	1.449	1.160	4.021	1.258	1.184	846.23	14010.0	
NO--CcP3--p3	tetra unstr	0.0	0.663	0.663	0.378	0.888	0.375	0.434	0.829	0.829	0.617	0.684	0.617	0.666	2134.2	20432.8	
NO--CcP3--p3	tetra unstr	0.1	0.677	0.677	0.400	0.927	0.398	0.456	0.828	0.828	0.629	0.698	0.629	0.678	1875.4	24675.8	
NO--GP--p1	hexa	0.0	1.985	1.985	1.992	2.071	1.992	2.077	1.993	1.993	1.996	2.038	1.996	2.041	274.71	4669.2	
NO--GP--p1	hexa	0.1	1.461	1.461	1.992	2.073	1.992	2.079	1.431	1.431	1.996	2.038	1.995	2.041	286.77	6561.2	
NO--GP--p1	tetra unstr	0.0	0.663	0.663	0.377	0.377	0.375	0.375	0.829	0.829	0.617	0.617	0.617	0.617	172.50	5446.4	
NO--GP--p1	tetra unstr	0.1	0.677	0.677	0.400	0.400	0.398	0.398	0.828	0.828	0.629	0.629	0.629	0.629	358.09	12247.7	
NO--GP--p2	hexa	0.0	1.984	1.984	1.984	2.014	1.984	2.018	1.992	1.992	1.992	2.007	1.993	2.009	916.82	6341.8	
NO--GP--p2	hexa	0.1	1.483	1.483	1.984	2.014	1.985	2.018	1.450	1.450	1.992	2.007	1.992	2.009	749.00	7704.6	
NO--GP--p2	tetra unstr	0.0	0.663	0.663	1.832	0.862	0.518	0.860	0.829	0.829	1.792	0.867	0.653	0.866	507.51	6090.2	
NO--GP--p2	tetra unstr	0.1	0.677	0.677	1.843	0.883	0.547	0.882	0.828	0.828	1.812	0.884	0.668	0.883	549.05	12497.3	
NO--GP--p3	hexa	0.0	1.984	1.984	1.983	2.010	1.984	2.014	1.992	1.992	1.992	2.005	1.992	2.008	2080.8	9677.3	
NO--GP--p3	hexa	0.1	1.483	1.483	1.984	2.011	1.984	2.015	1.450	1.450	1.992	2.005	1.992	2.008	1710.3	11009.2	
NO--GP--p3	tetra unstr	0.0	0.663	0.663	1.828	0.864	0.514	0.862	0.829	0.829	1.790	0.869	0.652	0.868	907.09	7355.9	
NO--GP--p3	tetra unstr	0.1	0.677	0.677	1.840	0.885	0.543	0.884	0.828	0.828	1.810	0.886	0.667	0.885	915.26	12995.6	
p1--na--NO	hexa	0.0	1.967	2.095	1.924	1.924	1.927	1.927	1.920	2.125	1.833	1.833	1.840	1.840	156.75	7136.1	
p1--na--NO	hexa	0.1	2.067	2.093	2.044	2.044	2.044	2.044	2.067	2.124	2.028	2.028	2.029	2.029	152.25	8682.5	
p1--na--NO	tetra unstr	0.0	1.475	1.866	1.142	1.142	1.144	1.144	1.768	1.927	1.422	1.422	1.432	1.432	382.68	10354.9	
p1--na--NO	tetra unstr	0.1	1.612	1.909	1.265	1.265	1.267	1.267	1.884	1.962	1.558	1.558	1.561	1.561	450.48	11878.2	
p1--CcP1--p1	hexa	0.0	1.967	2.095	1.924	2.166	1.926	2.192	1.920	2.125	1.833	2.207	1.840	2.114	195.46	7316.9	
p1--CcP1--p1	hexa	0.1	2.067	2.093	2.043	2.167	2.044	2.224	2.067	2.124	2.028	2.208	2.029	2.167	235.13	8860.8	
p1--CcP1--p1	tetra unstr	0.0	1.475	1.866	1.142	1.142	1.144	1.144	1.768	1.927	1.422	1.422	1.432	1.432	654.04	11401.3	
p1--CcP1--p1	tetra unstr	0.1	1.612	1.909	1.265	1.265	1.267	1.267	1.884	1.962	1.558	1.558	1.561	1.561	639.72	12625.4	
p1--CcP1--p2	hexa	0.0	1.967	2.095	1.924	2.098	1.926	2.083	1.920	2.125	1.833	2.130	1.840	2.049	255.15	8764.0	
p1--CcP1--p2	hexa	0.1	2.067	2.093	2.043	2.098	2.044	2.090	2.067	2.124	2.028	2.130	2.029	2.061	320.59	9608.3	
p1--CcP1--p2	tetra unstr	0.0	1.475	1.866	1.142	1.973	1.144	1.493	1.768	1.927	1.422	1.984	1.432	1.592	708.35	12038.6	
p1--CcP1--p2	tetra unstr	0.1	1.612	1.909	1.265	1.973	1.267	1.622	1.884	1.962	1.558	1.983	1.561	1.723	668.04	13190.7	
p1--CcP1--p3	hexa	0.0	1.967	2.095	1.924	2.094	1.926	2.081	1.920	2.125	1.833	2.127	1.840	2.048	364.01	12046.0	
p1--CcP1--p3	hexa	0.1	2.067	2.093	2.043	2.094	2.044	2.088	2.067	2.124	2.028	2.127	2.029	2.059	375.87	12503.0	
p1--CcP1--p3	tetra unstr	0.0	1.475	1.866	1.142	1.965	1.144	1.506	1.768	1.927	1.422	1.982	1.432	1.599	782.50	13300.4	
p1--CcP1--p3	tetra unstr	0.1	1.612	1.909	1.265	1.965	1.267	1.633	1.884	1.962	1.558	1.982	1.561	1.729	688.38	14322.8	
p1--CcP2--p1	hexa	0.0	1.966	2.095	1.924	3.169	1.926	2.040	1.920	2.125	1.827	3.089	1.840	1.840	273.24	7875.3	
p1--CcP2--p1	hexa	0.1	2.065	2.093	2.048	3.170	2.043	2.196	2.066	2.124	2.028	3.090	2.028	2.085	333.30	8900.6	
p1--CcP2--p1	tetra unstr	0.0	1.475	1.866	1.142	1.142	1.144	1.144	1.768	1.927	1.422	1.422	1.432	1.432	994.37	14770.4	
p1--CcP2--p1	tetra unstr	0.1	1.612	1.909	1.265	1.265	1.267	1.267	1.884	1.962	1.558	1.558	1.561	1.561	941.43	15615.3	
p1--CcP2--p2	hexa	0.0	1.966	2.095	1.924	3.244	1.925	2.092	1.920	2.125	1.824	3.143	1.840	1.841	342.59	9527.4	
p1--CcP2--p2	hexa	0.1	2.064	2.093	2.050	3.245	2.042	2.261	2.065	2.124	2.028	3.145	2.028	2.109	372.72	9995.8	
p1--CcP2--p2	tetra unstr	0.0	1.475	1.866	1.141	2.917	1.145	1.201	1.768	1.927	1.422	2.912	1.432	1.469	1121.4	15397.2	
p1--CcP2--p2	tetra unstr	0.1	1.612	1.909	1.264	2.928	1.267	1.339	1.884	1.962	1.558	2.938	1.561	1.617	1006.7	16247.0	
p1--CcP2--p3	hexa	0.0	1.966	2.095	1.924	3.250	1.925	2.095	1.920	2.125	1.824	3.146	1.840	1.843	468.05	12820.1	
p1--CcP2--p3	hexa	0.1	2.064	2.093	2.050	3.251	2.042	2.265	2.065	2.124	2.028	3.148	2.028	2.111	477.61	13286.9	
p1--CcP2--p3	tetra unstr	0.0	1.475	1.866	1.141	2.922	1.145	1.213	1.768	1.927	1.422	2.906	1.432	1.479	1152.0	16666.6	
p1--CcP2--p3	tetra unstr	0.1	1.612	1.909	1.264	2.938	1.267	1.350	1.884	1.962	1.558	2.938	1.561	1.627	1051.6	17517.1	
p1--CcP3--p1	hexa	0.0	1.967	2.095	1.919	4.067	1.926	1.874	1.920	2.125	1.826	4.139	1.840	1.725	490.32	9775.7	
p1--CcP3--p1	hexa	0.1	2.066	2.093	2.043	4.057	2.043	2.038	2.067	2.124	2.026	4.119	2.029	2.002	549.92	10198.1	
p1--CcP3--p1	tetra unstr	0.0	1.475	1.866	1.142	1.142	1.144	1.144	1.768	1.927	1.422	1.422	1.432	1.432	2065.7	23533.8	
p1--CcP3--p1	tetra unstr	0.1	1.612	1.909	1.265	1.265	1.267	1.267	1.884	1.962	1.558	1.558	1.561	1.561	1927.3	24383.1	
p1--CcP3--p2	hexa	0.0	1.967	2.095	1.917	4.010	1.926	1.850	1.921	2.125	1.823	4.112	1.841	1.677	651.67	11428.5	
p1--CcP3--p2	hexa	0.1	2.066	2.093	2.042	4.000	2.043	2.035	2.067	2.124	2.025	4.					

		Fit $N = 10-30$						Fit $N = 20-30$						t_Σ [s]	RSS $_\Sigma$ [MB]	
Vm-states-Ion	Mesh type	α	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p1--GP--p2	tetra unstr	0.1	1.612	1.909	1.920	1.897	1.790	1.900	1.884	1.962	1.955	1.921	1.849	1.923	907.71	12474.6
p1--GP--p3	hexa	0.0	1.968	2.095	1.984	2.091	1.989	2.094	1.921	2.125	1.993	2.126	1.996	2.124	1859.7	12031.6
p1--GP--p3	hexa	0.1	2.067	2.093	1.984	2.089	1.990	2.093	2.067	2.124	1.993	2.124	1.998	2.123	1756.2	12472.6
p1--GP--p3	tetra unstr	0.0	1.475	1.866	1.914	1.870	1.723	1.873	1.768	1.927	1.951	1.889	1.775	1.892	1090.2	12361.6
p1--GP--p3	tetra unstr	0.1	1.612	1.909	1.916	1.900	1.786	1.903	1.884	1.962	1.953	1.927	1.847	1.929	1269.1	13565.9
p2--na--N0	hexa	0.0	1.947	3.025	1.942	1.942	1.946	1.946	2.001	2.766	2.000	2.000	2.003	2.003	262.11	25852.2
p2--na--N0	hexa	0.1	1.946	3.053	1.941	1.941	1.946	1.946	2.000	2.807	1.999	1.999	2.002	2.002	239.10	21777.7
p2--na--N0	tetra unstr	0.0	2.044	2.627	1.867	1.867	1.868	1.868	2.248	2.603	2.077	2.077	2.084	2.084	749.44	18258.0
p2--na--N0	tetra unstr	0.1	2.198	2.744	1.985	1.985	1.987	1.987	2.429	2.767	2.271	2.271	2.279	2.279	925.06	21620.3
p2--CCp1--p1	hexa	0.0	2.003	3.107	1.993	2.168	2.001	2.183	2.035	2.884	2.031	2.209	2.036	2.145	347.00	13057.2
p2--CCp1--p1	hexa	0.1	2.008	3.133	1.997	2.167	2.006	2.192	2.037	2.925	2.033	2.209	2.038	2.152	340.08	15812.1
p2--CCp1--p1	tetra unstr	0.0	2.044	2.627	1.867	1.867	1.868	1.868	2.248	2.603	2.077	2.077	2.084	2.084	1129.9	19181.2
p2--CCp1--p1	tetra unstr	0.1	2.198	2.744	1.985	1.985	1.987	1.987	2.429	2.767	2.271	2.271	2.279	2.279	1164.1	21994.5
p2--CCp1--p2	hexa	0.0	2.040	3.141	2.024	2.098	2.036	2.087	2.059	2.936	2.052	2.131	2.060	2.062	444.36	13775.5
p2--CCp1--p2	hexa	0.1	2.049	3.165	2.033	2.098	2.046	2.088	2.064	2.974	2.056	2.131	2.065	2.062	452.39	14640.4
p2--CCp1--p2	tetra unstr	0.0	2.105	2.705	1.863	1.971	1.864	1.960	2.382	2.719	2.113	1.982	2.122	1.974	1185.2	19827.8
p2--CCp1--p2	tetra unstr	0.1	2.348	2.824	2.014	1.971	2.018	1.970	2.721	2.901	2.364	1.982	2.374	1.986	1139.6	22504.4
p2--CCp1--p3	hexa	0.0	2.040	3.141	2.024	2.095	2.036	2.085	2.059	2.936	2.052	2.127	2.060	2.061	558.69	16265.4
p2--CCp1--p3	hexa	0.1	2.049	3.165	2.033	2.095	2.046	2.086	2.064	2.974	2.056	2.127	2.065	2.061	527.65	17829.2
p2--CCp1--p3	tetra unstr	0.0	2.105	2.705	1.863	1.963	1.864	1.958	2.382	2.719	2.113	1.981	2.122	1.973	1232.7	21091.2
p2--CCp1--p3	tetra unstr	0.1	2.347	2.824	2.014	1.963	2.018	1.968	2.721	2.901	2.364	1.981	2.374	1.984	1258.2	23563.2
p2--CCp2--p1	hexa	0.0	2.003	3.107	1.998	3.170	2.002	2.075	2.035	2.884	2.035	3.091	2.037	2.071	458.92	13080.6
p2--CCp2--p1	hexa	0.1	2.008	3.133	2.003	3.171	2.007	2.094	2.037	2.925	2.037	3.091	2.039	2.079	456.09	15807.8
p2--CCp2--p1	tetra unstr	0.0	2.044	2.627	1.867	1.867	1.868	1.868	2.248	2.603	2.077	2.077	2.084	2.084	1770.4	22550.0
p2--CCp2--p1	tetra unstr	0.1	2.198	2.744	1.985	1.985	1.987	1.987	2.429	2.767	2.271	2.271	2.279	2.279	1534.1	24551.7
p2--CCp2--p2	hexa	0.0	2.040	3.142	2.034	3.246	2.037	2.170	2.059	2.936	2.059	3.146	2.061	2.125	522.93	14047.8
p2--CCp2--p2	hexa	0.1	2.050	3.166	2.044	3.246	2.047	2.206	2.064	2.975	2.064	3.146	2.066	2.143	550.47	16461.9
p2--CCp2--p2	tetra unstr	0.0	2.105	2.705	1.863	2.944	1.864	1.932	2.384	2.720	2.116	2.972	2.122	2.121	1788.3	23183.3
p2--CCp2--p2	tetra unstr	0.1	2.350	2.825	2.016	2.945	2.018	2.104	2.727	2.903	2.369	2.972	2.376	2.408	1509.6	25124.1
p2--CCp2--p3	hexa	0.0	2.040	3.142	2.034	3.251	2.037	2.173	2.059	2.936	2.059	3.149	2.061	2.126	678.82	16916.0
p2--CCp2--p3	hexa	0.1	2.050	3.166	2.044	3.251	2.047	2.209	2.064	2.975	2.064	3.149	2.066	2.144	636.70	17987.3
p2--CCp2--p3	tetra unstr	0.0	2.105	2.705	1.863	2.958	1.864	1.943	2.384	2.720	2.116	2.980	2.122	2.134	1767.1	24450.4
p2--CCp2--p3	tetra unstr	0.1	2.350	2.825	2.016	2.959	2.018	2.111	2.727	2.903	2.369	2.981	2.376	2.414	1630.4	26269.5
p2--CCp3--p1	hexa	0.0	2.003	3.107	1.997	4.087	2.002	2.020	2.035	2.884	2.035	4.142	2.037	2.056	658.77	14040.1
p2--CCp3--p1	hexa	0.1	2.008	3.133	2.002	4.082	2.007	2.026	2.037	2.925	2.037	4.137	2.039	2.058	633.51	15815.6
p2--CCp3--p1	tetra unstr	0.0	2.044	2.627	1.867	1.867	1.868	1.868	2.248	2.603	2.077	2.077	2.084	2.084	2738.8	31317.0
p2--CCp3--p1	tetra unstr	0.1	2.198	2.744	1.985	1.985	1.987	1.987	2.429	2.767	2.271	2.271	2.279	2.279	2433.5	32698.6
p2--CCp3--p2	hexa	0.0	2.041	3.142	2.033	4.022	2.037	2.072	2.060	2.936	2.059	4.109	2.061	2.100	755.42	15529.7
p2--CCp3--p2	hexa	0.1	2.050	3.166	2.043	4.017	2.047	2.084	2.064	2.975	2.064	4.103	2.066	2.107	757.51	16648.0
p2--CCp3--p2	tetra unstr	0.0	2.105	2.705	1.863	3.893	1.864	1.897	2.384	2.720	2.116	3.841	2.123	2.129	2923.3	31951.7
p2--CCp3--p2	tetra unstr	0.1	2.350	2.825	2.016	3.911	2.018	2.048	2.727	2.903	2.369	3.890	2.376	2.392	2520.1	33327.7
p2--CCp3--p3	hexa	0.0	2.041	3.142	2.033	4.014	2.037	2.073	2.060	2.936	2.059	4.110	2.061	2.101	996.82	18508.9
p2--CCp3--p3	hexa	0.1	2.050	3.166	2.043	4.010	2.047	2.085	2.064	2.975	2.064	4.104	2.066	2.107	983.63	18888.2
p2--CCp3--p3	tetra unstr	0.0	2.105	2.705	1.863	3.888	1.864	1.929	2.384	2.720	2.116	3.831	2.123	2.148	2915.4	33215.1
p2--CCp3--p3	tetra unstr	0.1	2.350	2.825	2.016	3.907	2.018	2.074	2.727	2.903	2.369	3.884	2.376	2.406	2557.2	34591.3
p2--GP--p1	hexa	0.0	2.004	3.107	2.011	3.133	2.844	3.122	2.035	2.884	2.004	3.004	2.447	2.998	475.17	26058.0
p2--GP--p1	hexa	0.1	2.008	3.133	2.011	3.142	2.886	3.131	2.037	2.925	2.004	3.021	2.473	3.014	434.84	21987.3
p2--GP--p1	tetra unstr	0.0	2.044	2.627	1.867	1.867	1.868	1.868	2.248	2.603	2.077	2.077	2.084	2.084	923.33	18403.9
p2--GP--p1	tetra unstr	0.1	2.198	2.744	1.985	1.985	1.987	1.987	2.429	2.767	2.271	2.271	2.279	2.279	1077.7	21759.6
p2--GP--p2	hexa	0.0	2.041	3.142	2.004	3.230	2.897	3.215	2.060	2.936	2.001	3.092	2.431	3.082	1125.6	26708.6
p2--GP--p2	hexa	0.1	2.051	3.166	2.004	3.236	2.920	3.221	2.064	2.975	2.001	3.105	2.439	3.094	919.07	22635.8
p2--GP--p2	tetra unstr	0.0	2.105	2.705	1.928	2.794	2.100	2.795	2.384	2.720	1.960	2.779	2.102	2.783	1131.3	19048.7
p2--GP--p2	tetra unstr	0.1	2.350	2.825	1.928	2.831	2.146	2.833	2.727	2.903	1.960	2.862	2.167	2.866	1319.3	22134.4
p2--GP--p3	hexa	0.0	2.041	3.142	2.003	3.235	2.896	3.220	2.060	2.936	2.000	3.095	2.430	3.085	2346.5	28002.5
p2--GP--p3	hexa	0.1	2.051	3.166	2.003	3.241	2.919	3.226	2.064	2.975	2.000	3.108	2.438	3.097	1865.3	24076.1
p2--GP--p3	tetra unstr	0.0	2.105	2.705	1.924	2.801	2.082	2.802	2.384	2.720	1.958	2.768	2.089	2.773	1507.3	20304.2
p2--GP--p3	tetra unstr	0.1	2.350	2.825	1.924	2.846	2.128	2.847	2.727	2.903	1.958	2.864	2.153	2.868	1828.5	23037.4
p3--na--N0	hexa	0.0	2.313	3.204	2.303	2.303	2.307	2.307	2.193	2.830	2.189	2.189	2.192	2.192	816.96	68118.1
p3--na--N0	hexa	0.1	2.278	3.207	2.269	2.269	2.273	2.273	2.169	2.827	2.166	2.166	2.168	2.168	892.18	72598.4
p3--na--N0	tetra unstr	0.0	2.189	2.753	2.208	2.208	2.209	2.209	2.121	2.431	2.162	2.162	2.165	2.165	1833.8	45160.4
p3--na--N0	tetra unstr	0.1	2.155	2.755	2.184	2.184	2.185	2.185	2.080	2.410	2.128	2.128	2.130	2.130	2087.5	53471.6
p3--CCp1--p1	hexa	0.0	2.758	3.637	2.675	2.166	2.727	2.263	2.547	3.524	2.476	2.207	2.525	2.199	1199.2	44824.7
p3--CCp1--p1	hexa	0.1	2.713	3.646	2.635	2.166	2.687	2.261	2.497	3.532	2.433	2.207	2.481	2.197	1167.3	45948.4
p3--CCp1--p1	tetra unstr	0.0	2.189	2.753	2.208	2.208	2.209	2.209	2.121	2.431	2.162	2.162	2.165	2.165	2843.6	45874.6
p3--CCp1--p1	tetra unstr	0.1	2.155	2.755	2.184	2.184	2.185	2.185	2.080	2.410	2.128	2.128	2.130	2.130	2627.8	53130.2
p3--CCp1--p2	hexa	0.0	3.096	3.790	2.987	2.097	3.017	2.094	2.864	3.829	2.773	2.130	2.782	2.063	1176.3	45473.1
p3--CCp1--p2	hexa	0.1	3.064	3.800	2.965	2.097	2.994	2.093	2.807	3.842	2.734	2.130	2.739	2.063	1260.0	46595.7
p3--CCp1--p2	tetra unstr	0.0	2.979	3.699	2.857	1.970	2.857	1.968	3.035	3.633	2.949	1.982	2.960	1.961	3055.9	46211.

Vm-states-Ion	Mesh type	α	Fit $N = 10-30$						Fit $N = 20-30$						t_Σ [s]	RSS $_\Sigma$ [MB]
			V_m	V_m^G	u_1	u_1^G	u_2	u_2^G	V_m	V_m^G	u_1	u_1^G	u_2	u_2^G		
p3--CCp2--p3	hexa	0.1	3.352	3.823	3.223	3.253	3.241	3.243	3.279	3.896	3.083	3.150	3.114	3.185	1572.6	47888.4
p3--CCp2--p3	tetra unstr	0.0	3.198	3.777	2.984	2.957	2.981	3.007	3.463	3.810	3.182	2.980	3.187	3.076	3223.3	48661.1
p3--CCp2--p3	tetra unstr	0.1	3.451	3.863	3.162	2.957	3.160	3.055	3.776	3.921	3.433	2.980	3.439	3.123	3093.8	54824.9
p3--CCp3--p1	hexa	0.0	2.781	3.644	2.742	4.034	2.751	2.764	2.573	3.538	2.546	4.068	2.552	2.578	1388.8	44828.8
p3--CCp3--p1	hexa	0.1	2.737	3.653	2.705	4.034	2.713	2.735	2.523	3.546	2.502	4.068	2.508	2.535	1433.8	45950.0
p3--CCp3--p1	tetra unstr	0.0	2.189	2.753	2.208	2.208	2.209	2.209	2.121	2.431	2.162	2.162	2.165	2.165	3971.2	53601.4
p3--CCp3--p1	tetra unstr	0.1	2.155	2.755	2.184	2.184	2.185	2.185	2.080	2.410	2.128	2.128	2.130	2.130	3675.5	58844.0
p3--CCp3--p2	hexa	0.0	3.332	3.813	3.194	3.978	3.216	3.106	3.260	3.882	3.069	4.042	3.091	3.018	1500.8	45473.3
p3--CCp3--p2	hexa	0.1	3.349	3.823	3.214	3.978	3.236	3.135	3.275	3.896	3.087	4.042	3.109	3.036	1588.8	46598.1
p3--CCp3--p2	tetra unstr	0.0	3.198	3.777	2.985	3.943	2.981	3.010	3.463	3.810	3.182	3.960	3.187	3.210	3382.6	54155.5
p3--CCp3--p2	tetra unstr	0.1	3.452	3.863	3.163	3.943	3.161	3.182	3.775	3.921	3.433	3.960	3.438	3.453	3690.8	59374.8
p3--CCp3--p3	hexa	0.0	3.332	3.813	3.194	3.971	3.216	3.106	3.260	3.882	3.069	4.044	3.091	3.018	1721.3	46770.7
p3--CCp3--p3	hexa	0.1	3.349	3.823	3.214	3.971	3.236	3.136	3.275	3.896	3.087	4.044	3.109	3.037	1751.7	47890.0
p3--CCp3--p3	tetra unstr	0.0	3.197	3.777	2.984	3.944	2.980	3.056	3.462	3.810	3.182	3.962	3.186	3.240	3477.8	55286.0
p3--CCp3--p3	tetra unstr	0.1	3.451	3.863	3.162	3.944	3.160	3.224	3.775	3.921	3.433	3.962	3.438	3.483	3867.2	60459.8
p3--GP--p1	hexa	0.0	2.781	3.644	2.003	3.789	2.716	3.807	2.573	3.538	2.000	3.679	2.354	3.683	1453.9	77276.2
p3--GP--p1	hexa	0.1	2.738	3.653	2.003	3.796	2.706	3.814	2.523	3.546	2.000	3.687	2.345	3.692	1107.5	68550.1
p3--GP--p1	tetra unstr	0.0	2.189	2.753	2.208	2.208	2.209	2.209	2.121	2.431	2.162	2.162	2.165	2.165	2698.7	45294.4
p3--GP--p1	tetra unstr	0.1	2.155	2.755	2.184	2.184	2.185	2.185	2.080	2.410	2.128	2.128	2.130	2.130	2581.7	53555.5
p3--GP--p2	hexa	0.0	3.332	3.813	1.994	3.892	2.454	3.910	3.260	3.882	1.996	3.955	2.171	3.965	2161.7	77923.7
p3--GP--p2	hexa	0.1	3.350	3.823	1.994	3.896	2.447	3.914	3.275	3.896	1.996	3.961	2.167	3.971	1552.4	69194.7
p3--GP--p2	tetra unstr	0.0	3.198	3.777	1.927	3.839	2.032	3.841	3.463	3.810	1.961	3.829	1.977	3.835	2892.2	45571.9
p3--GP--p2	tetra unstr	0.1	3.452	3.863	1.927	3.878	2.028	3.879	3.775	3.921	1.961	3.893	1.974	3.898	2807.7	53808.9
p3--GP--p3	hexa	0.0	3.332	3.813	1.994	3.884	2.452	3.904	3.260	3.882	1.995	3.956	2.170	3.967	3441.1	79067.7
p3--GP--p3	hexa	0.1	3.349	3.823	1.993	3.889	2.446	3.908	3.275	3.896	1.995	3.962	2.167	3.973	2516.6	70489.4
p3--GP--p3	tetra unstr	0.0	3.197	3.777	1.923	3.838	2.021	3.840	3.462	3.810	1.958	3.826	1.974	3.833	2931.1	46322.2
p3--GP--p3	tetra unstr	0.1	3.451	3.863	1.923	3.879	2.017	3.880	3.775	3.921	1.958	3.893	1.971	3.900	3400.9	54328.9

12 Notes

The current result blocks are intentionally restricted to `crankNicolson` and the `consistent` mass matrix, so time-scheme or mass-matrix comparisons should be read from older auxiliary data rather than from these tables. The reconstructed quantities V_m^G , u_1^G , and u_2^G are quadrature-point/reconstructed diagnostics; the cell-centred fields are the values used in the main finite-volume update and in the L_2 convergence tables.