1 Maks $|b| > 10°$

$30 < \ell < 120$

All pairs (auto+cross)

Table 1: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 120$).

Data	Mode	A_s [$10^{-3}\,\mu$K^2]	α_s	β_s	A_d [$10^{-3}\,\mu$K^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$8.863^{+0.746}_{-0.734}$	$-3.059^{+0.177}_{-0.185}$	$-3.242^{+0.120}_{-0.125}$	$3.931^{+0.019}_{-0.019}$	$-1.998^{+0.010}_{-0.010}$	$1.563^{+0.007}_{-0.006}$	$0.075^{+0.010}_{-0.010}$	3.55
WMAP+Planck	BB	$1.912^{+0.604}_{-0.569}$	$-3.107^{+0.609}_{-0.741}$	$-3.339^{+0.312}_{-0.345}$	$3.032^{+0.013}_{-0.013}$	$-1.952^{+0.010}_{-0.010}$	$1.576^{+0.006}_{-0.006}$	$0.121^{+0.021}_{-0.019}$	1.79
QUIJOTE+WMAP+Planck	EE	$8.400^{+0.365}_{-0.362}$	$-3.072^{+0.096}_{-0.098}$	$-3.164^{+0.036}_{-0.036}$	$3.931^{+0.019}_{-0.019}$	$-1.998^{+0.010}_{-0.010}$	$1.563^{+0.007}_{-0.006}$	$0.071^{+0.007}_{-0.007}$	2.95
QUIJOTE+WMAP+Planck	BB	$0.786^{+0.332}_{-0.803}$	$-4.634^{+0.731}_{-0.664}$	$-3.030^{+0.496}_{-0.145}$	$3.032^{+0.013}_{-0.013}$	$-1.951^{+0.010}_{-0.010}$	$1.576^{+0.006}_{-0.006}$	$0.088^{+0.020}_{-0.950}$	1.64

No autos QUIJOTE

Table 2: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 120$).

Data	Mode	A_s [$10^{-3}\,\mu$K^2]	α_s	β_s	A_d [$10^{-3}\,\mu$K^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$8.862^{+0.737}_{-0.723}$	$-3.057^{+0.175}_{-0.183}$	$-3.242^{+0.120}_{-0.123}$	$3.931^{+0.019}_{-0.019}$	$-1.998^{+0.011}_{-0.010}$	$1.563^{+0.007}_{-0.007}$	$0.075^{+0.011}_{-0.010}$	3.55
WMAP+Planck	BB	$1.909^{+0.601}_{-0.571}$	$-3.118^{+0.612}_{-0.734}$	$-3.337^{+0.315}_{-0.344}$	$3.032^{+0.013}_{-0.013}$	$-1.952^{+0.010}_{-0.010}$	$1.576^{+0.006}_{-0.006}$	$0.121^{+0.021}_{-0.019}$	1.79
QUIJOTE+WMAP+Planck	EE	$8.469^{+0.377}_{-0.375}$	$-3.047^{+0.101}_{-0.103}$	$-3.180^{+0.045}_{-0.045}$	$3.931^{+0.019}_{-0.019}$	$-1.998^{+0.010}_{-0.010}$	$1.563^{+0.007}_{-0.006}$	$0.070^{+0.007}_{-0.007}$	2.99
QUIJOTE+WMAP+Planck	BB	$1.092^{+0.301}_{-0.276}$	$-4.368^{+0.525}_{-0.613}$	$-2.946^{+0.121}_{-0.123}$	$3.032^{+0.013}_{-0.012}$	$-1.952^{+0.010}_{-0.010}$	$1.576^{+0.006}_{-0.006}$	$0.098^{+0.016}_{-0.015}$	1.64

Cross only

Table 3: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 120$).

Data	Mode	A_s [$10^{-3}\,\mu$K^2]	α_s	β_s	A_d [$10^{-3}\,\mu$K^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$10.896^{+1.437}_{-1.309}$	$-2.942^{+0.212}_{-0.220}$	$-3.615^{+0.223}_{-0.246}$	$3.981^{+0.038}_{-0.037}$	$-1.996^{+0.014}_{-0.014}$	$1.584^{+0.011}_{-0.011}$	$0.076^{+0.010}_{-0.010}$	2.71
WMAP+Planck	BB	$3.015^{+1.047}_{-0.899}$	$-2.487^{+0.559}_{-0.630}$	$-3.689^{+0.470}_{-0.550}$	$3.142^{+0.028}_{-0.028}$	$-1.968^{+0.014}_{-0.014}$	$1.628^{+0.011}_{-0.011}$	$0.114^{+0.020}_{-0.018}$	1.55
QUIJOTE+WMAP+Planck	EE	$8.506^{+0.414}_{-0.409}$	$-3.034^{+0.107}_{-0.112}$	$-3.183^{+0.047}_{-0.048}$	$3.987^{+0.037}_{-0.037}$	$-1.996^{+0.014}_{-0.014}$	$1.586^{+0.011}_{-0.011}$	$0.072^{+0.007}_{-0.007}$	2.33
QUIJOTE+WMAP+Planck	BB	$1.237^{+0.314}_{-0.305}$	$-4.148^{+0.492}_{-0.581}$	$-2.893^{+0.121}_{-0.124}$	$3.144^{+0.028}_{-0.027}$	$-1.966^{+0.014}_{-0.014}$	$1.629^{+0.011}_{-0.011}$	$0.102^{+0.016}_{-0.015}$	1.46

$30 < \ell < 200$

All pairs (auto+cross)

Table 4: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 200$).

Data	Mode	A_s [10^{-3} μK^2]	α_s	β_s	A_d [10^{-3} μK^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$9.486^{+0.647}_{-0.646}$	$-2.848^{+0.148}_{-0.156}$	$-3.201^{+0.115}_{-0.121}$	$3.751^{+0.016}_{-0.016}$	$-2.242^{+0.006}_{-0.006}$	$1.565^{+0.006}_{-0.006}$	$0.081^{+0.010}_{-0.010}$	4.05
WMAP+Planck	BB	$2.634^{+0.542}_{-0.542}$	$-2.379^{+0.449}_{-0.517}$	$-3.488^{+0.295}_{-0.327}$	$2.911^{+0.011}_{-0.011}$	$-2.162^{+0.006}_{-0.006}$	$1.572^{+0.005}_{-0.005}$	$0.112^{+0.019}_{-0.017}$	3.12
QUIJOTE+WMAP+Planck	EE	$8.805^{+0.324}_{-0.330}$	$-2.951^{+0.081}_{-0.082}$	$-3.150^{+0.036}_{-0.035}$	$3.751^{+0.016}_{-0.016}$	$-2.242^{+0.006}_{-0.006}$	$1.565^{+0.006}_{-0.006}$	$0.079^{+0.007}_{-0.007}$	3.31
QUIJOTE+WMAP+Planck	BB	$1.246^{+0.295}_{-0.282}$	$-4.104^{+0.456}_{-0.536}$	$-3.083^{+0.109}_{-0.109}$	$2.910^{+0.011}_{-0.011}$	$-2.162^{+0.006}_{-0.006}$	$1.572^{+0.005}_{-0.005}$	$0.092^{+0.014}_{-0.014}$	2.66

No autos QUIJOTE

Table 5: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 200$).

Data	Mode	A_s [10^{-3} μK^2]	α_s	β_s	A_d [10^{-3} μK^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$9.478^{+0.650}_{-0.644}$	$-2.848^{+0.146}_{-0.156}$	$-3.201^{+0.115}_{-0.121}$	$3.751^{+0.016}_{-0.016}$	$-2.242^{+0.006}_{-0.006}$	$1.565^{+0.006}_{-0.006}$	$0.081^{+0.010}_{-0.010}$	4.05
WMAP+Planck	BB	$2.625^{+0.541}_{-0.537}$	$-2.385^{+0.446}_{-0.511}$	$-3.481^{+0.294}_{-0.323}$	$2.911^{+0.011}_{-0.011}$	$-2.162^{+0.006}_{-0.006}$	$1.572^{+0.005}_{-0.005}$	$0.112^{+0.018}_{-0.017}$	3.12
QUIJOTE+WMAP+Planck	EE	$8.926^{+0.337}_{-0.337}$	$-2.905^{+0.084}_{-0.087}$	$-3.168^{+0.044}_{-0.044}$	$3.751^{+0.016}_{-0.016}$	$-2.242^{+0.006}_{-0.006}$	$1.565^{+0.006}_{-0.006}$	$0.079^{+0.007}_{-0.007}$	3.35
QUIJOTE+WMAP+Planck	BB	$1.538^{+0.312}_{-0.311}$	$-3.597^{+0.421}_{-0.491}$	$-2.948^{+0.116}_{-0.118}$	$2.910^{+0.011}_{-0.011}$	$-2.162^{+0.006}_{-0.006}$	$1.572^{+0.005}_{-0.005}$	$0.091^{+0.014}_{-0.014}$	2.67

Cross only

Table 6: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 200$).

Data	Mode	A_s [10^{-3} μK^2]	α_s	β_s	A_d [10^{-3} μK^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$11.582^{+1.179}_{-1.113}$	$-2.664^{+0.162}_{-0.172}$	$-3.492^{+0.200}_{-0.222}$	$3.795^{+0.032}_{-0.031}$	$-2.239^{+0.008}_{-0.008}$	$1.587^{+0.010}_{-0.010}$	$0.081^{+0.009}_{-0.009}$	3.15
WMAP+Planck	BB	$3.615^{+0.991}_{-0.853}$	$-2.125^{+0.399}_{-0.456}$	$-3.814^{+0.459}_{-0.539}$	$3.050^{+0.024}_{-0.024}$	$-2.160^{+0.008}_{-0.008}$	$1.638^{+0.010}_{-0.010}$	$0.107^{+0.018}_{-0.016}$	2.28
QUIJOTE+WMAP+Planck	EE	$9.078^{+0.362}_{-0.364}$	$-2.866^{+0.088}_{-0.092}$	$-3.162^{+0.047}_{-0.046}$	$3.801^{+0.032}_{-0.032}$	$-2.239^{+0.008}_{-0.008}$	$1.589^{+0.010}_{-0.010}$	$0.080^{+0.007}_{-0.007}$	2.62
QUIJOTE+WMAP+Planck	BB	$1.684^{+0.313}_{-0.312}$	$-3.450^{+0.390}_{-0.444}$	$-2.859^{+0.118}_{-0.120}$	$3.052^{+0.024}_{-0.023}$	$-2.159^{+0.008}_{-0.008}$	$1.640^{+0.010}_{-0.010}$	$0.099^{+0.015}_{-0.014}$	2.01

$20 < \ell < 200$

All pairs (auto+cross)

Table 7: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the $10^{\rm o}$ mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$6.703^{+0.426}_{-0.418}$	$-3.708^{+0.064}_{-0.065}$	$-3.018^{+0.041}_{-0.041}$	$4.076^{+0.014}_{-0.014}$	$-2.544^{+0.004}_{-0.004}$	$1.579^{+0.005}_{-0.005}$	$0.085^{+0.006}_{-0.006}$	10.3
WMAP+Planck	BB	$1.889^{+0.345}_{-0.321}$	$-3.270^{+0.175}_{-0.193}$	$-3.224^{+0.137}_{-0.146}$	$2.944^{+0.009}_{-0.009}$	$-2.202^{+0.004}_{-0.004}$	$1.568^{+0.005}_{-0.005}$	$0.118^{+0.012}_{-0.012}$	3.1
QUIJOTE+WMAP+Planck	EE	$7.406^{+0.258}_{-0.260}$	$-3.619^{+0.037}_{-0.038}$	$-3.084^{+0.016}_{-0.016}$	$4.075^{+0.014}_{-0.014}$	$-2.545^{+0.004}_{-0.004}$	$1.579^{+0.005}_{-0.005}$	$0.086^{+0.005}_{-0.005}$	8.0
QUIJOTE+WMAP+Planck	BB	$1.648^{+0.186}_{-0.179}$	$-3.340^{+0.113}_{-0.119}$	$-3.005^{+0.051}_{-0.051}$	$2.944^{+0.009}_{-0.009}$	$-2.202^{+0.004}_{-0.004}$	$1.568^{+0.005}_{-0.005}$	$0.099^{+0.009}_{-0.009}$	2.6

No autos QUIJOTE

Table 8: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the $10^{\rm o}$ mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$6.701^{+0.422}_{-0.415}$	$-3.709^{+0.063}_{-0.066}$	$-3.018^{+0.041}_{-0.042}$	$4.076^{+0.014}_{-0.014}$	$-2.544^{+0.004}_{-0.004}$	$1.579^{+0.005}_{-0.004}$	$0.085^{+0.006}_{-0.006}$	10.3
WMAP+Planck	BB	$1.890^{+0.345}_{-0.318}$	$-3.270^{+0.175}_{-0.187}$	$-3.225^{+0.139}_{-0.144}$	$2.944^{+0.010}_{-0.010}$	$-2.202^{+0.004}_{-0.004}$	$1.568^{+0.005}_{-0.005}$	$0.119^{+0.012}_{-0.012}$	3.1
QUIJOTE+WMAP+Planck	EE	$7.340^{+0.271}_{-0.269}$	$-3.629^{+0.039}_{-0.040}$	$-3.079^{+0.019}_{-0.019}$	$4.076^{+0.014}_{-0.014}$	$-2.545^{+0.004}_{-0.004}$	$1.579^{+0.005}_{-0.005}$	$0.087^{+0.005}_{-0.005}$	8.1
QUIJOTE+WMAP+Planck	BB	$1.642^{+0.195}_{-0.189}$	$-3.339^{+0.119}_{-0.127}$	$-2.977^{+0.058}_{-0.058}$	$2.944^{+0.010}_{-0.009}$	$-2.202^{+0.004}_{-0.004}$	$1.569^{+0.005}_{-0.005}$	$0.099^{+0.009}_{-0.009}$	2.6

Cross only

Table 9: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the $10^{\rm o}$ mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$7.189^{+0.564}_{-0.569}$	$-3.706^{+0.076}_{-0.081}$	$-3.148^{+0.061}_{-0.067}$	$4.127^{+0.027}_{-0.029}$	$-2.540^{+0.006}_{-0.006}$	$1.601^{+0.008}_{-0.008}$	$0.088^{+0.006}_{-0.006}$	7.61
WMAP+Planck	BB	$2.213^{+0.475}_{-0.405}$	$-3.101^{+0.186}_{-0.196}$	$-3.196^{+0.200}_{-0.214}$	$3.081^{+0.021}_{-0.021}$	$-2.204^{+0.005}_{-0.006}$	$1.632^{+0.009}_{-0.009}$	$0.123^{+0.012}_{-0.012}$	2.31
QUIJOTE+WMAP+Planck	EE	$7.440^{+0.295}_{-0.290}$	$-3.622^{+0.042}_{-0.042}$	$-3.084^{+0.020}_{-0.019}$	$4.128^{+0.026}_{-0.028}$	$-2.540^{+0.006}_{-0.006}$	$1.602^{+0.008}_{-0.008}$	$0.088^{+0.005}_{-0.005}$	5.91
QUIJOTE+WMAP+Planck	BB	$1.706^{+0.217}_{-0.202}$	$-3.294^{+0.128}_{-0.131}$	$-2.945^{+0.062}_{-0.059}$	$3.082^{+0.021}_{-0.021}$	$-2.203^{+0.005}_{-0.005}$	$1.632^{+0.009}_{-0.008}$	$0.107^{+0.010}_{-0.010}$	2.03

2 Maks $|b| > 15°$

$30 < \ell < 120$

All pairs (auto+cross)

Table 10: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 120$).

Data	Mode	A_s [10^{-3} μK^2]	α_s	β_s	A_d [10^{-3} μK^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$8.308^{+0.778}_{-0.770}$	$-2.868^{+0.202}_{-0.215}$	$-3.304^{+0.143}_{-0.151}$	$2.477^{+0.017}_{-0.017}$	$-1.808^{+0.016}_{-0.016}$	$1.575^{+0.009}_{-0.009}$	$0.059^{+0.012}_{-0.012}$	1.36
WMAP+Planck	BB	$2.029^{+0.630}_{-0.606}$	$-2.729^{+0.638}_{-0.783}$	$-3.261^{+0.351}_{-0.401}$	$1.815^{+0.011}_{-0.011}$	$-2.363^{+0.014}_{-0.014}$	$1.586^{+0.008}_{-0.008}$	$0.085^{+0.021}_{-0.020}$	1.49
QUIJOTE+WMAP+Planck	EE	$7.612^{+0.368}_{-0.369}$	$-2.903^{+0.110}_{-0.112}$	$-3.147^{+0.042}_{-0.042}$	$2.476^{+0.017}_{-0.017}$	$-1.808^{+0.015}_{-0.015}$	$1.574^{+0.009}_{-0.009}$	$0.039^{+0.009}_{-0.009}$	1.34
QUIJOTE+WMAP+Planck	BB	$0.936^{+0.307}_{-0.268}$	$-4.507^{+0.604}_{-0.703}$	$-3.030^{+0.133}_{-0.135}$	$1.815^{+0.011}_{-0.011}$	$-2.362^{+0.014}_{-0.014}$	$1.585^{+0.008}_{-0.008}$	$0.055^{+0.017}_{-0.016}$	1.51

No autos QUIJOTE

Table 11: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 120$).

Data	Mode	A_s [10^{-3} μK^2]	α_s	β_s	A_d [10^{-3} μK^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$8.323^{+0.781}_{-0.770}$	$-2.864^{+0.201}_{-0.213}$	$-3.306^{+0.143}_{-0.150}$	$2.477^{+0.017}_{-0.017}$	$-1.808^{+0.016}_{-0.016}$	$1.575^{+0.010}_{-0.009}$	$0.059^{+0.012}_{-0.012}$	1.36
WMAP+Planck	BB	$2.024^{+0.634}_{-0.602}$	$-2.733^{+0.641}_{-0.781}$	$-3.259^{+0.352}_{-0.402}$	$1.815^{+0.011}_{-0.011}$	$-2.362^{+0.014}_{-0.014}$	$1.586^{+0.008}_{-0.009}$	$0.085^{+0.021}_{-0.021}$	1.49
QUIJOTE+WMAP+Planck	EE	$7.684^{+0.378}_{-0.380}$	$-2.872^{+0.115}_{-0.119}$	$-3.163^{+0.053}_{-0.053}$	$2.476^{+0.017}_{-0.017}$	$-1.808^{+0.016}_{-0.015}$	$1.574^{+0.009}_{-0.009}$	$0.039^{+0.009}_{-0.009}$	1.36
QUIJOTE+WMAP+Planck	BB	$1.148^{+0.348}_{-0.330}$	$-4.033^{+0.584}_{-0.725}$	$-2.883^{+0.142}_{-0.147}$	$1.815^{+0.011}_{-0.011}$	$-2.362^{+0.014}_{-0.014}$	$1.585^{+0.008}_{-0.008}$	$0.057^{+0.017}_{-0.016}$	1.50

Cross only

Table 12: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 120$).

Data	Mode	A_s [10^{-3} μK^2]	α_s	β_s	A_d [10^{-3} μK^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$11.425^{+1.703}_{-1.524}$	$-2.601^{+0.231}_{-0.246}$	$-3.891^{+0.292}_{-0.342}$	$2.529^{+0.034}_{-0.033}$	$-1.806^{+0.021}_{-0.021}$	$1.607^{+0.016}_{-0.016}$	$0.063^{+0.011}_{-0.011}$	1.19
WMAP+Planck	BB	$3.406^{+1.255}_{-1.039}$	$-2.079^{+0.620}_{-0.684}$	$-3.991^{+0.626}_{-0.804}$	$1.857^{+0.023}_{-0.022}$	$-2.383^{+0.018}_{-0.019}$	$1.622^{+0.015}_{-0.015}$	$0.081^{+0.020}_{-0.018}$	1.36
QUIJOTE+WMAP+Planck	EE	$7.749^{+0.408}_{-0.406}$	$-2.825^{+0.121}_{-0.125}$	$-3.173^{+0.056}_{-0.056}$	$2.530^{+0.033}_{-0.033}$	$-1.805^{+0.020}_{-0.021}$	$1.608^{+0.016}_{-0.016}$	$0.041^{+0.009}_{-0.009}$	1.25
QUIJOTE+WMAP+Planck	BB	$1.249^{+0.359}_{-0.346}$	$-3.860^{+0.568}_{-0.696}$	$-2.874^{+0.144}_{-0.149}$	$1.857^{+0.022}_{-0.022}$	$-2.382^{+0.018}_{-0.018}$	$1.623^{+0.015}_{-0.015}$	$0.061^{+0.017}_{-0.017}$	1.42

$30 < \ell < 200$

All pairs (auto+cross)

Table 13: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$8.718^{+0.680}_{-0.678}$	$-2.699^{+0.172}_{-0.181}$	$-3.246^{+0.139}_{-0.144}$	$2.352^{+0.015}_{-0.015}$	$-2.108^{+0.008}_{-0.009}$	$1.572^{+0.008}_{-0.008}$	$0.059^{+0.011}_{-0.011}$	2.26
WMAP+Planck	BB	$2.713^{+0.553}_{-0.568}$	$-1.946^{+0.500}_{-0.592}$	$-3.296^{+0.336}_{-0.385}$	$1.784^{+0.009}_{-0.009}$	$-2.417^{+0.009}_{-0.009}$	$1.583^{+0.008}_{-0.008}$	$0.078^{+0.019}_{-0.018}$	1.73
QUIJOTE+WMAP+Planck	EE	$7.874^{+0.332}_{-0.331}$	$-2.818^{+0.092}_{-0.095}$	$-3.131^{+0.041}_{-0.041}$	$2.352^{+0.015}_{-0.015}$	$-2.108^{+0.009}_{-0.009}$	$1.572^{+0.008}_{-0.008}$	$0.046^{+0.008}_{-0.008}$	1.97
QUIJOTE+WMAP+Planck	BB	$1.247^{+0.370}_{-0.355}$	$-3.891^{+0.574}_{-0.712}$	$-2.997^{+0.133}_{-0.135}$	$1.783^{+0.009}_{-0.009}$	$-2.417^{+0.009}_{-0.009}$	$1.582^{+0.008}_{-0.008}$	$0.054^{+0.016}_{-0.015}$	1.64

No autos QUIJOTE

Table 14: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$8.707^{+0.679}_{-0.672}$	$-2.697^{+0.169}_{-0.182}$	$-3.241^{+0.137}_{-0.145}$	$2.352^{+0.015}_{-0.015}$	$-2.109^{+0.009}_{-0.009}$	$1.572^{+0.008}_{-0.008}$	$0.059^{+0.011}_{-0.011}$	2.26
WMAP+Planck	BB	$2.510^{+0.670}_{-2.542}$	$-1.868^{+0.593}_{-0.630}$	$-3.396^{+0.399}_{-0.917}$	$1.784^{+0.009}_{-0.009}$	$-2.417^{+0.009}_{-0.009}$	$1.583^{+0.008}_{-0.008}$	$0.072^{+0.022}_{-0.548}$	1.73
QUIJOTE+WMAP+Planck	EE	$7.988^{+0.339}_{-0.340}$	$-2.769^{+0.097}_{-0.099}$	$-3.146^{+0.052}_{-0.052}$	$2.352^{+0.015}_{-0.014}$	$-2.108^{+0.009}_{-0.008}$	$1.572^{+0.008}_{-0.008}$	$0.046^{+0.008}_{-0.008}$	2.00
QUIJOTE+WMAP+Planck	BB	$1.622^{+0.377}_{-0.388}$	$-3.247^{+0.506}_{-0.620}$	$-2.856^{+0.140}_{-0.144}$	$1.783^{+0.009}_{-0.009}$	$-2.417^{+0.009}_{-0.009}$	$1.583^{+0.008}_{-0.008}$	$0.055^{+0.016}_{-0.015}$	1.64

Cross only

Table 15: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$11.568^{+1.427}_{-1.245}$	$-2.402^{+0.178}_{-0.194}$	$-3.698^{+0.261}_{-0.307}$	$2.391^{+0.029}_{-0.028}$	$-2.108^{+0.011}_{-0.011}$	$1.600^{+0.015}_{-0.014}$	$0.061^{+0.010}_{-0.011}$	1.92
WMAP+Planck	BB	$4.032^{+1.231}_{-1.010}$	$-1.670^{+0.465}_{-0.518}$	$-4.074^{+0.623}_{-0.778}$	$1.850^{+0.020}_{-0.020}$	$-2.420^{+0.012}_{-0.012}$	$1.636^{+0.014}_{-0.014}$	$0.075^{+0.018}_{-0.016}$	1.51
QUIJOTE+WMAP+Planck	EE	$8.141^{+0.370}_{-0.369}$	$-2.700^{+0.100}_{-0.104}$	$-3.146^{+0.055}_{-0.056}$	$2.393^{+0.029}_{-0.028}$	$-2.108^{+0.011}_{-0.011}$	$1.601^{+0.014}_{-0.014}$	$0.048^{+0.008}_{-0.008}$	1.73
QUIJOTE+WMAP+Planck	BB	$1.706^{+0.360}_{-0.380}$	$-3.145^{+0.469}_{-0.580}$	$-2.830^{+0.141}_{-0.147}$	$1.852^{+0.020}_{-0.020}$	$-2.419^{+0.012}_{-0.012}$	$1.638^{+0.014}_{-0.014}$	$0.060^{+0.016}_{-0.015}$	1.47

$20 < \ell < 200$

All pairs (auto+cross)

Table 16: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$5.403^{+0.428}_{-0.412}$	$-3.873^{+0.078}_{-0.080}$	$-3.042^{+0.047}_{-0.048}$	$2.655^{+0.013}_{-0.013}$	$-2.531^{+0.006}_{-0.006}$	$1.599^{+0.006}_{-0.006}$	$0.071^{+0.008}_{-0.008}$	8.77
WMAP+Planck	BB	$1.732^{+0.377}_{-0.343}$	$-3.286^{+0.208}_{-0.228}$	$-3.335^{+0.174}_{-0.186}$	$1.730^{+0.008}_{-0.008}$	$-2.314^{+0.006}_{-0.006}$	$1.573^{+0.007}_{-0.007}$	$0.115^{+0.014}_{-0.014}$	2.09
QUIJOTE+WMAP+Planck	EE	$5.993^{+0.259}_{-0.254}$	$-3.767^{+0.045}_{-0.046}$	$-3.079^{+0.017}_{-0.017}$	$2.654^{+0.013}_{-0.013}$	$-2.532^{+0.006}_{-0.006}$	$1.598^{+0.007}_{-0.006}$	$0.061^{+0.006}_{-0.006}$	6.88
QUIJOTE+WMAP+Planck	BB	$1.366^{+0.197}_{-0.187}$	$-3.413^{+0.141}_{-0.151}$	$-3.020^{+0.061}_{-0.061}$	$1.730^{+0.008}_{-0.008}$	$-2.314^{+0.006}_{-0.006}$	$1.574^{+0.007}_{-0.007}$	$0.105^{+0.012}_{-0.011}$	1.94

No autos QUIJOTE

Table 17: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$5.399^{+0.427}_{-0.415}$	$-3.874^{+0.078}_{-0.081}$	$-3.043^{+0.047}_{-0.048}$	$2.655^{+0.013}_{-0.013}$	$-2.532^{+0.006}_{-0.006}$	$1.599^{+0.006}_{-0.006}$	$0.071^{+0.008}_{-0.008}$	8.77
WMAP+Planck	BB	$1.731^{+0.379}_{-0.342}$	$-3.286^{+0.210}_{-0.228}$	$-3.334^{+0.174}_{-0.184}$	$1.730^{+0.008}_{-0.008}$	$-2.314^{+0.006}_{-0.006}$	$1.573^{+0.007}_{-0.007}$	$0.115^{+0.014}_{-0.014}$	2.09
QUIJOTE+WMAP+Planck	EE	$5.942^{+0.270}_{-0.269}$	$-3.776^{+0.047}_{-0.049}$	$-3.072^{+0.021}_{-0.021}$	$2.654^{+0.013}_{-0.013}$	$-2.532^{+0.006}_{-0.006}$	$1.598^{+0.006}_{-0.006}$	$0.061^{+0.006}_{-0.006}$	7.00
QUIJOTE+WMAP+Planck	BB	$1.355^{+0.206}_{-0.198}$	$-3.420^{+0.148}_{-0.162}$	$-3.013^{+0.068}_{-0.070}$	$1.730^{+0.008}_{-0.008}$	$-2.314^{+0.006}_{-0.006}$	$1.574^{+0.007}_{-0.007}$	$0.105^{+0.012}_{-0.011}$	1.94

Cross only

Table 18: Posterior constraints on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 15º mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ
WMAP+Planck	EE	$5.713^{+0.581}_{-0.555}$	$-3.871^{+0.097}_{-0.100}$	$-3.161^{+0.072}_{-0.076}$	$2.687^{+0.025}_{-0.025}$	$-2.512^{+0.009}_{-0.009}$	$1.618^{+0.012}_{-0.011}$	$0.075^{+0.008}_{-0.008}$
WMAP+Planck	BB	$2.094^{+0.549}_{-0.485}$	$-3.178^{+0.228}_{-0.252}$	$-3.483^{+0.277}_{-0.313}$	$1.781^{+0.017}_{-0.017}$	$-2.321^{+0.008}_{-0.008}$	$1.619^{+0.012}_{-0.012}$	$0.114^{+0.014}_{-0.014}$
QUIJOTE+WMAP+Planck	EE	$6.011^{+0.288}_{-0.287}$	$-3.763^{+0.050}_{-0.052}$	$-3.082^{+0.021}_{-0.022}$	$2.685^{+0.025}_{-0.025}$	$-2.512^{+0.008}_{-0.008}$	$1.617^{+0.011}_{-0.011}$	$0.062^{+0.006}_{-0.006}$
QUIJOTE+WMAP+Planck	BB	$1.371^{+0.221}_{-0.212}$	$-3.401^{+0.159}_{-0.171}$	$-2.988^{+0.072}_{-0.073}$	$1.783^{+0.017}_{-0.017}$	$-2.321^{+0.008}_{-0.008}$	$1.621^{+0.012}_{-0.012}$	$0.109^{+0.012}_{-0.012}$

3 Maks $|b| > 20^\circ$

$30 < \ell < 120$

All pairs (auto+cross)

Table 19: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 120$).

Data	Mode	A_s [$10^{-3}\,\mu$K^2]	α_s	β_s	A_d [$10^{-3}\,\mu$K^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$7.311^{+0.785}_{-0.780}$	$-3.185^{+0.228}_{-0.247}$	$-3.298^{+0.149}_{-0.157}$	$1.759^{+0.015}_{-0.015}$	$-2.036^{+0.020}_{-0.020}$	$1.534^{+0.012}_{-0.012}$	$0.046^{+0.013}_{-0.013}$	1.99
WMAP+Planck	BB	$1.866^{+0.663}_{-0.618}$	$-2.668^{+0.708}_{-0.875}$	$-3.041^{+0.364}_{-0.423}$	$1.193^{+0.009}_{-0.009}$	$-2.338^{+0.018}_{-0.018}$	$1.578^{+0.012}_{-0.011}$	$0.085^{+0.025}_{-0.024}$	1.47
QUIJOTE+WMAP+Planck	EE	$6.806^{+0.372}_{-0.372}$	$-3.157^{+0.122}_{-0.127}$	$-3.149^{+0.045}_{-0.045}$	$1.758^{+0.015}_{-0.015}$	$-2.035^{+0.020}_{-0.020}$	$1.532^{+0.012}_{-0.012}$	$0.021^{+0.009}_{-0.009}$	1.87
QUIJOTE+WMAP+Planck	BB	$0.998^{+0.339}_{-0.303}$	$-4.242^{+0.628}_{-0.757}$	$-2.977^{+0.148}_{-0.147}$	$1.192^{+0.009}_{-0.009}$	$-2.338^{+0.018}_{-0.018}$	$1.577^{+0.011}_{-0.011}$	$0.059^{+0.020}_{-0.019}$	1.46

No autos QUIJOTE

Table 20: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 120$).

Data	Mode	A_s [$10^{-3}\,\mu$K^2]	α_s	β_s	A_d [$10^{-3}\,\mu$K^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$7.316^{+0.789}_{-0.785}$	$-3.184^{+0.230}_{-0.249}$	$-3.299^{+0.149}_{-0.156}$	$1.759^{+0.015}_{-0.015}$	$-2.035^{+0.020}_{-0.020}$	$1.534^{+0.012}_{-0.012}$	$0.046^{+0.013}_{-0.013}$	1.99
WMAP+Planck	BB	$1.887^{+0.673}_{-0.633}$	$-2.653^{+0.706}_{-0.881}$	$-3.043^{+0.364}_{-0.428}$	$1.193^{+0.009}_{-0.009}$	$-2.339^{+0.018}_{-0.018}$	$1.578^{+0.011}_{-0.011}$	$0.085^{+0.025}_{-0.024}$	1.47
QUIJOTE+WMAP+Planck	EE	$6.870^{+0.386}_{-0.389}$	$-3.128^{+0.128}_{-0.134}$	$-3.156^{+0.055}_{-0.056}$	$1.758^{+0.015}_{-0.015}$	$-2.035^{+0.020}_{-0.020}$	$1.532^{+0.012}_{-0.012}$	$0.021^{+0.009}_{-0.009}$	1.89
QUIJOTE+WMAP+Planck	BB	$1.225^{+0.373}_{-0.360}$	$-3.753^{+0.609}_{-0.756}$	$-2.844^{+0.161}_{-0.164}$	$1.193^{+0.009}_{-0.009}$	$-2.338^{+0.018}_{-0.018}$	$1.578^{+0.011}_{-0.011}$	$0.061^{+0.020}_{-0.019}$	1.46

Cross only

Table 21: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10º mask (multipole range $\ell = 30 - 120$).

Data	Mode	A_s [$10^{-3}\,\mu$K^2]	α_s	β_s	A_d [$10^{-3}\,\mu$K^2]	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$10.479^{+1.754}_{-1.559}$	$-2.941^{+0.262}_{-0.283}$	$-3.995^{+0.330}_{-0.387}$	$1.760^{+0.029}_{-0.029}$	$-2.054^{+0.027}_{-0.027}$	$1.542^{+0.020}_{-0.020}$	$0.048^{+0.012}_{-0.012}$	1.57
WMAP+Planck	BB	$2.962^{+1.328}_{-1.065}$	$-2.105^{+0.711}_{-0.767}$	$-3.728^{+0.665}_{-0.882}$	$1.216^{+0.021}_{-0.020}$	$-2.355^{+0.026}_{-0.025}$	$1.609^{+0.022}_{-0.021}$	$0.081^{+0.023}_{-0.022}$	1.42
QUIJOTE+WMAP+Planck	EE	$6.924^{+0.419}_{-0.419}$	$-3.082^{+0.134}_{-0.143}$	$-3.169^{+0.058}_{-0.059}$	$1.759^{+0.029}_{-0.028}$	$-2.053^{+0.026}_{-0.027}$	$1.541^{+0.020}_{-0.019}$	$0.021^{+0.009}_{-0.009}$	1.59
QUIJOTE+WMAP+Planck	BB	$1.298^{+0.386}_{-0.366}$	$-3.638^{+0.600}_{-0.705}$	$-2.851^{+0.164}_{-0.167}$	$1.216^{+0.020}_{-0.020}$	$-2.354^{+0.025}_{-0.025}$	$1.610^{+0.022}_{-0.021}$	$0.063^{+0.020}_{-0.020}$	1.43

$30 < \ell < 200$

All pairs (auto+cross)

Table 22: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10^{o} mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$7.912^{+0.719}_{-0.720}$	$-2.954^{+0.201}_{-0.215}$	$-3.263^{+0.146}_{-0.153}$	$1.697^{+0.013}_{-0.013}$	$-2.203^{+0.011}_{-0.011}$	$1.526^{+0.010}_{-0.010}$	$0.050^{+0.012}_{-0.012}$	1.81
WMAP+Planck	BB	$2.712^{+0.593}_{-0.615}$	$-1.659^{+0.551}_{-0.674}$	$-3.112^{+0.351}_{-0.406}$	$1.190^{+0.008}_{-0.008}$	$-2.334^{+0.011}_{-0.011}$	$1.579^{+0.010}_{-0.010}$	$0.070^{+0.022}_{-0.021}$	1.54
QUIJOTE+WMAP+Planck	EE	$7.218^{+0.352}_{-0.345}$	$-3.010^{+0.107}_{-0.111}$	$-3.134^{+0.044}_{-0.044}$	$1.696^{+0.013}_{-0.013}$	$-2.203^{+0.011}_{-0.011}$	$1.525^{+0.011}_{-0.010}$	$0.030^{+0.009}_{-0.009}$	1.68
QUIJOTE+WMAP+Planck	BB	$1.359^{+0.410}_{-0.399}$	$-3.577^{+0.605}_{-0.750}$	$-2.931^{+0.148}_{-0.149}$	$1.190^{+0.008}_{-0.008}$	$-2.334^{+0.011}_{-0.011}$	$1.578^{+0.010}_{-0.010}$	$0.058^{+0.019}_{-0.018}$	1.47

No autos QUIJOTE

Table 23: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10^{o} mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$7.913^{+0.717}_{-0.723}$	$-2.955^{+0.199}_{-0.219}$	$-3.264^{+0.146}_{-0.150}$	$1.697^{+0.013}_{-0.013}$	$-2.203^{+0.011}_{-0.011}$	$1.526^{+0.010}_{-0.010}$	$0.050^{+0.012}_{-0.012}$	1.81
WMAP+Planck	BB	$2.696^{+0.600}_{-0.655}$	$-1.653^{+0.552}_{-0.689}$	$-3.117^{+0.358}_{-0.429}$	$1.190^{+0.008}_{-0.008}$	$-2.334^{+0.011}_{-0.012}$	$1.579^{+0.010}_{-0.010}$	$0.070^{+0.023}_{-0.022}$	1.54
QUIJOTE+WMAP+Planck	EE	$7.348^{+0.356}_{-0.359}$	$-2.951^{+0.112}_{-0.117}$	$-3.144^{+0.054}_{-0.055}$	$1.696^{+0.013}_{-0.013}$	$-2.203^{+0.011}_{-0.011}$	$1.525^{+0.010}_{-0.010}$	$0.030^{+0.009}_{-0.009}$	1.69
QUIJOTE+WMAP+Planck	BB	$1.781^{+0.385}_{-0.416}$	$-2.867^{+0.509}_{-0.637}$	$-2.804^{+0.153}_{-0.160}$	$1.190^{+0.008}_{-0.008}$	$-2.334^{+0.011}_{-0.011}$	$1.579^{+0.010}_{-0.010}$	$0.056^{+0.018}_{-0.018}$	1.47

Cross only

Table 24: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the 10^{o} mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$11.209^{+1.557}_{-1.374}$	$-2.651^{+0.214}_{-0.229}$	$-3.870^{+0.299}_{-0.349}$	$1.700^{+0.025}_{-0.024}$	$-2.209^{+0.015}_{-0.015}$	$1.534^{+0.018}_{-0.017}$	$0.051^{+0.011}_{-0.011}$	1.56
WMAP+Planck	BB	$3.935^{+1.386}_{-1.157}$	$-1.456^{+0.547}_{-0.641}$	$-4.007^{+0.736}_{-0.907}$	$1.234^{+0.019}_{-0.018}$	$-2.337^{+0.016}_{-0.016}$	$1.630^{+0.020}_{-0.019}$	$0.071^{+0.020}_{-0.018}$	1.44
QUIJOTE+WMAP+Planck	EE	$7.496^{+0.399}_{-0.384}$	$-2.881^{+0.119}_{-0.123}$	$-3.149^{+0.058}_{-0.058}$	$1.700^{+0.026}_{-0.025}$	$-2.210^{+0.015}_{-0.015}$	$1.535^{+0.018}_{-0.017}$	$0.030^{+0.009}_{-0.009}$	1.51
QUIJOTE+WMAP+Planck	BB	$1.767^{+0.383}_{-0.421}$	$-2.889^{+0.492}_{-0.625}$	$-2.801^{+0.160}_{-0.164}$	$1.235^{+0.019}_{-0.018}$	$-2.336^{+0.016}_{-0.016}$	$1.633^{+0.020}_{-0.019}$	$0.061^{+0.019}_{-0.018}$	1.39

$20 < \ell < 200$

All pairs (auto+cross)

Table 25: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the $10^{\underline{o}}$ mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$5.954^{+0.457}_{-0.445}$	$-3.739^{+0.077}_{-0.082}$	$-3.139^{+0.053}_{-0.054}$	$1.814^{+0.012}_{-0.011}$	$-2.474^{+0.008}_{-0.008}$	$1.534^{+0.008}_{-0.008}$	$0.027^{+0.008}_{-0.008}$	3.32
WMAP+Planck	BB	$1.432^{+0.377}_{-0.336}$	$-3.481^{+0.245}_{-0.275}$	$-3.469^{+0.189}_{-0.199}$	$1.158^{+0.007}_{-0.007}$	$-2.237^{+0.007}_{-0.007}$	$1.571^{+0.009}_{-0.009}$	$0.146^{+0.017}_{-0.017}$	1.78
QUIJOTE+WMAP+Planck	EE	$5.887^{+0.257}_{-0.255}$	$-3.731^{+0.046}_{-0.047}$	$-3.113^{+0.019}_{-0.019}$	$1.813^{+0.012}_{-0.011}$	$-2.475^{+0.008}_{-0.008}$	$1.534^{+0.008}_{-0.008}$	$0.021^{+0.006}_{-0.006}$	2.82
QUIJOTE+WMAP+Planck	BB	$1.344^{+0.210}_{-0.199}$	$-3.375^{+0.153}_{-0.166}$	$-2.988^{+0.065}_{-0.065}$	$1.158^{+0.007}_{-0.007}$	$-2.237^{+0.007}_{-0.007}$	$1.572^{+0.009}_{-0.009}$	$0.109^{+0.013}_{-0.013}$	1.66

No autos QUIJOTE

Table 26: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the $10^{\underline{o}}$ mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$5.948^{+0.455}_{-0.436}$	$-3.740^{+0.078}_{-0.080}$	$-3.139^{+0.054}_{-0.054}$	$1.814^{+0.012}_{-0.011}$	$-2.474^{+0.008}_{-0.008}$	$1.534^{+0.008}_{-0.008}$	$0.027^{+0.008}_{-0.008}$	3.32
WMAP+Planck	BB	$1.439^{+0.377}_{-0.341}$	$-3.476^{+0.243}_{-0.277}$	$-3.467^{+0.187}_{-0.199}$	$1.158^{+0.007}_{-0.007}$	$-2.237^{+0.007}_{-0.007}$	$1.571^{+0.009}_{-0.009}$	$0.146^{+0.017}_{-0.017}$	1.78
QUIJOTE+WMAP+Planck	EE	$5.852^{+0.269}_{-0.264}$	$-3.738^{+0.049}_{-0.049}$	$-3.119^{+0.023}_{-0.023}$	$1.814^{+0.011}_{-0.011}$	$-2.475^{+0.008}_{-0.008}$	$1.534^{+0.008}_{-0.008}$	$0.021^{+0.006}_{-0.006}$	2.87
QUIJOTE+WMAP+Planck	BB	$1.357^{+0.221}_{-0.208}$	$-3.359^{+0.160}_{-0.174}$	$-2.970^{+0.072}_{-0.072}$	$1.158^{+0.007}_{-0.007}$	$-2.237^{+0.007}_{-0.007}$	$1.572^{+0.009}_{-0.009}$	$0.109^{+0.014}_{-0.013}$	1.66

Cross only

Table 27: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ, from fits to the EE and BB spectra using the $10^{\underline{o}}$ mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s\,[10^{-3}\,\mu\mathrm{K}^2]$	α_s	β_s	$A_d\,[10^{-3}\,\mu\mathrm{K}^2]$	α_d	β_d	ρ	$\chi^2_{\rm red}$
WMAP+Planck	EE	$6.850^{+0.669}_{-0.638}$	$-3.716^{+0.095}_{-0.099}$	$-3.373^{+0.092}_{-0.096}$	$1.815^{+0.022}_{-0.021}$	$-2.472^{+0.011}_{-0.010}$	$1.539^{+0.014}_{-0.014}$	$0.031^{+0.008}_{-0.008}$	2.63
WMAP+Planck	BB	$1.768^{+0.581}_{-0.478}$	$-3.414^{+0.278}_{-0.308}$	$-3.787^{+0.328}_{-0.368}$	$1.192^{+0.016}_{-0.015}$	$-2.243^{+0.010}_{-0.010}$	$1.615^{+0.017}_{-0.016}$	$0.142^{+0.017}_{-0.016}$	1.60
QUIJOTE+WMAP+Planck	EE	$5.912^{+0.293}_{-0.290}$	$-3.725^{+0.053}_{-0.053}$	$-3.127^{+0.025}_{-0.025}$	$1.815^{+0.022}_{-0.021}$	$-2.472^{+0.011}_{-0.010}$	$1.539^{+0.014}_{-0.014}$	$0.021^{+0.006}_{-0.007}$	2.31
QUIJOTE+WMAP+Planck	BB	$1.359^{+0.235}_{-0.220}$	$-3.330^{+0.168}_{-0.183}$	$-2.965^{+0.076}_{-0.077}$	$1.194^{+0.015}_{-0.015}$	$-2.242^{+0.010}_{-0.010}$	$1.619^{+0.017}_{-0.016}$	$0.114^{+0.014}_{-0.014}$	1.52