

1 Maks $|b| > 10^\circ$

$30 < \ell < 120$

All pairs (auto+cross)

Table 1: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 120$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$8.863^{+0.746}_{-0.734}$	$-3.059^{+0.177}_{-0.185}$	$-3.242^{+0.120}_{-0.125}$	$3.931^{+0.019}_{-0.019}$	$-1.998^{+0.010}_{-0.010}$	$1.563^{+0.007}_{-0.006}$	$0.075^{+0.010}_{-0.010}$	3.55
WMAP+Planck	BB	$1.912^{+0.604}_{-0.569}$	$-3.107^{+0.609}_{-0.741}$	$-3.339^{+0.312}_{-0.345}$	$3.032^{+0.013}_{-0.013}$	$-1.952^{+0.010}_{-0.010}$	$1.576^{+0.006}_{-0.006}$	$0.121^{+0.021}_{-0.019}$	1.79
QUIJOTE+WMAP+Planck	EE	$8.400^{+0.365}_{-0.362}$	$-3.072^{+0.096}_{-0.098}$	$-3.164^{+0.036}_{-0.036}$	$3.931^{+0.019}_{-0.019}$	$-1.998^{+0.010}_{-0.010}$	$1.563^{+0.007}_{-0.006}$	$0.071^{+0.007}_{-0.007}$	2.95
QUIJOTE+WMAP+Planck	BB	$0.786^{+0.332}_{-0.803}$	$-4.634^{+0.731}_{-0.664}$	$-3.030^{+0.496}_{-0.145}$	$3.032^{+0.013}_{-0.013}$	$-1.951^{+0.010}_{-0.010}$	$1.576^{+0.006}_{-0.006}$	$0.088^{+0.020}_{-0.950}$	1.64

No autos QUIJOTE

Table 2: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 120$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$8.862^{+0.737}_{-0.723}$	$-3.057^{+0.175}_{-0.183}$	$-3.242^{+0.120}_{-0.123}$	$3.931^{+0.019}_{-0.019}$	$-1.998^{+0.011}_{-0.010}$	$1.563^{+0.007}_{-0.007}$	$0.075^{+0.011}_{-0.010}$	3.55
WMAP+Planck	BB	$1.909^{+0.601}_{-0.571}$	$-3.118^{+0.612}_{-0.734}$	$-3.337^{+0.315}_{-0.344}$	$3.032^{+0.013}_{-0.013}$	$-1.952^{+0.010}_{-0.010}$	$1.576^{+0.006}_{-0.006}$	$0.121^{+0.021}_{-0.019}$	1.79
QUIJOTE+WMAP+Planck	EE	$8.469^{+0.377}_{-0.375}$	$-3.047^{+0.101}_{-0.103}$	$-3.180^{+0.045}_{-0.045}$	$3.931^{+0.019}_{-0.019}$	$-1.998^{+0.010}_{-0.010}$	$1.563^{+0.007}_{-0.006}$	$0.070^{+0.007}_{-0.007}$	2.99
QUIJOTE+WMAP+Planck	BB	$1.092^{+0.301}_{-0.276}$	$-4.368^{+0.525}_{-0.613}$	$-2.946^{+0.121}_{-0.123}$	$3.032^{+0.013}_{-0.012}$	$-1.952^{+0.010}_{-0.010}$	$1.576^{+0.006}_{-0.006}$	$0.098^{+0.016}_{-0.015}$	1.64

Cross only

Table 3: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 120$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$10.896^{+1.437}_{-1.309}$	$-2.942^{+0.212}_{-0.220}$	$-3.615^{+0.223}_{-0.246}$	$3.981^{+0.038}_{-0.037}$	$-1.996^{+0.014}_{-0.014}$	$1.584^{+0.011}_{-0.011}$	$0.076^{+0.010}_{-0.010}$	2.71
WMAP+Planck	BB	$3.015^{+1.047}_{-0.899}$	$-2.487^{+0.559}_{-0.630}$	$-3.689^{+0.470}_{-0.550}$	$3.142^{+0.028}_{-0.028}$	$-1.968^{+0.014}_{-0.014}$	$1.628^{+0.011}_{-0.011}$	$0.114^{+0.020}_{-0.018}$	1.55
QUIJOTE+WMAP+Planck	EE	$8.506^{+0.414}_{-0.409}$	$-3.034^{+0.107}_{-0.112}$	$-3.183^{+0.047}_{-0.048}$	$3.987^{+0.037}_{-0.037}$	$-1.996^{+0.014}_{-0.014}$	$1.586^{+0.011}_{-0.011}$	$0.072^{+0.007}_{-0.007}$	2.33
QUIJOTE+WMAP+Planck	BB	$1.237^{+0.314}_{-0.305}$	$-4.148^{+0.492}_{-0.581}$	$-2.893^{+0.121}_{-0.124}$	$3.144^{+0.028}_{-0.027}$	$-1.966^{+0.014}_{-0.014}$	$1.629^{+0.011}_{-0.011}$	$0.102^{+0.016}_{-0.015}$	1.46

$30 < \ell < 200$

All pairs (auto+cross)

Table 4: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$9.486^{+0.647}_{-0.646}$	$-2.848^{+0.148}_{-0.156}$	$-3.201^{+0.115}_{-0.121}$	$3.751^{+0.016}_{-0.016}$	$-2.242^{+0.006}_{-0.006}$	$1.565^{+0.006}_{-0.006}$	$0.081^{+0.010}_{-0.010}$	4.05
WMAP+Planck	BB	$2.634^{+0.542}_{-0.542}$	$-2.379^{+0.449}_{-0.517}$	$-3.488^{+0.295}_{-0.327}$	$2.911^{+0.011}_{-0.011}$	$-2.162^{+0.006}_{-0.006}$	$1.572^{+0.005}_{-0.005}$	$0.112^{+0.019}_{-0.017}$	3.12
QUIJOTE+WMAP+Planck	EE	$8.805^{+0.324}_{-0.330}$	$-2.951^{+0.081}_{-0.082}$	$-3.150^{+0.036}_{-0.035}$	$3.751^{+0.016}_{-0.016}$	$-2.242^{+0.006}_{-0.006}$	$1.565^{+0.006}_{-0.006}$	$0.079^{+0.007}_{-0.007}$	3.31
QUIJOTE+WMAP+Planck	BB	$1.246^{+0.295}_{-0.282}$	$-4.104^{+0.456}_{-0.536}$	$-3.083^{+0.109}_{-0.109}$	$2.910^{+0.011}_{-0.011}$	$-2.162^{+0.006}_{-0.006}$	$1.572^{+0.005}_{-0.005}$	$0.092^{+0.014}_{-0.014}$	2.66

No autos QUIJOTE

Table 5: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$9.478^{+0.650}_{-0.644}$	$-2.848^{+0.146}_{-0.156}$	$-3.201^{+0.115}_{-0.121}$	$3.751^{+0.016}_{-0.016}$	$-2.242^{+0.006}_{-0.006}$	$1.565^{+0.006}_{-0.006}$	$0.081^{+0.010}_{-0.010}$	4.05
WMAP+Planck	BB	$2.625^{+0.541}_{-0.537}$	$-2.385^{+0.446}_{-0.511}$	$-3.481^{+0.294}_{-0.323}$	$2.911^{+0.011}_{-0.011}$	$-2.162^{+0.006}_{-0.006}$	$1.572^{+0.005}_{-0.005}$	$0.112^{+0.018}_{-0.017}$	3.12
QUIJOTE+WMAP+Planck	EE	$8.926^{+0.337}_{-0.337}$	$-2.905^{+0.084}_{-0.087}$	$-3.168^{+0.044}_{-0.044}$	$3.751^{+0.016}_{-0.016}$	$-2.242^{+0.006}_{-0.006}$	$1.565^{+0.006}_{-0.006}$	$0.079^{+0.007}_{-0.007}$	3.35
QUIJOTE+WMAP+Planck	BB	$1.538^{+0.312}_{-0.311}$	$-3.597^{+0.421}_{-0.491}$	$-2.948^{+0.116}_{-0.118}$	$2.910^{+0.011}_{-0.011}$	$-2.162^{+0.006}_{-0.006}$	$1.572^{+0.005}_{-0.005}$	$0.091^{+0.014}_{-0.014}$	2.67

Cross only

Table 6: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$11.582^{+1.179}_{-1.113}$	$-2.664^{+0.162}_{-0.172}$	$-3.492^{+0.200}_{-0.222}$	$3.795^{+0.032}_{-0.031}$	$-2.239^{+0.008}_{-0.008}$	$1.587^{+0.010}_{-0.010}$	$0.081^{+0.009}_{-0.009}$	3.15
WMAP+Planck	BB	$3.615^{+0.991}_{-0.853}$	$-2.125^{+0.399}_{-0.456}$	$-3.814^{+0.459}_{-0.539}$	$3.050^{+0.024}_{-0.024}$	$-2.160^{+0.008}_{-0.008}$	$1.638^{+0.010}_{-0.010}$	$0.107^{+0.018}_{-0.016}$	2.28
QUIJOTE+WMAP+Planck	EE	$9.078^{+0.362}_{-0.364}$	$-2.866^{+0.088}_{-0.092}$	$-3.162^{+0.047}_{-0.046}$	$3.801^{+0.032}_{-0.032}$	$-2.239^{+0.008}_{-0.008}$	$1.589^{+0.010}_{-0.010}$	$0.080^{+0.007}_{-0.007}$	2.62
QUIJOTE+WMAP+Planck	BB	$1.684^{+0.313}_{-0.312}$	$-3.450^{+0.390}_{-0.444}$	$-2.859^{+0.118}_{-0.120}$	$3.052^{+0.024}_{-0.023}$	$-2.159^{+0.008}_{-0.008}$	$1.640^{+0.010}_{-0.010}$	$0.099^{+0.015}_{-0.014}$	2.01

$20 < \ell < 200$

All pairs (auto+cross)

Table 7: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ_{red}^2
WMAP+Planck	EE	$6.703^{+0.426}_{-0.418}$	$-3.708^{+0.064}_{-0.065}$	$-3.018^{+0.041}_{-0.041}$	$4.076^{+0.014}_{-0.014}$	$-2.544^{+0.004}_{-0.004}$	$1.579^{+0.005}_{-0.005}$	$0.085^{+0.006}_{-0.006}$	10.3
WMAP+Planck	BB	$1.889^{+0.345}_{-0.321}$	$-3.270^{+0.175}_{-0.193}$	$-3.224^{+0.137}_{-0.146}$	$2.944^{+0.009}_{-0.009}$	$-2.202^{+0.004}_{-0.004}$	$1.568^{+0.005}_{-0.005}$	$0.118^{+0.012}_{-0.012}$	3.1
QUIJOTE+WMAP+Planck	EE	$7.406^{+0.260}_{-0.258}$	$-3.619^{+0.037}_{-0.038}$	$-3.084^{+0.016}_{-0.016}$	$4.075^{+0.014}_{-0.014}$	$-2.545^{+0.004}_{-0.004}$	$1.579^{+0.005}_{-0.005}$	$0.086^{+0.005}_{-0.005}$	8.0
QUIJOTE+WMAP+Planck	BB	$1.648^{+0.186}_{-0.179}$	$-3.340^{+0.113}_{-0.119}$	$-3.005^{+0.051}_{-0.051}$	$2.944^{+0.009}_{-0.009}$	$-2.202^{+0.004}_{-0.004}$	$1.568^{+0.005}_{-0.005}$	$0.099^{+0.009}_{-0.009}$	2.6

No autos QUIJOTE

Table 8: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ_{red}^2
WMAP+Planck	EE	$6.701^{+0.422}_{-0.415}$	$-3.709^{+0.063}_{-0.066}$	$-3.018^{+0.041}_{-0.042}$	$4.076^{+0.014}_{-0.014}$	$-2.544^{+0.004}_{-0.004}$	$1.579^{+0.005}_{-0.005}$	$0.085^{+0.006}_{-0.006}$	10.3
WMAP+Planck	BB	$1.890^{+0.345}_{-0.318}$	$-3.270^{+0.175}_{-0.187}$	$-3.225^{+0.139}_{-0.144}$	$2.944^{+0.010}_{-0.010}$	$-2.202^{+0.004}_{-0.004}$	$1.568^{+0.005}_{-0.005}$	$0.119^{+0.012}_{-0.012}$	3.1
QUIJOTE+WMAP+Planck	EE	$7.340^{+0.271}_{-0.269}$	$-3.629^{+0.039}_{-0.040}$	$-3.079^{+0.019}_{-0.019}$	$4.076^{+0.014}_{-0.014}$	$-2.545^{+0.004}_{-0.004}$	$1.579^{+0.005}_{-0.005}$	$0.087^{+0.005}_{-0.005}$	8.1
QUIJOTE+WMAP+Planck	BB	$1.642^{+0.195}_{-0.189}$	$-3.339^{+0.119}_{-0.127}$	$-2.977^{+0.058}_{-0.058}$	$2.944^{+0.010}_{-0.009}$	$-2.202^{+0.004}_{-0.004}$	$1.569^{+0.005}_{-0.005}$	$0.099^{+0.009}_{-0.009}$	2.6

Cross only

Table 9: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ_{red}^2
WMAP+Planck	EE	$7.189^{+0.564}_{-0.569}$	$-3.706^{+0.076}_{-0.081}$	$-3.148^{+0.061}_{-0.067}$	$4.127^{+0.027}_{-0.029}$	$-2.540^{+0.006}_{-0.006}$	$1.601^{+0.008}_{-0.008}$	$0.088^{+0.006}_{-0.006}$	7.61
WMAP+Planck	BB	$2.213^{+0.475}_{-0.405}$	$-3.101^{+0.186}_{-0.196}$	$-3.196^{+0.200}_{-0.214}$	$3.081^{+0.021}_{-0.021}$	$-2.204^{+0.005}_{-0.006}$	$1.632^{+0.008}_{-0.009}$	$0.123^{+0.012}_{-0.012}$	2.31
QUIJOTE+WMAP+Planck	EE	$7.440^{+0.295}_{-0.290}$	$-3.622^{+0.042}_{-0.042}$	$-3.084^{+0.020}_{-0.019}$	$4.128^{+0.026}_{-0.028}$	$-2.540^{+0.006}_{-0.006}$	$1.602^{+0.008}_{-0.008}$	$0.088^{+0.005}_{-0.005}$	5.91
QUIJOTE+WMAP+Planck	BB	$1.706^{+0.217}_{-0.202}$	$-3.294^{+0.128}_{-0.131}$	$-2.945^{+0.062}_{-0.059}$	$3.082^{+0.021}_{-0.021}$	$-2.203^{+0.005}_{-0.005}$	$1.632^{+0.009}_{-0.008}$	$0.107^{+0.010}_{-0.010}$	2.03

2 Maks $|b| > 15^\circ$

$30 < \ell < 120$

All pairs (auto+cross)

Table 10: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 120$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$8.308^{+0.778}_{-0.770}$	$-2.868^{+0.202}_{-0.215}$	$-3.304^{+0.143}_{-0.151}$	$2.477^{+0.017}_{-0.017}$	$-1.808^{+0.016}_{-0.016}$	$1.575^{+0.009}_{-0.009}$	$0.059^{+0.012}_{-0.012}$	1.36
WMAP+Planck	BB	$2.029^{+0.630}_{-0.606}$	$-2.729^{+0.638}_{-0.783}$	$-3.261^{+0.351}_{-0.401}$	$1.815^{+0.011}_{-0.011}$	$-2.363^{+0.014}_{-0.014}$	$1.586^{+0.008}_{-0.008}$	$0.085^{+0.021}_{-0.020}$	1.49
QUIJOTE+WMAP+Planck	EE	$7.612^{+0.368}_{-0.369}$	$-2.903^{+0.110}_{-0.112}$	$-3.147^{+0.042}_{-0.042}$	$2.476^{+0.017}_{-0.017}$	$-1.808^{+0.015}_{-0.015}$	$1.574^{+0.009}_{-0.009}$	$0.039^{+0.009}_{-0.009}$	1.34
QUIJOTE+WMAP+Planck	BB	$0.936^{+0.307}_{-0.268}$	$-4.507^{+0.604}_{-0.703}$	$-3.030^{+0.133}_{-0.135}$	$1.815^{+0.011}_{-0.011}$	$-2.362^{+0.014}_{-0.014}$	$1.585^{+0.008}_{-0.008}$	$0.055^{+0.017}_{-0.016}$	1.51

No autos QUIJOTE

Table 11: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 120$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$8.323^{+0.781}_{-0.770}$	$-2.864^{+0.201}_{-0.213}$	$-3.306^{+0.143}_{-0.150}$	$2.477^{+0.017}_{-0.017}$	$-1.808^{+0.016}_{-0.016}$	$1.575^{+0.010}_{-0.009}$	$0.059^{+0.012}_{-0.012}$	1.36
WMAP+Planck	BB	$2.024^{+0.634}_{-0.602}$	$-2.733^{+0.641}_{-0.781}$	$-3.259^{+0.352}_{-0.402}$	$1.815^{+0.011}_{-0.011}$	$-2.362^{+0.014}_{-0.014}$	$1.586^{+0.008}_{-0.008}$	$0.085^{+0.021}_{-0.021}$	1.49
QUIJOTE+WMAP+Planck	EE	$7.684^{+0.378}_{-0.380}$	$-2.872^{+0.115}_{-0.119}$	$-3.163^{+0.053}_{-0.053}$	$2.476^{+0.017}_{-0.017}$	$-1.808^{+0.016}_{-0.015}$	$1.574^{+0.009}_{-0.009}$	$0.039^{+0.009}_{-0.009}$	1.36
QUIJOTE+WMAP+Planck	BB	$1.148^{+0.348}_{-0.330}$	$-4.033^{+0.584}_{-0.725}$	$-2.883^{+0.142}_{-0.147}$	$1.815^{+0.011}_{-0.011}$	$-2.362^{+0.014}_{-0.014}$	$1.585^{+0.008}_{-0.008}$	$0.057^{+0.017}_{-0.016}$	1.50

Cross only

Table 12: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 120$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$11.425^{+1.703}_{-1.524}$	$-2.601^{+0.231}_{-0.246}$	$-3.891^{+0.292}_{-0.342}$	$2.529^{+0.034}_{-0.033}$	$-1.806^{+0.021}_{-0.021}$	$1.607^{+0.016}_{-0.016}$	$0.063^{+0.011}_{-0.011}$	1.19
WMAP+Planck	BB	$3.406^{+1.255}_{-1.039}$	$-2.079^{+0.620}_{-0.684}$	$-3.991^{+0.626}_{-0.804}$	$1.857^{+0.023}_{-0.022}$	$-2.383^{+0.018}_{-0.019}$	$1.622^{+0.015}_{-0.015}$	$0.081^{+0.020}_{-0.018}$	1.36
QUIJOTE+WMAP+Planck	EE	$7.749^{+0.408}_{-0.406}$	$-2.825^{+0.121}_{-0.125}$	$-3.173^{+0.056}_{-0.056}$	$2.530^{+0.033}_{-0.033}$	$-1.805^{+0.020}_{-0.021}$	$1.608^{+0.016}_{-0.016}$	$0.041^{+0.009}_{-0.009}$	1.25
QUIJOTE+WMAP+Planck	BB	$1.249^{+0.359}_{-0.346}$	$-3.860^{+0.568}_{-0.696}$	$-2.874^{+0.144}_{-0.149}$	$1.857^{+0.022}_{-0.022}$	$-2.382^{+0.018}_{-0.018}$	$1.623^{+0.015}_{-0.015}$	$0.061^{+0.017}_{-0.017}$	1.42

$30 < \ell < 200$

All pairs (auto+cross)

Table 13: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$8.718^{+0.680}_{-0.678}$	$-2.699^{+0.172}_{-0.181}$	$-3.246^{+0.139}_{-0.144}$	$2.352^{+0.015}_{-0.015}$	$-2.108^{+0.008}_{-0.009}$	$1.572^{+0.008}_{-0.008}$	$0.059^{+0.011}_{-0.011}$	2.26
WMAP+Planck	BB	$2.713^{+0.553}_{-0.553}$	$-1.946^{+0.500}_{-0.592}$	$-3.296^{+0.336}_{-0.385}$	$1.784^{+0.009}_{-0.009}$	$-2.417^{+0.009}_{-0.009}$	$1.583^{+0.008}_{-0.008}$	$0.078^{+0.019}_{-0.018}$	1.73
QUIJOTE+WMAP+Planck	EE	$7.874^{+0.332}_{-0.331}$	$-2.818^{+0.095}_{-0.095}$	$-3.131^{+0.041}_{-0.041}$	$2.352^{+0.015}_{-0.015}$	$-2.108^{+0.009}_{-0.009}$	$1.572^{+0.008}_{-0.008}$	$0.046^{+0.008}_{-0.008}$	1.97
QUIJOTE+WMAP+Planck	BB	$1.247^{+0.370}_{-0.355}$	$-3.891^{+0.574}_{-0.712}$	$-2.997^{+0.133}_{-0.135}$	$1.783^{+0.009}_{-0.009}$	$-2.417^{+0.009}_{-0.009}$	$1.582^{+0.008}_{-0.008}$	$0.054^{+0.016}_{-0.015}$	1.64

No autos QUIJOTE

Table 14: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$8.707^{+0.679}_{-0.672}$	$-2.697^{+0.169}_{-0.182}$	$-3.241^{+0.137}_{-0.145}$	$2.352^{+0.015}_{-0.015}$	$-2.109^{+0.009}_{-0.009}$	$1.572^{+0.008}_{-0.008}$	$0.059^{+0.011}_{-0.011}$	2.26
WMAP+Planck	BB	$2.510^{+0.670}_{-2.542}$	$-1.868^{+0.593}_{-0.630}$	$-3.396^{+0.399}_{-0.917}$	$1.784^{+0.009}_{-0.009}$	$-2.417^{+0.009}_{-0.009}$	$1.583^{+0.008}_{-0.008}$	$0.072^{+0.022}_{-0.548}$	1.73
QUIJOTE+WMAP+Planck	EE	$7.988^{+0.339}_{-0.340}$	$-2.769^{+0.097}_{-0.099}$	$-3.146^{+0.052}_{-0.052}$	$2.352^{+0.015}_{-0.014}$	$-2.108^{+0.009}_{-0.008}$	$1.572^{+0.008}_{-0.008}$	$0.046^{+0.008}_{-0.008}$	2.00
QUIJOTE+WMAP+Planck	BB	$1.622^{+0.377}_{-0.388}$	$-3.247^{+0.506}_{-0.620}$	$-2.856^{+0.140}_{-0.144}$	$1.783^{+0.009}_{-0.009}$	$-2.417^{+0.009}_{-0.009}$	$1.583^{+0.008}_{-0.008}$	$0.055^{+0.016}_{-0.015}$	1.64

Cross only

Table 15: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$11.568^{+1.427}_{-1.245}$	$-2.402^{+0.178}_{-0.194}$	$-3.698^{+0.261}_{-0.307}$	$2.391^{+0.029}_{-0.028}$	$-2.108^{+0.011}_{-0.011}$	$1.600^{+0.015}_{-0.014}$	$0.061^{+0.010}_{-0.011}$	1.92
WMAP+Planck	BB	$4.032^{+1.231}_{-1.010}$	$-1.670^{+0.465}_{-0.518}$	$-4.074^{+0.623}_{-0.778}$	$1.850^{+0.020}_{-0.020}$	$-2.420^{+0.012}_{-0.012}$	$1.636^{+0.014}_{-0.014}$	$0.075^{+0.018}_{-0.016}$	1.51
QUIJOTE+WMAP+Planck	EE	$8.141^{+0.370}_{-0.369}$	$-2.700^{+0.100}_{-0.104}$	$-3.146^{+0.055}_{-0.056}$	$2.393^{+0.029}_{-0.028}$	$-2.108^{+0.011}_{-0.011}$	$1.601^{+0.014}_{-0.014}$	$0.048^{+0.008}_{-0.008}$	1.73
QUIJOTE+WMAP+Planck	BB	$1.706^{+0.360}_{-0.380}$	$-3.145^{+0.469}_{-0.580}$	$-2.830^{+0.141}_{-0.147}$	$1.852^{+0.020}_{-0.020}$	$-2.419^{+0.012}_{-0.012}$	$1.638^{+0.014}_{-0.014}$	$0.060^{+0.016}_{-0.015}$	1.47

$20 < \ell < 200$

All pairs (auto+cross)

Table 16: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$5.403^{+0.428}_{-0.412}$	$-3.873^{+0.078}_{-0.080}$	$-3.042^{+0.047}_{-0.048}$	$2.655^{+0.013}_{-0.013}$	$-2.531^{+0.006}_{-0.006}$	$1.599^{+0.006}_{-0.006}$	$0.071^{+0.008}_{-0.008}$	8.77
WMAP+Planck	BB	$1.732^{+0.377}_{-0.343}$	$-3.286^{+0.208}_{-0.228}$	$-3.335^{+0.174}_{-0.186}$	$1.730^{+0.008}_{-0.008}$	$-2.314^{+0.006}_{-0.006}$	$1.573^{+0.007}_{-0.007}$	$0.115^{+0.014}_{-0.014}$	2.09
QUIJOTE+WMAP+Planck	EE	$5.993^{+0.259}_{-0.254}$	$-3.767^{+0.045}_{-0.046}$	$-3.079^{+0.017}_{-0.017}$	$2.654^{+0.013}_{-0.013}$	$-2.532^{+0.006}_{-0.006}$	$1.598^{+0.006}_{-0.006}$	$0.061^{+0.006}_{-0.006}$	6.88
QUIJOTE+WMAP+Planck	BB	$1.366^{+0.197}_{-0.187}$	$-3.413^{+0.141}_{-0.151}$	$-3.020^{+0.061}_{-0.061}$	$1.730^{+0.008}_{-0.008}$	$-2.314^{+0.006}_{-0.006}$	$1.574^{+0.007}_{-0.007}$	$0.105^{+0.012}_{-0.011}$	1.94

No autos QUIJOTE

Table 17: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$5.399^{+0.427}_{-0.415}$	$-3.874^{+0.078}_{-0.081}$	$-3.043^{+0.047}_{-0.048}$	$2.655^{+0.013}_{-0.013}$	$-2.532^{+0.006}_{-0.006}$	$1.599^{+0.006}_{-0.006}$	$0.071^{+0.008}_{-0.008}$	8.77
WMAP+Planck	BB	$1.731^{+0.379}_{-0.342}$	$-3.286^{+0.210}_{-0.228}$	$-3.334^{+0.174}_{-0.184}$	$1.730^{+0.008}_{-0.008}$	$-2.314^{+0.006}_{-0.006}$	$1.573^{+0.007}_{-0.007}$	$0.115^{+0.014}_{-0.014}$	2.09
QUIJOTE+WMAP+Planck	EE	$5.942^{+0.270}_{-0.269}$	$-3.776^{+0.047}_{-0.049}$	$-3.072^{+0.021}_{-0.021}$	$2.654^{+0.013}_{-0.013}$	$-2.532^{+0.006}_{-0.006}$	$1.598^{+0.006}_{-0.006}$	$0.061^{+0.006}_{-0.006}$	7.00
QUIJOTE+WMAP+Planck	BB	$1.355^{+0.206}_{-0.198}$	$-3.420^{+0.148}_{-0.162}$	$-3.013^{+0.068}_{-0.070}$	$1.730^{+0.008}_{-0.008}$	$-2.314^{+0.006}_{-0.006}$	$1.574^{+0.007}_{-0.007}$	$0.105^{+0.012}_{-0.011}$	1.94

Cross only

Table 18: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$5.713^{+0.581}_{-0.553}$	$-3.871^{+0.097}_{-0.100}$	$-3.161^{+0.072}_{-0.076}$	$2.687^{+0.025}_{-0.025}$	$-2.512^{+0.009}_{-0.009}$	$1.618^{+0.012}_{-0.011}$	$0.075^{+0.008}_{-0.008}$	6.52
WMAP+Planck	BB	$2.094^{+0.549}_{-0.485}$	$-3.178^{+0.228}_{-0.252}$	$-3.483^{+0.277}_{-0.313}$	$1.781^{+0.017}_{-0.017}$	$-2.321^{+0.008}_{-0.008}$	$1.619^{+0.012}_{-0.012}$	$0.114^{+0.014}_{-0.014}$	1.70
QUIJOTE+WMAP+Planck	EE	$6.011^{+0.288}_{-0.287}$	$-3.763^{+0.050}_{-0.052}$	$-3.082^{+0.021}_{-0.022}$	$2.685^{+0.025}_{-0.025}$	$-2.512^{+0.008}_{-0.008}$	$1.617^{+0.011}_{-0.011}$	$0.062^{+0.006}_{-0.006}$	5.14
QUIJOTE+WMAP+Planck	BB	$1.371^{+0.221}_{-0.212}$	$-3.401^{+0.159}_{-0.171}$	$-2.988^{+0.072}_{-0.073}$	$1.783^{+0.017}_{-0.017}$	$-2.321^{+0.008}_{-0.008}$	$1.621^{+0.012}_{-0.012}$	$0.109^{+0.012}_{-0.012}$	1.64

3 Maks $|b| > 20^\circ$

$30 < \ell < 120$

All pairs (auto+cross)

Table 19: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 120$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$7.311^{+0.785}_{-0.780}$	$-3.185^{+0.228}_{-0.247}$	$-3.298^{+0.149}_{-0.157}$	$1.759^{+0.015}_{-0.015}$	$-2.036^{+0.020}_{-0.020}$	$1.534^{+0.012}_{-0.012}$	$0.046^{+0.013}_{-0.013}$	1.99
WMAP+Planck	BB	$1.866^{+0.663}_{-0.618}$	$-2.668^{+0.708}_{-0.875}$	$-3.041^{+0.364}_{-0.423}$	$1.193^{+0.009}_{-0.009}$	$-2.338^{+0.018}_{-0.018}$	$1.578^{+0.012}_{-0.011}$	$0.085^{+0.025}_{-0.024}$	1.47
QUIJOTE+WMAP+Planck	EE	$6.806^{+0.372}_{-0.372}$	$-3.157^{+0.122}_{-0.127}$	$-3.149^{+0.045}_{-0.045}$	$1.758^{+0.015}_{-0.015}$	$-2.035^{+0.020}_{-0.020}$	$1.532^{+0.012}_{-0.012}$	$0.021^{+0.009}_{-0.009}$	1.87
QUIJOTE+WMAP+Planck	BB	$0.998^{+0.339}_{-0.303}$	$-4.242^{+0.628}_{-0.757}$	$-2.977^{+0.148}_{-0.147}$	$1.192^{+0.009}_{-0.009}$	$-2.338^{+0.018}_{-0.018}$	$1.577^{+0.011}_{-0.011}$	$0.059^{+0.020}_{-0.019}$	1.46

No autos QUIJOTE

Table 20: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 120$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$7.316^{+0.789}_{-0.785}$	$-3.184^{+0.230}_{-0.249}$	$-3.299^{+0.149}_{-0.156}$	$1.759^{+0.015}_{-0.015}$	$-2.035^{+0.020}_{-0.020}$	$1.534^{+0.012}_{-0.012}$	$0.046^{+0.013}_{-0.013}$	1.99
WMAP+Planck	BB	$1.887^{+0.673}_{-0.633}$	$-2.653^{+0.706}_{-0.881}$	$-3.043^{+0.364}_{-0.428}$	$1.193^{+0.009}_{-0.009}$	$-2.339^{+0.018}_{-0.018}$	$1.578^{+0.011}_{-0.011}$	$0.085^{+0.025}_{-0.024}$	1.47
QUIJOTE+WMAP+Planck	EE	$6.870^{+0.386}_{-0.389}$	$-3.128^{+0.128}_{-0.134}$	$-3.156^{+0.055}_{-0.056}$	$1.758^{+0.015}_{-0.015}$	$-2.035^{+0.020}_{-0.020}$	$1.532^{+0.012}_{-0.012}$	$0.021^{+0.009}_{-0.009}$	1.89
QUIJOTE+WMAP+Planck	BB	$1.225^{+0.373}_{-0.360}$	$-3.753^{+0.609}_{-0.756}$	$-2.844^{+0.161}_{-0.164}$	$1.193^{+0.009}_{-0.009}$	$-2.338^{+0.018}_{-0.018}$	$1.578^{+0.011}_{-0.011}$	$0.061^{+0.020}_{-0.019}$	1.46

Cross only

Table 21: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 120$).

Data	Mode	$A_s [10^{-3} \mu K^2]$	α_s	β_s	$A_d [10^{-3} \mu K^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$10.479^{+1.754}_{-1.559}$	$-2.941^{+0.262}_{-0.283}$	$-3.995^{+0.330}_{-0.387}$	$1.760^{+0.029}_{-0.029}$	$-2.054^{+0.027}_{-0.027}$	$1.542^{+0.020}_{-0.020}$	$0.048^{+0.012}_{-0.012}$	1.57
WMAP+Planck	BB	$2.962^{+1.328}_{-1.065}$	$-2.105^{+0.711}_{-0.767}$	$-3.728^{+0.665}_{-0.882}$	$1.216^{+0.021}_{-0.020}$	$-2.355^{+0.026}_{-0.025}$	$1.609^{+0.022}_{-0.021}$	$0.081^{+0.023}_{-0.022}$	1.42
QUIJOTE+WMAP+Planck	EE	$6.924^{+0.419}_{-0.419}$	$-3.082^{+0.134}_{-0.143}$	$-3.169^{+0.058}_{-0.059}$	$1.759^{+0.029}_{-0.028}$	$-2.053^{+0.026}_{-0.027}$	$1.541^{+0.020}_{-0.019}$	$0.021^{+0.009}_{-0.009}$	1.59
QUIJOTE+WMAP+Planck	BB	$1.298^{+0.386}_{-0.366}$	$-3.638^{+0.600}_{-0.705}$	$-2.851^{+0.164}_{-0.167}$	$1.216^{+0.020}_{-0.020}$	$-2.354^{+0.025}_{-0.025}$	$1.610^{+0.022}_{-0.021}$	$0.063^{+0.020}_{-0.020}$	1.43

$30 < \ell < 200$

All pairs (auto+cross)

Table 22: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$7.912^{+0.719}_{-0.720}$	$-2.954^{+0.201}_{-0.215}$	$-3.263^{+0.146}_{-0.153}$	$1.697^{+0.013}_{-0.013}$	$-2.203^{+0.011}_{-0.011}$	$1.526^{+0.010}_{-0.010}$	$0.050^{+0.012}_{-0.012}$	1.81
WMAP+Planck	BB	$2.712^{+0.593}_{-0.615}$	$-1.659^{+0.551}_{-0.674}$	$-3.112^{+0.351}_{-0.406}$	$1.190^{+0.008}_{-0.008}$	$-2.334^{+0.011}_{-0.011}$	$1.579^{+0.010}_{-0.010}$	$0.070^{+0.022}_{-0.021}$	1.54
QUIJOTE+WMAP+Planck	EE	$7.218^{+0.352}_{-0.345}$	$-3.010^{+0.107}_{-0.111}$	$-3.134^{+0.044}_{-0.044}$	$1.696^{+0.013}_{-0.013}$	$-2.203^{+0.011}_{-0.011}$	$1.525^{+0.010}_{-0.010}$	$0.030^{+0.009}_{-0.009}$	1.68
QUIJOTE+WMAP+Planck	BB	$1.359^{+0.410}_{-0.399}$	$-3.577^{+0.605}_{-0.750}$	$-2.931^{+0.148}_{-0.149}$	$1.190^{+0.008}_{-0.008}$	$-2.334^{+0.011}_{-0.011}$	$1.578^{+0.010}_{-0.010}$	$0.058^{+0.019}_{-0.018}$	1.47

No autos QUIJOTE

Table 23: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$7.913^{+0.717}_{-0.723}$	$-2.955^{+0.199}_{-0.219}$	$-3.264^{+0.146}_{-0.150}$	$1.697^{+0.013}_{-0.013}$	$-2.203^{+0.011}_{-0.011}$	$1.526^{+0.010}_{-0.010}$	$0.050^{+0.012}_{-0.012}$	1.81
WMAP+Planck	BB	$2.696^{+0.600}_{-0.655}$	$-1.653^{+0.552}_{-0.689}$	$-3.117^{+0.358}_{-0.429}$	$1.190^{+0.008}_{-0.008}$	$-2.334^{+0.011}_{-0.012}$	$1.579^{+0.010}_{-0.010}$	$0.070^{+0.023}_{-0.022}$	1.54
QUIJOTE+WMAP+Planck	EE	$7.348^{+0.356}_{-0.359}$	$-2.951^{+0.112}_{-0.117}$	$-3.144^{+0.054}_{-0.055}$	$1.696^{+0.013}_{-0.013}$	$-2.203^{+0.011}_{-0.011}$	$1.525^{+0.010}_{-0.010}$	$0.030^{+0.009}_{-0.009}$	1.69
QUIJOTE+WMAP+Planck	BB	$1.781^{+0.385}_{-0.416}$	$-2.867^{+0.509}_{-0.637}$	$-2.804^{+0.153}_{-0.160}$	$1.190^{+0.008}_{-0.008}$	$-2.334^{+0.011}_{-0.011}$	$1.579^{+0.010}_{-0.010}$	$0.056^{+0.018}_{-0.018}$	1.47

Cross only

Table 24: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 30 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$11.209^{+1.557}_{-1.374}$	$-2.651^{+0.214}_{-0.229}$	$-3.870^{+0.299}_{-0.349}$	$1.700^{+0.025}_{-0.024}$	$-2.209^{+0.015}_{-0.015}$	$1.534^{+0.018}_{-0.017}$	$0.051^{+0.011}_{-0.011}$	1.56
WMAP+Planck	BB	$3.935^{+1.386}_{-1.157}$	$-1.456^{+0.547}_{-0.641}$	$-4.007^{+0.736}_{-0.907}$	$1.234^{+0.019}_{-0.018}$	$-2.337^{+0.016}_{-0.016}$	$1.630^{+0.020}_{-0.019}$	$0.071^{+0.020}_{-0.018}$	1.44
QUIJOTE+WMAP+Planck	EE	$7.496^{+0.399}_{-0.384}$	$-2.881^{+0.119}_{-0.123}$	$-3.149^{+0.058}_{-0.058}$	$1.700^{+0.026}_{-0.025}$	$-2.210^{+0.015}_{-0.015}$	$1.535^{+0.018}_{-0.017}$	$0.030^{+0.009}_{-0.009}$	1.51
QUIJOTE+WMAP+Planck	BB	$1.767^{+0.383}_{-0.421}$	$-2.889^{+0.492}_{-0.625}$	$-2.801^{+0.160}_{-0.164}$	$1.235^{+0.019}_{-0.018}$	$-2.336^{+0.016}_{-0.016}$	$1.633^{+0.020}_{-0.019}$	$0.061^{+0.019}_{-0.018}$	1.39

$20 < \ell < 200$

All pairs (auto+cross)

Table 25: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$5.954^{+0.457}_{-0.445}$	$-3.739^{+0.077}_{-0.082}$	$-3.139^{+0.053}_{-0.054}$	$1.814^{+0.012}_{-0.011}$	$-2.474^{+0.008}_{-0.008}$	$1.534^{+0.008}_{-0.008}$	$0.027^{+0.008}_{-0.008}$	3.32
WMAP+Planck	BB	$1.432^{+0.377}_{-0.336}$	$-3.481^{+0.243}_{-0.275}$	$-3.469^{+0.189}_{-0.199}$	$1.158^{+0.007}_{-0.007}$	$-2.237^{+0.007}_{-0.007}$	$1.571^{+0.009}_{-0.009}$	$0.146^{+0.017}_{-0.017}$	1.78
QUIJOTE+WMAP+Planck	EE	$5.887^{+0.257}_{-0.255}$	$-3.731^{+0.046}_{-0.047}$	$-3.113^{+0.019}_{-0.019}$	$1.813^{+0.012}_{-0.011}$	$-2.475^{+0.008}_{-0.008}$	$1.534^{+0.008}_{-0.008}$	$0.021^{+0.006}_{-0.006}$	2.82
QUIJOTE+WMAP+Planck	BB	$1.344^{+0.210}_{-0.199}$	$-3.375^{+0.153}_{-0.166}$	$-2.988^{+0.065}_{-0.065}$	$1.158^{+0.007}_{-0.007}$	$-2.237^{+0.007}_{-0.007}$	$1.572^{+0.009}_{-0.009}$	$0.109^{+0.013}_{-0.013}$	1.66

No autos QUIJOTE

Table 26: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$5.948^{+0.455}_{-0.436}$	$-3.740^{+0.078}_{-0.080}$	$-3.139^{+0.054}_{-0.054}$	$1.814^{+0.012}_{-0.011}$	$-2.474^{+0.008}_{-0.008}$	$1.534^{+0.008}_{-0.008}$	$0.027^{+0.008}_{-0.008}$	3.32
WMAP+Planck	BB	$1.439^{+0.377}_{-0.341}$	$-3.476^{+0.243}_{-0.277}$	$-3.467^{+0.189}_{-0.199}$	$1.158^{+0.007}_{-0.007}$	$-2.237^{+0.007}_{-0.007}$	$1.571^{+0.009}_{-0.009}$	$0.146^{+0.017}_{-0.017}$	1.78
QUIJOTE+WMAP+Planck	EE	$5.852^{+0.269}_{-0.264}$	$-3.738^{+0.049}_{-0.049}$	$-3.119^{+0.023}_{-0.023}$	$1.814^{+0.011}_{-0.011}$	$-2.475^{+0.008}_{-0.008}$	$1.534^{+0.008}_{-0.008}$	$0.021^{+0.006}_{-0.006}$	2.87
QUIJOTE+WMAP+Planck	BB	$1.357^{+0.221}_{-0.208}$	$-3.359^{+0.160}_{-0.174}$	$-2.970^{+0.072}_{-0.072}$	$1.158^{+0.007}_{-0.007}$	$-2.237^{+0.007}_{-0.007}$	$1.572^{+0.009}_{-0.009}$	$0.109^{+0.014}_{-0.013}$	1.66

Cross only

Table 27: Posterior constraints (median and 68% credible intervals) on the synchrotron and dust amplitudes and spectral indices, and on the synchrotron–dust correlation coefficient ρ , from fits to the EE and BB spectra using the 10^0 mask (multipole range $\ell = 20 - 200$).

Data	Mode	$A_s [10^{-3} \mu\text{K}^2]$	α_s	β_s	$A_d [10^{-3} \mu\text{K}^2]$	α_d	β_d	ρ	χ^2_{red}
WMAP+Planck	EE	$6.850^{+0.669}_{-0.638}$	$-3.716^{+0.095}_{-0.099}$	$-3.373^{+0.092}_{-0.096}$	$1.815^{+0.022}_{-0.021}$	$-2.472^{+0.011}_{-0.010}$	$1.539^{+0.014}_{-0.014}$	$0.031^{+0.008}_{-0.008}$	2.63
WMAP+Planck	BB	$1.768^{+0.581}_{-0.478}$	$-3.414^{+0.278}_{-0.308}$	$-3.787^{+0.328}_{-0.368}$	$1.192^{+0.016}_{-0.015}$	$-2.243^{+0.010}_{-0.010}$	$1.615^{+0.017}_{-0.016}$	$0.142^{+0.017}_{-0.016}$	1.60
QUIJOTE+WMAP+Planck	EE	$5.912^{+0.293}_{-0.290}$	$-3.725^{+0.053}_{-0.053}$	$-3.127^{+0.025}_{-0.025}$	$1.815^{+0.022}_{-0.021}$	$-2.472^{+0.011}_{-0.010}$	$1.539^{+0.014}_{-0.014}$	$0.021^{+0.006}_{-0.007}$	2.31
QUIJOTE+WMAP+Planck	BB	$1.359^{+0.235}_{-0.220}$	$-3.330^{+0.168}_{-0.183}$	$-2.965^{+0.076}_{-0.077}$	$1.194^{+0.015}_{-0.015}$	$-2.242^{+0.010}_{-0.010}$	$1.619^{+0.017}_{-0.016}$	$0.114^{+0.014}_{-0.014}$	1.52

Bin-to-bin

4 Maks $|b| > 10^\circ$

All pairs (auto+cross)

Table 28: Bin-to-bin fit results. EE mode (top) and BB mode (bottom).

ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{EE}}$	$A_{\text{dust}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{EE}}$	ρ^{EE}	χ_ν^2
20–39	29.0	331.83 ± 3.72	-3.09 ± 0.02	75.38 ± 0.46	1.59 ± 0.01	0.092 ± 0.007	4.195
40–59	49.0	42.42 ± 1.32	-3.15 ± 0.04	12.25 ± 0.13	1.63 ± 0.01	0.117 ± 0.012	1.644
60–79	69.0	14.79 ± 0.83	-3.24 ± 0.07	7.36 ± 0.07	1.62 ± 0.01	0.046 ± 0.014	1.195
80–99	89.0	7.00 ± 0.91	-3.15 ± 0.33	4.10 ± 0.17	1.59 ± 0.09	0.050 ± 0.045	2.756
100–119	109.0	3.95 ± 0.54	-2.99 ± 0.15	2.40 ± 0.03	1.66 ± 0.02	0.030 ± 0.028	1.418
120–139	129.0	2.72 ± 0.56	-2.67 ± 0.34	1.54 ± 0.09	1.51 ± 0.15	0.168 ± 0.041	1.543
140–159	149.0	2.08 ± 0.62	-2.96 ± 0.37	1.04 ± 0.09	1.57 ± 0.18	0.230 ± 0.062	1.357
160–179	169.0	1.50 ± 0.54	-3.11 ± 0.27	0.74 ± 0.01	1.63 ± 0.03	0.065 ± 0.066	1.130
180–199	189.0	1.21 ± 0.67	-2.92 ± 0.30	0.63 ± 0.01	1.71 ± 0.03	0.108 ± 0.124	1.427
ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{BB}}$	$A_{\text{dust}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{BB}}$	ρ^{BB}	χ_ν^2
20–39	29.0	53.71 ± 2.06	-3.03 ± 0.06	35.01 ± 0.31	1.62 ± 0.01	0.115 ± 0.014	3.280
40–59	49.0	10.76 ± 1.80	-3.14 ± 0.48	9.39 ± 0.11	1.59 ± 0.08	0.108 ± 0.071	2.371
60–79	69.0	1.31 ± 0.55	-3.18 ± 0.25	5.17 ± 0.04	1.64 ± 0.01	0.086 ± 0.070	2.471
80–99	89.0	0.81 ± 0.46	-3.03 ± 0.23	3.09 ± 0.03	1.63 ± 0.01	0.142 ± 0.126	2.167
100–119	109.0	0.87 ± 0.46	-2.73 ± 0.25	2.05 ± 0.02	1.66 ± 0.01	0.100 ± 0.090	2.123
120–139	129.0	1.26 ± 0.45	-3.02 ± 0.23	1.27 ± 0.01	1.62 ± 0.02	0.139 ± 0.064	2.349
140–159	149.0	0.19 ± 0.31	-2.97 ± 0.31	0.81 ± 0.01	1.60 ± 0.02	-0.025 ± 0.212	1.668
160–179	169.0	1.15 ± 0.52	-3.08 ± 0.43	0.64 ± 0.02	1.62 ± 0.16	-0.059 ± 0.085	1.956
180–199	189.0	1.21 ± 0.63	-3.16 ± 0.34	0.56 ± 0.01	1.57 ± 0.02	0.059 ± 0.104	2.291

Table 29: Bin-to-bin fit results. EE mode (top) and BB mode (bottom).

ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{EE}}$	$A_{\text{dust}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{EE}}$	ρ^{EE}	χ_ν^2
20–39	29.0	332.44 ± 3.79	-3.09 ± 0.02	75.38 ± 0.47	1.59 ± 0.01	0.092 ± 0.007	4.197
40–59	49.0	42.41 ± 1.32	-3.14 ± 0.05	12.25 ± 0.13	1.63 ± 0.01	0.117 ± 0.012	1.677
60–79	69.0	14.79 ± 1.48	-3.31 ± 0.10	7.37 ± 0.08	1.62 ± 0.01	0.046 ± 0.058	1.205
80–99	89.0	7.01 ± 1.14	-3.17 ± 0.34	4.10 ± 0.18	1.59 ± 0.11	0.051 ± 0.096	2.798
100–119	109.0	4.03 ± 0.77	-3.05 ± 0.43	2.40 ± 0.04	1.66 ± 0.02	0.031 ± 0.136	1.405
120–139	129.0	2.70 ± 0.57	-2.66 ± 0.34	1.54 ± 0.03	1.51 ± 0.05	0.169 ± 0.044	1.571
140–159	149.0	2.18 ± 0.58	-3.02 ± 0.23	1.04 ± 0.02	1.57 ± 0.02	0.227 ± 0.055	1.373
160–179	169.0	1.56 ± 0.54	-3.18 ± 0.28	0.74 ± 0.01	1.63 ± 0.03	0.068 ± 0.061	1.131
180–199	189.0	1.41 ± 0.66	-2.95 ± 0.29	0.63 ± 0.01	1.71 ± 0.03	0.100 ± 0.100	1.405
ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{BB}}$	$A_{\text{dust}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{BB}}$	ρ^{BB}	χ_ν^2
20–39	29.0	53.66 ± 2.08	-3.03 ± 0.07	35.01 ± 0.30	1.62 ± 0.01	0.115 ± 0.014	3.333
40–59	49.0	10.54 ± 0.83	-3.00 ± 0.12	9.40 ± 0.09	1.59 ± 0.01	0.113 ± 0.021	2.361
60–79	69.0	1.40 ± 0.55	-3.20 ± 0.26	5.17 ± 0.04	1.64 ± 0.01	0.082 ± 0.058	2.469
80–99	89.0	0.98 ± 0.48	-3.06 ± 0.23	3.09 ± 0.03	1.63 ± 0.01	0.127 ± 0.094	2.200
100–119	109.0	1.02 ± 0.48	-2.77 ± 0.25	2.05 ± 0.02	1.66 ± 0.01	0.090 ± 0.085	2.139
120–139	129.0	1.40 ± 0.46	-3.09 ± 0.39	1.27 ± 0.06	1.62 ± 0.06	0.129 ± 0.054	2.363
140–159	149.0	0.29 ± 0.38	-2.96 ± 0.43	0.81 ± 0.02	1.60 ± 0.06	-0.021 ± 0.189	1.682
160–179	169.0	0.96 ± 0.54	-3.00 ± 0.42	0.64 ± 0.01	1.62 ± 0.11	-0.063 ± 0.102	1.958
180–199	189.0	1.19 ± 0.65	-3.18 ± 0.34	0.56 ± 0.01	1.57 ± 0.02	0.062 ± 0.126	2.337

Cross only

Table 30: Bin-to-bin fit results. EE mode (top) and BB mode (bottom).

ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{EE}}$	$A_{\text{dust}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{EE}}$	ρ^{EE}	χ_ν^2
20–39	29.0	330.90 ± 4.20	-3.09 ± 0.02	78.36 ± 0.98	1.63 ± 0.01	0.095 ± 0.007	2.581
40–59	49.0	41.80 ± 1.42	-3.15 ± 0.06	12.67 ± 0.26	1.67 ± 0.02	0.121 ± 0.013	1.389
60–79	69.0	14.47 ± 1.70	-3.33 ± 0.10	7.78 ± 0.16	1.68 ± 0.02	0.050 ± 0.089	0.928
80–99	89.0	7.16 ± 0.68	-3.13 ± 0.13	4.45 ± 0.08	1.70 ± 0.02	0.059 ± 0.019	1.939
100–119	109.0	4.14 ± 0.57	-3.03 ± 0.18	2.56 ± 0.07	1.74 ± 0.03	0.037 ± 0.027	1.186
120–139	129.0	3.10 ± 0.61	-2.53 ± 0.33	1.56 ± 0.10	1.54 ± 0.12	0.164 ± 0.039	1.543
140–159	149.0	2.42 ± 0.63	-2.93 ± 0.24	1.12 ± 0.04	1.67 ± 0.04	0.221 ± 0.051	1.279
160–179	169.0	1.56 ± 0.55	-3.18 ± 0.28	0.79 ± 0.04	1.71 ± 0.05	0.075 ± 0.063	1.104
180–199	189.0	1.54 ± 0.70	-2.86 ± 0.30	0.72 ± 0.04	1.90 ± 0.07	0.106 ± 0.088	1.342
ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{BB}}$	$A_{\text{dust}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{BB}}$	ρ^{BB}	χ_ν^2
20–39	29.0	52.28 ± 5.44	-3.01 ± 0.31	37.27 ± 0.72	1.69 ± 0.33	0.126 ± 0.043	2.104
40–59	49.0	10.59 ± 1.72	-2.95 ± 0.13	9.99 ± 0.20	1.67 ± 0.02	0.124 ± 0.122	1.630
60–79	69.0	1.54 ± 0.61	-3.11 ± 0.40	5.70 ± 0.39	1.75 ± 0.13	0.094 ± 0.057	1.755
80–99	89.0	1.11 ± 0.50	-2.98 ± 0.23	3.43 ± 0.07	1.76 ± 0.03	0.145 ± 0.104	1.476
100–119	109.0	0.93 ± 0.48	-2.66 ± 0.27	2.29 ± 0.05	1.80 ± 0.03	0.123 ± 0.099	1.617
120–139	129.0	1.39 ± 0.48	-2.99 ± 0.26	1.40 ± 0.03	1.75 ± 0.03	0.143 ± 0.064	1.760
140–159	149.0	0.40 ± 0.44	-2.93 ± 0.32	0.91 ± 0.03	1.75 ± 0.04	0.010 ± 0.166	1.346
160–179	169.0	0.59 ± 0.46	-3.06 ± 0.31	0.74 ± 0.03	1.80 ± 0.05	-0.055 ± 0.139	1.620
180–199	189.0	0.84 ± 0.60	-3.28 ± 0.30	0.69 ± 0.03	1.85 ± 0.05	0.106 ± 0.166	1.435

5 Maks $|b| > 15^\circ$

All pairs (auto+cross)

Table 31: Bin-to-bin fit results. EE mode (top) and BB mode (bottom).

ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{EE}}$	$A_{\text{dust}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{EE}}$	ρ^{EE}	χ_ν^2
20–39	29.0	309.76 ± 3.76	-3.09 ± 0.02	51.34 ± 0.42	1.57 ± 0.01	0.078 ± 0.008	2.418
40–59	49.0	36.06 ± 1.32	-3.12 ± 0.05	7.74 ± 0.12	1.70 ± 0.02	0.045 ± 0.015	1.358
60–79	69.0	12.41 ± 1.48	-3.24 ± 0.33	4.01 ± 0.09	1.60 ± 0.03	-0.005 ± 0.056	1.120
80–99	89.0	6.50 ± 0.65	-3.17 ± 0.12	2.61 ± 0.04	1.61 ± 0.02	0.075 ± 0.022	2.193
100–119	109.0	3.59 ± 0.53	-2.93 ± 0.17	1.72 ± 0.03	1.64 ± 0.02	0.091 ± 0.029	1.643
120–139	129.0	2.31 ± 0.56	-2.87 ± 0.37	0.94 ± 0.06	1.47 ± 0.11	0.118 ± 0.047	1.335
140–159	149.0	2.11 ± 0.65	-2.85 ± 0.27	0.71 ± 0.02	1.58 ± 0.03	0.149 ± 0.063	1.267
160–179	169.0	1.73 ± 0.63	-2.98 ± 0.50	0.56 ± 0.01	1.66 ± 0.19	0.025 ± 0.065	1.037
180–199	189.0	0.94 ± 0.66	-2.92 ± 0.31	0.45 ± 0.01	1.73 ± 0.04	0.097 ± 0.154	1.324
ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{BB}}$	$A_{\text{dust}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{BB}}$	ρ^{BB}	χ_ν^2
20–39	29.0	46.57 ± 2.16	-3.10 ± 0.07	20.32 ± 0.25	1.60 ± 0.01	0.163 ± 0.017	2.787
40–59	49.0	9.71 ± 0.84	-3.11 ± 0.12	6.76 ± 0.08	1.59 ± 0.01	0.047 ± 0.022	1.992
60–79	69.0	0.95 ± 0.54	-3.13 ± 0.26	3.30 ± 0.03	1.66 ± 0.01	0.118 ± 0.121	2.143
80–99	89.0	0.93 ± 0.50	-2.86 ± 0.25	1.72 ± 0.02	1.65 ± 0.02	0.113 ± 0.119	1.472
100–119	109.0	1.02 ± 0.53	-2.77 ± 0.39	1.07 ± 0.07	1.66 ± 0.24	0.038 ± 0.091	1.431
120–139	129.0	1.18 ± 0.47	-3.05 ± 0.26	0.61 ± 0.01	1.64 ± 0.03	0.090 ± 0.070	1.725
140–159	149.0	0.20 ± 0.32	-2.98 ± 0.31	0.47 ± 0.01	1.61 ± 0.03	0.030 ± 0.235	1.551
160–179	169.0	1.17 ± 0.50	-3.24 ± 0.28	0.36 ± 0.01	1.59 ± 0.04	-0.101 ± 0.078	1.465
180–199	189.0	1.97 ± 0.69	-2.87 ± 0.27	0.29 ± 0.01	1.60 ± 0.04	-0.011 ± 0.069	1.596

Table 32: Bin-to-bin fit results. EE mode (top) and BB mode (bottom).

ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{EE}}$	$A_{\text{dust}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{EE}}$	ρ^{EE}	χ_ν^2
20–39	29.0	310.33 ± 3.79	-3.10 ± 0.02	51.32 ± 0.42	1.57 ± 0.01	0.078 ± 0.008	2.381
40–59	49.0	36.02 ± 1.33	-3.10 ± 0.07	7.73 ± 0.12	1.70 ± 0.02	0.045 ± 0.015	1.383
60–79	69.0	12.37 ± 0.83	-3.32 ± 0.11	4.01 ± 0.06	1.60 ± 0.02	-0.004 ± 0.018	1.126
80–99	89.0	6.50 ± 0.65	-3.20 ± 0.14	2.61 ± 0.04	1.61 ± 0.02	0.075 ± 0.022	2.229
100–119	109.0	3.67 ± 0.64	-2.96 ± 0.34	1.72 ± 0.06	1.64 ± 0.06	0.089 ± 0.033	1.633
120–139	129.0	2.29 ± 0.53	-2.87 ± 0.25	0.94 ± 0.02	1.47 ± 0.03	0.119 ± 0.047	1.361
140–159	149.0	2.18 ± 0.68	-2.92 ± 0.49	0.71 ± 0.03	1.58 ± 0.27	0.149 ± 0.056	1.280
160–179	169.0	1.80 ± 0.61	-3.05 ± 0.42	0.56 ± 0.02	1.65 ± 0.25	0.030 ± 0.065	1.049
180–199	189.0	1.12 ± 0.68	-2.94 ± 0.31	0.45 ± 0.01	1.73 ± 0.04	0.088 ± 0.130	1.320
ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{BB}}$	$A_{\text{dust}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{BB}}$	ρ^{BB}	χ_ν^2
20–39	29.0	46.69 ± 2.20	-3.13 ± 0.08	20.31 ± 0.26	1.60 ± 0.01	0.163 ± 0.017	2.817
40–59	49.0	9.53 ± 0.84	-3.00 ± 0.14	6.76 ± 0.08	1.59 ± 0.01	0.050 ± 0.023	2.002
60–79	69.0	1.00 ± 0.55	-3.14 ± 0.26	3.30 ± 0.03	1.66 ± 0.01	0.115 ± 0.111	2.141
80–99	89.0	1.04 ± 0.53	-2.89 ± 0.25	1.72 ± 0.03	1.65 ± 0.02	0.106 ± 0.112	1.497
100–119	109.0	1.26 ± 0.51	-2.84 ± 0.28	1.07 ± 0.02	1.66 ± 0.02	0.031 ± 0.055	1.411
120–139	129.0	1.35 ± 0.50	-3.12 ± 0.52	0.61 ± 0.02	1.64 ± 0.45	0.082 ± 0.069	1.709
140–159	149.0	0.31 ± 0.38	-2.99 ± 0.31	0.47 ± 0.01	1.60 ± 0.03	0.021 ± 0.200	1.563
160–179	169.0	0.95 ± 0.54	-3.14 ± 0.28	0.36 ± 0.01	1.59 ± 0.04	-0.107 ± 0.140	1.463
180–199	189.0	1.98 ± 0.71	-2.89 ± 0.27	0.29 ± 0.01	1.60 ± 0.04	-0.010 ± 0.071	1.630

Cross only

Table 33: Bin-to-bin fit results. EE mode (top) and BB mode (bottom).

ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{EE}}$	$A_{\text{dust}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{EE}}$	ρ^{EE}	χ_ν^2
20–39	29.0	306.89 ± 4.20	-3.10 ± 0.02	52.53 ± 0.90	1.59 ± 0.02	0.081 ± 0.008	1.906
40–59	49.0	35.21 ± 1.46	-3.13 ± 0.07	7.99 ± 0.26	1.74 ± 0.03	0.048 ± 0.015	1.229
60–79	69.0	12.13 ± 0.92	-3.34 ± 0.11	4.31 ± 0.13	1.69 ± 0.03	0.001 ± 0.018	0.926
80–99	89.0	6.71 ± 0.69	-3.15 ± 0.14	2.84 ± 0.08	1.73 ± 0.03	0.081 ± 0.022	1.724
100–119	109.0	3.77 ± 0.57	-2.91 ± 0.19	1.83 ± 0.06	1.73 ± 0.04	0.097 ± 0.029	1.475
120–139	129.0	2.72 ± 0.63	-2.73 ± 0.37	0.95 ± 0.06	1.49 ± 0.07	0.116 ± 0.043	1.370
140–159	149.0	2.26 ± 0.66	-2.90 ± 0.28	0.74 ± 0.03	1.64 ± 0.06	0.148 ± 0.054	1.303
160–179	169.0	1.90 ± 0.61	-3.05 ± 0.28	0.63 ± 0.04	1.80 ± 0.07	0.037 ± 0.059	0.991
180–199	189.0	1.21 ± 0.71	-2.88 ± 0.32	0.53 ± 0.04	1.96 ± 0.10	0.098 ± 0.126	1.326
ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{BB}}$	$A_{\text{dust}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{BB}}$	ρ^{BB}	χ_ν^2
20–39	29.0	45.47 ± 2.41	-3.12 ± 0.08	21.34 ± 0.52	1.66 ± 0.02	0.171 ± 0.017	1.962
40–59	49.0	9.51 ± 0.90	-2.99 ± 0.14	7.12 ± 0.16	1.65 ± 0.02	0.057 ± 0.023	1.656
60–79	69.0	1.16 ± 0.60	-3.07 ± 0.27	3.63 ± 0.09	1.76 ± 0.03	0.121 ± 0.100	1.764
80–99	89.0	1.05 ± 0.55	-2.84 ± 0.37	1.87 ± 0.07	1.75 ± 0.08	0.123 ± 0.122	1.391
100–119	109.0	1.16 ± 0.54	-2.83 ± 0.40	1.18 ± 0.06	1.79 ± 0.10	0.047 ± 0.079	1.296
120–139	129.0	1.34 ± 0.49	-3.11 ± 0.28	0.66 ± 0.03	1.76 ± 0.06	0.087 ± 0.065	1.385
140–159	149.0	0.42 ± 0.46	-2.93 ± 0.31	0.58 ± 0.03	1.88 ± 0.07	0.048 ± 0.190	1.209
160–179	169.0	0.65 ± 0.48	-3.18 ± 0.43	0.40 ± 0.03	1.73 ± 0.12	-0.114 ± 0.162	1.454
180–199	189.0	1.60 ± 0.71	-2.99 ± 0.27	0.40 ± 0.03	2.01 ± 0.10	0.026 ± 0.078	1.148

6 Maks $|b| > 20^\circ$

All pairs (auto+cross)

Table 34: Bin-to-bin fit results. EE mode (top) and BB mode (bottom).

ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{EE}}$	$A_{\text{dust}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{EE}}$	ρ^{EE}	χ_ν^2
20–39	29.0	296.73 ± 4.12	-3.12 ± 0.02	31.74 ± 0.39	1.59 ± 0.01	0.010 ± 0.010	1.857
40–59	49.0	36.01 ± 1.36	-3.13 ± 0.05	6.38 ± 0.11	1.61 ± 0.02	0.066 ± 0.015	1.634
60–79	69.0	11.78 ± 0.79	-3.22 ± 0.09	2.47 ± 0.05	1.53 ± 0.02	-0.090 ± 0.021	1.011
80–99	89.0	6.01 ± 0.66	-3.15 ± 0.13	1.80 ± 0.03	1.57 ± 0.02	0.058 ± 0.025	1.650
100–119	109.0	2.77 ± 0.55	-2.97 ± 0.20	1.26 ± 0.03	1.66 ± 0.03	0.037 ± 0.037	1.411
120–139	129.0	2.12 ± 0.61	-2.82 ± 0.46	0.65 ± 0.02	1.40 ± 0.21	0.179 ± 0.064	1.242
140–159	149.0	2.55 ± 0.62	-2.70 ± 0.23	0.50 ± 0.02	1.55 ± 0.04	0.100 ± 0.053	1.208
160–179	169.0	1.98 ± 0.62	-3.02 ± 0.28	0.41 ± 0.01	1.63 ± 0.04	0.021 ± 0.066	1.092
180–199	189.0	0.92 ± 0.63	-2.91 ± 0.29	0.29 ± 0.01	1.70 ± 0.07	0.117 ± 0.156	1.130
ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{BB}}$	$A_{\text{dust}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{BB}}$	ρ^{BB}	χ_ν^2
20–39	29.0	44.54 ± 2.21	-3.05 ± 0.07	12.83 ± 0.20	1.61 ± 0.02	0.168 ± 0.020	2.294
40–59	49.0	9.09 ± 0.89	-3.11 ± 0.13	4.50 ± 0.06	1.57 ± 0.02	0.039 ± 0.026	1.626
60–79	69.0	0.99 ± 0.56	-3.01 ± 0.27	2.08 ± 0.03	1.69 ± 0.02	0.186 ± 0.139	1.849
80–99	89.0	0.82 ± 0.51	-2.90 ± 0.26	1.18 ± 0.02	1.67 ± 0.03	0.070 ± 0.114	1.805
100–119	109.0	1.26 ± 0.59	-2.78 ± 0.39	0.71 ± 0.06	1.61 ± 0.19	0.041 ± 0.099	1.241
120–139	129.0	1.17 ± 0.49	-3.05 ± 0.27	0.43 ± 0.01	1.66 ± 0.04	0.105 ± 0.088	1.536
140–159	149.0	0.27 ± 0.40	-2.96 ± 0.31	0.36 ± 0.01	1.64 ± 0.04	-0.000 ± 0.219	1.536
160–179	169.0	1.43 ± 0.57	-3.16 ± 0.27	0.26 ± 0.01	1.61 ± 0.05	-0.086 ± 0.078	1.242
180–199	189.0	2.19 ± 0.72	-2.76 ± 0.24	0.21 ± 0.01	1.61 ± 0.06	-0.083 ± 0.071	1.317

Table 35: Bin-to-bin fit results. EE mode (top) and BB mode (bottom).

ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{EE}}$	$A_{\text{dust}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{EE}}$	ρ^{EE}	χ_ν^2
20–39	29.0	297.57 ± 4.28	-3.13 ± 0.03	31.74 ± 0.39	1.59 ± 0.01	0.010 ± 0.010	1.855
40–59	49.0	35.94 ± 1.36	-3.11 ± 0.07	6.38 ± 0.11	1.61 ± 0.02	0.066 ± 0.015	1.663
60–79	69.0	11.75 ± 0.79	-3.27 ± 0.11	2.47 ± 0.05	1.53 ± 0.02	-0.086 ± 0.021	1.019
80–99	89.0	6.00 ± 0.66	-3.18 ± 0.15	1.80 ± 0.03	1.57 ± 0.02	0.058 ± 0.025	1.681
100–119	109.0	2.83 ± 0.56	-2.99 ± 0.21	1.26 ± 0.03	1.66 ± 0.03	0.035 ± 0.036	1.400
120–139	129.0	2.10 ± 0.55	-2.84 ± 0.25	0.65 ± 0.02	1.40 ± 0.04	0.179 ± 0.061	1.252
140–159	149.0	2.67 ± 0.63	-2.78 ± 0.24	0.50 ± 0.02	1.55 ± 0.04	0.099 ± 0.050	1.214
160–179	169.0	2.06 ± 0.61	-3.11 ± 0.29	0.41 ± 0.01	1.63 ± 0.04	0.026 ± 0.064	1.098
180–199	189.0	1.08 ± 0.68	-2.93 ± 0.29	0.29 ± 0.01	1.70 ± 0.07	0.107 ± 0.158	1.127
ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{BB}}$	$A_{\text{dust}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{BB}}$	ρ^{BB}	χ_ν^2
20–39	29.0	44.41 ± 2.22	-3.07 ± 0.08	12.83 ± 0.20	1.61 ± 0.02	0.168 ± 0.020	2.313
40–59	49.0	8.92 ± 1.21	-3.02 ± 0.34	4.50 ± 0.17	1.57 ± 0.11	0.041 ± 0.034	1.637
60–79	69.0	0.93 ± 0.56	-2.99 ± 0.40	2.08 ± 0.10	1.69 ± 0.24	0.192 ± 0.154	1.874
80–99	89.0	1.08 ± 0.55	-2.96 ± 0.26	1.18 ± 0.02	1.67 ± 0.03	0.057 ± 0.097	1.823
100–119	109.0	1.45 ± 0.55	-2.88 ± 0.28	0.71 ± 0.01	1.61 ± 0.03	0.038 ± 0.061	1.206
120–139	129.0	1.37 ± 0.50	-3.13 ± 0.28	0.43 ± 0.01	1.66 ± 0.04	0.091 ± 0.071	1.512
140–159	149.0	0.45 ± 0.47	-2.97 ± 0.30	0.36 ± 0.01	1.64 ± 0.04	-0.000 ± 0.187	1.536
160–179	169.0	1.22 ± 0.60	-3.09 ± 0.27	0.26 ± 0.01	1.61 ± 0.05	-0.094 ± 0.104	1.245
180–199	189.0	2.26 ± 0.74	-2.77 ± 0.24	0.21 ± 0.01	1.60 ± 0.06	-0.082 ± 0.073	1.341

Cross only

Table 36: Bin-to-bin fit results. EE mode (top) and BB mode (bottom).

ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{EE}}$	$A_{\text{dust}}^{\text{EE}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{EE}}$	ρ^{EE}	χ_ν^2
20–39	29.0	294.50 ± 4.74	-3.14 ± 0.03	32.40 ± 0.79	1.61 ± 0.02	0.012 ± 0.010	1.703
40–59	49.0	35.17 ± 1.48	-3.13 ± 0.07	6.45 ± 0.21	1.63 ± 0.03	0.067 ± 0.015	1.673
60–79	69.0	11.57 ± 0.86	-3.29 ± 0.11	2.63 ± 0.10	1.60 ± 0.04	-0.084 ± 0.022	0.892
80–99	89.0	6.27 ± 0.70	-3.13 ± 0.15	1.93 ± 0.07	1.67 ± 0.04	0.060 ± 0.024	1.471
100–119	109.0	2.86 ± 0.58	-2.98 ± 0.21	1.37 ± 0.07	1.76 ± 0.06	0.044 ± 0.036	1.232
120–139	129.0	2.45 ± 0.62	-2.75 ± 0.37	0.64 ± 0.06	1.40 ± 0.11	0.168 ± 0.056	1.287
140–159	149.0	2.76 ± 0.65	-2.76 ± 0.24	0.53 ± 0.03	1.64 ± 0.08	0.102 ± 0.049	1.242
160–179	169.0	2.13 ± 0.63	-3.11 ± 0.28	0.47 ± 0.03	1.82 ± 0.09	0.035 ± 0.059	1.073
180–199	189.0	1.17 ± 0.70	-2.89 ± 0.30	0.34 ± 0.04	1.91 ± 0.15	0.114 ± 0.143	1.141
ℓ range	ℓ_{eff}	$A_{\text{sync}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{sync}}^{\text{BB}}$	$A_{\text{dust}}^{\text{BB}} [10^{-3} \mu\text{K}^2]$	$\beta_{\text{dust}}^{\text{BB}}$	ρ^{BB}	χ_ν^2
20–39	29.0	42.27 ± 2.44	-3.07 ± 0.09	13.68 ± 0.43	1.69 ± 0.03	0.181 ± 0.021	2.021
40–59	49.0	8.86 ± 1.24	-3.02 ± 0.34	4.77 ± 0.29	1.65 ± 0.18	0.049 ± 0.028	1.322
60–79	69.0	1.10 ± 0.60	-2.94 ± 0.28	2.22 ± 0.08	1.76 ± 0.05	0.187 ± 0.130	1.804
80–99	89.0	1.06 ± 0.56	-2.93 ± 0.27	1.28 ± 0.06	1.78 ± 0.06	0.075 ± 0.114	1.857
100–119	109.0	1.37 ± 0.57	-2.88 ± 0.29	0.78 ± 0.04	1.74 ± 0.06	0.051 ± 0.075	1.177
120–139	129.0	1.33 ± 0.52	-3.12 ± 0.28	0.48 ± 0.03	1.82 ± 0.09	0.098 ± 0.089	1.191
140–159	149.0	0.52 ± 0.50	-2.95 ± 0.31	0.50 ± 0.04	2.05 ± 0.10	0.029 ± 0.167	1.206
160–179	169.0	0.89 ± 0.57	-3.11 ± 0.28	0.29 ± 0.03	1.75 ± 0.11	-0.094 ± 0.148	1.236
180–199	189.0	1.79 ± 0.76	-2.87 ± 0.26	0.27 ± 0.03	1.94 ± 0.13	-0.050 ± 0.081	1.184