

Feb 12, 2025 15:18

Recipe1.py

Page 1/4

```

1  # -*- coding: utf-8 -*-
2
3  #####
4  ## Form generated from reading UI file 'Recipe1.ui'
5  ##
6  ## Created by: Qt User Interface Compiler version 6.7.2
7  ##
8  ## WARNING! All changes made in this file will be lost when recompiling UI file!
9  #####
10
11 from PySide6.QtCore import (QCoreApplication, QDate, QDateTime, QLocale,
12     QMetaObject, QObject, QPoint, QRect,
13     QSize, QTime, QUrl, Qt)
14 from PySide6.QtGui import (QBrush, QColor, QConicalGradient, QCursor,
15     QFont, QFontDatabase, QGradient, QIcon,
16     QImage, QKeySequence, QLinearGradient, QPainter,
17     QPalette, QPixmap, QRadialGradient, QTransform)
18 from PySide6.QtWidgets import (QAbstractItemView, QApplication, QComboBox, QHeaderView,
19     QLabel, QLineEdit, QMainWindow, QMenuBar,
20     QPushButton, QSizePolicy, QStatusBar, QTableView,
21     QWidget)
22
23 class Ui_MainWindow(object):
24     def setupUi(self, MainWindow):
25         if not MainWindow.setObjectName():
26             MainWindow.setObjectName(u"MainWindow")
27             MainWindow.resize(800, 600)
28             self.centralwidget = QWidget(MainWindow)
29             self.centralwidget.setObjectName(u"centralwidget")
30             self.SaveRecipe = QPushButton(self.centralwidget)
31             self.SaveRecipe.setObjectName(u"SaveRecipe")
32             self.SaveRecipe.setGeometry(QRect(320, 410, 181, 32))
33             self.NewRecipeButton = QPushButton(self.centralwidget)
34             self.NewRecipeButton.setObjectName(u"NewRecipeButton")
35             self.NewRecipeButton.setGeometry(QRect(10, 280, 100, 41))
36             font = QFont()
37             font.setFamilies([u"Calibri"])
38             font.setPointSize(16)
39             font.setBold(True)
40             self.NewRecipeButton.setFont(font)
41             self.RecipeListCombo = QComboBox(self.centralwidget)
42             self.RecipeListCombo.setObjectName(u"RecipeListCombo")
43             self.RecipeListCombo.setGeometry(QRect(530, 410, 171, 32))
44             self.RecipeListCombo.setEditable(True)
45             self.RecipeListCombo.setMaxVisibleItems(20)
46             self.CalLab = QLabel(self.centralwidget)
47             self.CalLab.setObjectName(u"CalLab")
48             self.CalLab.setGeometry(QRect(30, 60, 131, 31))
49             font1 = QFont()
50             font1.setPointSize(15)
51             font1.setBold(True)
52             self.CalLab.setFont(font1)
53             self.cal_line = QLineEdit(self.centralwidget)
54             self.cal_line.setObjectName(u"cal_line")
55             self.cal_line.setGeometry(QRect(180, 60, 113, 31))
56             self.Protlab = QLabel(self.centralwidget)
57             self.Protlab.setObjectName(u"Protlab")

```

Feb 12, 2025 15:18

Recipe1.py

Page 2/4

```

58     self.Protlab.setGeometry(QRect(30, 110, 121, 31))
59     self.Protlab.setFont(font1)
60     self.prot_line = QLineEdit(self.centralwidget)
61     self.prot_line.setObjectName(u"prot_line")
62     self.prot_line.setGeometry(QRect(180, 110, 113, 31))
63     self.CancelButton = QPushButton(self.centralwidget)
64     self.CancelButton.setObjectName(u"CancelButton")
65     self.CancelButton.setGeometry(QRect(390, 470, 231, 61))
66     font2 = QFont()
67     font2.setPointSize(18)
68     font2.setBold(True)
69     font2.setItalic(True)
70     self.CancelButton.setFont(font2)
71     self.CancelButton.setAutoFillBackground(False)
72     self.CancelButton.setStyleSheet(u"background-color: rgb(255, 79, 69);")
73     self.IngredientsLabel = QLabel(self.centralwidget)
74     self.IngredientsLabel.setObjectName(u"IngredientsLabel")
75     self.IngredientsLabel.setGeometry(QRect(407, 19, 211, 31))
76     font3 = QFont()
77     font3.setPointSize(23)
78     self.IngredientsLabel.setFont(font3)
79     self.IngredientsLabel.setAlignment(Qt.AlignmentFlag.AlignCenter)
80     self.RecipeTableView = QTableView(self.centralwidget)
81     self.RecipeTableView.setObjectName(u"RecipeTableView")
82     self.RecipeTableView.setGeometry(QRect(320, 60, 391, 341))
83     self.RecipeTableView.setEditTriggers(QAbstractItemView.EditTrigger.AllEditTriggers)
84     self.AddRowButton = QPushButton(self.centralwidget)
85     self.AddRowButton.setObjectName(u"AddRowButton")
86     self.AddRowButton.setGeometry(QRect(320, 440, 371, 32))
87     palette = QPalette()
88     brush = QBrush(QColor(240, 57, 49, 255))
89     brush.setStyle(Qt.SolidPattern)
90     palette.setBrush(QPalette.Active, QPalette.Button, brush)
91     palette.setBrush(QPalette.Inactive, QPalette.Button, brush)
92     palette.setBrush(QPalette.Disabled, QPalette.Button, brush)
93     self.AddRowButton.setPalette(palette)
94     font4 = QFont()
95     font4.setPointSize(21)
96     font4.setBold(False)
97     self.AddRowButton.setFont(font4)
98     self.NewRecipeName = QLineEdit(self.centralwidget)
99     self.NewRecipeName.setObjectName(u"NewRecipeName")
100    self.NewRecipeName.setGeometry(QRect(10, 320, 301, 21))
101    font5 = QFont()
102    font5.setFamilies([u"Calibri"])
103    font5.setPointSize(15)
104    self.NewRecipeName.setFont(font5)
105    self.FatLab = QLabel(self.centralwidget)
106    self.FatLab.setObjectName(u"FatLab")
107    self.FatLab.setGeometry(QRect(30, 160, 131, 31))
108    self.FatLab.setFont(font1)
109    self.fat_line = QLineEdit(self.centralwidget)
110    self.fat_line.setObjectName(u"fat_line")
111    self.fat_line.setGeometry(QRect(180, 160, 113, 31))
112    self.fat_line.setFont(font1)
113    self.CarbLab = QLabel(self.centralwidget)
114    self.CarbLab.setObjectName(u"CarbLab")

```

Feb 12, 2025 15:18

Recipe1.py

Page 3/4

```

115     self.CarbLab.setGeometry(QRect(30, 210, 121, 21))
116     self.CarbLab.setFont(font1)
117     self.carb_line = QLineEdit(self.centralwidget)
118     self.carb_line.setObjectName(u"carb_line")
119     self.carb_line.setGeometry(QRect(180, 210, 113, 31))
120     self.carb_line.setFont(font1)
121     self.CloseButton = QPushButton(self.centralwidget)
122     self.CloseButton.setObjectName(u"CloseButton")
123     self.CloseButton.setGeometry(QRect(10, 400, 191, 121))
124     palette1 = QPalette()
125     brush1 = QBrush(QColor(243, 243, 243, 217))
126     brush1.setStyle(Qt.SolidPattern)
127     palette1.setBrush(QPalette.Active, QPalette.WindowText, brush1)
128     brush2 = QBrush(QColor(48, 68, 255, 255))
129     brush2.setStyle(Qt.SolidPattern)
130     palette1.setBrush(QPalette.Active, QPalette.Button, brush2)
131     palette1.setBrush(QPalette.Active, QPalette.Base, brush2)
132     palette1.setBrush(QPalette.Active, QPalette.Window, brush2)
133     palette1.setBrush(QPalette.Inactive, QPalette.WindowText, brush1)
134     palette1.setBrush(QPalette.Inactive, QPalette.Button, brush2)
135     palette1.setBrush(QPalette.Inactive, QPalette.Base, brush2)
136     palette1.setBrush(QPalette.Inactive, QPalette.Window, brush2)
137     palette1.setBrush(QPalette.Disabled, QPalette.Button, brush2)
138     palette1.setBrush(QPalette.Disabled, QPalette.Base, brush2)
139     palette1.setBrush(QPalette.Disabled, QPalette.Window, brush2)
140     self.CloseButton.setPalette(palette1)
141     font6 = QFont()
142     font6.setPointSize(20)
143     font6.setBold(True)
144     font6.setItalic(True)
145     self.CloseButton.setFont(font6)
146     self.CloseButton.setStyleSheet(u"background-color: rgb(48, 68, 255);")
147     self.titlab = QLabel(self.centralwidget)
148     self.titlab.setObjectName(u"titlab")
149     self.titlab.setGeometry(QRect(37, 10, 251, 20))
150     self.lineEdit = QLineEdit(self.centralwidget)
151     self.lineEdit.setObjectName(u"lineEdit")
152     self.lineEdit.setGeometry(QRect(290, 10, 61, 21))
153     MainWindow.setCentralWidget(self.centralwidget)
154     self.menubar = QMenuBar(MainWindow)
155     self.menubar.setObjectName(u"menubar")
156     self.menubar.setGeometry(QRect(0, 0, 800, 37))
157     MainWindow.setMenuBar(self.menubar)
158     self.statusbar = QStatusBar(MainWindow)
159     self.statusbar.setObjectName(u"statusbar")
160     MainWindow.setStatusBar(self.statusbar)
161
162     self.retranslateUi(MainWindow)
163
164     QMetaObject.connectSlotsByName(MainWindow)
165 # setupUi
166
167 def retranslateUi(self, MainWindow):
168     MainWindow.setWindowTitle(QCoreApplication.translate("MainWindow", u"MainWindow", None))
169 #if QT_CONFIG(tooltip)
170     self.SaveRecipe.setToolTip(QCoreApplication.translate("MainWindow", u"Don't forget to hit return", None))
171 #endif // QT_CONFIG(tooltip)

```

Feb 12, 2025 15:18

Recipe1.py

Page 4/4

```

172     self.SaveRecipe.setText(QCoreApplication.translate("MainWindow", u"Save Recipes", None))
173     self.NewRecipeButton.setText(QCoreApplication.translate("MainWindow", u"New Recipe", None))
174     self.CallLab.setText(QCoreApplication.translate("MainWindow", u"Calories per gram", None))
175     self.ProtLab.setText(QCoreApplication.translate("MainWindow", u"Protein per gram", None))
176     #if QT_CONFIG(whatsthis)
177         self.CancelButton.setWhatsThis(QCoreApplication.translate("MainWindow", u"<html><head></body><p>Cancel the current recipe</p></body></html>"
178                                     ", None))
179     #endif // QT_CONFIG(whatsthis)
180     self.CancelButton.setText(QCoreApplication.translate("MainWindow", u"Cancel", None))
181     self.IngredientsLabel.setText(QCoreApplication.translate("MainWindow", u"Ingredients", None))
182     #if QT_CONFIG(tooltip)
183         self.AddRowButton.setToolTip(QCoreApplication.translate("MainWindow", u"Add row to table", None))
184     #endif // QT_CONFIG(tooltip)
185     self.AddRowButton.setText(QCoreApplication.translate("MainWindow", u"AddRow", None))
186     #if QT_CONFIG(tooltip)
187         self.NewRecipeName.setToolTip(QCoreApplication.translate("MainWindow", u"Name of new recipe", None))
188     #endif // QT_CONFIG(tooltip)
189     self.FatLab.setText(QCoreApplication.translate("MainWindow", u"Fat per gram", None))
190     self.CarbLab.setText(QCoreApplication.translate("MainWindow", u"Carbs per gram", None))
191     self.CloseButton.setText(QCoreApplication.translate("MainWindow", u"Close Window", None))
192     self.titlab.setText(QCoreApplication.translate("MainWindow", u"Calory Program by Andi Klein -- version", None))
193     # retranslateUi

```