

Bin Location Reporting

SAP Business One
Version 10.0

PUBLIC

THE BEST RUN 

Welcome to the ***Bin Locations - Reporting*** course.

Objectives



At the end of this topic, you will be able to:

- Execute bin location reports and analyze their contents
- Initiate bin location replenishment and clearing processes
- Describe the bin location information that can be found in the inventory reports

- At the end of this module, you will be able to:
 - Execute bin location reports and analyze their contents
 - Initiate bin location replenishment and clearing processes
 - Describe the bin location information that can be found in the inventory reports

Business Scenario



- You have finished configuring the bin location setup at OEC Computers.
- You also guided OEC Computers employees on how to perform allocation processes.
- Now, George, the warehouse manager asks for tools that will help him track, control and manage the inventory in the different bin locations.
- You introduce him to the bin location and inventory reports.

You have finished configuring the bin location setup at OEC Computers.
You also already guided OEC Computers employees how to perform allocation processes.
Now, George, the warehouse manager asks for tools that will help him track, control and manage the inventory in the different bin locations.
You introduce him to the bin location and inventory reports.

Agenda

- Bin location reports:
 - Bin Location List
 - Bin Location Content List
- Bin location information in the inventory reports:
 - Inventory Posting List
 - Inventory in Warehouse report

This is the agenda for this course.

Let us review the bin location reports: the *Bin Location List* and the *Bin Location Content List*

Bin Location List Report

Reports → Inventory → Bin Location List report

Bin Location List - Selection Criteria

Bin Location Code From: 01-SYSTEM-BIN-LOCATION To:

Warehouses: ☒ Including From: To: ☐ Excluding From: To:

Sublevels: From: To:

Attributes: From: To:

☐ Display inactive Bin Locations

OK Cancel

Bin Location List

#	Select	Bin Location	Item Qty	No. of Items	CCD No.
1	☒	01-SYSTEM-BIN-LOCATION	118,333	61	
2	☐	05-A001-S1			
3	☐	05-A003			
4	☐	05-A004			
5	☐	05-A005			
6	☐	05-A006			
7	☐	05-A007			
8	☐	05-A008			
9	☐	05-A009			
10	☐	05-A010			
11	☐	05-A011			
12	☐	05-A012			
			119,877	71	

OK

Inventory Posting List Inventory Transfer Bin Location Content

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

5

The first report we discuss is the *Bin Location List* report.

This report displays a list of bin location codes and their associated data.

For each bin location we can see the associated warehouse and warehouse sublevels, as well as attributes, restrictions and other information from the *Bin Location Master Data*.

All user defined fields are automatically added to the Form Settings window and can be displayed in the report.


In addition, for each bin location we can see the item quantity stored and the number of the different items that exist in each bin location.

From the *Bin Location List* report we can generate an *Inventory Posting List* report and a *Bin Location Content List* report filtered by selected bin locations.

We can also generate an inventory transfer for selected bin locations by choosing the *Inventory Transfer* button.

We will discuss these options in the next slides

Bin Location List Report Replenishment Process (1/4)



© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

6

In SAP Business One, you can perform a replenishment procedure that automatically refill a bin location up to the maximum quantity defined for a bin. This procedure is triggered from the *Bin Location List* report.


Let us look at how the replenishment procedure can be useful in our business example. OEC Computers manage a pick face area near the packing and delivery area in the warehouse.

The pick face is used to store smaller quantities of higher turnover items. The purpose of managing a pick face area is to make the picking process simple and faster by making these items more accessible from the packing area. The replenishment procedure helps to maintain the desired quantities for the bin locations in the pick face.

Once a week, George issues the *Bin Location List* report to view the item quantities in the pick face bin locations and activates a replenishment procedure to fill the desired quantities in these bins.

In the next slides we will take a detailed look at how replenishment is done.

Bin Location List Report Replenishment Process (2/4)



#	Select	Bin Location	Item Qty	No. of Items	Minimum Qty	Maximum Qty	Qty Below Min.	CC...
70	☐	05-A3-S5-L1						
71	☐	05-A3-S5-L2						
72	☐	05-A3-S5-L3						
73	☐	05-A3-S6-L1						
74	☐	05-A3-S6-L2						
75	☐	05-A3-S6-L3						
76	☒	05-A4-S1-L1	96	1			-96	
77	☐	05-A4-S1-L2						
78	☐	05-A4-S1-L3						
79	☐	05-A4-S2-L1						
80	☐	05-A4-S2-L2						
			119,877	71				

Maximum Qty. – Item Qty. = Replenishment Qty.

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

7

The Replenishment Quantity column displays the maximum quantity defined for the bin location minus the current item quantity in the bin.

A positive quantity result represents the quantity required to be placed in the bin location in order to reach the maximum quantity defined for the bin.

Look at the image. In the first row of the report, we see the maximum quantity defined for this bin is 50. The actual item quantity is 10. Therefore the replenishment quantity is 40.

The replenishment procedure creates an inventory transaction that fills the bin with the quantity calculated in the *Replenishment Quantity* column for the selected rows in the report. It is important to understand that the replenishment process does not take into consideration the minimum quantity defined for the bin.

The automatic replenishment process is always done to match the desired maximum quantity defined for the bin and not the minimum defined.

Bin Location List Report Replenishment Process (3/4)

The screenshot shows two SAP windows. The 'Bin Location List' window on the left displays a table with columns: #, Select, Bin Location, Item Qty, No. of Items, Minimum Qty, Maximum Qty, and Qty Below Min. The table lists 11 rows, with the first row selected. The 'Inventory Transfer' window on the right shows fields for Business Partner, Name, Contact Person, Ship To, Number, Series, Posting Date, Document Date, Referenced Document, From Warehouse, To Warehouse, and To Bin Location. It also includes a 'Price List' dropdown and a 'Contents' table with columns: #, Item No., Item Description, To W..., Qty., Item Cost, Unit Name, Lh..., W..., Fr..., Unit Co..., and From... The 'Contents' table lists 6 items, including 'A00001 J.B. Officeprint 1' and 'A00006 Rainbow 1200 L'. The 'Inventory Transfer' window also has fields for Sales Employee, Journal Remarks, Inventory Transfers, Remarks, and a 'Generated upon Clearing Inventory' checkbox.

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

8

- In order to initiate a replenishment process first choose the rows of the bins you want to create the procedure for.
- Then, choose the *Inventory Transfer* Button and then choose the *Replenish Bin Locations* option.
- An *Inventory Transfer* document opens, populated with data drawn from the rows chosen in the *Bin Location List*.
- The following fields are automatically populated for all selected rows in the *Bin Location List*:
 - The *Item Number* column is populated with all the items stored in the selected bins.
 - In the *To Bin Location* column the system allocates the replenishment quantities of each bin chosen in the *Bin Location List*.
 - The *From Bin Location* column is populated according to the automatic allocation rules. This column is populated automatically as long as the bin is different from the one in the *To Bin Location* column.
 - The *Quantity* column is populated with the replenishment quantity per item.
- In order to trigger the replenishment process when items drops below minimum quantity, we can choose to select only the bins with a positive quantity below minimum.
- In the next slide we will learn about the *Quantity Below Minimum* calculation field and how to use it in the replenishment procedure.

Bin Location List Report Replenishment Process (4/4)

#	Sel...	Bin Location	Item Qty	No. of Items	Minimum Qty	Maximum Qty	Qty Below Min.	CC...
1	☐	05-A1-S1-L1	334	5				
2	☐	05-A1-S2-L1	100	1			-100	
3	☒	05-A4-S1-L1	96	1			-96	
4	☐	05-A4-S6-L3						
5	☐	01-SYSTEM-BIN-LOCATION	118,282	62				
6	☐	05-A001-S1						
7	☐	05-A001-S1-L1						
8	☐	05-A003						
9	☐	05-A004						
10	☐	05-A005						
11	☐	05-A006						
12	☐	05-A007						
13	☐	05-A008						
			119,826	72				

Minimum Qty. – Current Qty. = Qty. Below Minimum

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

9

The *Quantity Below Minimum* calculation field displays the result of the minimum quantity defined for the bin location, minus the current item quantity in the bin.

A positive quantity result represents the quantity required to be placed in the bin location in order to reach the defined minimum quantity.

In the image, in the sixth row, we see that the minimum quantity defined for this bin location is 5. The actual item quantity is only 2. Therefore the quantity below minimum equals 3.

We can filter or sort the report by the Quantity Below Minimum column thus displaying only the bin rows with a positive quantity below minimum. Then, we can select these rows and choose the *Inventory Transfer* button to open the *Inventory Transfer* document.

Note, Quantity Below Minimum and Replenishment Quantity values will only be calculated when one of the following conditions exists:

- The bin location contains a single item with a non-zero quantity
- Or a bin location with zero quantity whose item restriction is set to Specific Item.
- For example, look at row number 8, the *Quantity Below Minimum* and *Replenishment Quantity* values are not calculated because the *Number of Items* column indicate there are multiple items in the bin.

Bin Location List Clear Bin Location

The screenshot shows the 'Bin Location List' window with a table of bin locations. Row 1 is selected, showing Item 334, Quantity 100, and Bin Location 05-A1-S1-L1. Below this, the 'Inventory Transfer' window is open, showing the 'Attachments' tab. The 'Attachments' table shows the selected bin location and its quantity (100) being transferred to the 'To Bin Location' column. The 'Clear Inventory' button is highlighted in the bottom right corner of the 'Inventory Transfer' window.

#	Bin Location	Item Qty	No. of Items	Minimum Qty	Maximum Qty	Qty Below Min.	CC...
1	05-A1-S1-L1	334	5	1		-100	
2	05-A1-S2-L1	100	1			-96	
3	05-A4-S1-L1	96	1				
4	05-A4-S6-L3	118,282	62				

#	Item No.	Item Description	To Warehouse	Quantity	From Bin...	To Bin Loc...	First To Bin Location
1	A00005	Rainbow ColorJet	05	10	05 Manual	10	0
2	C00001	Motherboard P4 140	05	100	05 Manual	100	0
3	C00002	Motherboard P4 140	05	100	05 Manual	100	0
4	C00003	Quadcore P4 2.4 MHz	05	100	05 Manual	100	0

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

10

Another procedure available in the *Bin Location List* report, is the clearing procedure. In some cases we would want to clear a bin location. For example when we want to designate a certain bin to a certain item and there is already another item stored in that bin. The clearing procedure allows automatic generation of an inventory transfer document to transfer the full or partial quantity of an item stored in a bin.

First choose the relevant bin rows, then choose the *Inventory Transfer* button and then choose the *Clear Bin Locations* option.

An *Inventory Transfer* document opens, populated with data drawn from the rows chosen in the *Bin Location List*.

The following fields are automatically populated for all selected rows in the *Bin Location List*:

- The *Item Number* Column is populated with all the items stored in the selected bins.
 - In the *From Bin Location* column the system allocates the *Item Quantity* value of the bin chosen in the *Bin Location List*.
 - The *To Bin Location* column is populated according to the automatic incoming allocation rules. This column is populated automatically as long as it is different than the *From Bin Location*.
 - In the *To Bin Location* column the system allocates the replenishment quantities displayed in the *Bin Location List* for each bin.
- In the appendix you can find the rules for inventory transfer data population in the clear and replenish options

Bin Location Content List (1/3)

The screenshot displays two SAP reports. The top report, 'Bin Location List', shows a table with columns: #, Sel..., Bin Location, Item Qty, No. of Items, Minimum Qty, Maximum Qty, Qty Below Min., and CC... Row 3 is selected, showing bin location 05-A4-S1-L1 with an item quantity of 96 and 1 item. The bottom report, 'Bin Location Content List', shows a breakdown of the selected bin location into items. It has columns: #, Select, Bin Location, Item No., Item Qty, and CCD No. Row 1 shows item C00010 with a quantity of 96. At the bottom of the bottom report, there are buttons: OK, Inventory Posting List, Inventory Transfer, and Set as Default Bin Loc.

#	Sel...	Bin Location	Item Qty	No. of Items	Minimum Qty	Maximum Qty	Qty Below Min.	CC...
1	☐	05-A1-S1-L1	334	5				
2	☐	05-A1-S2-L1	100	1			-100	
3	☒	05-A4-S1-L1	96	1			-96	
4	☐	05-A4-S6-L3						
5	☐	01-SYSTEM-BIN-LOCATION	118,282	62				
6	☐	05-A001-S1						
7	☐	05-A001-S1-L1						
8	☐	05-A003						
9	☐	05-A004						
10	☐	05-A005						

#	Select	Bin Location	Item No.	Item Qty	CCD No.
1	☒	05-A4-S1-L1	C00010	96	

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

11

- The *Bin Location Content List* displays a list of items per bin location with additional information, similarly to the *Bin Location List* report.
- In a way, the *Bin Location Content list* report is a breakdown of the *Bin Location List* report.
- The *Bin Location Content List* also enables generation of an *Inventory Posting List* filtered by selected items together with item clearance and replenishment processes.
- Look at the image. In row number 3 of the *Bin Location List*, we see bin location code 05-A4-S1-L1. We can also see in the *Number of Items* column, the value 2. This means there are two kinds of items in the bin. We can see the breakdown of the bin per item in the *Bin Location Content List* report.
- The *Bin Location Content list* report can be generated directly from the *Bin Location List* report by selecting the desired bins rows and then choosing the *Bin Location Content* button. The report can also be generated directly from the Reports → Inventory menu.
- When George wants to transfer items stored in the Receiving bin location to their regular storage bin location he issues a *Bin Location Content List* report and chooses the *Clear Bin Location* option to open an *Inventory Transfer*.
- George prefers to clear the Receiving bins using the *Bin Location Content List* rather than using the *Bin Location List* report, since he can see a breakdown of the bin location by item and thus choose the specific items to clear.

Bin Location Content List (2/3)

Set as Default

The screenshot displays the SAP Bin Location Content List report and the Item Master Data form. The report shows a list of bin locations and their associated items. The Item Master Data form is open for item SC7701, showing various data fields. A yellow arrow points from the 'Set as Default Bin Loc.' button in the report to the 'Set Default Bin Loc.' button in the Item Master Data form.

#	Select	Bin Location	Item No.	Item Qty	Display Batch/Serial Numbers
62	☐	01-SYSTEM-BIN-LOCATION	SC7701	5	
63	☐	01-SYSTEM-BIN-LOCATION	Z00002	16	
64	☐	05-A1-S1-L1	B00005	10	
65	☐	05-A1-S1-L1	C00001	100	
66	☐	05-A1-S1-L1	C00002	100	
			C00003	100	
			C00010	24	
			B00013	100	
			B00013	1,000	
			B00002	4	
			B00001	10	
			C00010	96	
				119,827	

Buttons: Inventory Posting List, Inventory Transfer, Set as Default Bin Loc.


© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

12

- Another function available in this report is the setting of a selected bin as the default for the related row item.
- The bin location the item is already located in, is often the obvious choice to be the Default bin location for the item.
- Just select the row that combines the item and the bin location you want to set as default and choose the *Set as Default bin location* button
- Note that setting a bin location as default for a certain item will override the exiting Default bin location if it exists.

Bin Location Content List (3/3)

Hierarchical display



© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

13

The *Bin Location Content List* report also has a hierarchical report view.

This view allows different breakdowns of the item quantity in the different warehouse sublevels and bin locations.

The report also allows expanding and collapsing of the records by each level of display. Just choose the desired level in the expand button.

Collapsed records display the quantity totals.

Look at the image. This is the report George issued to check where the tablet devices are located in his warehouse. In the *Report View* field, George chose Hierarchical and in the *Column Order* field he chose the option Item Before Warehouse.

You can choose other options in the *Column Order* field. For example, if you want to see the list of items in each Area sublevel, you can choose the option Item after Area.

Note, you can run the *Bin Location Content List* report from the context menu of the *Item Master Data*. This way you receive a filtered report for the chosen item, simply by right clicking the item record.

Agenda

- Bin location reports:
 - Bin Location List
 - Bin Location Content List
- Bin location information in the inventory reports:
 - Inventory Posting List
 - Inventory in Warehouse report

Let us check the bin location information in the *Inventory Posting List* and the *Inventory in Warehouse* report

Bin Location Information in the Inventory Posting List (1/2)

Inventory Posting List

Posting D...	Docu...	Doc...	Whse	Bin Location	G/L Acc...	G/L Acc/BP Name	Inventory...	Qty	Price aft...	Ba...
A00001						J.B. Officeprint 142C				
09.03.	PD 73 1		01		V1000C Acme Associates			6 BP 200.00		
09.03.	PD 73 1		01		V1000C Acme Associates			4 BP 200.00		
24.03.	PD 74 1		01		V1000C Acme Associates			50 BP 200.00		
24.03.	PD 74 1		01		V1000C Acme Associates			-50 BP 200.00		
29.03.	PD 74 1		01		V1000C Acme Associates			50 BP 200.00		
29.03.	PD 74 1		01		V1000C Acme Associates			-50 BP 200.00		
29.03.	PD 74 1		01		V1000C Acme Associates			30 BP 200.00		
02.04.	IN 13C 1		01		C8000C Pivotal Solutions			-150 SD 350.00		
06.04.	IN 131 1		01		C3000C Microchips			-10 BP 200.00		
16.04.	DN 131		01		C2000C Maxi-Teq			-1 BP 300.00		
16.04.	DN 131		01		C3000C Microchips			-1 BP 200.00		
27.07.	DN 131		01		C2390C Parameter Technol			-1 BP 300.00		
07.09.	SO 2 1		01	01-SYSTEM-B	13000C Raw Materials			-1 BP 100.00		

☐ Split Display by Batch/Serial Numbers
☒ Split Display by Bin Locations

List

Docu...	Doc...	Whse	First Bin Location	G/L Acc...	G/L Acc/BP Name	Inventory...	Qty	Price aft...	Ba...
PD 73 1		01		V1000C Acme Associates			6 BP 200.00		
PD 73 1		01		V1000C Acme Associates			4 BP 200.00		
PD 74 1		01		V1000C Acme Associates			50 BP 200.00		
PD 74 1		01		V1000C Acme Associates			-50 BP 200.00		
PD 74 1		01		V1000C Acme Associates			50 BP 200.00		
PD 74 1		01		V1000C Acme Associates			-50 BP 200.00		
PD 74 1		01		V1000C Acme Associates			30 BP 200.00		
PD 74 1		01		V1000C Acme Associates			-50 BP 200.00		
IN 13C 1		01		C8000C Pivotal Solutions			-150 SD 350.00		
IN 131 1		01		C3000C Microchips			-10 BP 200.00		
DN 131		01		C2000C Maxi-Teq			-1 BP 300.00		
DN 131		01		C3000C Microchips			-1 BP 200.00		
DN 131		01		C2390C Parameter Technol			-1 BP 300.00		
SO 2 1		01	01-SYSTEM-B	13000C Raw Materials			-1 BP 100.00		

☒ Split Display by Batch/Serial Numbers
☐ Split Display by Bin Locations

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

15

The *Inventory Posting List* also reflects bin location transactions.

You can check the *Split Display by Bin Locations* box to see a breakdown of each document row per bin location.

When the box is unchecked the *First Bin Location* column is displayed instead of the *Bin Location* column that we see in the upper image when the box is checked.

If the same item is stored in more than one bin location, the field displays the first bin location amongst all, in the alphanumeric sequence.

The field is highlighted in light blue when the bin location is not the only bin location the item is stored in.

The *First Bin Location* field also appears in the *Item Master Data* → *Inventory* tab.

In the image we see that the second row in *Goods Receipt PO* number 730 was allocated into two bin locations.

When the split display is unchecked, the column name changes to *First Bin Location* and the field is colored blue (since there is more than one bin involved) .

The *Split Display by Batch/Serial Numbers* option is explained in the *Bin Locations - Serial Numbers and Batches* course unit.

When choosing the link arrow of the *First Bin Location*, another *Inventory Posting List* report opens that displays the list of bin locations allocated in the row and filtered by the transaction line chosen.

Bin Location Information in the Inventory Posting List (2/2)

Selection Criteria

The screenshot shows the 'Inventory Posting List - Selection Criteria' window. The 'By' field is set to 'Document'. The 'By Location' field is set to 'Fetham'. The 'Expanded Selection Criteria' section is open, showing various checkboxes for 'Original Journal', 'General Parameters', and 'Bin Location Parameters'. The 'Bin Location Parameters' section includes fields for 'Bin Location Code', 'Alternative Sort Code', 'Warehouse Sublevel', 'Area', 'Row', 'Shelf', 'Attributes', 'Further Info', 'Height', 'Depth', 'Auto-Static', 'Width', and 'Type of self'. The 'Sort' section is also visible, showing 'Sort Field' (Bin Location) and 'Order' (Ascending).

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

16

Let us examine some filtering and sorting options in the selection criteria window, according to numbers in the graphic:

1. We can sort by bin location values.
2. Splitting rows by bin location or by serial numbers and batches is possible.
3. The expanded window has a section for specifying Bin Location Parameters. We can choose to filter the report results by bin location code, sublevel or attribute.

Inventory in Warehouse Report

Inventory in Warehouse Report - Selection Criteria

Code: From To
 Vendor: From To
 Item Group: All
 Properties: Ignore
☐ Hide Items with No Quantity in Stock
☒ By Location ☐ By Warehouse
☒ Including From 01 To 05
☐ Excluding From To
 Display: ☐ Normal ☒ Detailed Report
 Price Source: Last Purchase Price
☒ Only Display Items With
☐ Enforced Default Bin Locations
☐ Unenforced Default Bin Locations
☒ Both

Inventory in Warehouse Report (Detailed)

Item No.	Item Description	Inventory...	First Bin Loca...	In Stock	Comm...	Ordered	Available	Confl...	Default Bin L...	Enforced Def...	Item Price	Total
1	Whse: 05 A000002 J.B. Officeprint 111		05-A1-S1-L1	10			10		05-A3-S1-L1 No		GBP 50.00	
2	A000005 Rainbow ColorJet 7		05-A1-S1-L1						05-A1-S1-L1 No		GBP 150.00	GBP 1,500.00
3	I000013 SDHC 64 GB CLAS Eac		05-A1-S2-L1	1,100	96	2,300	3,304	96,000	05-A1-S1-L2 No			
											Total 05	GBP 1,500.00
											Grand Total	GBP 1,500.00

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

17

In the detailed display of the of the *Inventory in Warehouse* report we can see the bin location information in columns: *First Bin Location*, *Default bin location* and *Enforced Default Bin Location*.

Choosing the link arrow in the *First Bin Location* field opens the *Bin Location Content List* filtered by the item in the row.

Note, this report allows you to view the list of items with Default bin locations or, on the other hand, items without a Default bin. You can use this report to view, monitor or update Default bin locations.

Summary



Key notes:

- There are two main reports in the bin location module: *Bin Location List* and *Bin Locations Content List*.
- Both reports display bin location information but also serve as a benchmark to perform different inventory processes that involve bin locations.
- The *Bin Location List* report displays a list of bin location codes and their associated data and the *Bin Location Content List* report is a breakdown of the *Bin Location List* report.
- Both reports enable replenishment and clearance procedures.
- The *Bin Locations Content List* report has a hierarchal view that allows different breakdowns of the item quantity in the different warehouse sublevels and bin locations, with options for collapse and expand.
- The *Inventory Posting List* display bin location transactions and the *Inventory in Warehouse* reports displays the breakdown of bin locations per item and warehouse.

Key notes:

- There are two main reports in the bin location module: *Bin Location List* and *Bin Locations Content List*.
- Both reports display bin location information but also serve as a benchmark to perform different inventory processes that involve bin locations.
- The *Bin Location List* report displays a list of bin location codes and their associated data and the *Bin Location Content List* report is a breakdown of the *Bin Location List* report.
- Both reports enable replenishment and clearance procedures.
- The *Bin Locations Content List* report has a hierarchal view that allows different breakdowns of the item quantity in the different warehouse sublevels and bin locations, with options for collapse and expand.
- The *Inventory Posting List* display bin location transactions and the *Inventory in Warehouse* reports displays the breakdown of bin locations per item and warehouse.

Appendix - Replenishment and Clearing data defaults in the Inventory Transfer

Columns populated in the Inventory Transfer	Replenishment option	Clear option
Quantity	Replenishment quantity	Current item quantity
From Bin Location	According to the automatic allocation rules	The current bin location from the report
To Bin Location	The current bin location from the report	According to the automatic allocation rules

This table summarizes the differences in the inventory transfer defaults of the *Clear* and *Replenish* options.

The *Quantity* column is populated with the replenishment quantity when choosing the Replenish option and with the current item quantity in the bin, in the Clear option.

In the Replenish option, the items in the *From Bin Location* field are allocated according to the automatic allocation rules while in the Clear option the From Bin Location is set to the bin indicated in the report line.

The To Bin Location column behaves the other way around. In the Replenish option the items are taken from the bin indicated in the report line while in the Clear option the To Bin Location is set according to the automatic allocation rules.

© 2020 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

The information contained herein may be changed without prior notice. Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

In particular, SAP SE or its affiliated companies have no obligation to pursue any course of business outlined in this document or any related presentation, or to develop or release any functionality mentioned therein. This document, or any related presentation, and SAP SE's or its affiliated companies' strategy and possible future developments, products, and platforms, directions, and functionality are all subject to change and may be changed by SAP SE or its affiliated companies at any time for any reason without notice. The information in this document is not a commitment, promise, or legal obligation to deliver any material, code, or functionality. All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, and they should not be relied upon in making purchasing decisions.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

See <http://global.sap.com/corporate-en/legal/copyright/index.epx> for additional trademark information and notices.