



Implementation Tools: Import From Excel

SAP Business One
Version 10.0

PUBLIC

THE BEST RUN 

In this course you will learn how to import data from Microsoft Excel.

Objectives




Objective:

- Using the Import from Excel utility, import multiple records for:
 - Business partner master data
 - Item master data
 - Price list data
 - Business partner catalogue numbers
 - Journal entries
- Access the Import from Excel utility from the opening balances, batch and serial number setup, and journal entry windows.

In this topic, you will see how to use the Import from Excel utility to import multiple records for business partner master data, item master data, price lists, business partner catalogue numbers, and journal entries.

You can also access the Import from Excel utility from other windows in SAP Business One, to import opening balances, batch and serial numbers, and single journal entries.

Business Scenario



- Each month your distributors send you a Microsoft Excel spreadsheet with new and updated customer master data. You provide warranty support to these customers and therefore you need update this information in the company database.
- Solution: The *Import from Excel* utility provides an easy way to import data from a spreadsheet.

	A	B	C	D	E	F	G	H	I	J	K
1	Cust01	New Apparel	C		Apparel	G. Foster	023-554-9628	City St	London	W5 2DW	GB
2	Cust02	BC Designers	C		Apparel	J. Brown	020-309-66243	City Rd	London	E10 2ER	GB
3	Cust03	Popular Prints	C		Arts	P. Patterson	1272-4089	172 Park Rl	Manchest	M5 2SF	GB
4	Vend01	MW Electronics	S	USD	Suppliers	L. Chung	21-66-52-2	1000 Intern	Chicago	60612	US
5	Vend02	Pring Logistics	S		Parts	D. Meyer	0141-2144	123 Paisley	Glasgow	G10 4BG	GB
6	Vend03	Mobile Distribut	S		Parts	S. Redux	061-298-65250	Princed	Edinburgh	E12 2GD	GB
7											

In the business scenario shown here, your distributors send you a spreadsheet with new and updated customer master data. You want to import this data on a regular basis to provide warranty support.

Many companies need to periodically import bulk master data, especially when dealing with distributors and other third parties. Often this data is in the form of a Microsoft Excel spreadsheet.

The Import from Excel utility provides an easy way for companies to import data from a spreadsheet.


Overview



Import from Excel Utility

Administration > Data Import/Export > Data Import > Import from Excel

Administration > System Initialization > Implementation Center > Implementation Tasks - Data Management tab



■ Import from Excel can import the following categories of data:

- Business partner master data
- Item master data
- Prices in a price list
- Business partner catalogue numbers
- Journal entries

Note: A similar utility is available to import fixed asset master data. To access this utility, you must first enable fixed assets in the Company Details

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC


5

The Import from Excel utility is accessible from the main menu using the path shown in the slide, or from the *Data Management* tab of the *Implementation Tasks* window. You can use the Import from Excel utility to import and update:

- Business partner master data
- Item master data
- Prices in an existing price list
- Business partner catalog numbers
- Journal entries

Note: a similar utility is available to import fixed asset master data. To access this utility, you must have enabled fixed assets in the Company Details window.

Overall Process



To use this utility, you first prepare the data in a Microsoft Excel spreadsheet. Save this file as a Tab delimited txt file and close the file.

In the *Import from Excel* window, select the data type (Business Partner, Items, Price List, Business Partner Catalog Numbers, Journal Entry) and browse for the saved spreadsheet file.

Then map each of the spreadsheet columns (A, B, C, etc.) to a field in the object by selecting fields from the dropdown list. The fields are displayed according to the selected object; however, not every field for the object can be imported using this utility.

To proceed with the import, choose an import method (the default method is automatically selected for the chosen data type), and run the import.

Documentation on Field Names

- The Import from Excel utility uses the DI API interface to the database
- To help you map the object fields, you can reference the Database Tables Reference (REFDB file)
- Select an object in the Database Tables Reference to see field names, descriptions, default values, and constraints

The screenshot shows two windows from SAP Business One. The left window, 'SAP Business One - Database Tables Reference', displays a tree view on the left with 'Business Partner' selected. The main pane shows a table with columns 'Field', 'Description', and 'Type'. The right window, 'Import from Excel', shows the 'Data Type to Import' as 'Business Partner' and the 'File to Import' as 'E:\Import_from_Excel_Business_Partners.xls'. A checkbox labeled 'Display Database Field Name' is checked. A callout box points to this checkbox with the text: 'You can display the database table and field names by selecting the *Display Database Field Name* checkbox'.

Field	Description	Type
CardCode	BP Code	nVarChar
CardName	BP Name	nVarChar
CardType	BP Type	nVarChar
GroupCode	Group Code	Int
CapPrivate	Business Partner Type	nVarChar
Address	Bill-to Street	nVarChar
ZipCode	Bill-to Zip Code	nVarChar
MainAddress	Ship-to Street	nVarChar
MainZipCode	Ship-to Zip Code	nVarChar
Phone1	Telephone 1	nVarChar
Phone2	Telephone 2	nVarChar
Fax	Fax Number	nVarChar

The Import from Excel utility uses the DI API interface to access the database. To help you map the object fields, you can reference the Database Tables Reference document.

To access the Database Tables Reference, go to the installation folder for the SAP Business One server, and then follow the path SAP Business One SDK > Help. The REFDB file is in the Help folder. You can also access the same document from the help menu of the Data Transfer Workbench (DTW).

Select an object (e.g., Business Partner), to see the table and field names for the object. Importantly you can see the constraints (permitted values) that are allowed in some fields. Remember that most objects are represented in more than one table, for example:

- OCRD and OCPR for business partner master data
- OJDT and JDT1 for journal entries

The fields displayed in the Import from Excel window use the names from the Description column in the Database Tables Reference. You can display the database table and field names instead by selecting the *Display Database Field Name* checkbox.

Saving the Mapping

Import from Excel

Data Type to Import: Items

File to Import: N:\Weekly_Item_import.txt

Map the File Columns to the Object Fields ☒ Display Database Field Name

Column in File	Field in Object
A	Item No. [OITM.ItemCode]
B	Item Description [OITM.ItemName]
C	Item Type [OITM.ItemType]
D	
E	
F	BP Currency [OCRD.Currency]
G	BP Type [OCRD.CardType]
H	Foreign Name [OCRD.CardName]
I	Group Code [OCRD.GroupCode]
J	Bill-to Street [OCRD.Address]
K	Bill-to Block [OCRD.Block]
L	Bill-to Building/Floor/Room [OCRD.Building]
M	Bill-to Address Type [OCRD.AddrType]
	Bill-to Street No. [OCRD.StreetNo]

Import Method

☐ Add New Records and Update Existing Records

☒ Add New Records Without Updating Existing Records

☐ Update Existing Records Without Adding New Records

Mapping

Use Data Template

Save as Template

Clear Mapping

- Option to save current mappings as a template file for later reuse
- When you open the Import from Excel window, the system displays the mappings used in the previous import for the same object. To start a new mapping, choose the *Clear Mapping* button

After you have mapped the fields to the spreadsheet order, you can save the mapping as a template, for later reuse.

When you select an object, the system shows the mappings used for the previous import for the object. You can clear these mappings with the *Clear Mapping* button and start a new mapping for the object.

Spreadsheet Rules and Tips

General rules:

- Do not include a header row in the spreadsheet
- Format the cells as Text to prevent any truncation
- If the field has a default value, no need to enter it (for example, currency code, group code)
- Comply with field constraints such as type, maximum length, and permitted values
- Before you run the utility save the spreadsheet as a Tab delimited file (*.txt)
- Close the text file. Failure to close the file before you run the import will result in an error.

	A	B	C	D	E	F	G	H
1	Item code	Description	Supplier	Min stock level	Manufacturer	Valuation method	Lead time	...
2	Item code	Description	Supplier	Min stock level	Manufacturer	Valuation method	Lead time	...
3	Item code	Description	Supplier	Min stock level	Manufacturer	Valuation method	Lead time	...
4	...							



	A	B	C	D	E	F	G	H
1	I-10001	Phone case	Lumarx		32 OEX Products	A		2 ...
2	I-10002	Phone charger	Lasercom		60 ELY Industries	B		3 ...
3	I-10003	Phone cable	Lasercom		48 ELY Industries	B		3 ...
4	...							



© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

9

There are some general rules for creating the spreadsheet.

- The spreadsheet should not contain a heading row, since the utility expects the data to start in the first row.
- Generally it is a good idea to format the spreadsheet cells as text type. This prevents Microsoft Excel from truncating a field value.
- There is no need to enter a field if the default value meets your needs, for example, the currency code, or the group code. Since your system may have additional default values in the setup for master data and items, for example, payment terms for business partners, you also need to be aware of these settings. The easiest way to see these default values is to create a master data record, using just the code. The default values will be inserted automatically into the new record.
- You should comply with any field constraints, such as the maximum length for a field, or the required values for a field.
- Before you run the import utility, you must save the spreadsheet as a text (Tab delimited) file.
- You must also close the tab delimited file before you run the utility. Failure to close the file will result in an error.

Import Methods

Import Method	BP Master Data	Item Master Data	Journal Entries	Price Lists	BP Catalog Numbers
○ Add New Records and Update Existing Records	✓	✓			
○ Add New Records Without Updating Existing Records	✓	✓	✓		✓
○ Update Existing Records Without Adding New Records	✓	✓		✓	

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC


10

Import methods are selected in the Import from Excel window:

- Add new records and update existing records. This method is available for business partner and item master data and will update records with matching keys.
- Add new records without updating new records. This method is available for business partner and item master data, journal entries and BP catalog numbers. If a record already exists with the same key, data will not be imported.
- Update existing records without adding new records. This method is available for business partner and item master data, and price list data. If a record does not exist with the same key the import will fail.

General Authorization

General authorization required to access Import from Excel utility:



Users	Group	Subject	Authorization	Effective Authorization
AlertSvc - AlertSvc				
alex - Alex Torras				
(B1) - (B1)				
bill - Bill Levine				
bob - Bob Shone				
brad - Brad Thompson				
carlos - Carlos Andres				
christin - Christine Roblet				
dana - Dana Willy				
donna - Donna Brown				
doris - Doris Labour				
EDSUser - EDSUser				
elisa - Elisa Messina				
emily - Emily Irwin				
fred - Fred Buyer				
George - GeorgeProfit				
George1 - George				
hunter - Hunter O'Rear				
james - James Chan				
jen - Jen Brown				
		Import from Excel	No Authorization	No Authorization
		Import Transactions from SAP Business One	No Authorization	No Authorization
		Import Fixed Asset Master Data from Microsoft E	No Authorization	No Authorization
		Financial Template Import Wizard	No Authorization	No Authorization
		Comprehensive Import	No Authorization	No Authorization
		Data Export	Full Authorization	Full Authorization
		Utilities	Full Authorization	Full Authorization
		Approval Process	Full Authorization	Full Authorization
		Workflow	No Authorization	No Authorization
		Alerts Management	Full Authorization	Full Authorization
		BI OnDemand Integration Configuration	No Authorization	No Authorization
		Financials	Full Authorization	Full Authorization
		Opportunities	Full Authorization	Full Authorization

- Users must be authorized to use the utility

You can control which users can access the import utility, using general authorizations. The authorization is 'Import from Excel.'

Business Partner Master Data Import



Business Partner Master Data

- Select *Business Partner* as the data type
- Data can be entered in any order in the spreadsheet as you will map each column to a field in the master data

Mapping

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Cust01	New Apparel	C		Apparel	G. Foster	023-554-9028	City St	London	W5 2DW	GB	12 Princess Coventry	BA1 9MC	GB	GB12345010	Y	3	5	
Cust02	BC Designers	C		Apparel	J. Brown	020-309-6624	City Rd	London	E10 2ER	GB	243 City Rd	London	E3 4CS	GB	GB12345230	Y	2	5
Cust03	Popular Prints	C		Arts	P. Patterson	1272-4089	172 Park Rl	Mancheste	M5 2SF	GB	172 Park Rl	Mancheste	BN1 3AH	GB	GB12345290	Y	1	6
Vend01	MW Electronics	S	USD	Suppliers	L. Chung	21-66-52-2	1000 Interri	Chicago	60612	US	1000 Interri	Chicago	60612	US	US12345670	Y	1	2
Vend02	Pring Logistics	S		Parts	D. Meyer	0141-2144	123 Paisle	Glasgow	G10 4BG	GB	516 Dewsb	Glasgow	G10 4BG	GB	GB12345300	Y	1	3
Vend03	Mobile Distribut	S		Parts	S. Redux	061-298-6525	Prince	Edinburgh	E12 2GD	GB	250 Prince	Edinburgh	E12 2GD	GB	GB12345030	Y	1	2

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

13

To import business partner master data, select *Business Partner* as the data type. In the spreadsheet, the data can be entered in any order, and then you will map each column in the *Import from Excel* window to a field in the master data.

The dropdown list shows the list of fields that can be imported for the business partner object – not all fields in the object can be imported.

- Note that the values for the BP Type field are C, S and L for customer, vendor and lead (the default is customer).
- The BP Currency is the currency code as specified in the Currencies table in SAP Business One. You only need to enter the currency if it differs from the local currency.
- The Group Code is actually the *name* of the group. If you do not enter a group name, the business partner is automatically assigned to the first group in the system. If you enter a group name that does not exist in the Groups table, a new group will be created automatically.

See the online help for the Import from Excel for an explanation of each field.

Business Partner - Contact Person Table

- Business partner contact information is held in the OCPR child table
- To import contact data on the same row as header fields, in the spreadsheet, select the **Contact Person...** field
- The contact fields are displayed in a **fixed order** and you must follow this order in the spreadsheet

Import from Excel

Data Type to Import: **Business Partner**

File to Import: [Browse]

Map the File Columns to the Object Fields

Column in File	Field in Object
A	BP Code
B	BP Name
C	BP Currency
D	Group Code
E	Contact Person...
F	First Name
G	Middle Name
H	Last Name
I	Title
J	Position
K	Address
L	Telephone 1
M	Telephone 2
N	Mobile Phone
O	Fax
P	E-Mail
Q	E-Mail Group Code
R	Pager
S	Remark 1
T	Remark 2

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
C501	New Apparel	EUR	Retail		J. Brown	John		Brown		Sales Mgr.	28 Southwold St	223 34567		0986 54321		j.brown@newa.com
C520	NZU		Retail		C. Smith	Cindy	A	Smith		Owner	11 Beach St	120 47830		7754021		cindy@NZU.com

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

14

The business partner object is composed of multiple tables.

The main table OCRD covers the header fields and the fields on all tabs *except* for Contact Persons and Addresses tabs. Fields on the Contact Persons tab are held in the OCPR child table.

You can add contact data on the *same* spreadsheet row as the header data. During field mapping, select the *Contact Person...* field from the dropdown list. The field is marked in blue to indicate it is the key to a table. When you select this field, several fields from the child table are displayed in a **fixed order**, and therefore you must make sure the spreadsheet follows this order. If you are not importing a contact field you must leave the cell empty in the spreadsheet in order to maintain the correct order of fields.

Importing Multiple Contacts for a Business Partner

- To import multiple contacts, first import the header information for the business partners
- Then prepare another spreadsheet for the child records:
 - Enter the respective BP Code on each row (column A)
 - In the other columns enter the required contact fields
 - Select the import method *Update Existing Records Without Adding New Records*

Import from Excel

Data Type to Import: Business Partner

File to Import: 1:Excel\Import_from_Excel_BP_Contacts_2018_2.xls

Map the File Columns to the Object Fields

Column in File	Field in Object
A	BP Code [OCRD.CardCode]
B	Contact Person...
C	First Name [OCPR.Firstname]
D	Middle Name [OCPR.Middlename]
E	Last Name [OCPR.Lastname]
F	Title [OCPR.Title]
G	Position [OCPR.Position]
H	Address [OCPR.Address]
I	Telephone 1 [OCRD.Phone1]
J	Telephone 2 [OCRD.Phone2]
K	Mobile Phone [OCRD.Cellular]
L	Fax [OCPR.Fax]
M	E-Mail [OCRD.E_Mail]
N	E-Mail Group Code [OCPR.EmailGrpCode]
O	Pager [OCPR.Pager]

Import Method

☐ Add New Records and Update Existing Records

☐ Add New Records Without Updating Existing Records

☒ Update Existing Records Without Adding New Records

Business Partner Master Data

Code: Manual 00010C Customer

Name: BC Designers

Foreign Name:

Group: Customers

Currency: British Pound

Federal Tax ID:

General Contact Persons Addresses Pa

Alternate

Main

Receiving

Define New

A	B	C	D	E	F	G	H	I	J	K	L	M	N
00010C	Main	Alex		Smith	Buyer			0204 540 66789		034 530 98712		alex@bcdesigners.com	001
00010C	Blair	Blair		Collini	Owner			0204 540 66790		034 290 88712		info@bcdesigners	001
00010C	Receiving	Clara		Chapman	Manager			0204 540 66792				clara@bcdesigners.com	001

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

15

To import multiple contact persons for a business partner requires two steps.

- First import the header information for the business partners. Select the *Add New Records... import method*.
- Then prepare another spreadsheet for the child records. On each row of the spreadsheet enter the respective *BP Code* in column A. In column B enter the Contact ID field. In columns C onwards enter the contact fields in the required order as specified in the utility (leave fields empty if not used). Select the import method *Update Existing Records Without Adding New Records* when you run the import.

Note: Column N holds the email-group code from the OEGP table. *In previous systems, this is a required field (you can define a dummy e-mail group if needed). After patch 7 you can leave this column blank if you do not use e-mail groups for contacts.*

Business Partner - Billing and Shipping Addresses

- Address data is held in the CRD1 child table
- To import a bill to or ship to address on the same row as the header data, select the Bill To or Ship To key field (marked in blue)
- The address fields are then mapped for you in a fixed order – follow this order in the spreadsheet

Import on header row

The screenshot displays the 'Import from Excel' dialog box for Business Partner Master Data. The 'Data Type to Import' is set to 'Business Partner'. The 'File to Import' is 'Transfers\Import'. The 'Map the File Columns to the Object Fields' section shows a mapping table:

Column in File	Field in Object
A	BP Code
B	BP Name
C	BP Currency
D	
E	Bill-to State
F	Bill-to Country
G	Bill To/Ship To Address...
H	Ship-to Street
I	Ship-to Block
J	Ship-to Building/Floor/Room
K	Ship-to Address Type
L	Ship-to Street No.
M	Ship-to City
	Ship-to Zip Code
	Ship-to State
	Ship-to Country
	Ship-to-Default
	Ship To Address...
	Telephone 1
	Mobile Phone
	Telephone 2
	Fax Number
	E-Mail
	Web Site
	Indicator

The 'Import Method' section has 'Add New Record' selected. The 'Import' button is highlighted. The 'Business Partner Master Data' form on the right shows the 'General' tab with fields for Code, Name, Foreign Name, Group, Currency, and Federal Tax ID. The 'Addresses' tab is active, showing 'Bill to' and 'Ship to' sections with 'Define New' buttons. Arrows indicate the mapping from the spreadsheet fields to the system fields.

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

16

Billing and shipping addresses are held in the CRD1 child table. You can import a bill to and a ship to address on the same spreadsheet row as the header data. To import this data, select either the Bill To Address... or Ship To Address... fields (marked in blue). The fixed order of fields is mapped for you, and the spreadsheet should match this order, with unused fields left blank in the spreadsheet. **Note:** the Bill To/Pay To and Ship To Address columns contain a name to identify each address.

Business Partner – Multiple Billing and Shipping Addresses

To import multiple shipping or billing addresses for a business partner:

- First import the header data
- Prepare another spreadsheet and reference the BP Code in column A
- Select the Bill To/Pay To Address ... and/or the Ship To Address ... from the dropdown list (or both)
- Choose the import method *Update Existing Records Without Adding New Records*

Import from Excel

Data Type to Import: Business Partner

File to Import: Import from Excel (Import from Excel_Address_2)

Map the File Columns to the Object Fields

Column in File	Field in Object
A	BP Code [CRD1.CardCode]
B	Bill To/Pay To Address...
C	Address Name 2 [CRD1.Address2]
D	Address Name 3 [CRD1.Address3]
E	Street [CRD1.Street]
F	Block [CRD1.Block]
G	City [CRD1.City]
H	Zip Code [CRD1.ZipCode]
I	Country [CRD1.Country]
J	State [CRD1.State]
K	Country [CRD1.Country]
L	Building/Floor/Room [CRD1.Building]
M	Global Location Number [CRD1.GbLocation]
N	Ship To Address...
O	Address Name 2 [CRD1.Address2]
P	Address Name 3 [CRD1.Address3]
Q	Street [CRD1.Street]
R	Block [CRD1.Block]
S	City [CRD1.City]
T	Zip Code [CRD1.ZipCode]
U	Country [CRD1.Country]
V	State [CRD1.State]
W	

Import Method

☐ Add New Records and Update Existing Records

☐ Add New Records Without Updating Existing Records

☒ Update Existing Records Without Adding New Records

Import from Excel

Data Type to Import: Business Partner

File to Import: Transfer Import from Excel (Import from Excel_Address_2)

Map the File Columns to the Object Fields

Column in File	Field in Object
A	BP Code
B	Ship To Address...
C	Address Name 2
D	Address Name 3
E	Street
F	Block
G	City
H	Zip Code
I	Country
J	State
K	Country
L	Federal Tax ID
M	Street No.

Import Method

☐ Add New Records and Update Existing Records

☐ Add New Records Without Updating Existing Records

☒ Update Existing Records Without Adding New Records

Import from Excel

Data Type to Import: Business Partner

File to Import: Transfer Import from Excel (Import from Excel_Address_2)

Map the File Columns to the Object Fields

Column in File	Field in Object
A	BP Code
B	Bill To/Pay To Address...
C	Address Name 2
D	Address Name 3
E	Street
F	Block
G	City
H	Zip Code
I	Country
J	State
K	Country
L	Street No.
M	Building/Floor/Room

Import Method

☐ Add New Records and Update Existing Records

☐ Add New Records Without Updating Existing Records

☒ Update Existing Records Without Adding New Records

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
00010C	Billing			123 Upper St		London	N2 1EW				GB			Shipping			123 Upper St		London	N2 1EW			GB
00020C	Billing			312 The Parade		Liverpool	L1 0DH				GB			Shipping			PO Box 870		Liverpool	L1 0DH			GB
00030C	Billing			4 Rawlston Rd		Nuneaton	NN3 2ES		Warwick		GB			Shipping			6 Rawlston Rd		Nuneaton	NN3 2ES		Warwick	GB

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

17

To import multiple records for a bill to or ship to address, follow the same process as for contact person data and import the child records separately:

- First import the header data for the business partners
- Prepare another spreadsheet and reference the BP Code in column A
- In column C select either the Bill To/Pay To field from the dropdown list, or the Ship To Address field (you can import both on the same row)
- Make sure the spreadsheet fields match the fixed column order for the addresses
- Choose the import method *Update Existing Records Without Adding New Records*.

Item Master Data Import



Item Master Data Object

- To import item master data, select *Items* as the data type
- Fields can be entered in spreadsheet in any order then mapped in the Import from Excel window

Mapping

Column in File	Field in Object
A	Item No. [OITM.ItemCode]
B	Item Description [OITM.ItemName]
C	Preferred Vendor [OITM.CardCode]
D	Item Group [OITM.ItemsGrpCod]
E	Mfr Catalog No. [OITM.SuppCatNum]
F	Manufacturer [OITM.FirmCode]
G	Set G/L Accounts By [OITM.GLMethod]
H	Valuation Method [OITM.EvalSystem]
I	Required (Purchasing UoM) [OITM.ReorderQty]
J	Minimum Inventory Level [OITM.MinLevel]
K	Manage Batch No. [Yes/No] [OITM.ManBtchNum]
L	
M	
N	Foreign Name [OITM.FrgnName]
O	Item Type [OITM.ItemType]
P	Bar Code [OITM.CodeBars]
Q	Price List Code

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
item1	Laptop Battery	Lumarx	Batteries	Batt5000	ISTParts	C	A	12	3	Y	N			1	68	GBP
item2	Phone case - gold	CTI Computers	Phones	99310-G	ISTParts	C	A	10	1		N			1	17	GBP
item3	Phone case - pink	CTI Computers	Phones	99310-P	ISTParts	C	A	10	1		N			1	12	GBP
item4	Phone charger	CTI Computers	Phones	993700	ISTParts	C	A	10	1		N			1	16	GBP
item5	HDMI cable 6 foot	Lumarx	Cables	820001-6	ACU Circuits	C	A	20	6		N			1	20	GBP
item6	HDMI cable - 12 foot	Lumarx	Cables	82001-12	ACU Circuits	C	A	20	6		N			1	30	GBP
item7	XC Tablet	Lumarx	Laptops	XC2600	ISTParts	C	A	10	3		Y	R	N	1	500	GBP

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

19

To import item master data, select *Items* as the data type in the import window. You can enter the spreadsheet fields in any order, then map the spreadsheet columns to the object's fields in the import window.

Item master data is held in the OITM table. For item master data:

- Item Type is I for item, L for labor or T for travel.
- Item Group is the *name* of the group, not the group code. If the group name does not exist, a group will be automatically created using the supplied name.
- The *Set G/L Accounts by* field requires the values W, C, or L to indicate the level of the G/L account determination – warehouse, item group, or item level. If this field is not entered, the default setting from the system is used.
- The valuation method for an item is A for moving average, S for standard, F for FIFO and B for serial/batch valuation method.
- The serial number management method is A (on every transaction) or R (release only).

UoM Groups

The screenshot displays the SAP Item Master Data form. The 'UoM Group' dropdown is highlighted with a yellow box and set to 'Manual'. Other visible fields include 'Item No.' (Manual), 'Item1', 'Inventory Item' (checked), 'Sales Item' (checked), 'Purchase Item' (checked), 'Item Type' (Items), 'Item Group' (Batteries), 'Bar Code', 'Unit Price', 'Primary Currency' (GBP 68.00), and 'Price List' (Base Price). The 'General' tab is selected, and the 'Do Not Apply Discount Groups' checkbox is unchecked. The 'Manufacturer' is set to 'OEC Computers', 'Shipping Type' is 'Fedex EM', and 'Serial and Batch Numbers' is 'Batches'.

- All items are automatically imported with a *Manual* UoM Group
- You cannot import a non-manual UoM Group using the Import utility

All items are automatically imported with a default Manual UoM group. There is a restriction in that you cannot import a non-manual UoM Group for the item because the field (OITM.UgpEntry) is not exposed in the dropdown list.

Item Master Data with Unit Price

- The unit price for an item (ITM1) can be imported on the same row as the item details by selecting the *Price List Code* field (marked in blue)

Column in File	Field in Object
A	Item No. [OITM.ItemCode]
B	Item Description [OITM.ItemName]
C	Item Type [OITM.ItemType]
D	Preferred Vendor [OITM.CardCode]
E	Mfr Catalog No. [OITM.SuppCatNum]
F	Price List Code
G	Purchasing UoM [OITM.BuyUnitMtr]
H	No. of Items per Purchase Unit [OITM.NumInBuy]
I	Sales UoM [OITM.SalUnitMtr]
J	No. of Items per Sales Unit [OITM.NumInSale]
K	Required (Purchasing UoM) [OITM.ReorderQty]
L	Minimum Inventory Level [OITM.MinLevel]
M	Maximum Inventory Level [OITM.MaxLevel]
	Purchase Item [OITM.ProdItem]
	Sales Item [OITM.SellItem]
	Inventory Item [OITM.InventItem]
	Fixed Asset Indicator [OITM.AsstItem]
	Manufacturer [OITM.FirmCode]
	Customer Group [OITM.CatGrpCode]
	Height 1 - Sales Unit [OITM.SHeight1]

Import Method
☒ Add New Record
☐ Add New Record
☐ Update Existing

- After you make the selection a fixed order of price list fields is displayed, and you must follow this order in your spreadsheet

Column in File	Field in Object
A	Item No. [OITM.ItemCode]
B	Item Description [OITM.ItemName]
C	Item Type [OITM.ItemType]
D	Preferred Vendor [OITM.CardCode]
E	Mfr Catalog No. [OITM.SuppCatNum]
F	Price List Code
G	Unit Price - Primary Currency
H	Primary Currency
I	Unit Price - Additional Currency
J	Additional Currency 1
K	Unit Price - Additional Currency 2
L	Additional Currency 2
M	UoM Code

The price for an item is held in a separate table ITM1. The unit price can be imported on the same row as the item details, by selecting the *Price List Code* field from the dropdown list.

When you select the price list code field, a *fixed order* of fields is displayed, including the currency, additional currencies for exact pricing, and UoM Code. You must follow this order in your spreadsheet.

Item Master Data with Unit Price (cont.)

- The price list code is a number assigned when a price list is initially created
- To see the codes, run a query on the OPLN table:

Query Preview

SELECT * FROM OPLN T0

#	Price List No.	Price List Name	Base Price List	Factor
1	1	Base Price	1	1.00
2	2	Discount Purchase Price	1	0.50
3	3	Regular Purchase Price	1	0.75
4	4	Distributor Sales Price	1	1.25
5	5	Regular Sales Price	1	1.50
6	6	Small Account Sales Price	1	1.75

Import from Excel

Data Type to Import: Items

File to Import:

Map the File Columns to the Object Fields

Column in File	Field in Object
A	Item No. [OITM.ItemCode]
B	Item Description [OITM.ItemName]
C	Item Type [OITM.ItemType]
D	Preferred Vendor [OITM.CardCode]
E	Mfr Catalog No. [OITM.SuppCatNum]
F	Price List Code
G	Unit Price - Primary Currency
H	Primary Currency
I	Unit Price - Additional Currency 1
J	Additional Currency 1
K	Unit Price - Additional Currency 2
L	Additional Currency 2
M	UoM Code

- In the spreadsheet, after the price list code, enter the price with the currency code (if not the default currency)
- You can enter the unit price in up to 2 additional currencies. If additional currencies do not exist, leave the columns blank
- The *UoM Code* field is mandatory and for a new item the only allowed value is *Manual*
- You can repeat the price list code fields in the spreadsheet row to enter the item price in other pricelists

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

22

The price list code is the number of a predefined price list. You can run a query on table OPLN to see the price list codes.

In the spreadsheet, after the price list code, enter the price with the currency. If this is the default currency you can leave this column blank.

You can enter the unit price in up to 2 additional currencies. If there are no additional currencies, you must leave these columns blank so that the fixed order is maintained.

The *UoM Code* field is *mandatory*. For importing a *new item*, the only allowed value is *Manual*.

For *updating* an item, the UoM Code must match to one of the UoM codes defined in the item's UoM Group.

You can repeat the fixed order of fields in the spreadsheet row to enter the price for other pricelists, for example, independent price lists that are not based (using a factor) on another price list. The item price is automatically calculated for any price lists that have the specified price list as a base price list.

Price List Import



Importing Prices to a Price List

- You can import multiple prices into a price list by selecting *Price List* as the data type
- The item master data must already exist
- The price list must already exist in the price list table OPLN
- The only allowed import method is *Update Existing Records Without Adding New Records*

Import from Excel

Data Type to Import: Price List

File to Import: [Empty]

Map the File Columns to the Object Fields

Column in File	Field in Object
A	
B	
C	Price List No.
D	Item No.
E	Item No. with UoM
F	
G	
H	
I	
J	
K	
L	
M	
N	
O	
P	
Q	
R	

☒ Update Existing Records Without Adding New Records

You can select either *Item No.* or *Item No. with UoM.* When you make this selection the set of required fields is then automatically selected for you in the window.

You can also bulk import multiple prices into price lists independently of the items. In the utility, select *Price List* as the data type for import.

The item master data must already exist.

The price list must already exist in the price list table OPLN. The only allowed import method is *Update Existing Records Without Adding New Records*.

You can select either *Item No.* or *Item No. with UoM* if the item has units of measure. When you make this selection the set of required fields is then automatically selected for you in the window.

Importing Unit Prices - 1

To import or update the unit price for an item, select *Item No.* and enter in the spreadsheet:

- Price list code in column A
- Item code in column B
- Base price list and factor (optional) in columns C-D
- Item price and currency in columns E-F
- Optional price in additional currencies in columns G-J

A	B	C	D	E	F	G	H	I	J
1	H0001			5.5	GBP	6.25	EUR		7
1	H0002			19.95	GBP	21	EUR		22.25
9	H0001	9	1	4.95	GBP				
9	H0002	9	1	18.75	GBP				

Import from Excel

Data Type to Import: Price List

File to Import:

Map the File Columns to the Object Fields

Column in File	Field in Object
A	Price List No.
B	Item No.
C	Base Price List No. [ITM1.BasePLNum]
D	Factor [ITM1.Factor]
E	Unit Price [ITM1.Price]
F	Currency for List Price [ITM1.Currency]
G	Additional Price (1) [ITM1.AddPrice1]
H	Currency for Add. Price 1 [ITM1.Currency1]
I	Additional Price (2) [ITM1.AddPrice2]
J	Currency for Add. Price 2 [ITM1.Currency2]

Item Master Data

Item No. Manual H001

Description HD Cable 6

Foreign Name

Item Type Items

Item Group Accessories

UoM Group Manual

Price List Base Price

Bar Code

Unit Price

Primary Currency GBP 5.50

Additional Currency 1

Additional Currency 2

General Purchasing Data Sales Data Inventory Data Planning Data Properties Remarks Attachments

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

25

To import or update the unit price for an item, select *Item No.*

Create your spreadsheet in the following order so that it maps to the required fields:

- The price list code in column A (from the OPLN table)
- The item code in column B
- The base price list number and the factor (columns C-D) are optional and not required for an independent price list.
- The item price in the primary currency in column E
- The primary currency in column F (if not the default currency)
- Optionally the price in two additional currencies if used (columns G-J).

Importing Unit Prices - 2

You can import/update multiple item prices on the same row by repeating the selection of the *Item No* field.

Be sure to follow the fixed order of the fields and leave spreadsheet columns blank where necessary.

Import from Excel

Data Type to Import:

File to Import:

Map the File Columns to the Object Fields

Column in File	Field in Object
A	Price List No.
B	Item No.
C	Base Price List No. [ITM1.BasePLNum]
D	Factor [ITM1.Factor]
E	Unit Price [ITM1.Price]
F	Currency for List Price [ITM1.Currency]
G	Additional Price (1) [ITM1.AddPrice1]
H	Currency for Add. Price 1 [ITM1.Currency1]
I	Additional Price (2) [ITM1.AddPrice2]
J	Currency for Add. Price 2 [ITM1.Currency2]
K	Item No.
L	Base Price List No. [ITM1.BasePLNum]
M	Factor [ITM1.Factor]
N	Unit Price [ITM1.Price]
O	Currency for List Price [ITM1.Currency]
P	Additional Price (1) [ITM1.AddPrice1]
Q	Currency for Add. Price 1 [ITM1.Currency1]
R	Additional Price (2) [ITM1.AddPrice2]
S	Currency for Add. Price 2 [ITM1.Currency2]
T	
U	

You can import multiple item prices on the same row by repeating the selection of the *Item No* field. Be sure to follow the fixed order of the fields and leave spreadsheet columns blank where necessary.

Importing UoM Prices – 1

- For an item priced in multiple units of measure (non-Manual UoM Group), you can import the base unit price by selecting *Item No.*
- You can import prices for the units of measure by selecting *Item No. with UoM*

- Note:** Before you import the UoM prices, make sure the relevant UoM Codes exist for the item in the UoM Prices window
- The utility does not import the UoM Codes. The utility updates the *Price* and/or *Reduce By %* fields on the rows in the UoM Prices table

Item Master Data

Item No. Manual C8040

Description Cable 10 foot

Foreign Name

Item Type Cable

Item Group Cables

UoM Group Cables

Price List Base Price

Bar Code

Unit Price Single

Primary Curn GBP 6.50 Single

Pricing Unit Single

Import

General Purchasing Data Sales Data Inventory Data Planning Data Production Data Properties Remarks

Base Price - UoM Prices

Item C8040

#	UoM Code	UoM Name	Base Price	Reduce By %	Price	Auto
1	Single	Single				
2	2Pack	2 Pack	0.00			
3	3Pack	3 Pack	0.00			
4						

OK Cancel Copy Reduce By

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

27

If the item is priced in different units of measure, the item's UoM Group will be something other than Manual. In the example the UoM Group is Cables. The base UoM code for the Cables group is Single, and there are 2Pack and 3Pack units of measure.

You can import/update the unit price for the base unit (for example, Each, Single, etc.) by selecting *Item No.* and mapping your spreadsheet to the fields displayed.

To import/update the prices for the units of measure (for example, 2Pack, Carton, etc.), you need to select *Item No. with UoM* instead and map your spreadsheet to the fields displayed.

Important: Before you import the unit of measure prices, make sure the relevant UoM codes exist in the UoM Prices window for the item. The import utility does **not** import the UoM Codes. Instead the utility updates the *Price* and/or *Reduce By %* fields in the rows in the UoM Prices table. In this way the utility is similar to the Prices Update Wizard.

Importing UoM Prices – 2

Import from Excel

Data Type to Import: Price List

File to Import: #from Excel\Monday_test\Import_UOM_Prices.xls

Map the File Columns to the Object Fields

Column in File	Field in Object
A	Price List No.
B	Item No.
C	Base Price List No. [ITM1.BasePLNum]
D	Factor [ITM1.Factor]
E	Unit Price [ITM1.Price]
F	Currency for List Price [ITM1.Currency]
G	Additional Price (1) [ITM1.AddPrice1]
H	Currency for Add. Price 1 [ITM1.Currency1]
I	Additional Price (2) [ITM1.AddPrice2]
J	Currency for Add. Price 2 [ITM1.Currency2]
K	Item No. with UoM
L	UoM Code [ITM9.UoMEntry]
M	UoM Price [ITM9.Price]
N	Reduced By % [ITM9.Factor]
O	Additional Price (1) [ITM9.AddPrice1]
P	Reduced By % [ITM9.Factor1]
Q	Additional Price (2) [ITM9.AddPrice2]
R	Reduced By % [ITM9.Factor2]
S	Item No. with UoM
T	UoM Code [ITM9.UoMEntry]
U	UoM Price [ITM9.Price]
V	Reduced By % [ITM9.Factor]
W	Additional Price (1) [ITM9.AddPrice1]
X	Reduced By % [ITM9.Factor1]
Y	Additional Price (2) [ITM9.AddPrice2]
Z	Reduced By % [ITM9.Factor2]

- In the spreadsheet you can include the base unit price and the UoM prices on the same spreadsheet row
- For the base unit price, select *Item No* in column B
- Then select *Item No with UoM* in column K (and so on)
- For the UoM price you can enter either the actual price (column M) or the reduce by amount (column N)

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
1	CB0010			2.75	GBP		3	EUR		CB0010	2Pack	25		25				CB0010	3Pack		50	
1	CB0020			3.5	GBP		4	EUR		CB0020	2Pack	25		25				CB0020	3Pack		50	
1	CB0030			4	GBP		5	EUR		CB0030	2Pack	25		25				CB0030	3Pack		50	
1	CB0040			6.5	GBP		7.5	EUR		CB0040	2Pack	25		25				CB0040	3Pack		50	

In the spreadsheet you can include the base unit price and on the same row the prices for the units of measure.

For the base unit price, select *Item No.* in column B. Then select *Item No. with UoM* in column K and column S, and so on for other units of measure.

In the example shown, price list 1 (mapped to column A) will be updated. Columns B to J contain the price for the base unit Single. Columns K – R and S to Z contain the UoM prices for the 2Pack and 3Pack units of measure. For the UoM price you can enter either the actual price for the measure or you can enter a reduce by percentage (the system will calculate the price).

Make sure you leave unused fields as blank columns so that the order of the Import from Excel window is followed.

Importing UoM Prices – 3

- As a result, the price list entry is updated for the primary currency and any additional currencies:

Base Price

Find: CB

Price Mode: f

#	Item No.	Item Description	Base Price List	Factor	Primary Currency			Additional Currency 1		Additional Currency 2	
					Base Price	Price	Ma...	Base Price	Price	Base Price	Price
32	CB0010	Cable 3 foot	Base Price	1	GBP 2.75	GBP 2.75		EUR 3.00	EUR 3.00		
33	CB0020	Cable 5 foot	Base Price	1	GBP 3.50	GBP 3.50		EUR 4.00	EUR 4.00		
34	CB0030	Cable 6 foot	Base Price	1	GBP 4.00	GBP 4.00		EUR 5.00	EUR 5.00		
35	CB0040	Cable 10 foot	Base Price	1	GBP 6.50	GBP 6.50		EUR 7.50	EUR 7.50		

- And the UoM Prices are updated accordingly:

#	UoM Code	UoM Name	Base Price	Reduce By %	Price	Auto
1	Single	Single				☐
2	2 Pack	2 Pack	0.00			☒
3	3 Pack	3 Pack	0.00			☒
4			0.00			☒

➔

#	UoM Code	UoM Name	Base Price	Reduce By %	Price	Auto
1	Single	Single	GBP 6.50		GBP 6.50	☐
2	2 Pack	2 Pack	GBP 13.000000	25.00	GBP 9.75	☒
3	3 Pack	3 Pack	GBP 19.500000	50.00	GBP 9.75	☒
4			0.00			☒

As a result of the import, the price list entry is updated for the items, in the primary currency and any additional currencies specified in the spreadsheet.

The base price for the item is updated in the price list, and the units of measure prices updated in the UoM Prices window.

Other Supported Objects



Business Partner Catalogue Numbers

Column in File	Field in Object
A	BP Code
B	Item No.
C	BP Catalog Number
D	
E	
F	
G	
H	
I	
J	
K	

- To import catalog numbers for a business partner, select *Business Partner Catalog Numbers* as the data type
- Enter each catalog number on a separate row

You can configure SAP Business One to use customer and vendor catalog numbers in parallel to your item numbers. This means that you can use the item number of the vendor in the purchase order, and the item number of the customer in the sales order. To import these parallel item codes, select Business Partner Catalog Numbers as the data type to import.

Only three fields are required in the spreadsheet: item code, business partner code and the catalog number that the business partner uses for the item. You can enter these fields in any order.

Enter each catalog number on a separate row.

The table name is OSCN.

Journal Entries

- Select *Journal Entry* as the object
- Only import method is Add New Records Without Updating Existing Records
- Journal entries have a header and a line section and column A must contain either H (header) or L (line)
- The header fields have a fixed format (columns A-M) that displays when you select the object
- The line fields are entered on a separate row starting at column N - Column N signifies if the line is for a G/L account or business partner

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
H	Primary	20180112	20180112	20180112	Stock Posting				Stock				GL	500500		15.5
L													GL	130000	15.5	
H	Primary	20180112	20180112	20180112	Customer Adj				Adjustment				BP	C00001	36	
L													GL	160000		36

JE with 2 lines

JE for BP with 2 lines

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

32

Journal entries have a fixed format that is defined in the utility. All editable fields can be imported, including user-defined fields. The only import method is Add New Records Without Updating Existing Records.

A journal entry contains a header and multiple, balanced lines. In the spreadsheet, header data is entered on a *separate* row to the line data. Column A must contain the character H (for header) or L (for line):

- If column A is H, the fields in the spreadsheet row are interpreted as header fields for the journal entry. There is a fixed format for the header fields.
- If column A is L, the fields in the spreadsheet row are interpreted as line fields. Column N contains 'GL' or 'BP' to signify if the line is for a G/L account or business partner. See the example in the slide.

Each journal entry is followed by its lines. Multiple journal entries can be entered. The utility will interpret all lines as belonging to the same journal entry until a new journal entry starts with H in column A.

Single Journal Entry Import

Import from Excel button in journal entry form supports import of single journal entry
Useful for importing a journal entry with many rows

Journal Entry

Series: 8844, Posting Date: 12.01.13, Due Date: 12.01.13, Remarks: Import from Excel

Origin: 10, Trans. No.: 10, Template Type: 10, Template: 10, Indicator: 10, Project: 10

Trans. Code: Ref. 1, Ref. 2, Ref. 3

Barical Agreement

G/L Acct/BP Code, G/L Acct/BP Name, Ref. 1, Ref. 2, Ref. 3, Offset Account

Debit (FC), Credit (FC), Debit, Credit, Debit (SC), Credit (SC)

Posting Date, Due Date, Due Date, Project, Tax Group, Debit Rule, Remarks

Primary From Item

#, G/L Acct/BP Code, G/L Acct/BP Name, Debit, Credit, Ref., Tax Group, Refused Tax ID, Tax Amount, Gross Value, Base Amount, Departments

Import from Excel

Date Type to Import: Journal Entry

File to Import

Map the File Columns to the Object Fields

Columns in File, Field in Object

A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z

Note that only one import method is supported!
Add New Records Without Updating Existing Records

Mapping: Use Data Template, Save as Template, Clear Mapping

Journal Entry

Series: 8844, Posting Date: 12.01.13, Due Date: 12.01.13, Remarks: Import from Excel

Origin: 10, Trans. No.: 10, Template Type: 10, Template: 10, Indicator: 10, Project: 10

Trans. Code: Ref. 1, Ref. 2, Ref. 3

Adjustment

Note that some checkboxes in the JE header (for example, Automatic Tax) are not supported by the import utility

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

33

You can link to the Import from Excel window directly from the journal entry window to import a single journal entry from a spreadsheet. This might be a useful way to import a journal entry containing many rows.

Similar to the bulk import of journal entries, you can import header and lines. The format of the fields is the same as for bulk journal entry import, with rows identified with H or L.

The names in the dropdown list match the field labels in the journal entry window, including any labels that were changed using Ctrl + Double-click.

The system treats the import just like manual typing. For example, user-defined values added to a field are triggered during the import.

Some journal entry fields are *not supported* for import:

- The fields Template and Template Type in the journal entry header
- All checkboxes in the header (for example, Automatic Tax) with the exception of the 'EU Report' checkbox
- The G/L Acct/BP Name field in the lines. The name of the account will be automatically filled by the system on importing the "G/L Acct/BP Code" field.
- The Tax Group and Tax Amount fields in the lines
- Offset account in expanded editing mode

The spreadsheet can contain any of the currencies (LC, FC and SC) with the following rules:


- Each journal entry line must have at least one FC, LC or SC value
- Each journal entry can have more than one currency specified. If there is a combination of currencies in the file, the system will not calculate any exchange rate between the currencies - they are imported as is from the spreadsheet.

Opening Balances Import – 1 of 2

Access to the Import from Excel utility is provided directly from a button in the three opening balances windows:

- G/L Accounts – Import from Excel button
- Business Partners - Import from Excel button
- Inventory – Import Items

In all three windows you enter the header data first then use the Import from Excel utility to import the row (grid) data.



© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

34

Access to the Import from Excel utility is provided directly from a button in the three opening balances windows (G/L Accounts, Business Partners, and Inventory). This allows you to prepare and validate the opening balance data in a spreadsheet ahead of time instead before you import it.

In all three windows you enter the header data first then use the Import from Excel utility to import the row (grid) data.

For G/L Accounts and Business Partners, the *Import from Excel* button only becomes active *after* you select the opening balance offset account. In the Inventory Opening Balances window you select *Import Items* from the Add Items dropdown list, and the Import from Excel window will open.

Opening Balances Import – 2 of 2

The names in the dropdown list are the same as the column titles in the opening balance transaction windows

The Opening Balances window opens with the pre-selected object type. To run the import:

- Select and open the spreadsheet file
- Map the columns in the Import from Excel dropdown list (A, B, C, etc.) spreadsheet to the columns/fields in the spreadsheet
- Select import method
- Choose Import

After the import you will be returned to the opening balance transaction window. Choose Add to commit the imported data to the database

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

35

When you press the button the Import from Excel window opens showing the pre-selected object type: Opening Balance for G/L Accounts, Opening Balance for Business Partners, or Inventory Opening Balance.

To run the import:

- Select and open the spreadsheet file.
- Map the columns in the dropdown list in the Import from Excel window to the columns in the spreadsheet. The names in the Import from Excel dropdown list are the same as the column titles in the grid section of each of the opening balance transaction windows. If a heading has been changed in the transaction window (using Ctrl + Double-click), the modified title will show in the Import from Excel dropdown list.
- Select an import method (a default method is selected for you). For G/L and Business Partners opening balances, only the *Add New Records Without Updating Existing Records* import method is available. For Inventory opening balances, all three import methods are supported.
- Choose the Import button.

After the import has run, you will be returned to the opening balance transaction window where you choose Add to save the imported data. The data is not saved in the database until you press Add.

Inventory Counting and Posting Documents

Inventory Counting

Count Date: 25.08.2020 Time: 14:05 No.: Primary: 3

Counting Type: Single Counter Status: Open

Inventory Counter: User: Jayson Butler Ref.: 2

Contents: Attachments: Warehouse:

Item No.	Item Description	Fracs	Whse	Bin Location	In-Whse Qty	Counted	Unit	Counted Qty	Counted Qty	V...
1	A00001 J.B. Offspring 1403			01	398.000	✓			397.000	
2	A00002 J.B. Offspring 1311			01	459.000	✓			459.000	
3	A00003 J.B. Offspring 1396			01	565.000	✓			567.000	
4	A00004 Rainbow Colored 1			01	475.000	✓			475.000	
5	A00005 Rainbow Colored 2			01	612.000	✓			611.000	
6	A00006 Rainbow 2200 Lowr			01	70.000	✓			70.000	
7					0.000				0.000	
					2.579.000				2.579.000	4.000

Remarks:

Add Cancel Add Items Adjust Counted Quantities Copy to Inventory Posting

Select Items Import Items

Import from Excel

Data Type to Import: Inventory Counting

File to Import:

Map the File Columns to the Object Fields

Column in File	Field in Object
A	Item Code
B	Warehouse Code
C	Bin Location Code
D	Counted Quantity
E	
F	
G	
H	
I	
J	
K	
L	
M	

Import Method

☒ Add New Records and Update Existing Records

☐ Add New Records Without Updating Existing Records

☐ Check Import File for Errors

Mapping

Use Data Template

Save as Template

Clear Mapping

Import Cancel

You can import inventory records using the Import from Excel to the following documents:

- Inventory counting documents
- Inventory posting documents

To start the import, open the Add Items dropdown list and instead of selecting the items, choose Import Items. The Import from Excel window will open, with the object Inventory Counting or Inventory Posting pre-selected.

Batch and Serial Numbers Import

Access to the Import from Excel utility is provided from the Serial Numbers and Batches setup windows:

The screenshot displays two SAP setup windows side-by-side. The left window is titled 'Serial Numbers- Setup' and contains a table with columns: #, Doc. No., Item Number, Item Description, Whse Code, Whse ..., Total Needed, Total Created, and Open Qty. Below this is a 'Created Serial Numbers' table with columns: #, Mfr Serial No., Serial Number, Lot Number, Bin ..., Expiration Date, Mfr Date, Admission Date, and Mfr Warranty Start. The right window is titled 'Batches- Setup' and contains a table with columns: #, Doc. No., Item Number, Item Description, Whse Code, Total Needed, and Total Created. Below this is a 'Created Batches' table with columns: #, Batch, Qty, Batch Attribute 1, Batch Attribute 2, Bin L..., and E... Both windows have 'OK' and 'Cancel' buttons at the bottom. A dropdown menu is open in the 'Serial Numbers- Setup' window, showing options: 'You Can Also', 'Automatic Creation', and 'Import From Excel'. A similar dropdown menu is also visible in the 'Batches- Setup' window.

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | PUBLIC

37

Access to the Import from Excel utility is also provided from a button in the Serial Numbers and Batches setup windows. Only one input method is supported: Add New Records Without Updating Existing Records.

The names shown in the dropdown list in the Import from Excel utility are the column titles in the grid section of the respective setup window. If the user has changed a grid column's heading, the new title will appear in the dropdown list.

Note: The Import From Excel button becomes disabled if the current serial or batch quantity is full.

The system treats the import just like manual typing. For example, user-defined values will be triggered during the import if added to a field. After the import the system returns to the setup window and the new batch or serial numbers are added when the user presses Add.

Summary



Key points from this course:

- The Import from Excel utility is an easy way to import from a spreadsheet the following types of bulk data:
 - Business partner master data, with multiple contact persons and billing and shipping addresses
 - Item master data with unit prices (default Manual UoM Group)
 - Item prices in existing price lists, including prices for multiple units of measure
 - Business partner catalog numbers
 - Journal entries
- The Import from Excel utility is integrated with various forms for importing:
 - Opening balances into the grid area of the opening balances transactions for business partners, items, and G/L accounts
 - Inventory counting and posting documents
 - Batch and serial numbers from the respective setup windows
 - Single journal entries from the Journal Entry window.

Here are some key points to take away from this session. Please take a minute to review these key points:

- The import from Excel utility is an easy way to import bulk master data for business partners, items, and item prices in existing price lists and for multiple units of measure. All items are imported with a Manual UoM Group (this is the default).
- You can also bulk import business partner catalog numbers and journal entries.
- The Import from Excel utility is integrated with several of the standard forms allowing you to import:
 - Opening balances into the grid area of the opening balances transactions for business partners, items, and G/L accounts
 - Inventory counting and posting documents
 - Batch and serial numbers from the respective batch and serial number setup windows
 - Single journal entries from the Journal Entry window.

Summary (cont.)



- The general authorization 'Import from Excel' is required to use the utility.
- The *Database Tables Reference* is useful for determining field names and descriptions, default values, field lengths and constraints. The online help for the utility contains tips for preparing the spreadsheet data.
- Data in the spreadsheet is mapped to object fields in the dropdown list. You can save field mappings as a template for later use.
- Be sure to save the spreadsheet as a text (tab delimited) file, and close the file before running the import. The spreadsheet should not contain column headings.

Some types of data have fixed set of fields that should be matched in the spreadsheet:

- Unit prices imported with item master data have a fixed format that is shown when the price list code is selected.
- Prices in a price list also have a fixed format.
- Journal entries have a fixed format and you must indicated in column A if the data is header or lines. There are some restrictions on fields which can be imported.

- The general authorization 'Import from Excel' is required to use the utility.
- Some fields require specific values, for example, *Set G/L Account by* and *Valuation Method*. The Database Tables Reference can help you identify field names and descriptions, default values for fields, as well as field lengths and constraints on the data. Additionally, if you open the online help for the utility, you can see tips for preparing the spreadsheet data.
- Data in the spreadsheet is mapped to the object fields in the utility dropdown list. You have the option to save these field mappings as a template for later use.
- Remember to save the spreadsheet as a text (tab delimited) file and close the file before running the import. Columns headings should also be removed as they will produce an error when you run the utility. To prevent data truncation in the spreadsheet, it is a good practice to format the cells as text type.

Some types of data have fixed set of fields that should be matched in the spreadsheet:

- Unit prices imported with item master data have a fixed format that is shown when the price list code is selected from the dropdown list.
- Prices in a price list also have a fixed format depending whether the item has units of measure.
- Journal entries have a fixed format and you must indicated in column A if the data is header or lines. There are some restrictions on fields which can be imported.

© 2020 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

The information contained herein may be changed without prior notice. Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

In particular, SAP SE or its affiliated companies have no obligation to pursue any course of business outlined in this document or any related presentation, or to develop or release any functionality mentioned therein. This document, or any related presentation, and SAP SE's or its affiliated companies' strategy and possible future developments, products, and/or platform directions and functionality are all subject to change and may be changed by SAP SE or its affiliated companies at any time for any reason without notice. The information in this document is not a commitment, promise, or legal obligation to deliver any material, code, or functionality. All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, and they should not be relied upon in making purchasing decisions.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

See <http://global.sap.com/corporate-en/legal/copyright/index.epx> for additional trademark information and notices.