

Sep 25, 17 7:33

listarinvitados.html

Page 1/1

```

1 <div ng-show="search">
2   <form id="confirmForm" ng-submit="submit()">
3     <div class="form-group">
4       <label for="user">Usuario:</label>
5       <input type="text" class="form-control" id="user" ng-model="name">
6       <br>
7       <label for="lastname">Apellido:</label>
8       <input type="text" class="form-control" id="lastname" ng-model="lastname">
9       <br>
10      <label for="email">Email:</label>
11      <input type="email" class="form-control" id="email" ng-model="email">
12      <br>
13      <label for="company">Compañía:</label>
14      <input type="text" class="form-control" id="company" ng-model="company">
15      <br>
16      <input id="submitButton" type="submit" class="btn btn-primary" value="Buscar" ng-di
sabled="submitButtonDisabled">
17    </div>
18  </form>
19 </div>
20 <div ng-hide="search">
21   <div class="panel panel-default">
22     <!-- Default panel contents -->
23     <div class="panel-heading"><b>Invitados con confirmaci3n aceptada</b></div>
24
25     <div ng-show="searching">
26       <h1>Buscando invitados...<i class="fa fa-spinner fa-pulse fa-1x fa-fw" aria-hidden
="true"></i></h1>
27     </div>
28     <!-- Table -->
29     <div ng-hide="searching">
30       <table class="table" ng-show="showTable">
31         <tr>
32           <th>ID</th>
33           <th>Nombre</th>
34           <th>Apellido</th>
35           <th>Email</th>
36           <th>Compañía</th>
37         </tr>
38         <tr ng-repeat="guest in guests track by $index">
39           <td>{{guest.id}}</td>
40           <td>{{guest.guest.Name}}</td>
41           <td>{{guest.guest.LastName}}</td>
42           <td>{{guest.guest.Email}}</td>
43           <td>{{guest.guest.Company}}</td>
44         </tr>
45       </table>
46       <p ng-hide="showTable">No se encontraron invitados</p>
47     </div>
48   </div>
49   <nav aria-label="...">
50     <ul class="pager">
51       <li ng-class="previousClass"><a ng-click="getPreviousReport()"><span aria-hidden="tr
ue">&larr;</span> Prev</a></li>
52       <li ng-class="nextClass"><a ng-click="getNextReport()">Next <span aria-hidden="tr
ue">&rarr;</span></a></li>
53     </ul>
54   </nav>
55 </div>

```

Sep 21, 17 6:51

home.html

Page 1/1

```

1 <!-- partial-home.html -->
2
3 <div class="jumbotron text-center">
4   <h1>Taller III - TP No 3 - RSVP</h1>
5 </div>
6
7

```

Sep 23, 17 21:49

consultarasistencia.html

Page 1/1

```

1 <div class="container">
2   <form ng-submit="submit()">
3     <div class="form-group">
4       <label for="id">Ingrese el ID de la confirmacion:</label>
5       <input type="text" class="form-control" id="id" ng-model="id">
6       <br>
7       <input id="submitButton" type="submit" class="btn btn-primary" value="Consultar asistenc
ia" ng-disabled="submitDisabled">
8     </div>
9   </form>
10  <div ng-show="submitDisabled">
11    <h3><i class="fa fa-spinner fa-pulse fa-3x fa-fw"></i>Consultando asistencia ... </h3>
12  </div>
13  <div ng-show="response">
14    <h3>{{response}}</h3>
15  </div>
16 </div>

```

Sep 23, 17 21:10

confirmarasistencia.html

Page 1/1

```

1 <div class="container">
2   <form id="confirmForm" ng-submit="submit()">
3     <div class="form-group">
4       <label for="user">Usuario:</label>
5       <input type="text" class="form-control" id="user" ng-model="name">
6       <br>
7       <label for="lastname">Apellido:</label>
8       <input type="text" class="form-control" id="lastname" ng-model="lastname">
9       <br>
10      <label for="email">Email:</label>
11      <input type="email" class="form-control" id="email" ng-model="email">
12      <br>
13      <label for="company">Compañia:</label>
14      <input type="text" class="form-control" id="company" ng-model="company">
15      <br>
16      <input id="submitButton" type="submit" class="btn btn-primary" value="Confirmar asisten
cia" ng-disabled="submitDisabled">
17    </div>
18  </form>
19  <div ng-show="submitDisabled">
20    <h3><i class="fa fa-spinner fa-pulse fa-3x fa-fw"></i>Confirmando asistencia ... </h3>
21  </div>
22  <div ng-show="response">
23    <h3>{{response}}</h3>
24  </div>
25 </div>

```

Sep 22, 17 6:27

index.html

Page 1/1

```

1 <html>
2   <head>
3     <title>RSVP</title>
4
5     <!-- JQuery -->
6     <script src="https://code.jquery.com/jquery-3.2.1.min.js" integrity="sha256-hwg4gsxgFZOsEEa
mdOYGBf13FyQuiTwlAQgxVSNgt4=" crossorigin="anonymous"></script>
7
8     <!-- Bootstrap -->
9     <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
10    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
11
12    <!-- Font Awesome -->
13    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.
min.css">
14
15    <!-- Angular js -->
16    <script src="https://ajax.googleapis.com/ajax/libs/angularjs/1.6.5/angular.min.js"></script>
17
18    <!-- UI-Router -->
19    <script src="//unpkg.com/angular-ui-router/release/angular-ui-router.min.js"></script>
20
21    <!-- Angular app -->
22    <script src="app.js"></script>
23
24    <!-- App controllers and constants-->
25    <script src="controllers/confirmarasistencia.js"></script>
26    <script src="controllers/consultarasistencia.js"></script>
27    <script src="controllers/listarinvitados.js"></script>
28    <script src="controllers/globalconf.js"></script>
29
30  </head>
31  <!-- apply our angular app to our site -->
32  <body ng-app="routerApp">
33
34    <!-- NAVIGATION -->
35    <nav class="navbar navbar-inverse" role="navigation">
36      <div class="navbar-header">
37        <a class="navbar-brand" ui-sref="#"><span class="glyphicon glyphicon-envelope" ar
ia-hidden="true"></span> RSVP</a>
38      </div>
39      <ul class="nav navbar-nav">
40        <li><a ui-sref="confirmarasistencia">Confirmar asistencia</a></li>
41        <li><a ui-sref="consultarasistencia">Consultar asistencia</a></li>
42        <li><a ui-sref="listarinvitados">Listar invitados</a></li>
43      </ul>
44    </nav>
45
46    <!-- MAIN CONTENT -->
47    <div class="container">
48
49      <div ui-view></div>
50
51    </div>
52
53  </body>
54  </html>

```

Sep 28, 17 18:19

listarinvitados.js

Page 1/2

```

1  routerApp.controller('listarinvitadosController', function($scope, $http, globalConf) {
2    var newerCursor = "";
3    var stack = [];
4    $scope.guests = [];
5    $scope.search = true;
6
7    $scope.name = "";
8    $scope.lastname = "";
9    $scope.email = "";
10   $scope.company = "";
11
12   $scope.submit = function() {
13     $scope.searching = true;
14     $scope.showTable = false;
15     $scope.search = false;
16     $scope.previousClass="previous disabled";
17     $scope.nextClass="next";
18     $http({
19       method: 'GET',
20       url: globalConf.api_url + "/list?name=" + $scope.name + "&lastname=" + $scope.l
astname + "&email=" + $scope.email + "&company=" + $scope.company + "&cursor="
21     }).then(function successCallback(response) {
22       $scope.searching = false;
23       $scope.showTable = true;
24       $scope.guests = response.data.guests;
25       newerCursor = response.data.cursor;
26       if($scope.guests.length < globalConf.pageRegs) {
27         $scope.nextClass = "next disabled";
28       } else {
29         $scope.nextClass="next";
30       }
31     }, function errorCallback(response) {
32       $scope.searching = false;
33       $scope.showTable = false;
34       $scope.nextClass="next disabled";
35     });
36   }
37
38   $scope.getNextReport = function() {
39     $scope.searching = true;
40     var data = "/list?name=" + $scope.name + "&lastname=" + $scope.lastname + "&em
ail=" + $scope.email + "&company=" + $scope.company;
41     if($scope.newerCursor != "") {
42       data += "&cursor=" + newerCursor;
43     }
44     $http({
45       method: 'GET',
46       url: globalConf.api_url + data
47     }).then(function successCallback(response) {
48       $scope.searching = false;
49       $scope.showTable = true;
50       $scope.guests = response.data.guests;
51       console.log(response.data.guests);
52       stack.push(newerCursor);
53       newerCursor = response.data.cursor;
54       if($scope.guests.length < globalConf.pageRegs) {
55         $scope.nextClass = "next disabled";
56       }
57       $scope.previousClass="previous";
58     }, function errorCallback(response) {
59       $scope.searching = false;
60       $scope.showTable = false;
61     });
62   };
63
64   $scope.getPreviousReport = function() {

```

Sep 28, 17 18:19

listarinvitados.js

Page 2/2

```

65     $scope.searching = true;
66     var data = "/list?name=" + $scope.name + "&lastname=" + $scope.lastname + "&em
    ail=" + $scope.email + "&company=" + $scope.company;
67     var olderCursor = stack.pop();
68     if(olderCursor != undefined ^ stack.length > 0) {
69         data += "&cursor=" + olderCursor;
70     } else {
71         $scope.previousClass="previous disabled";
72     }
73     $http({
74         method: 'GET',
75         url: globalConf.api_url + data
76     }).then(function successCallback(response) {
77         $scope.searching = false;
78         $scope.showTable = true;
79         $scope.guests = response.data.guests;
80         newerCursor = response.data.cursor;
81         if($scope.guests.length ≥ globalConf.pageRegs) {
82             $scope.nextClass = "next";
83         }
84     }, function errorCallback(response) {
85         $scope.searching = false;
86         $scope.showTable = false;
87     });
88 }
89 });

```

Sep 28, 17 18:20

globalconf.js

Page 1/1

```

1  routerApp.constant('globalConf' , {
2      'api_url' : 'https://app-dot-useful-music-180113.appspot.com',
3      //'api_url': 'http://localhost:8081',
4      'pageRegs': 10
5  });

```

Sep 23, 17 21:57

consultarasistencia.js

Page 1/1

```

1  routerApp.controller('consultarasistenciaController', function($scope, $http, globalConf)
2  {
3      $scope.submitDisabled = false;
4      $scope.response = "";
5      $scope.submit = function() {
6          $scope.submitDisabled = true;
7          $http({
8              method: 'GET',
9              url: globalConf.api_url + "/query?id=" + $scope.id,
10             headers: {'Content-Type': 'application/x-www-form-urlencoded'}
11         }).then(function successCallback(response) {
12             $scope.response = "Asistencia confirmada del usuario = Nombre: " + response.data.Name +
13             ", Apellido: " + response.data.LastName + ", Email: " + response.data.Email + ", Compania
14             : " + response.data.Company;
15             }, function errorCallback(response) {
16                 $scope.response = "No existe ninguna confirmacion para el ID: " + $scope.id;
17             });
18             $scope.submitDisabled = false;
19         });
20     };
21 });

```

Sep 24, 17 0:37

confirmarasistencia.js

Page 1/1

```

1  routerApp.controller('confirmarasistenciaController', function($scope, $http, globalConf)
2  {
3      $scope.submitDisabled = false;
4      $scope.response = "";
5      $scope.submit = function() {
6          $scope.submitDisabled = true;
7          var data = {
8              name: $scope.name,
9              lastname: $scope.lastname,
10             email: $scope.email,
11             company: $scope.company,
12         };
13         $http({
14             method: 'POST',
15             url: globalConf.api_url + "/confirm",
16             params: data,
17             headers: {'Content-Type': 'application/x-www-form-urlencoded'}
18         }).then(function successCallback(response) {
19             $scope.response = "La confirmacion ha sido exitosa con el ID: " + response.data.id;
20             }, function errorCallback(response) {
21                 $scope.response = "Error " + response.status + ": " + response.data;
22             });
23             $scope.submitDisabled = false;
24         });
25     };
26 });

```

Sep 25, 17 17:43

app.js

Page 1/1

```

1 // app.js
2 var routerApp = angular.module('routerApp', ['ui.router']);
3
4 routerApp.config(function($stateProvider, $urlRouterProvider) {
5
6     $urlRouterProvider.otherwise('/home');
7
8     $stateProvider
9
10        .state('home', {
11            url: '/home',
12            templateUrl: 'views/home.html'
13        })
14
15        .state('confirmarasistencia', {
16            url: '/confirmarasistencia',
17            templateUrl: 'views/confirmarasistencia.html',
18            controller: 'confirmarasistenciaController'
19        })
20
21        .state('consultarasistencia', {
22            url: '/consultarasistencia',
23            templateUrl: 'views/consultarasistencia.html',
24            controller: 'consultarasistenciaController'
25        })
26
27        .state('listarinvitados', {
28            url: '/listarinvitados',
29            templateUrl: 'views/listarinvitados.html',
30            controller: 'listarinvitadosController'
31        });
32
33 });

```

Sep 21, 17 5:50

app.yaml

Page 1/1

```

1 runtime: python27
2 api_version: 1
3 threadsafe: true
4
5 handlers:
6 - url: /
7   static_files: www/index.html
8   upload: www/index.html
9
10 - url: /(.*?)
11   static_files: www/\1
12   upload: www/(.*)

```

Sep 22, 17 20:02

app.yaml

Page 1/1

```

1 runtime: go
2 api_version: go1
3 service: app
4
5 handlers:
6 - url: /*
7   script: _go_app

```

Sep 25, 17 7:20

app.go

Page 1/3

```

1 package app
2
3 import (
4     "fmt"
5     "strconv"
6     "strings"
7     "encoding/json"
8     "net/http"
9     "appengine"
10    "appengine/datastore"
11    "appengine/memcache"
12 )
13
14 // [START guest_struct]
15 type Guest struct {
16     Name      string
17     LastName  string
18     Email     string
19     Company   string
20 }
21 // [END guest_struct]
22
23 // [START list_struct]
24 type List struct {
25     Cursor  string
26     Guests  string
27 }
28 // [END list_struct]
29
30 func init() {
31     http.HandleFunc("/confirm", confirm)
32     http.HandleFunc("/query", query)
33     http.HandleFunc("/list", list)
34 }
35
36 // [START func_confirm]
37 func confirm(w http.ResponseWriter, r *http.Request) {
38     // [START new_context]
39     c := appengine.NewContext(r)
40     // [END new_context]
41     c.Debugf("Entrando a la funcion confirm del servicio default: %v", r.URL)
42     w.Header().Set("Access-Control-Allow-Origin", "*")
43     g := Guest{
44         Name: r.FormValue("name"),
45         LastName: r.FormValue("lastname"),
46         Email: r.FormValue("email"),
47         Company: r.FormValue("company"),
48     }
49
50     //key := datastore.NewIncompleteKey(c, "Guest", datastore.NewKey(c, "Guest",
51     "default_gest", 0, nil))
52     key := datastore.NewIncompleteKey(c, "Guest", nil)
53     id, err := datastore.Put(c, key, &g)
54     if err != nil {
55         http.Error(w, err.Error(), http.StatusInternalServerError)
56         return
57     }
58     stringKey := fmt.Sprintf("%v", id)
59     aStringKey := strings.Split(stringKey, ",")
60     res, _ := json.Marshal(map[string]string{"id": aStringKey[1]})
61     fmt.Fprintf(w, "%s", string(res))
62 }
63 // [END func_confirm]
64
65 // [START func_query]
66 func query(w http.ResponseWriter, r *http.Request) {

```

Sep 25, 17 7:20

app.go

Page 2/3

```

66     var g Guest
67
68     // [START new_context]
69     c := appengine.NewContext(r)
70     w.Header().Set("Access-Control-Allow-Origin", "")
71     id := r.FormValue("id")
72     n, err := strconv.ParseInt(id, 10, 64)
73     if err != nil {
74         fmt.Fprint(w, "Unable to parse key")
75         return;
76     }
77
78     // Primero busco la entity en la memcache; si no esta,
79     // busco en el datastore
80     _, err1 := memcache.Gob.Get(c, id, &g)
81     c.Debugf("Resultado del cacheo %s", err1)
82     if err1 != nil {
83         c.Debugf("No fue un hit")
84         key := datastore.NewKey(c, "Guest", "", n, nil)
85
86         if err := datastore.Get(c, key, &g); err != nil {
87             http.Error(w, err.Error(), http.StatusInternalServerError)
88             return
89         }
90
91         // Salvo el resultado en la memcache
92         item1 := &memcache.Item{
93             Key: id,
94             Object: g,
95         }
96         memcache.Gob.Set(c, item1);
97     }
98     // Devuelvo la entity encontrada
99     res, _ := json.Marshal(g)
100     fmt.Fprintf(w, "%s", string(res))
101 }
102 // [END func_query]
103
104 // [START func_list]
105 func list(w http.ResponseWriter, r *http.Request) {
106     // [START new_context]
107     c := appengine.NewContext(r)
108     w.Header().Set("Access-Control-Allow-Origin", "")
109     // Create a query for all Person entities.
110     const pageSize = 10
111     q := datastore.NewQuery("Guest")
112     if r.FormValue("name") != "" {
113         q = q.Filter("Name =", r.FormValue("name"))
114     }
115     if r.FormValue("lastname") != "" {
116         q = q.Filter("LastName =", r.FormValue("lastname"))
117     }
118     if r.FormValue("email") != "" {
119         q = q.Filter("Email =", r.FormValue("email"))
120     }
121     if r.FormValue("company") != "" {
122         q = q.Filter("Company =", r.FormValue("company"))
123     }
124
125     q = q.Limit(pageSize)
126
127     // If the application stored a cursor during a previous request, use it.
128     if r.FormValue("cursor") != "" {
129         cursor, err := datastore.DecodeCursor(r.FormValue("cursor"))
130         if err == nil {
131             q = q.Start(cursor)

```

Sep 25, 17 7:20

app.go

Page 3/3

```

132     }
133 }
134
135 // Iterate over the results.
136 var guests []string
137
138 t := q.Run(c)
139 for {
140     var g Guest
141     id, err := t.Next(&g)
142     if err == datastore.Done {
143         break
144     }
145     if err != nil {
146         c.Errorf("fetching next Guest: %v", err)
147         break
148     }
149
150     stringKey := fmt.Sprintf("%v", id)
151     aStringKey := strings.Split(stringKey, ",")
152
153     res, _ := json.Marshal(g)
154     guests = append(guests, "{\"id\":\""+aStringKey[1]+"\", \"guest\":\
" + string(res) + "\"}")
155 }
156 // Get updated cursor and store it for next time.
157 strGuests := strings.Join(guests, ",")
158 c.Debugf("fetching next Guest: %s", strGuests)
159 if cursor, err := t.Cursor(); err == nil {
160     fmt.Fprintf(w, "%s", "{\"cursor\": \"" + cursor.String() + "\", \"guests\":["
+ strGuests + "]"})
161 }
162 }
163 // [END func_list]

```


Sep 28, 17 18:40

Table of Content

Page 1/1

1	Table of Contents					
2	1	<i>listarinvitados.html</i>	sheets	1 to	1 (1) pages	1- 1 55 lines
3	2	<i>home.html</i> sheets	1 to	1 (1) pages	2- 2 8 lines
4	3	<i>consultarasistencia.html</i>	sheets	2 to	2 (1) pages	3- 3 17 lines
5	4	<i>confirmarasistencia.html</i>	sheets	2 to	2 (1) pages	4- 4 26 lines
6	5	<i>index.html</i> sheets	3 to	3 (1) pages	5- 5 55 lines
7	6	<i>listarinvitados.js</i>	.. sheets	3 to	4 (2) pages	6- 7 90 lines
8	7	<i>globalconf.js</i> sheets	4 to	4 (1) pages	8- 8 6 lines
9	8	<i>consultarasistencia.js</i>	sheets	5 to	5 (1) pages	9- 9 18 lines
10	9	<i>confirmarasistencia.js</i>	sheets	5 to	5 (1) pages	10- 10 25 lines
11	10	<i>app.js</i> sheets	6 to	6 (1) pages	11- 11 34 lines
12	11	<i>app.yaml</i> sheets	6 to	6 (1) pages	12- 12 13 lines
13	12	<i>app.yaml</i> sheets	7 to	7 (1) pages	13- 13 8 lines
14	13	<i>app.go</i> sheets	7 to	8 (2) pages	14- 16 164 lines