


per-stim ejection z (red = called ejection; dense groups thinned to 600 points)
red-channel z (clipped)
60
50
40
30
20
10
0
-10
z = 3
DA: EPG 7f pilot
DA: LPsP pilot
DA: 2025 repilot
DA: redo
DA: walking
2024 EPG 7f | red-detected (lpsp)
2024 EPG 7f | red-detected (empty)
redo EPG syt8s | 0.5 s (lpsp)
redo EPG syt8s | 0.5 s (empty)
redo EPG syt8s | 2 s (lpsp)
redo EPG syt8s | 2 s (empty)
reredo EPG syt8s | 2 s (lpsp)
reredo EPG syt8s | 2 s (empty)
syt8s EPG syt8s | 0.5 s (lpsp)
syt8s EPG syt8s | 0.5 s (empty)
walking EPG 8m | 0.5 s (lpsp)
walking EPG 8m | 0.5 s (empty)
walking EPG 8m | 15 s (lpsp)
walking EPG 8m | 15 s (empty)


ejection success (stims ≥9.5 s apart); 2024 7f events are detected FROM the red channel, so 100% by construction
fraction of stims with detected ejection
1
0.8
0.6
0.4
0.2
0
44/80
54/100
68/344
65/80
48/2092
170/170
103/103
299/319
72/92
46/56
44/48
200/204
196/200
219/220
120/120
876/5319
574/3853
6/90
3/100
DA: EPG 7f pilot
DA: LPsP pilot
DA: 2025 repilot
DA: redo
DA: walking
2024 EPG 7f | red-detected (lpsp)
2024 EPG 7f | red-detected (empty)
redo EPG syt8s | 0.5 s (lpsp)
redo EPG syt8s | 0.5 s (empty)
redo EPG syt8s | 2 s (lpsp)
redo EPG syt8s | 2 s (empty)
reredo EPG syt8s | 2 s (lpsp)
reredo EPG syt8s | 2 s (empty)
syt8s EPG syt8s | 0.5 s (lpsp)
syt8s EPG syt8s | 0.5 s (empty)
walking EPG 8m | 0.5 s (lpsp)
walking EPG 8m | 0.5 s (empty)
walking EPG 8m | 15 s (lpsp)
walking EPG 8m | 15 s (empty)