
Glomerulus ΔF/F around ejections, ejection hemisphere aligned to top (mean across flies, own color scale; LPsP-stim panels = lpsp>P2X2 minus empty>P2X2)
LPsP DA
(4 flies)
GRAB-DA DA
(3 flies)
EPG 7f DA
(3 flies)
EPG 8m DA
(14 flies)
EPG 8s DA (empty>P2X2)
(9 flies)
EPG 8s DA (lpsp>P2X2, called DA)
(2 flies)
EPG 8m DA (lpsp>P2X2, called DA)
(1 flies)
EPG 8m ACh
(1 flies)
EPG 8m DA+ACh
(3 flies)
LPsP stim: 2024 EPG 7f | red-detected
lpsp-empty (26/11 flies)
LPsP stim: redo EPG syt8s | 0.5 s
lpsp-empty (26/13 flies)
LPsP stim: redo EPG syt8s | 2 s
lpsp-empty (6/7 flies)
LPsP stim: reredo EPG syt8s | 2 s
lpsp-empty (13/12 flies)
LPsP stim: syt8s EPG syt8s | 0.5 s
lpsp-empty (11/6 flies)
LPsP stim: walking EPG 8m | 0.5 s
lpsp-empty (21/12 flies)
LPsP stim: walking EPG 8m | 15 s
lpsp-empty (2/2 flies)
ejection side
opposite
time (s)
0 10 20