Linux System Call Table

%eax	Name	Source	%ebx	%есх	%edx	%esx	%edi
1	sys_exit	kernel/exit.c	int	- -	- -	- -	-
2	sys_fork	arch/i386/kernel/process.c	struct pt_regs	-	-	-	-
3	sys_read	fs/read_write.c	unsigned int	char *	size_t	-	-
4	sys_write	fs/read_write.c	unsigned int	const char *	size_t	-	-
5	sys_open	fs/open.c	const char *	int	int	-	-
6	sys_close	fs/open.c	unsigned int	=	-	-	-
7		kernel/exit.c	pid_t	unsigned int *	int	-	-
8	sys_creat	fs/open.c	const char *	int	-	-	-
9	sys_link	fs/namei.c	const char *	const char *	-	-	-
10	sys_unlink	fs/namei.c	const char *	-	-	-	-
11	sys_execve	arch/i386/kernel/process.c	struct pt_regs	-	-	-	-
12	sys_chdir	fs/open.c	const char *	-	-	-	-
13	sys_time	kernel/time.c	int *	-	-	-	-
14	sys_mknod	fs/namei.c	const char *	int	<u>dev_t</u>	-	-
15	sys_chmod	fs/open.c	const char *	mode t	-	-	-
16	sys_lchown	fs/open.c	const char *	<u>uid_t</u>	<u>gid_t</u>	-	-
18	sys_stat	<u>fs/stat.c</u>	char *	<u>old_kernel_stat *</u>	-	-	-
19	sys_lseek	fs/read write.c	unsigned int	<u>off_t</u>	unsigned int	-	-
20	3 0 .	kernel/sched.c	-	-	-	-	-
21	sys_mount	<u>fs/super.c</u>	char *	char *	char *	-	-
22	unt	<u>fs/super.c</u>	char *	-	-	-	-
23	sys_setuid	<u>kernel/sys.c</u>	<u>uid_t</u>	-	-	-	-
24	sys_getuid	kernel/sched.c	-	-	-	-	-
25	sys_stime	kernel/time.c	int *	-	-	-	-
26	sys_ptrace	arch/i386/kernel/ptrace.c	long	long	long	long	-
27	sys_alarm	kernel/sched.c	unsigned int	=	=	-	-
28	sys_fstat	<u>fs/stat.c</u>	unsigned int	<u>old kernel stat *</u>	-	-	-
29	sys_pause	arch/i386/kernel/sys_i386.c	-	-	-	-	-
30	sys_utime	fs/open.c	char *	struct utimbuf *	-	-	-
33	sys_access	fs/open.c	const char *	int	-	-	-
34	sys_nice	kernel/sched.c	int	-	-	-	-
36	sys_sync	fs/buffer.c	-	-	-	-	-
37	sys_kill	kernel/signal.c	int	int	-	-	-
38	sys_rename		const char *	const char *	-	-	-
39	sys_mkdir	fs/namei.c	const char *	int	-	-	-
40	sys_rmdir	fs/namei.c	const char *	=	-	-	-
41	sys_dup ·	fs/fcntl.c	unsigned int	-	-	-	-
42	sys_pipe	arch/i386/kernel/sys_i386.c	unsigned long *	-	-	-	-
43	sys_times	kernel/sys.c	struct tms *	-	-	-	-
45	sys_brk	mm/mmap.c kernel/sys.c	unsigned long	-	-	-	-
46	sys_setgid	kernel/sys.c kernel/sched.c	<u>gid_t</u>	-	-	-	-
47 48	3 -0 0	kernel/scned.c kernel/signal.c	- int	eighandlar +	-	-	-
48	sys_signal	kernel/signal.c kernel/sched.c	int -	<u>sighandler_t</u>	-	-	-
50		kernel/sched.c	-	-	-		-
50	sys_getegia sys_acct	kernel/acct.c	const char *	<u>-</u>	<u>-</u>	-	<u>-</u>
52	t	fs/super.c	char *	int	-	-	
54	sys_ioctl	fs/ioctl.c	unsigned int	unsigned int	unsigned long	-	-
55	sys_fcntl	fs/fcntl.c	unsigned int	unsigned int	unsigned long	-	_
57		kernel/sys.c	pid_t	pid_t	-	-	-
59	me	arch/i386/kernel/sys_i386.c	oldold utsname *	<u> </u>	-	-	-
60		kernel/sys.c	int	-	_	-	_
61	sys_chroot		const char *	<u>-</u>	-	-	-
62	sys_ustat	fs/super.c	dev t	struct ustat *	-	-	_
63	sys_dup2	fs/fcntl.c	unsigned int	unsigned int	-	_	_
64		kernel/sched.c	- unsigned int	-	-	-	_
65	p	kernel/sys.c	-	-	-	-	_
66	sys_setsid	kernel/sys.c	-	<u>-</u>	_	_	_
67	n	arch/i386/kernel/signal.c	int	old_sigaction *	old_sigaction *	-	-
,	l''	a. s. ir iooor Korrioir signalio		old_olguetion	SIG_SIGUOTION		

	T.	I			1		
68	sk	kernel/signal.c	-	-	-	-	-
69	sk	kernel/signal.c	int	=	-	-	-
70	d	kernel/sys.c	<u>uid_t</u>	<u>uid_t</u>	-	-	-
71	d	kernel/sys.c	<u>gid_t</u>	<u>gid_t</u>	-	-	-
72	end	arch/i386/kernel/signal.c	int	int	old sigset t	-	-
73	ing	kernel/signal.c	old_sigset_t *	-		_	_
74	name	kernel/sys.c	char *	int		_	
					_	-	-
75	t	kernel/sys.c	unsigned int	struct rlimit *	-		-
76	t	kernel/sys.c	unsigned int	struct rlimit *	-	-	-
77	ge	kernel/sys.c	int	struct rusage *	-	-	-
78	ofday	kernel/time.c	struct timeval *	struct timezone *	-	-	-
79	ofday	kernel/time.c	struct timeval *	struct timezone *	-	-	-
80	ups	kernel/sys.c	int	gid_t *	-	-	-
81	ps	kernel/sys.c	int	gid t *	_	_	_
82	old_select	arch/i386/kernel/sys_i386.c	*	g.a. t	-	_	-
83	sys_symlink	-	const char *	const char *			
					-	-	-
84	sys_lstat	<u>fs/stat.c</u>	char *	old kernel stat *	-	-	-
85	k	<u>fs/stat.c</u>	const char *	char *	int	-	-
86	sys_uselib	fs/exec.c	const char *	-	-	-	-
87	sys_swapon	mm/swapfile.c	const char *	int	-	-	-
88	sys_reboot	kernel/sys.c	int	int	int	void *	-
89	old_readdir	fs/readdir.c	unsigned int	void *	unsigned int	_	-
90	old_mmap	arch/i386/kernel/sys_i386.c	mmap_arq_struct *	-	-	-	_
91	+	•	unsigned long	olzo +	-	ł	
	p	mm/mmap.c	0 0	size_t	-	-	-
92	е	<u>fs/open.c</u>	const char *	unsigned long	-	-	-
93	te	fs/open.c	unsigned int	unsigned long	-	-	-
94	sys_fchmod	<u>fs/open.c</u>	unsigned int	mode_t	-	-	-
95	sys_fchown	fs/open.c	unsigned int	<u>uid_t</u>	<u>qid_t</u>	-	-
96	rity	kernel/sys.c	int	int	-	-	-
97	ity	kernel/sys.c	int	int	int	_	_
99	sys_statfs	fs/open.c	const char *	struct statfs *	-	_	_
	_						
100	sys_fstatfs	fs/open.c	unsigned int	struct statfs *	-	-	-
101		arch/i386/kernel/ioport.c	unsigned long	unsigned long	int	-	-
102	all	net/socket.c	int	unsigned long *	-	-	-
103	sys_syslog	kernel/printk.c	int	char *	int	-	-
104	er	kernel/itimer.c	int	struct itimerval *	*	-	-
105	er	kernel/itimer.c	int	struct itimerval *	-	_	-
106	t	fs/stat.c	char *	struct stat *	_	_	_
107	t	fs/stat.c	char *	struct stat *	-	_	_
					_	-	-
108	at	fs/stat.c	unsigned int	struct stat *	-	-	-
109	sys_uname	arch/i386/kernel/sys_i386.c	_	-	-	-	-
110	sys_iopl	arch/i386/kernel/ioport.c	unsigned long	-	-	-	-
111	p	fs/open.c	-	-	-	-	-
112	sys_idle	arch/i386/kernel/process.c	-	-	-	-	-
113	d	arch/i386/kernel/vm86.c	unsigned long	vm86plus struct *	-	_	-
114	sys_wait4	kernel/exit.c	pid_t	unsigned long *	int options	rusage *	-
115	f	mm/swapfile.c	const char *	-	-	<u>. uougo</u>	_
	cyc cyclef-			-		-	-
116	sys_sysinfo	kernel/info.c	struct sysinfo *		<u>-</u>	 -	-
117	(*Note)	arch/i386/kernel/sys_i386.c	<u>uint</u>	int	int	int	void *
118	sys_fsync	<u>fs/buffer.c</u>	unsigned int	-	-	-	-
119	n	arch/i386/kernel/signal.c	unsigned long	-	-		
120	sys_clone	arch/i386/kernel/process.c	struct pt_regs	-	-	-	-
121	ainname	kernel/sys.c	char *	int	-	-	-
121		•		•	_	_	_
	+	kernel/sys.c	*	-			
122	ame	kernel/sys.c	_	void *	unsigned long		_
122 123	ame _ldt	arch/i386/kernel/ldt.c	int	void *	unsigned long	-	-
122 123 124	ame _ldt x	arch/i386/kernel/ldt.c kernel/time.c	int struct timex *	-	-	-	-
122 123 124 125	ame _ldt x ct	arch/i386/kernel/ldt.c kernel/time.c mm/mprotect.c	int struct timex * unsigned long	- <u>size</u> t	- unsigned long	-	- - -
122 123 124 125 126	ame _ldt x ct mask	arch/i386/kernel/ldt.c kernel/time.c mm/mprotect.c kernel/signal.c	int struct timex * unsigned long int	<u>size t</u> old sigset t *	-	-	- - -
122 123 124 125	ame _ldt x ct	arch/i386/kernel/ldt.c kernel/time.c mm/mprotect.c	int struct timex * unsigned long	- <u>size</u> t	- unsigned long	-	- - - -
122 123 124 125 126 127	ame _ldt x ct mask module	arch/i386/kernel/ldt.c kernel/time.c mm/mprotect.c kernel/signal.c kernel/module.c	int struct timex * unsigned long int const char *	<u>size t</u> old sigset t *	unsigned long old_sigset_t *	- - -	-
122 123 124 125 126 127 128	ame _ldt x ct mask module dule	arch/i386/kernel/ldt.c kernel/time.c mm/mprotect.c kernel/signal.c kernel/module.c kernel/module.c	int struct timex * unsigned long int const char * const char *	size t old sigset t * size t	unsigned long old sigset t *	- - -	- - -
122 123 124 125 126 127 128 129	ame _ldt x ct mask module dule module	arch/i386/kernel/ldt.c kernel/time.c mm/mprotect.c kernel/signal.c kernel/module.c kernel/module.c kernel/module.c	int struct timex * unsigned long int const char * const char * const char *	size t old sigset t * size t	unsigned long old sigset t *	- - - - -	- - - -
122 123 124 125 126 127 128	ame _ldt x ct mask module dule	arch/i386/kernel/ldt.c kernel/time.c mm/mprotect.c kernel/signal.c kernel/module.c kernel/module.c	int struct timex * unsigned long int const char * const char *	size t old sigset t * size t struct module *	unsigned long old sigset t *	- - -	- - -

132	svs aetnaid	kernel/sys.c	pid_t		_	_	_
133		fs/open.c	unsigned int	_	_	_	_
134	sys_bdflush		int	long	-	-	-
135	_	fs/super.c	int	unsigned long	unsigned long	-	-
136	sys_sysfs ality	kernel/exec_domain.c		unsigned long	unsigned long	-	-
		kernel/sys.c	unsigned long	-	-	-	-
138			uid_t	-	-	-	-
139		kernel/sys.c	<u>gid_t</u>	-	-	-	-
140	 	fs/read write.c	unsigned int	unsigned long	unsigned long	loff t *	int
141	S	fs/readdir.c	unsigned int	void *	unsigned int	-	-
142	sys_select	fs/select.c	int	fd_set *	fd_set *	fd_set *	<u>timeval</u>
143	sys_flock	fs/locks.c	unsigned int	unsigned int	-	-	-
144	sys_msync	mm/filemap.c	unsigned long	<u>size_t</u>	int	-	-
145	sys_readv	<u>fs/read_write.c</u>	unsigned long	const struct iovec *	unsigned long	-	-
146	sys_writev	fs/read write.c	unsigned long	const struct iovec *	unsigned long	-	-
147	sys_getsid	kernel/sys.c	<u>pid_t</u>	-	-	-	-
148	nc	<u>fs/buffer.c</u>	unsigned int	1	-	ı	-
149	sys_sysctl	kernel/sysctl.c	<u>*</u>	-	-	-	-
150	sys_mlock	mm/mlock.c	unsigned long	<u>size_t</u>	=	-	-
151	k	mm/mlock.c	unsigned long	<u>size_t</u>	=	-	-
152	I	mm/mlock.c	int	-	-	-	-
153	kall	mm/mlock.c	-	-	-	-	-
154	setparam	kernel/sched.c	pid_t	*	-	_	-
155	getparam	kernel/sched.c	pid_t	*	-	-	-
156	0 .	kernel/sched.c	pid_t	int	sched_param *	-	-
157		kernel/sched.c	pid_t	-	-	-	-
158	yield	kernel/sched.c	-	-	-	-	-
159	12	kernel/sched.c	int	_	-	_	_
160		kernel/sched.c	int	_	-	-	-
161		kernel/sched.c	pid_t	struct timespec *	-	_	-
162	ep	kernel/sched.c	struct timespec *	struct timespec *		_	_
163	р	mm/mremap.c	unsigned long	unsigned long	unsigned long	long	_
164	id	kernel/sys.c	unsigned long uid_t	uid_t	uid_t	,	-
165		kernel/sys.c	uid_t *	uid_t uid_t *	uid_t *	-	
	id		<u>uiu_t *</u>		<u>uiu_t "</u>	-	-
166	sys_vm86	arch/i386/kernel/vm86.c	_	-			-! + +
167	module	kernel/module.c	const char *	int	char *	<u>size_t</u>	size_t *
168	sys_poll	fs/select.c	struct pollfd *	unsigned int	long	-	-
169		fs/filesystems.c	int	void *	void *	-	-
170	d	kernel/sys.c	gid_t	gid_t	gid_t	-	-
171	id	kernel/sys.c	gid t *	gid t *	gid t *	-	-
172	sys_prctl	kernel/sys.c	int	unsigned long	unsigned long	long	long
173	turn	arch/i386/kernel/signal.c	unsigned long	-	-	-	-
174	ction	kernel/signal.c	int	sigaction *	*	<u>size t</u>	-
175	ocmask	kernel/signal.c	int	sigset_t *	sigset_t *	<u>size_t</u>	-
176	ending	kernel/signal.c	sigset_t *	<u>size_t</u>	-	-	-
177	medwait	kernel/signal.c	const sigset t *	<u>siginfo t *</u>	timespec *	<u>size t</u>	-
178	ueueinfo	kernel/signal.c	int	int	<u>siginfo_t *</u>	-	-
179	uspend	arch/i386/kernel/signal.c	<u>sigset_t *</u>	<u>size_t</u>	-	-	-
180	sys_pread	fs/read write.c	unsigned int	char *	<u>size t</u>	<u>loff</u> t	-
181	sys_pwrite	fs/read_write.c	unsigned int	const char *	<u>size_t</u>	<u>loff_t</u>	-
182	sys_chown	fs/open.c	const char *	<u>uid_t</u>	gid_t	-	-
183	sys_getcwd		char *	unsigned long	-	-	-
184		kernel/capability.c	cap_user_header_t	cap_user_data_t	-	-	-
185		kernel/capability.c	cap_user_header_t	cap user data t	-	-	-
186	ack	arch/i386/kernel/signal.c	const stack t *	stack t *	-	-	-
187		mm/filemap.c	int	int	off_t *	size_t	_
190	sys_vfork	arch/i386/kernel/process.c	struct pt_regs	-	<u>-</u>	<u>-</u>	-
170	272_VIOIN	<u>a. a. // 1000/ Ref Field process.c</u>	Stract pt_regs				