SQANTI-reads report


Percent reads in each structural category - All Genes
Percentage
70
60
50
40
30
20
10
0
FSM
ISM
NIC
NNC
AS
FUS
GENIC
GI
INTER
Category
SampleID
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC


Percent reads in each structural category - Annotated Genes
Percentage
70
60
50
40
30
20
10
0
FSM
ISM
NIC
NNC
AS
FUS
GENIC
GI
INTER
Category
SampleID
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC


Percent Reads in Each Structural Category - All Genes
Percentages
100
80
60
40
20
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
INTER
GI
GENIC
FUS
AS
NNC
NIC
ISM
FSM


ads in Each Structural Category - Annotated Ger
100
50
0
Percentages
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
GI
GENIC
NNC
NIC
ISM
FSM


of Reads in Each subcategory - FSM
1e6
1.0
0.5
0.0
Number of Reads
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
alternative_3end
alternative_3end5end
alternative_5end
mono-exon
reference_match


of Reads in Each subcategory - FSM
100
50
0
Percentage
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
alternative_3end
alternative_3end5end
alternative_5end
mono-exon
reference_match


ber of Reads in Each subcategory - ISM
Number of Reads
600000
400000
200000
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
3prime_fragment
5prime_fragment
internal_fragment
intron_retention
mono-exon


er of Reads in Each subcategory - ISM
Percentage
100
50
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
3prime_fragment
5prime_fragment
internal_fragment
intron_retention
mono-exon


Number of Reads in Each subcategory - NIC/NNC
00000
80000
60000
40000
20000
0
QC_
QC_
QC_
QC_
QC_
QC_


ls in Each subcategory - NIC/NNC
100
50
0
Percentage
Muotra_3_0
Muotra_3_0
SampleID
at_least_one_novel_splicesite
combination_of_known_junctions
combination_of_known_splicesites
intron_retention
mono-exon_by_intron_retention


Genes detected
Number of Genes detected
20000
10000
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
100+ reads
50-100 reads
11-50 reads
2-10 reads
1 read


Genes detected
Percentage of Genes detecte
100
50
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
100+ reads
50-100 reads
11-50 reads
2-10 reads
1 read


Gene distribution - percent_full-splice_match
percentage
100
80
60
40
20
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
sampleID


Gene distribution - percent_incomplete-splice_match
percentage
100
80
60
40
20
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
sampleID


Gene distribution - percent_novel_in_catalog
percentage
100
80
60
40
20
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
sampleID


Gene distribution - percent_novel_not_in_catalog
percentage
100
80
60
40
20
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
sampleID


Number of UJCs detected
Number of UJCs
0
100000
200000
300000
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
1 read
100+ reads
11-50 reads
2-10 reads
50-100 reads


Percentage of UJCs detected
Percentage of UJCs
0
20
40
60
80
100
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
1 read
100+ reads
11-50 reads
2-10 reads
50-100 reads


Number of UJCs detected
Number of UJCs
0
100000
200000
300000
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
FSM
GENIC
ISM
NIC
NNC


Percentage of UJCs detected
Percentage of UJCs
0
20
40
60
80
100
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
FSM
GENIC
ISM
NIC
NNC


Total Reads vs Percentage of Reads > 1kb
1e6
1.4
1.2
1.0
0.8
0.6
0.4
Total Reads
30
35
40
45
50
Percentage of Reads > 1kb
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC


Number of reads
1e6
1.5
1.0
0.5
0.0
Number of Reads
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
Read Length Category
reads_lt_1kb
reads_1kb_to_2kb
reads_2kb_to_3kb
reads_gt_3kb


Number of reads
Percentage of Reads
100
50
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
Read Length Category
reads_lt_1kb_perc
reads_1kb_to_2kb_perc
reads_2kb_to_3kb_perc
reads_gt_3kb_perc


Read Length Distribution
Length
20000
15000
10000
5000
0
1_QC
2_QC
3_QC
4_QC
5_QC
6_QC


Percentage of Reads > 1kb vs %FSM
Percentage of Reads > 1kb
%FSM
30
35
40
45
50
45
50
55
60
65
70
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC


Percentage of Reads > 1kb vs %ISM
Percentage of Reads > 1kb
%ISM
50
45
40
35
30
20
25
30
35
40
45
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC


Percentage of Reads > 1kb vs %NIC
Percentage of Reads > 1kb
50
45
40
35
30
1.2
1.4
1.6
1.8
2.0
2.2
%NIC
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC


Percentage of Reads > 1kb vs %NNC
Percentage of Reads > 1kb
50
45
40
35
30
3.5
4.0
4.5
5.0
5.5
%NNC
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC


Percentage of Reads > 1kb vs %GI
Percentage of Reads > 1kb
50
45
40
35
30
0.6
0.8
1.0
1.2
1.4
%GI
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC


Percentage of Reads > 1kb vs %GENIC
Percentage of Reads > 1kb
50
45
40
35
30
0.9
1.0
1.1
1.2
1.3
1.4
1.5
1.6
%GENIC
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC


Number of Artefact reads
Number of Reads
40000
20000
0
Muestra_1_OC
Muestra_2_OC
Muestra_3_OC
Muestra_4_OC
Muestra_5_OC
Muestra_6_OC
SampleID
num_reads_RTS
num_reads_intrapriming
num_reads_non-canonical


Percent Artefact reads
Percentage
0
2
4
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
perc_reads_RTS
perc_reads_intrapriming
perc_reads_non-canonical


PCA Plot Based on sampleID
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
Principal Component 2
Principal Component 1
4
2
0
−2
−4
−6
−4
−2
0
2
4
6
8


Variance and Heatmap of PC loadings
Variance Explained
0.0
0.2
0.4
0.6
0.8
Cumulative explained variance
Individual explained variance
acceptors_perc_ref_match
donors_perc_ref_match
perc_novel_canonical
perc_reads_AS
perc_reads_INTER
min_length
perc_reads_RTS
perc_reads_FUS
perc_ujc_FSM
median_length
perc_reads_gt_1kb
q25_length
average_length
q75_length
perc_reads_gt_2kb
perc_reads_gt_3kb
perc_reads_non-canonical
perc_ujc_NNC
perc_reads_FSM
perc_reads_NNC
perc_reads_NIC
perc_ujc_NIC
perc_reads_ISM
perc_ujc_ISM
perc_ujc_GENIC
perc_reads_GENIC
perc_reads_GI
max_length
perc_known_non_canonical
perc_known_canonical
perc_reads_intrapriming
total_reads
acceptors_perc_cv_gt_0
donors_perc_cv_gt_0
donors_perc_cv_0
perc_novel_non_canonical
acceptors_perc_cv_0
total_ujcs
PC1
PC2
Principal Components
0.2
0.1
0.0
−0.1
−0.2


Junctions by Category
1e6
Number of Junctions
0
2
4
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
known_canonical
known_non_canonical
novel_canonical
novel_non_canonical


Junctions by Category
100
50
0
Percentage
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
known_canonical
known_non_canonical
novel_canonical
novel_non_canonical


Number of Detected Acceptors
Number of Detetced Acceptor
60000
40000
20000
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
ref_match
cv_0
cv_gt_0


Number of Detected Donors
Number of Detected Donors
60000
40000
20000
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
ref_match
cv_0
cv_gt_0


Percentage of Detected Acceptors
100
50
0
Percentage
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
perc_ref_match
perc_cv_0
perc_cv_gt_0


Number of Donors > 3 reads
Number of Donors
100
50
0
Muestra_1_QC
Muestra_2_QC
Muestra_3_QC
Muestra_4_QC
Muestra_5_QC
Muestra_6_QC
SampleID
perc_ref_match
perc_cv_0
perc_cv_gt_0