

Intensificación Colaborativa

Nombre: Pablo

Apellidos: Mateos Angulo

UVUS: pabmatang

Enlace al repositorio de GitHub:

<https://github.com/pabmatang/EGC-2425>

Ejercicio Git

Apartado 1

The screenshot shows a Firefox browser window with the address bar displaying `https://github.com/pabmatang/EGC-2425`. The page is the repository view for 'EGC-2425' by user 'pabmatang'. It shows a public repository forked from 'EGCETSII/EGC-2425'. The interface includes a top navigation bar with tabs for Code, Pull requests, Actions, Projects, Wiki, Security, Insights, and Settings. Below this, the repository name 'EGC-2425' is shown with a 'Public' label. There are buttons for Pin, Watch (0), Fork (0), and Star (0). The main content area shows the 'main' branch is up to date with 'EGCETSII/EGC-2425:main'. A commit by 'brguterrez' is listed with the message 'Introduce a bug in the view_dataset card for the exam by commenting o...'. Below the commit list is a table of files and folders. On the right side, there are sections for 'About' (no description), 'Readme', 'Activity', 'Stars' (0), 'Watching' (0), 'Forks' (0), 'Releases' (no releases published), and 'Packages' (no packages published).

File/Folder	Description	Time
app	Introduce a bug in the view_dataset card for the exam by co...	2 days ago
core	Initialise base project	2 days ago
docker	Initialise base project	2 days ago
migrations	Initialise base project	2 days ago
rosemary	Initialise base project	2 days ago
scripts	Initialise base project	2 days ago
vagrant	Initialise base project	2 days ago

Ejercicio Git

Apartado 2

The screenshot shows a web browser window with the uvlhub.io website. The browser's address bar shows the URL `127.0.0.1:5000`. The website has a dark sidebar with the uvlhub.io logo and navigation links: Home, Explore, Team, Login, and Sign Up. The main content area is titled "Latest datasets" and displays two dataset cards. The first card, "Sample dataset 4", shows a description, author information, and a link to the dataset. The second card, "Sample dataset 3", also shows a description and author information. A terminal window is open in the foreground, displaying the output of a Flask application. The terminal shows the command `flask run --host=0.0.0.0 --reload --debug` being executed, and the application is running on `http://127.0.0.1:5000`. The terminal output includes a warning about using a development server and a list of routes.

Actividades Terminal 10 de ene 16:28

Archivo Editar Ver Historial Marcadores Herramientas Ayuda

Página de la in: pabmatang/EC: EGCETSII/EGC: Home - EGCET: Intensificación: Prácticas - 24/25: Manual instala: 1.instruccione: UVLHUB.IO(de: +

127.0.0.1:5000

Parece que no ha iniciado Firefox desde hace tiempo. ¿Quiere limpiarlo para comenzar una experiencia renovada? ¡A propósito, bienvenido de nuevo! Reiniciar Firefox...

uvlhub.io

Search datasets... Login Sign up

Datasets

Home Explore Team Login Sign Up

Let's get started!

Latest datasets

Sample dataset 4

January 10, 2025 at 03:27 PM

Description for dataset 4

Author 4 (Affiliation 4) (0000-0000-0000-0003)

<http://localhost:5000/doi/10.1234/dataset4>

tag1 tag2

View dataset Download (1.21 KB)

Sample dataset 3

January 10, 2025 at 03:27 PM

Description for dataset 3

Author 3 (Affiliation 3) (0000-0000-0000-0002)

<http://localhost:5000/doi/10.1234/dataset3>


tag1 tag2

practica@pc-13-129: ~/EGC-2425

```
HubfileSeeder performed.
Database populated with test data.
(venv) practica@pc-13-129:~/EGC-2425$ flask run --host=0.0.0.0 --reload --debug
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment.
Use a production WSGI server instead.
* Running on all addresses (0.0.0.0)
* Running on http://127.0.0.1:5000
* Running on http://10.1.13.129:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 123-249-316
[2025-01-10 16:27:33,485] INFO in routes: Access index
2025-01-10 16:27:33,485 - app.modules.public.routes - INFO - Access index
127.0.0.1 - - [10/Jan/2025 16:27:33] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [10/Jan/2025 16:27:33] "GET /static/css/app.css HTTP/1.1" 200 -
127.0.0.1 - - [10/Jan/2025 16:27:33] "GET /static/css/own.css HTTP/1.1" 200 -
127.0.0.1 - - [10/Jan/2025 16:27:33] "GET /static/css/dropzone.css HTTP/1.1" 200 -
127.0.0.1 - - [10/Jan/2025 16:27:33] "GET /static/js/app.js HTTP/1.1" 200 -
127.0.0.1 - - [10/Jan/2025 16:27:33] "GET /public/scripts.js HTTP/1.1" 200 -
127.0.0.1 - - [10/Jan/2025 16:27:33] "GET /static/img/logos/logo-dark.svg HTTP/1.1" 200 -
```

Ejercicio Git

Apartado 3



The screenshot shows the Visual Studio Code interface with the file `__init__.py` open. The code defines a Flask application with SQLAlchemy and Migrate. The terminal shows an error message: `NameError: name 'create_app' is not defined`. The error message is truncated in the terminal, but the full message is visible in the image.

```
17
18 # Create the instances
19 db = SQLAlchemy()
20 migrate = Migrate()
21
22 |
23 def create_app(config_name='development'):
24     app = Flask(__name__)
25
26     # Load configuration according to environment
27     config_manager = ConfigManager(app)
28     config_manager.load_config(config_name=config_name)
29
30     # Initialize SQLAlchemy and Migrate with the app
31     db.init_app(app)
32     migrate.init_app(app, db)
33
34     # Register modules
35     module_manager = ModuleManager(app)
36     module_manager.register_modules()
37
38     # Register login manager
39     from flask_login import LoginManager
40     login_manager = LoginManager()
41     login_manager.init_app(app)
42     login_manager.login_view = "auth.login"
43
44     # Login manager was loaded
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS



```
File "/home/practica/EGC-2425/venv/lib/python3.12/site-packages/flask/cli.py", line 339, in load_app
app = locate_app(import_name, None, raise_if_not_found=False)
~~~~~
File "/home/practica/EGC-2425/venv/lib/python3.12/site-packages/flask/cli.py", line 245, in locate_app
import (module_name)
File "/home/practica/Gity/EGC-2425/app/__init__.py", line 70, in <module>
app = create_app()
~~~~~
NameError: name 'create_app' is not defined
(venv) practica@pc-13-129:~/Gity/EGC-2425$
```

Ejercicio Git


Apartado 4

Ejercicio Git

Apartado 5




Apartado 6




Ejercicio Git

Apartado 7



Ejercicio Git

Apartado 7




The screenshot shows the Visual Studio Code interface. The Explorer panel on the left displays a project structure with folders like 'app', 'static', and 'templates', and files like 'core', 'docker', 'migrations', 'rosemary', 'rosemary.egg-info', 'scripts', 'vagrant', 'env', 'env.docker.example', 'env.docker.production.example', 'env.local.example', 'env.vagrant.example', 'flake8', '.gitattributes', '.gitignore', '.moduleignore', 'app.log', 'README.md', 'requirements.txt', and 'setup.py'. The main editor window shows the content of the file `__init__.py`. The terminal at the bottom displays the output of several Git commands:

```
[feature/conflicto 08b0988] modifica la configuración de la base de datos de manera diferente
1 file changed, 1 insertion(+), 1 deletion(-)
• (venv) practica@pc-13-128:~/dity/EGC-2425$ git checkout fix/app-init
Cambiado a rama 'fix/app-init'
• (venv) practica@pc-13-128:~/dity/EGC-2425$ git add
• (venv) practica@pc-13-128:~/dity/EGC-2425$ git commit -m "modifica la configuración de la base de datos de manera diferente"
[fix/app-init 714ab7d] modifica la configuración de la base de datos de manera diferente
1 file changed, 1 insertion(+), 1 deletion(-)
• (venv) practica@pc-13-128:~/dity/EGC-2425$
```

Ejercicio GitHub Actions

Apartado 1



The screenshot shows the Visual Studio Code interface. The Explorer panel on the left shows the file structure of a project named 'EGC-2425', with the file 'ejercicio_ci.yml' selected under the '.github/workflows' directory. The main editor displays the content of 'ejercicio_ci.yml', which is a GitHub Actions workflow for testing. The workflow includes a 'pytest' job that uses 'actions/checkout@v4' and 'actions/setup-python@v5' to set up the environment. It then runs a command to install dependencies from a file named 'requirements.txt'. The terminal at the bottom shows the output of the workflow, including the execution of 'git merge feature/app-init' and 'git checkout config/ci'.


```
.github > workflows > ! ejercicio_ci.yml
7 jobs:
8   pytest:
11     services:
12       mysql:
13         env:
14           ports:
15             - 3306:3306
16         options: --health-cmd="mysqladmin ping" --health-interval=10s --health-timeout=5s --hea
17
18     steps:
19       - uses: actions/checkout@v4
20
21       - uses: actions/setup-python@v5
22         with:
23           python-version: '3.11'
24
25       - name: Prepare environment
26         run: |
27           sed -i '/rosemary @ file:\\\\d\\' requirements.txt
28
29       - name: Install dependencies
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
(venv) practica@pc-13-129:~/Gity/EGC-2425$ git merge feature/app-init
merge: feature/app-init - no es nada que se pueda fusionar
(venv) practica@pc-13-129:~/Gity/EGC-2425$ git merge fork feature/app-init
merge: fork - no es nada que se pueda fusionar
(venv) practica@pc-13-129:~/Gity/EGC-2425$ git checkout config/ci
rama 'config/ci' configurada para rastrear 'origin/config/ci'.
Cambiado a nueva rama 'config/ci'
(venv) practica@pc-13-129:~/Gity/EGC-2425$
```

Ejercicio GitHub Actions

Apartado 2



Actividades Visual Studio Code 10 de ene 17:30

ejercicio_ci.yml - EGC-2425 - Visual Studio Code

File Edit Selection View Go Run Terminal Help

EXPLORER

- EGC-2425
 - .github/workflows
 - ! ejercicio_ci.yml
 - app
 - core
 - docker
 - migrations
 - rosemary
 - rosemary.egg-info
 - scripts
 - vagrant
 - .env
 - \$.env.docker.example
 - \$.env.docker.production.example
 - \$.env.local.example
 - \$.env.vagrant.example
 - flake8
 - .gitattributes
 - .gitignore
 - .moduleignore
 - app.log
 - README.md
 - requirements.txt
 - setup.py
- OUTLINE
- TIMELINE

ejercicio_ci.yml

```
7 jobs:
8   pytest:
34     - name: Install dependencies
35       run: |
38
39     - name: Run Tests
40       env:
41         FLASK_ENV: testing
42         MARIADB_HOSTNAME: 127.0.0.1
43         MARIADB_PORT: 3306
44         MARIADB_TEST_DATABASE: uvlhubdb_test
45         MARIADB_USER: uvlhub_user
46         MARIADB_PASSWORD: uvlhub_password
47       run: |
48         pytest app/modules/ --ignore-glob='*selenium*'
49
50     -name : outdated_dependencies
51       run : |
52         python -m pip install --upgrade pip
53         pip install -r requirements.txt
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
(venv) practica@pc-13-129:~/Gity/EGC-2425$ git merge fork feature/app-init
merge: fork - no es nada que se pueda fusionar
(venv) practica@pc-13-129:~/Gity/EGC-2425$ git checkout config/ci
rama 'config/ci' configurada para rastrear 'origin/config/ci'.
Cambiado a nueva rama 'config/ci'
(venv) practica@pc-13-129:~/Gity/EGC-2425$
```

Ln 53, Col 40 Spaces: 2 UTF-8 LF YAML

Ejercicio GitHub Actions

Apartado 3

The screenshot shows a web browser window with the following details:

- Browser:** Firefox, version 10 de ene 17:37.
- Address Bar:** <https://github.com/EGCETSII/EGC-2425/actions>
- Page Header:** EGCETSII / EGC-2425. Search bar: "Type [Z] to search".
- Navigation Tabs:** Code, Issues (1), Pull requests (12), **Actions**, Projects, Wiki, Security, Insights.
- Left Sidebar (Actions):**
 - All workflows
 - Run tests
 - Management
 - Caches
 - Attestations
 - Usage metrics
 - Performance metrics
- Main Content Area:**
 - All workflows** (Showing runs from all workflows)
 - 1 workflow run** (Event, Status, Branch, Actor filters)
 - Run #1:** **Add base workflow for exam CI set-up** (Status: Success, Commit: 44fe92f pushed by brgutierrez, Config: config/ci)
 - Timing:** 2 days ago, 1m 13s

Ejercicio Pruebas

Apartado 1

Ejercicio Pruebas

Apartado 2

Ejercicio Pruebas

Apartado 3

Ejercicio Pruebas

Apartado 4

Ejercicio Pruebas

Apartado 5

Ejercicio Docker

Apartado 1

The screenshot shows the Visual Studio Code interface with a project named 'EGC-2425'. The Explorer sidebar on the left shows a file structure with folders like 'app', 'core', 'docker', 'migrations', 'rosemary', 'scripts', 'uploads', and 'vagrant', along with files like '.env', '.flake8', '.gitattributes', '.gitignore', '.moduleignore', 'app.log', 'README.md', 'requirements.txt', and 'setup.py'. The main editor area shows a file named 'ejercicio_ci.yml' with a YAML configuration for a Docker Compose setup. The configuration includes a 'jobs' section with a 'pytest' job and a 'run' section with commands to install dependencies and run tests. The terminal at the bottom shows the output of the 'docker ps' command, indicating that three containers are running: 'web_app_container', 'mariadb_container', and 'nginx_web_server_container'. The terminal also shows the output of the 'docker compose up -d' command, which successfully started the containers.

```
ejercicio_ci.yml
7 jobs:
8   pytest:
9     image: mariadb:latest
10    run: |
11      pytest app/modules/ --ignore-glob='*selenium*'
12
13   -name : outdated_dependencies
14   run: |
15     python -m pip install --upgrade pip
16     pip install -r requirements.txt
```

Terminal Output:

```
Error response from daemon: driver failed programming external connectivity on endpoint mariadb_container (c02038a4e0a3278cc2ba2bccf4356b2beld6bdcfd8bab03bd239e81fab139da6): failed to bind port 0.0.0.0:3306/tcp: Error starting userland proxy: listen tcp4 0.0.0.0:3306: bind: address already in use
(venv) practica@pc-13-129:~/Gity/EGC-2425$ docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
(venv) practica@pc-13-129:~/Gity/EGC-2425$ docker compose -f docker/docker-compose.dev.yml up -d
[+] Running 3/3
 ✓ Container web_app_container      Started      0.6s
 ✓ Container mariadb_container      Started      0.4s
 ✓ Container nginx_web_server_container Started      0.3s
(venv) practica@pc-13-129:~/Gity/EGC-2425$ docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS
a46e295a1afa   docker-db "docker-entrypoint.s..." 3 seconds ago    Up 2 seconds    0.0.0.0:3307->3306/tcp, [::]:3307->3306/tcp    mariadb_container
6b9de8c00105   nginx:latest "/docker-entrypoint. ..." 58 seconds ago    Up 2 seconds    0.0.0.0:80->80/tcp, [::]:80->80/tcp    nginx_web_server_container
e806c62f82c6   drorganvidez/uwlhub:dev "sh -c 'sh /app/dock..." 58 seconds ago    Up 2 seconds    5000/tcp    web_app_container
```

Ejercicio Vagrant

Apartado 1