

Acceptance tests

Acme-Newspaper v1.0

Development team	
Identifier	Group 88.
Members	Blanco Ferreira, Juan Miguel; Diment Rodríguez, Daniel; Guerrero Díaz, Alejandro; Jiménez Navarro, Manuel Jesús; López López, Luis Javier; Rodríguez Artacho, Antonio;
Testing team	
Identifier	Group 19
Members	Cantón, Adrián Carpio, Daniel Fresno, Rafael Narváez, Pablo Rebollo, Pablo
Indexing data	
Test designers	Blanco Ferreira, Juan Miguel; Guerrero Díaz, Alejandro; Jiménez Navarro, Manuel Jesús; López López, Luis Javier
Testers	Cantón, Adrián Carpio, Daniel Fresno, Rafael Narváez, Pablo Rebollo, Pablo
Notes	

Table of contents

Use case 001 – Register as a user	4
Use case 002 – List and search newspapers	9
Use case 003 – Search for articles	13
Use case 004 – List and display user	18
Use case 005 – Create a newspaper as a user	22
Use case 006 – Publish a newspaper	26
Use case 007 – Write an article	28
Use case 008 – Post a chirp as user	33
Use case 009 – Follow or unfollow a user.....	38
Use case 010 – List users that a user follows.....	40
Use case 011 – List users who follow the logged user.....	42
Use case 012 – Display a stream with the chirps of the followed users.....	43
Use case 013 – Register as an agent	45
Use case 014 – Create advertisement	48
Use case 015 – List newspapers with an advertisement	52
Use case 016 – List newspapers without an advertisement.....	54
Use case 017 – Remove an article	56
Use case 018 – Remove an unappropriated newspaper	59
Use case 019 – Dashboard	61
Use case 020 – Manage a list of taboo words	64
Use case 021 – List the articles that contain taboo words	68
Use case 023 – List the newspapers that contain taboo words	71
Use case 024 – List advertisements containing taboo words in its title	74
Use case 025 – Remove an unappropriated advertisement.....	77
Use case 026 – Broadcast a message to the actors of the system	79
Use case 027 – Remove an unappropriated chirp.....	83
Use case 028 – List the chirps that contain taboo words	86
Use case 029 – Not authenticated list volumes and its newspapers.....	88
Use case 030 – Send message.....	92
Use case 031 – Register as a customer	103
Use case 032 – Subscribe newspapers as customer with credit card	106
Use case 033 – Change owns newspaper to public or private	110
Use case 034 – Subscribe volume as customer with credit card	114

Use case 035 – Create new volumes as user	119
Use case 036 – Create a follow up	123
Use case 037 – List created follow ups	127
Use case 038 – Edit message folders	129
Additional tests	130

Use case 001 – Register as a user

Description


An unauthenticated user goes to the register view and fills the form, once the form is filled, he or she presses the register button.


Access

Main Menu > Register in the system > Register as user.





Tests

Test <#001>	
Description	Expected Outcome
<p>The form must be filled in with the following data: Name: 'Jose'; Surname: 'Delgado García'; Phone number: '650879554'; Postal address: '123 Walk Street, USA'; Email: 'josedega@us.es'; Birthdate: '16/04/1996' Username: 'josedega'; Password: 'josedega'; Confirm password: 'josedega'. You must also accept Terms & Conditions.</p> 	<p>At the end of the use case, the system must redirect you to the main view.</p>
Expected Outcome	The system redirects us to the main view.
Notes	

Test <#002>	
Description	Expected Outcome
<p>The form must be blank, only the "I accept Terms & Conditions" box must be checked, otherwise the "Register" button will be inaccessible.</p>	<p>At the end of the use case, the system must redirect you to the same form, but each field must have its validation error.</p> 
Expected Outcome	The system redirects us to the same form and each field have its validation error. But, unlike the photo, the button "Register" is accessible, even when you didn't check the "I accept Terms & Conditions" box. We can register to the system without checking the "I accept Terms & Conditions" box.
Notes	

Test <#003>	
Description	Once you access the form, you must press the “Cancel” button.
Expected	You must be redirected to main view.
Outcome	The system redirects us to the main view.
Notes	In this test field content can be both filled or blank.


Test <#004>	
Description	The form must be filled in with the following data: Name : ‘<script>alarm('Hacked!'); </script>’; Surname : ‘Delgado García’; Phone number : ‘650879554’; postal address: ‘123 Walk Street, USA’; Email : ‘josedega@us.es’; Birthdate : ‘16/04/1996’; Username : ‘josedega’; Password : ‘josedega’; Confirm password : ‘josedega’. You must also accept Terms & Conditions .
Expected	At the end of the use case, the system must redirect you to the register user form with an error message in “Name” field where you can read “Insecure HTML” 
Outcome	“Insecure HTML” is written under the field “Name”.
Notes	

Test <#005>	
Description	<p>Before accessing the form, language must be set to “Spanish”, after this, the form must be filled in with the following data: Nombre: ‘Jose’; Apellidos: ‘Delgado García’; Número de teléfono: ‘650879554’; Dirección: ‘123 Walk Street, USA’; Correo electrónico: ‘josedega@us.es’; Fecha de nacimiento: ‘16/04/1996’ Nombre de usuario: ‘josedega’; Contraseña: ‘josedega’; Confirmación de contraseña: ‘josedega’. You must also accept Términos y Condiciones.</p> 
Expected	At the end of the use case, the system must redirect you to the main view.
Outcome	The system redirects us to the main view.
Notes	

Test <#006>	
Description	<p>Before accessing the form, language must be set to “Spanish”, after this, the form must be blank, only the “Acepto los términos y condiciones” box must be checked, otherwise the “Registrarse” button will be inaccessible.</p>
Expected	At the end of the use case, the system must redirect you to the same form, but each field must have its validation error.
Outcome	<p>The system redirects us to the same form and each field have its validation error. But, unlike the photo, the button “Registrarse” is accessible, even when you didn’t check the “Acepto los términos y condiciones” box. We can register to the system without checking the “Acepto los términos y condiciones” box.</p>
Notes	

Test <#007>	
Description	Before accessing the form, language must be set to “Spanish”, after this, once you access the form, you must press the “Cancelar” button.
Expected	You must be redirected to main view.
Outcome	The system redirects us to the main view.
Notes	In this test field content can be both filled or blank.

Test <#008>	
Description	Before accessing the form, language must be set to “Spanish”, after this, the form must be filled in with the following data: Nombre : ‘<script>alarm('Hacked!'); </script>’; Apellidos : ‘Delgado García’; Número de teléfono : ‘650879554’; Dirección : ‘123 Walk Street, USA’; Correo electrónico : ‘josedega@us.es’; Fecha de nacimiento : ‘16/04/1996’ Nombre de usuario : ‘josedega’; Contraseña : ‘josedega’; Confirmación de contraseña : ‘josedega’. You must also accept Términos y Condiciones .
Expected	At the end of the use case, the system must redirect you to the register user form with an error message in “Nombre” field where you can read “HTML inseguro” “HTML inseguro” is written under field “Nombre”.
Outcome	
Notes	



The screenshot shows a web browser window for 'Acme Newspaper' with a registration form. The 'Nombre' field contains the value '<script>alarm('Hacked!'); </script>'. An error message above the field says 'Error en los parámetros. Los campos obligatorios están marcados con *'. Below the field, the text 'HTML inseguro' is circled in red. Other fields like 'Apellido', 'Número de teléfono', 'Dirección', 'Correo electrónico', and 'Fecha de nacimiento' are filled with their respective values. The registration form has a red header bar.

Use case 002 – List and search newspapers

Description

An unauthenticated user goes to the list of published newspaper of the system.

Access


Main menu > Newspapers



Tests

Test <#001>	
Description	Once "Newspapers" button is pressed, you get into the newspaper list view.
Expected	You must see 2 pages and 5 newspapers.
	A screenshot of a web browser showing the 'List of newspapers' page. The title bar says 'List of newspapers'. The page displays a grid of five newspaper entries, each with a thumbnail image, title, publication date, and a 'DETAILS' button. The titles are: 'El Informatico' (2018/04/09, 00:00), 'The Runner Journal' (2018/04/28, 00:00), 'The big pizza' (2018/04/04, 00:00), 'The big hamburger' (2018/03/09, 00:00), and 'Neslie' (2012/11/03, 00:00). The bottom of the page has a red footer bar with links for 'Copyright © 2018 Acme Inc.', 'Terms & Conditions', and 'Cookie Policy'. The status bar at the bottom of the browser window shows the URL 'https://localhost:8443/Acme-Newspaper/newspaper/list.do' and the time '12:02 PM'.
Outcome	The outcome is the expected.
Notes	


Test <#002>

Description	Once “Newspapers” button is pressed, you get into the newspaper list view and press the button to the second page.
	
Expected	You must see the second page, that only has a newspaper.
Outcome	The system always returns the first page of the list.
Notes	


Test <#003>


Description	Once “Newspapers” button is pressed, you get into the newspaper list view and press the button to sort any of its attributes.
Expected	You must see newspapers sorted by the clicked attribute.
Outcome	The outcome is the expected
Notes	

Test <#004>

Description	Once “Newspapers” button is pressed, you get into the newspaper list view and press the button “Details” in the newspaper “El Informatico”.
Expected	You must be redirected to a view where the details of the newspaper can be seen. 
Outcome	The outcome is the expected
Notes	

Test <#005>

Description	Once “Newspapers” button is pressed, you get into the newspaper list view and you search “informatico”.
Expected	You must see a list with the newspaper that contains “informatico”.  A screenshot of a web browser displaying the 'List of newspapers' page. The URL is 'localhost:9443/Acme-Newspaper/newspaper/search.do?page=0&search=informatico'. The page title is 'Acme -> Newspaper'. The main content area shows a table with one row, circled in red. The table has columns 'Title', 'date', and 'Publico'. The single row contains the text 'El Informatico' under 'Title', '2018/04/09 00:00' under 'date', and a small circular icon under 'Publico'. A red oval highlights the entire row. At the bottom of the page, there is a red footer bar with links for 'Terms & Conditions' and 'Cookie Policy'.
Outcome	The system returns the list of all newspapers published
Notes	

Test <#006>	
Description	Before accessing newspapers, you must select Spanish language, then, once “Periódicos” button is pressed, you get into the newspaper list view.
Expected	You must see 2 pages and 5 newspapers.  A screenshot of a web browser displaying the 'Lista de periódicos' page. The URL is 'localhost:9443/Acme-Newspaper/newspaper/list.do'. The page title is 'Acme -> Newspaper'. The main content area shows a table with five rows. The columns are 'Título', 'Fecha de publicación', and 'Publico'. Each row contains a thumbnail image, a newspaper title, a publication date, and a small circular icon. Red ovals highlight the first two rows. At the bottom of the page, there is a blue footer bar with links for 'start', 'Horizon Workbench', 'Java EE - Acme Home', 'Lista de periódicos ...', and 'Último - Horas'.
Outcome	The outcome is the expected
Notes	


Test <#007>

Description	Before accessing newspapers, you must select Spanish language, then, once “Periódicos” button is pressed, you get into the newspaper list view and press the button to the second page.
	
Expected	You must see the second page, that only has a newspaper.
Outcome	The system always returns the first page of the list.
Notes	


Test <#008>

Description	Before accessing newspapers, you must select Spanish language, then, once “Periódicos” button is pressed, you get into the newspaper list view and press the button to sort any of its attributes.
Expected	You must see newspapers sorted by the clicked attribute.
Outcome	The outcome is the expected
Notes	

Test <#009>

Description	Before accessing newspapers, you must select Spanish language, then, once “Periódicos” button is pressed, you get into the newspaper list view and press the button “Details” in the newspaper “El Informatico”.
Expected	You must be redirected to a view where the details of the newspaper can be seen. 
Outcome	The outcome is the expected
Notes	

Test <#010>

Description	Before accessing newspapers, you must select Spanish language, then, once “Periódicos” button is pressed, you get into the newspaper list view and you search “informatico”.
Expected	You must see a list with the newspaper that contains “informatico”.
	 A screenshot of a web browser displaying the 'Acme Newspaper' website. The URL in the address bar is 'localhost:9443/Acme-Newspaper/newspaper/search.do?page=0&search=informatico'. The page title is 'Lista de periódicos'. A search input field contains the text 'informatico', which is circled in red. Below the search bar, there are navigation buttons '<' and '>'. The main content area shows a table with newspaper results. One row is highlighted with a large oval, showing columns for 'Nombre' (Informatico), 'Fecha de publicación' (09/04/2018 00:00), and 'Publicar' (with a checkbox). A red 'DETALLES' button is visible. At the bottom of the page, there's a footer with links like 'Copyright © 2018 Acme Inc.', 'IDIOMA', 'Terms and Conditions', and 'Cookie Policy'.
Outcome	The system returns the list of all newspapers published.

Use case 003 – Search for articles

Description


An unauthenticated user goes to the article browser of the system.


Access

Main menu > Search for articles




Tests


Test <#001>	
Description	Once “Search for articles” button is pressed, you get into the article list and search view.
Expected	You must see a list of articles of public newspapers.
	
Outcome	The outcome is the one expected. The list of articles belonging to public newspapers appears
Notes	

Test <#002>	
Description	Once “Search for articles” button is pressed, you get into the article list and search view, and you search “sobrevivir”
Expected	You must see a list with the article that contains “sobrevivir”
	
Outcome	The outcome is the one expected. A list with one article that contains “sobrevivir” is displayed
Notes	


Test <#003>

Description	Once “Search for articles” button is pressed, you get into the article list and search view and press the button to the second page.
	
Expected Outcome	You must see the second page of published articles.
Notes	The outcome is the one expected. The second page of the article list appears


Test <#004>


Description	Once “Search for articles” button is pressed, you get into the article list and search view and press the button to sort any of its attributes.
Expected Outcome	You must see articles sorted by the clicked attribute.
Notes	Sorting by “Title”, the outcome is the one expected in the first page. However, when moving onto the second page, there are articles that should appear in the first page due to their title.
	
	
Notes	The only attribute they can be sorted by is “Title”

Test <#005>	
Description	Once “Search for articles” button is pressed, you get into the article list and search view and press the “Display” button of any article.
Expected	You must be redirected to the detailed view of that article. 
Outcome	The outcome is the one expected. The article is displayed correctly.
Notes	


Test <#006>	
Description	Before accessing article list, you must select Spanish language, once “Búsqueda de artículos” button is pressed, you get into the article list and search view.
Expected	You must see a list of articles of public newspapers. 
Outcome	The outcome is the one expected. The list of articles belonging to public newspapers appears.
Notes	

Test <#007>	
Description	Before accessing article list, you must select Spanish language, once “Búsqueda de artículos” button is pressed, you get into the article list and search view, and you search “sobrevivir”
Expected	You must see a list with the article that contains “sobrevivir”

	 <p>The outcome is the one expected. A list with one article that contains “sobrevivir” is displayed</p>
Notes	

Test <#008>	
Description	<p>Before accessing article list, you must select Spanish language, once “Búsqueda de artículos” button is pressed, you get into the article list and search view and press the button to the second page.</p> 
Expected	You must see the second page of published articles.
Outcome	The outcome is the one expected. The second page of the article list appears
Notes	

Test <#009>	
Description	Before accessing article list, you must select Spanish language, once “Búsqueda de artículos” button is pressed, you get into the article list and search view and press the button to sort any of its attributes.
Expected	You must see articles sorted by the clicked attribute.
Outcome	Sorting by “Título”, the outcome is the one expected in the first page. However, when moving onto the second page, there are articles that should appear in the first page due to their title.
Notes	The only attribute they can be sorted by is “Título”

Test <#010>	
Description	Before accessing article list, you must select Spanish language, once “Búsqueda de artículos” button is pressed, you get into the article list and search view and press the “Mostrar” button of any article.
Expected	You must be redirected to the detailed view of that article. 
Outcome	The outcome is the one expected. The article is displayed correctly.
Notes	

Use case 004 – List and display user

Description

An unauthenticated user goes to the list of users of the system.

Access

Main menu > User list



Tests

Test <#001>

Description

Once “User list” button is pressed, you get into the user list view.

Expected

You must see 2 pages and 5 users.

User list								
Name * Surname * Postal address * Phone number * Email * Birth date * * * DISPLAY								
User 1	User	San Anton Spurs Street	636587789	user1@mail.com	1987/04/31			DISPLAY
User 2	User	Oklahoma Thunder Street	636582389	user2@mail.com	1992/07/15			DISPLAY
User 3	User	Oklahoma Thunder Street	636582389	user3@mail.com	1993/07/10			DISPLAY
User 4	User	Oklahoma Thunder Street	636582389	user4@mail.com	1992/07/15			DISPLAY
User 5	User	Oklahoma Thunder Street	636582389	user5@mail.com	1990/03/05			DISPLAY

Showing 1 to 5 of 5 entries

Outcome

The system shows us all the users in the website. We can see 2 pages and 5 users in the first page. But the total number of entries is wrong. In this case, we have 7 users, but the system shows us “Showing 1 to 5 of 5 entries”.

Notes

Test <#002>


Description

Once “User list” button is pressed, you get into the user list view and press the button to the second page.

	<p>The screenshot shows a user list page with the following data:</p> <table border="1"> <thead> <tr> <th>Name</th><th>Surname</th><th>Postal address</th><th>Phone number</th><th>Email</th><th>Birth date</th><th>Action</th></tr> </thead> <tbody> <tr> <td>User 1</td><td>User</td><td>San Anton Spurs Street</td><td>635587799</td><td>user1@mail.com</td><td>1987/04/11</td><td>DISPLAY</td></tr> <tr> <td>User 2</td><td>User</td><td>Oklahoma Thunder Street</td><td>635582389</td><td>user2@mail.com</td><td>1992/07/15</td><td>DISPLAY</td></tr> <tr> <td>User 3</td><td>User</td><td>Oklahoma Thunder Street</td><td>635582389</td><td>user3@mail.com</td><td>1993/07/10</td><td>DISPLAY</td></tr> <tr> <td>User 4</td><td>User</td><td>Oklahoma Thunder Street</td><td>635582389</td><td>user4@mail.com</td><td>1992/07/15</td><td>DISPLAY</td></tr> <tr> <td>User 5</td><td>User</td><td>Oklahoma Thunder Street</td><td>635582389</td><td>user5@mail.com</td><td>1990/02/15</td><td>DISPLAY</td></tr> </tbody> </table> <p>Showing 1 to 5 of 5 entries.</p>	Name	Surname	Postal address	Phone number	Email	Birth date	Action	User 1	User	San Anton Spurs Street	635587799	user1@mail.com	1987/04/11	DISPLAY	User 2	User	Oklahoma Thunder Street	635582389	user2@mail.com	1992/07/15	DISPLAY	User 3	User	Oklahoma Thunder Street	635582389	user3@mail.com	1993/07/10	DISPLAY	User 4	User	Oklahoma Thunder Street	635582389	user4@mail.com	1992/07/15	DISPLAY	User 5	User	Oklahoma Thunder Street	635582389	user5@mail.com	1990/02/15	DISPLAY
Name	Surname	Postal address	Phone number	Email	Birth date	Action																																					
User 1	User	San Anton Spurs Street	635587799	user1@mail.com	1987/04/11	DISPLAY																																					
User 2	User	Oklahoma Thunder Street	635582389	user2@mail.com	1992/07/15	DISPLAY																																					
User 3	User	Oklahoma Thunder Street	635582389	user3@mail.com	1993/07/10	DISPLAY																																					
User 4	User	Oklahoma Thunder Street	635582389	user4@mail.com	1992/07/15	DISPLAY																																					
User 5	User	Oklahoma Thunder Street	635582389	user5@mail.com	1990/02/15	DISPLAY																																					
Expected	You must see the second page, that has 2 users.																																										
Outcome	The second page shows us two users. But the total number of entries is wrong, just like before.																																										
Notes																																											


	Test <#003>
Description	Once “User list” button is pressed, you get into the user list view and press the button to sort any of its attributes.
Expected	You must see users sorted by the clicked attribute.
Outcome	The list only sorts the users it is showing. It does not sort all the users.
Notes	

	Test <#004>																		
Description	Once “User list” button is pressed, you get into the user list view and press the button “Display” in the user “User 1”.																		
Expected	You must be redirected to a view where the details of the user can be seen.																		
	<p>The screenshot shows a user display page for User 1. The details are:</p> <p>User 1 User</p> <p>Postal address: San Anton Spurs Street Phone number: 635587799 Email: user1@mail.com Birth date: 1987/04/11</p> <p>Published articles</p> <table border="1"> <thead> <tr> <th>Title</th> <th>Summary</th> </tr> </thead> <tbody> <tr> <td>No te lo vas a creer</td> <td>Voy al logo ness y pasa esto!</td> </tr> <tr> <td>6 consejos para ser feliz</td> <td>Con estos cinco consejos conseguiras la felicidad</td> </tr> <tr> <td>Come hasta que no puedes mas</td> <td>Judamela te invita a pizza unet!</td> </tr> <tr> <td>Nadie esta seguro</td> <td>Ej grupo hacker the princes of Flacquejia ataca de nuevo</td> </tr> <tr> <td>¡Vale! Como sobrevivir en la ETSI</td> <td>Si has sido aceptado recientemente en nuestra escuela, este articulo te ayudara a pasar tus primeros dias</td> </tr> </tbody> </table> <p>Published chirps</p> <table border="1"> <thead> <tr> <th>Title</th> <th>Description</th> <th>Publication moment</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Title	Summary	No te lo vas a creer	Voy al logo ness y pasa esto!	6 consejos para ser feliz	Con estos cinco consejos conseguiras la felicidad	Come hasta que no puedes mas	Judamela te invita a pizza unet!	Nadie esta seguro	Ej grupo hacker the princes of Flacquejia ataca de nuevo	¡Vale! Como sobrevivir en la ETSI	Si has sido aceptado recientemente en nuestra escuela, este articulo te ayudara a pasar tus primeros dias	Title	Description	Publication moment			
Title	Summary																		
No te lo vas a creer	Voy al logo ness y pasa esto!																		
6 consejos para ser feliz	Con estos cinco consejos conseguiras la felicidad																		
Come hasta que no puedes mas	Judamela te invita a pizza unet!																		
Nadie esta seguro	Ej grupo hacker the princes of Flacquejia ataca de nuevo																		
¡Vale! Como sobrevivir en la ETSI	Si has sido aceptado recientemente en nuestra escuela, este articulo te ayudara a pasar tus primeros dias																		
Title	Description	Publication moment																	
Outcome	The system shows us the details of the users. But, in the lists of published articles and published chirps, the total numbers of entries are wrong. And the list only sorts the articles or chirps it is showing. It does not sort all of them.																		
Notes																			

Test <#005>	
Description	Before accessing users, you must select Spanish language, then, once “Usuarios” button is pressed, you get into the user list view.
Expected	You must see 2 pages and 5 users.
	
Outcome	We can see 2 pages and 5 users in the first page. But the total number of entries is wrong, just like it happens in English. In addition, the message which tells us the number of entries is in English.
Notes	

Test <#006>	
Description	Before accessing users, you must select Spanish language, then, once “Usuarios” button is pressed, you get into the user list view and press the button to the second page.
Expected	You must see the second page, that has 2 users.
Outcome	We can see two users in the second page. But the total number of entries is wrong, just like before. In addition, the message which tells us the number of entries is in English.
Notes	

Test <#007>	
Description	Before accessing users, you must select Spanish language, then, once “Usuarios” button is pressed, you get into the user list view and press the button to sort any of its attributes.
Expected	You must see users sorted by the clicked attribute.

Outcome	The list only sorts the users it is showing. It does not sort all the users.
Notes	
Test <#008>	
Description	Before accessing users, you must select Spanish language, then, once “Usuarios” button is pressed, you get into the user list view and press the button “Mostrar” in the user “User 1”.
Expected	You must be redirected to a view where the details of the user can be seen. 
Outcome	The system shows us the details of the users. Unlike the photo, there are messages which show us the total number of entries. But these numbers are wrong. And these messages is in English. And the list only sorts the chirps and articles it is showing. It does not sort all of them. In addition, there is a problem with the accented letters.
Notes	


Use case 005 – Create a newspaper as a user

Description

An unauthenticated user logs in the system as user, he or she goes to his or her not published newspapers, once there goes to the view to create a newspaper and fills the form.

Access

Login > **Username:** user1; **Password:** user1 > User functions dropdown > My newspapers not published/My newspapers published > Create button.




Tests

Test <#001>


Description	Once you are in the create newspaper view, you press the cancel button.
Expected	The system must redirect you to the published newspaper list.
Outcome	The outcome is the expected
Notes	Note that “Cancel” button always redirects to the published newspapers list, even if you pressed the “Create” button in your non-published newspapers.

Test <#002>

Description	Once you are in the create newspaper view, you press the save button without data in any field.
Expected	The system must redirect you to the same view (create newspaper) but showing validation messages in fields
Outcome	The outcome is the expected
Notes	

Test <#003>

Description	Once you are in the create newspaper view, you press the save button inserting the following data: Title: “<script>alarm('Hacked!'); </script>”, Description: “Acceptance testing is amazing” and a blank Image url
--------------------	--

Expected	The system must redirect you to the same view (create newspaper) but showing “Insecure HTML” validation error 
Outcome	The system redirects to my published newspapers and don't show nothing.
Notes	

Test <#004>	
Description	Once you are in the create newspaper view, you press the save button inserting the following data: Title : “The tester journal”, Description : “Acceptance testing is amazing”, Image url : http://3.bp.blogspot.com/-uDmln3KYjgM/Vetm-e9efVI/AAAAAAAFAvE/PRIkPu8F95M/s1600/irony-alert-ironic.jpg , and the Public checkbox unchecked.
Expected	The system must redirect you to the non-published newspaper list, where must appear your new newspaper.
Outcome	The system redirects to the published newspaper list. When I list non published newspapers the newspaper created appears.
Notes	

Test <#005>	
Description	You must be in the non-published newspaper list for this test, and once you created the newspaper of the test before, you press the “Edit” button of the new newspaper. Once editing the newspaper, change the name to “Bad newspaper” and press “Save” button.
Expected	The system must redirect you to the non-published newspaper list, where must appear your modified newspaper.
Outcome	The system redirects to the published newspaper list. When I list non published newspapers the newspaper created appears.
Notes	

Test <#006>	
Description	You must be in the non-published newspaper list for this test, and once you created the newspaper of the test before, you press the “Edit” button of the new newspaper. Once editing the newspaper, press the “Delete” button, and click “OK” in the alert that is shown.
Expected	The system must redirect you to your non-published newspaper list, and your newspaper must not appear.
Outcome	The system returns to main page, but the newspaper doesn't appear in the list.

Notes

Test <#007>

Description	Before accessing the create newspaper view, you must set the webpage language to “Spanish”, then, once you are in the create newspaper view, you press the “Cancelar” button.
Expected	The system must redirect you to the published newspaper list.
Outcome	The outcome is the expected
Notes	Note that “Cancelar” button always redirects to the published newspapers list, even if you pressed the “Crear” button in your non-published newspapers.

Test <#008>

Description	Before accessing the create newspaper view, you must set the webpage language to “Spanish”, then, once you are in the create newspaper view, you press the “Guardar” button without data in any field.
Expected	The system must redirect you to the same view (create newspaper) but showing validation messages in fields
Outcome	The outcome is the expected
Notes	

Test <#009>

Description	Before accessing the create newspaper view, you must set the webpage language to “Spanish”, then, once you are in the create newspaper view, you press the “Guardar” button inserting the following data: Título: “<script>alarm('Hacked!'); </script>”, Descripción: “Acceptance testing is amazing” and a blank Url de la imagen .
Expected	The system must redirect you to the same view (create newspaper) but showing “HTML inseguro” validation error
Outcome	The system redirects to my published newspapers and don’t show nothing.
Notes	

Test <#010>

Description	Before accessing the create newspaper view, you must set the webpage language to “Spanish”, then, once you are in the create newspaper view, you press the “Guardar” button inserting the following data: Título: “The tester journal”, Descripción: “Acceptance testing is amazing”, Url de la imagen:
-------------	--

	http://3.bp.blogspot.com/-uDmIn3KYjgM/Vetm-e9efVI/AAAAAAAFAvE/PRIkPu8F95M/s1600/irony-alert-ironic.jpg , and the “Público” checkbox unchecked.
Expected	The system must redirect you to the non-published newspaper list, where must appear your new newspaper.
Outcome	The system redirects to the published newspaper. When I list non published newspapers I can see the newspaper created.
Notes	

Test <#011>

Description	The first thing you must do for this test is setting the language to Spanish, once this has been done, you must be in the non-published newspaper list, and once you created the newspaper of the test before, you press the “Editar” button of the new newspaper. Once editing the newspaper, change the name to “Bad newspaper” and press “Guardar” button.
Expected	The system must redirect you to the non-published newspaper list, where must appear your modified newspaper.
Outcome	The system redirects to the published newspaper. When I list non published newspapers I can see the newspaper modified.
Notes	

Test <#012>

Description	The first thing you must do for this test is setting the language to Spanish, once this has been done, you must be in the non-published newspaper list, and once you created the newspaper of the test before, you press the “Editar” button of the new newspaper. Once editing the newspaper, press the “Borrar” button, and click “OK” in the alert that is shown.
Expected	The system must redirect you to your non-published newspaper list, and your newspaper must not appear.
Outcome	The system returns to main page, but the newspaper doesn't appear in the list.
Notes	

Use case 006 – Publish a newspaper

Description

An unauthenticated user logs in the system as user, he or she goes to his or her not published newspapers, once there he or she publishes a newspaper.


Access

Login > **Username:** user1; **Password:** user1 > User functions dropdown > My newspapers not published.




Tests

Test <#001>

Description	Once you are in the non-published newspapers list view, you must press “Publish” button in the newspaper with title “Performance testing is better than acceptance testing!”.
	<p>The system must redirect you to your published newspaper list, where must appear the new newspaper in any of the pages.</p>
Expected	The system returns the list of published newspaper. Because of the fault pagination, I can't check if the newspaper appear, but not published newspapers list not contains this.
Notes	Note that you have a newspaper ready to be published, that is, with its articles saved in final mode.

Test <#002>

Description	The first thing you must do for this test is setting the language to Spanish, once you are in the non-published newspapers list view, you must press “Publicar” button in the newspaper with title “Performance testing is better than acceptance testing!”. 
Expected	The system must redirect you to your published newspaper list, where must appear the new newspaper in any of the pages.
Outcome	The system returns the list of published newspaper. Because of the fault pagination, I can't check if the newspaper appears, but not published newspapers list does not contain it.
Notes	Note that you have a newspaper ready to be published, that is, with its articles saved in final mode.

Use case 007 – Write an article

Description

An unauthenticated user logs in the system as user, he or she goes to his or her not published newspapers, once there he or she goes to the detailed view of a newspaper and creates an article.

Access

Login > **Username:** user1; **Password:** user1 > User functions dropdown > My newspapers not published > “This is a newspaper for Acceptance Testing” Details button > “Create” button under “List of articles”.

The screenshot shows a web application titled "Acme ✎ Newspaper". The main page is titled "List of newspapers". It displays three newspaper entries:

- The first entry has a thumbnail of people running, a title of "The Runner Journal", and buttons for "DETAILS", "EDIT", and "PUBLISH".
- The second entry has a thumbnail of a blue ribbon, a title of "Performance testing is better than acceptance testing!", and buttons for "DETAILS", "EDIT", and "PUBLISH".
- The third entry has a thumbnail of a yellow smiley face, a title of "This is a newspaper used for Acceptance testing.", and buttons for "DETAILS" (circled in red), "EDIT", and "PUBLISH".

At the bottom left, there is a "CREATE" button. A search bar is at the top right.

The screenshot shows a detailed view of the third newspaper entry from the previous page. The title is "This is a newspaper used for Acceptance testing".

The page includes the following sections:


- Description:** "Have fun!"
- Publication date:** "2018-01-01"
- List of articles:** "Nothing found to display." (with a "CREATE" button circled in red)

At the bottom, there are copyright information ("Copyright © 2018 Acme Inc"), language selection ("LANGUAGE"), and links for "Terms & Conditions" and "Cookie Policy".

Tests

Test <#001>	
Description	Once you are in the create article view, you press the cancel button.
Expected	The system must redirect you to the detailed view of the newspaper.
Outcome	The outcome is the one expected. When pressing the cancel button, the detailed view of the newspaper is shown.
Notes	

Test <#002>	
Description	Once you are in the create article view, you press the save button without data in any field.


Expected	The system must redirect you to the same view (create article) but showing validation messages in fields.
	Create/Edit an article
Outcome	The outcome is the one expected. Validation messages appear in the fields.
Notes	

Test <#003>	
Description	Once you are in the create article view, you press the save button inserting the following data: Title : "<script>alarm('Hacked!'); </script>", Summary : "This is a test" and "Hello world!" in the Textarea .
Expected	The system must redirect you to the same view (create article) but showing "Insecure HTML" validation error.
Outcome	The outcome is the one expected. The "Insecure HTML" validation error appears.
Notes	

Test <#004>	
Description	Once you are in the create article view, you press the save button inserting the following data: Title : "I'm falling asleep", Summary : "I want to drink some EXTRA SALTY water", Textarea : "Salty water makes me be awake", and the Final mode checkbox unchecked.
Expected	The system must redirect you to the detailed view of the newspaper.
Outcome	The outcome is the one expected. The article that has just been created appears in the list of articles associated with the newspaper. However, the title of the article is shown as as "I?m falling asleep"
Notes	

Test <#005>	
Description	Once you are in the detailed view of the newspaper, you press the edit button of the article created previously, change the title from "I'm falling asleep" to "Long life pizza", and press the button "Save" with no other changes.
Expected	The system must redirect you to the detailed view of the newspaper.
Outcome	The outcome is the one expected. The title of the article has been successfully changed
Notes	

Test <#006>	
Description	Once you are in the detailed view of the newspaper, you press the edit button of the article created previously, once editing the article, press the “Delete” button, and click “OK” in the alert that is shown.
Expected	The system must redirect you to the detailed view of the newspaper with the article deleted.
Outcome	The outcome is the one expected. The view of the newspaper no longer shows the article that has been deleted
Notes	

Test <#007>	
Description	Once you are in the create article view, you press the save button inserting the following data: Title : “New article 2”, Summary : “This is another test”, Textarea : “Just filling fields SO FUN”, and the Final mode checkbox checked.
Expected	The system must redirect you to the detailed view of the newspaper with the new article, that cannot be edited.
Outcome	The outcome is not the one that is expected. The article can still be edited even after checking “Final mode”
 	
Notes	

Test <#008>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the create article view, you press the “Cancelar” button.
Expected	The system must redirect you to the detailed view of the newspaper.

Outcome	The outcome is the one expected. When pressing the cancel button, the detailed view of the newspaper is shown.
Notes	

Test <#009>	
Description	Before doing any other thing, you must set the webpage language to "Spanish", then, once you are in the create article view, you press the "Guardar" button without data in any field.
Expected	The system must redirect you to the same view (create article) but showing validation messages in fields.
Outcome	The outcome is the one expected. Validation messages appear in the fields.
Notes	

Test <#010>	
Description	Before doing any other thing, you must set the webpage language to "Spanish", then, once you are in the create article view, you press the "Guardar" button inserting the following data: Título : "<script>alarm('Hacked!'); </script>", Sumario : "This is a test" and "Hello world!" in the textarea .
Expected	The system must redirect you to the same view (create article) but showing "HTML inseguro" validation error.
Outcome	The outcome is the one expected. The "Insecure HTML" validation error appears.
Notes	

Test <#011>	
Description	Before doing any other thing, you must set the webpage language to "Spanish", then, once you are in the create article view, you press the "Guardar" button inserting the following data: Título : "I'm falling asleep", Sumario : "I want to drink some EXTRA SALTY water", Textarea : "Salty water makes me be awake", and the Modo definitivo checkbox unchecked.
Expected	The system must redirect you to the detailed view of the newspaper.
Outcome	The outcome is the one expected. The article that has just been created appears in the list of articles associated with the newspaper. However, the title of the article is shown as as "I?m falling asleep"
Notes	

Test <#012>	
Description	Before doing any other thing, you must set the webpage language to "Spanish", then, once you are in the detailed view of the newspaper, you press the "Editar" button of the article created previously, change the title from "I'm falling asleep" to "Long life pizza", and press the button "Guardar" with no other changes.
Expected	The system must redirect you to the detailed view of the newspaper.
Outcome	The outcome is the one expected. The title of the article has been successfully changed

Notes

Test <#013>

Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the detailed view of the newspaper, you press the “Editar” button of the article created previously, once editing the article, press the “Borrar” button, and click “OK” in the alert that is shown.
Expected	The system must redirect you to the detailed view of the newspaper with the article deleted.
Outcome	The outcome is the one expected. The view of the newspaper no longer shows the article that has been deleted
Notes	

Test <#014>

Description	Once you are in the create article view, you press the save button inserting the following data: Título : “New article 2”, Sumario : “This is another test”, Textarea : “Just filling fields SO FUN”, and the Modo definitivo checkbox checked.
Expected	The system must redirect you to the detailed view of the newspaper with the new article, that cannot be edited.
Outcome	The outcome is not the one that is expected. The article can still be edited even after checking “Final mode”
Notes	

Use case 008 – Post a chirp as user

Description

An unauthenticated user logs in the system as user, he or she goes to his or her chirps, once there he or she publishes a chirp.

Access

Login > **Username**: user1; **Password**: user1 > User functions dropdown > Your chirps > “Create new chirp” button.

The screenshot shows the Acme-Newspaper website. At the top, there's a red header bar with the title "Acme ♦ Newspaper". Below it is a large graphic of a newspaper with the words "BREAKING NEWS" in large letters. A "Chirp stream" modal menu is open on the right side of the screen, listing options like "My newspapers published", "Followed users", "Created Followables", "Followers", "Chirp stream" (which is circled in red), and "My created volumes". At the bottom of the page, there's a red footer bar with links for "Terms & Conditions" and "Cookie Policy".

The screenshot shows the "Chirp List" view. It has a header "Chirp List" and a table with columns for "Author", "Publication moment", "Title", and "Description". There are five entries listed:

Author	Publication moment	Title	Description
User 1	2018/04/09 00:00	Me encantan los animales	Tengo dos gatos, y de vez en cuando el sistema habla con un perro. Sobre animales o películas.
User 1	2018/04/09 00:00	Mi gata no para de dormir	¿Alguna noche es normal?
User 1	2018/04/08 00:00	Hola mundo!	Este es mi primer chirp en Acme-Newspaper :)
User 1	2018/04/08 00:00	Te lo diré con mi amigo Pato	Al parecer el nombre tiene 3 trámites muy distintos, entre si. Estoy muy ocupado y sencillamente te diré que te diré.
User 1	2018/04/08 00:00	Deseando que empiece la Feria de Abril	El 14 de abril empieza la Feria, estoy deseando que llegue el día!

At the bottom left of the table, there's a link "CREATE NEW CHIRP" (circled in red). The footer is identical to the one in the first screenshot.


Tests

Test <#001>	
Description	Once you are in the create chirp view, you press the cancel button.
Expected	The system must redirect you to your chirp list view.
Outcome	The outcome is the one expected. When pressing the cancel button, my chirp list is shown.
Notes	

Test <#002>	
Description	Once you are in the create chirp view, you press the save button without data in any field.
Expected	The system must redirect you to the same view (create chirp) but showing validation messages in fields.
Outcome	The outcome is the one expected. Validation messages appear in the fields.
Notes	

Test <#003>	
Description	Once you are in the create newspaper view, you press the save button inserting the following data: Title : "<script>alarm('Hacked!'); </script>", Description : "This is a test".
Expected	The system must redirect you to the same view (create chirp) but showing "Insecure HTML" validation error.

Outcome	The outcome is the one expected. The “Insecure HTML” validation error appears.
Notes	

Test <#004>	
Description	Once you are in the create chirp view, you press the save button inserting the following data: Title: “Chirp test”, Description: “This is just a test, don’t worry”.
Expected	The system must redirect you to your chirp list view which will show the new chirp.
Outcome	The outcome is the one expected. The chirp that has just been created appears in the list of my chirps. However, the message below the list says: “Showing 1 to 5 of 5 entries”, but there are 3 pages of Chirps, so there are more than 5 entries (at least, 11).
	 <p>The Chirps can't be ordered between all the list, only the 5 that appear in the first table.</p> 
Notes	

Test <#005>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the create chirp view, you press the “Cancelar” button.
Expected	The system must redirect you to your chirp list view.
Outcome	The outcome is the one expected. When pressing the cancel button, my chirp list is shown.
Notes	

Test <#006>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the create chirp view, you press the “Guardar” button without data in any field.
Expected	The system must redirect you to the same view (create chirp) but showing validation messages in fields.
Outcome	The outcome is the one expected. Validation messages appear in the fields.
Notes	

Test <#007>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the create newspaper view, you press the “Guardar” button inserting the following data: Título: “<script>alarm('Hacked!'); </script>”, Descripción: “This is a test”.
Expected	The system must redirect you to the same view (create chirp) but showing “HTML inseguro” validation error.
Outcome	The outcome is the one expected. The “Insecure HTML” validation error appears.
Notes	

Test <#008>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the create chirp view, you press the “Guardar” button inserting the following data: Título: “Chirp test”, Descripción: “This is just a test, don’t worry”.
Expected	The system must redirect you to your chirp list view which will show the new chirp.
Outcome	The outcome is the one expected. The chirp that has just been created appears in the list of my chirps. However, along the bugs listed in the same test above when run in English, the system language is set to Spanish, but the phrase below the list is in English.

Tus chirps

< 1 2 3 >

Autor	Momento de publicación
User 1	05/05/2018 17:10
User 1	05/05/2018 17:38
User 1	05/05/2018 17:38
User 1	08/04/2018 00:00
User 1	08/04/2018 00:00

Showing 1 to 5 of 5 entries

CREAR NUEVO CHIRP

Notes

Use case 009 – Follow or unfollow a user

Description

An unauthenticated user logs in the system as user, he or she goes to the user list of the system and he or she follows or unfollows another user.


Access

Login > **Username:** user2; **Password:** user2 > User list.



Tests

Test <#001>	
Description	Once you are in the user list, you must press "Follow" button to follow "User 3".
	A screenshot of the 'User list' page. The table has columns: Name, Surname, Postal address, Phone number, Email, Birth date, and Actions. There are 5 entries. User 3 is highlighted with a red circle around the 'Follow' button. The 'Follow' button for User 3 is circled in red. The 'Unfollow' button for User 3 is also circled in red. Other users have standard 'Follow' and 'Unfollow' buttons. The bottom of the page shows a red footer bar with 'Copyright © 2018 Acme Inc.', 'LANGUAGE', 'Terms & Conditions', and 'Cookie Policy'.
Expected	The system must redirect you to the same view, and now you must have a button that says "Unfollow" on "User 3", which means that now you follow User 3.
Outcome	The button "Follow" disappears and the button "Unfollow" appears. When we list all the users user2 follows, "User 3" appears.
Notes	

Test <#002>	
Description	<p>Once you are in the user list, you must press “Unfollow” button to unfollow “User 3”.</p> 
Expected	The system must redirect you to the same view, and now you must have a button that says “Follow” on “User 3”, which means that now you do not follow User 3.
Outcome	The button “Unfollow” disappears and the button “Follow” appears. When we list all the users user2 follows, “User 3” is not in the list.
Notes	

Test <#003>	
Description	<p>Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the user list, you must press “Seguir” button to follow “User 3”.</p>
Expected	The system must redirect you to the same view, and now you must have a button that says “Dejar de seguir” on “User 3”, which means that now you follow User 3.
Outcome	The button “Seguir” disappears, but the button that appears says “Dejar de”.
Notes	

Test <#004>	
Description	<p>Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the user list, you must press “Dejar de seguir” button to unfollow “User 3”.</p>
Expected	The system must redirect you to the same view, and now you must have a button that says “Seguir” on “User 3”, which means that now you do not follow User 3.
Outcome	When I click on “Dejar de”, the button disappears and the button “Seguir” appears on “User 3”.
Notes	

Use case 010 – List users that a user follows

Description

An authenticated user goes to the list of users that he or she follows.

Access

Login > **Username:** user1; **Password:** user1 > User functions dropdown > Followed users.



Tests

Test <#001>	
Description	Once “Followed users” button is pressed, you get into the followed user list view.
Expected	You must be redirected to the list of followed users, where you can see 2 pages and 5 users.
Outcome	We can see 2 pages and 5 users in the first page. The total number of entries is wrong.
Notes	

Test <#002>	
Description	Once “Followed users” button is pressed, you get into the followed user list view and press the button to the second page.
Expected	You must be redirected to the second page of the list, which only has a user.
Outcome	The system shows us a user, but the total number of entries is wrong.
Notes	

Test <#003>	
Description	Once “Followed users” button is pressed, you get into the followed user list view and press the button to sort any of its attributes.
Expected	You must see users sorted by the clicked attribute.
Outcome	The system only sorts the users it is showing. Not all of them.
Notes	

Test <#004>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once “Usuarios seguidos” button is pressed, you get into the followed user list view.
Expected	You must be redirected to the list of followed users, where you can see 2 pages and 5 users.
Outcome	We can see 2 pages and 5 users in the first page. The total number of entries is wrong. And the message which tells us the number of entries is in English.
Notes	

Test <#005>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once “Usuarios seguidos” button is pressed, you get into the followed user list view and press the button to the second page.
Expected	You must be redirected to the second page of the list, which only has a user.
Outcome	The system shows us a user, but the total number of entries is wrong. And the message which tells us the number of entries is in English.
Notes	

Test <#006>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once “Usuarios seguidos” button is pressed, you get into the followed user list view and press the button to sort any of its attributes.
Expected	You must see users sorted by the clicked attribute.
Outcome	The system only sorts the users it is showing. Not all of them.
Notes	


Use case 011 – List users who follow the logged user

Description

An authenticated user goes to the list of users that follow him or her.

Access

Login > Username: user1; Password: user1 > User functions dropdown > Followers.



Tests

Test <#001>	
Description	Once “Followers” button is pressed, you get into the followers list view.
Expected	You must be redirected to the list of followers, where you can see 2 pages and 5 users.
Outcome	We can see 2 pages and 5 users in the first page. The total number of entries is wrong.
Notes	

Test <#002>	
Description	Once “Followers” button is pressed, you get into the followers list view and press the button to the second page.
Expected	You must be redirected to the second page of the list, which only has a user.
Outcome	The system shows us a user, but the total number of entries is wrong.
Notes	

Test <#003>	
Description	Once “Followers” button is pressed, you get into the followers list view and press the button to sort any of its attributes.
Expected	You must see users sorted by the clicked attribute.
Outcome	The system only sorts the users it is showing. Not all of them.
Notes	

Test <#004>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once “Seguidores” button is pressed, you get into the followers list view.
Expected	You must be redirected to the list of followers, where you can see 2 pages and 5 users.
Outcome	We can see 2 pages and 5 users in the first page. The number of total entries is wrong. In addition, the message which tells us the number of entries is in English.
Notes	

Test <#005>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once “Seguidores” button is pressed, you get into the followers list view and press the button to the second page.
Expected	You must be redirected to the second page of the list, which only has a user.
Outcome	The system shows us a user, but the total number of entries is wrong. And the message which tells us the number of entries is in English.
Notes	

Test <#006>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once “Seguidores” button is pressed, you get into the followers list view and press the button to sort any of its attributes.
Expected	You must see users sorted by the clicked attribute.
Outcome	The system only sorts the users it is showing. Not all of them.
Notes	


Use case 012 – Display a stream with the chirps of the followed users

Description

An authenticated user goes to the chirp stream to see the chirps posted by the users he or she follows.

Access

Login > **Username:** user1; **Password:** user1 > User functions dropdown > Chirp stream.



Tests

Test <#001>	
Description	Once “Chirp stream” button is pressed, you get into the chirp list view.
Expected	You must be redirected to the stream of chirps, where you can see 2 pages and 5 chirps written by “User 2” sorted by publication moment.
Outcome	The outcome is the one expected. The list is shown with all the chirps from user 2. However, the message below the list states: “Showing 1 to 5 of 5 entries” which is not correct, because there are 6 entries.
Notes	Tester note: This bug also exists in the “Your Chirps” view

Test <#002>	
Description	Once “Chirp stream” button is pressed, you get into the chirp list view and press the button to the second page.
Expected	You must be redirected to the second page of the list, which only has a chirp.
Outcome	The outcome is the one expected, but the message below the table in the second page states: “Showing 1 to 1 of 1 entries”, which is incorrect, it should be “Showing 6 to 6 of 6 entries”
Notes	Tester note: This bug also exists in the “Your Chirps” view

Test <#003>	
Description	Once “Chirp stream” button is pressed, you get into the chirp list view and press the button to sort any of its attributes.
Expected	You must see chirps sorted by the clicked attribute.
Outcome	The outcome was not the expected. The list cannot be ordered correctly: Only the chirps that are currently in the list can be ordered, but not all of them at once.
Notes	Tester note: This bug also exists in the “Your Chirps” view

Test <#004>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once “Lista de chirps” button is pressed, you get into the chirp list view.
Expected	You must be redirected to the stream of chirps, where you can see 2 pages and 5 chirps written by “User 2” sorted by publication moment.

Outcome	The outcome is the one expected. The list is shown with all the chirps from user 2. However, along the bug stated in the test run in English, the message below the list is in English, although the language is set to Spanish
Notes	Tester note: This bug also exists in the “Tus Chirps” view

Test <#005>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once “Lista de chirps” button is pressed, you get into the chirp list view and press the button to the second page.
Expected	You must be redirected to the second page of the list, which only has a chirp.
Outcome	The outcome is the one expected, but the message below the table in the second page states: “Showing 1 to 1 of 1 entries”, which is incorrect, it should be “Showing 6 to 6 of 6 entries”
Notes	Tester note: This bug also exists in the “Tus Chirps” view

Test <#006>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once “Lista de chirps” button is pressed, you get into the chirp list view and press the button to sort any of its attributes.
Expected	You must see chirps sorted by the clicked attribute.
Outcome	The outcome was not the expected. The list cannot be ordered correctly: Only the chirps that are currently in the list can be ordered, but not all of them at once.
Notes	Tester note: This bug also exists in the “Tus Chirps” view

Use case 013 – Register as an agent

Description

An unauthenticated user goes to the register as an agent view and fills the form, once the form is filled, he or she presses the register button.

Access

Main Menu > Register in the system > Register as agent.



Tests

Test <#001>

Description	The form must be filled in with the following data: Name : 'Bond'; Surname : 'James Bond'; Phone number : '634634007'; Postal address : '007 Avocado Street, Iowa'; Email : 'bondja@007.com'; Birthdate : '07/07/1987' Username : 'bondja'; Password : 'bondja'; Confirm password : 'bondja'. You must also accept Terms & Conditions .
Expected	At the end of the use case, the system must redirect you to the main view.
Outcome	The outcome is the one expected. The system creates the new agent and returns to the main view.
Notes	

Test <#002>

Description	The form must be blank, only the "I accept Terms & Conditions" box must be checked, otherwise the "Register" button will be inaccessible.
Expected	At the end of the use case, the system must redirect you to the same form, but each field must have its validation error.
Outcome	The outcome is the one expected. Validation messages appear in the fields.
Notes	

Test <#003>

Description	Once you access the form, you must press the "Cancel" button.
Expected	You must be redirected to main view.
Outcome	The outcome is the one expected. When pressing the cancel button, the main view is shown.
Notes	In this test field content can be both filled or blank.

Test <#004>

Description	The form must be filled in with the following data: Name : '<script>alarm('Hacked!'); </script>'; Surname : 'James Bond'; Phone number : '634634007'; Postal address : '007 Avocado Street, Iowa'; Email : 'bondja@007.com'; Birthdate : '07/07/1987' Username : 'bondja'; Password : 'bondja'; Confirm password : 'bondja'. You must also accept Terms & Conditions .
Expected	At the end of the use case, the system must redirect you to the register user form with an error message in "Name" field where you can read "Insecure HTML"
Outcome	The outcome is the one expected. The "Insecure HTML" validation error appears.
Notes	

Test <#005>	
Description	Before accessing the form, language must be set to "Spanish", after this, the form must be filled in with the following data: Nombre : 'Bond'; Apellidos : 'James Bond'; Número de teléfono : '634634007'; Dirección : '007 Avocado Street, Iowa'; Correo electrónico : 'bondja@007.com'; Fecha de nacimiento : '07/07/1987' Nombre de usuario : 'bondja'; Contraseña : 'bondja'; Confirmar contraseña : 'bondja'. You must also accept Términos y Condiciones .
Expected	At the end of the use case, the system must redirect you to the main view.
Outcome	
Notes	

Test <#006>	
Description	Before accessing the form, language must be set to "Spanish", after this, the form must be blank, only the "Acepto los términos y condiciones" box must be checked, otherwise the "Registrarse" button will be inaccessible.
Expected	At the end of the use case, the system must redirect you to the same form, but each field must have its validation error.
Outcome	The outcome is the one expected. Validation messages appear in the fields.
Notes	

Test <#007>	
Description	Before accessing the form, language must be set to "Spanish", after this, once you access the form, you must press the "Cancelar" button.
Expected	You must be redirected to main view.
Outcome	The outcome is the one expected. When pressing the cancel button, the main view is shown.
Notes	In this test field content can be both filled or blank.

Test <#008>	
Description	Before accessing the form, language must be set to "Spanish", after this, the form must be filled in with the following data: Nombre : '<script>alarm('Hacked!'); </script>'; Apellidos : 'James Bond'; Número de teléfono : '634634007'; Dirección : '007 Avocado Street, Iowa'; Correo electrónico : 'bondja@007.com'; Fecha de nacimiento : '07/07/1987' Nombre de usuario : 'bondja'; Contraseña : 'bondja'; Confirmar contraseña : 'bondja'. You must also accept Términos y Condiciones .
Expected	At the end of the use case, the system must redirect you to the register user form with an error message in "Nombre" field where you can read "HTML inseguro"

Outcome	The outcome is the one expected. The “Insecure HTML” validation error appears.
Notes	

Use case 014 – Create advertisement

Description

An unauthenticated user logs in the system as an agent, he or she goes to his or her advertisements, once there he or she creates an advertisement.

Access

Login > **Username:** agent1; **Password:** agent1 > Agent functions dropdown > My advertisements > “Create” button.

The screenshot shows two windows side-by-side. The top window is the Acme-Newspaper homepage, featuring a large 'BREAKING NEWS' header and a 'CREATE ADVERTISEMENT' button highlighted with a red oval. The bottom window is a list of existing advertisements, showing entries for Coca-Cola, Kao, Pepsi, Red Bull, and Superlopez, each with edit and newspaper links.

Title	Banner URL	Additional information link	Actions
CocaCola	https://www.cocacola.es/home/	EDIT NEWSPAPERS WITH THIS AD NEWSPAPERS WITHOUT THIS AD	
Kao	https://www.pepolico.es/brands/kao/	EDIT NEWSPAPERS WITH THIS AD NEWSPAPERS WITHOUT THIS AD	
Pepsi	http://www.pepsi.com/es-es	EDIT NEWSPAPERS WITH THIS AD NEWSPAPERS WITHOUT THIS AD	
Red Bull	https://www.redbull.com/es-es/	EDIT NEWSPAPERS WITH THIS AD NEWSPAPERS WITHOUT THIS AD	
Superlopez	https://es-es.facebook.com/Superlopez-270750483064415/	EDIT NEWSPAPERS WITH THIS AD NEWSPAPERS WITHOUT THIS AD	

Tests

Test <#001>

Description	Once you are in the create advertisement view, you press the cancel button.
Expected	The system must redirect you to your advertisement list view.
Outcome	The outcome is the one expected. When pressing the cancel button, the list of my advertisements is shown.
Notes	

Test <#002>	
Description	Once you are in the create advertisement view, you press the save button without data in any field.
Expected	The system must redirect you to the same view (create advertisement) but showing validation messages in fields.
Outcome	The outcome is the one expected. Validation messages appear in the fields.
Notes	

Test <#003>	
Description	Once you are in the create newspaper view, you press the save button inserting the following data: Title: "<script>alarm('Hacked!'); </script>", Banner url: "https://test.jpg", Additional info link: "https://test.com", Holder name: "Agent test" Brand name: "Test", Number: "1111111111111117", Expiration month: "7", Expiration year: "18", CVV: "123".
Expected	The system must redirect you to the same view (create advertisement) but showing "Insecure HTML" validation error.
Outcome	The outcome is the one expected. The "Insecure HTML" validation error appears.
Notes	Tester note: This test says: "create newspaper view"

Test <#004>	
Description	Once you are in the create newspaper view, you press the save button inserting the following data: Title: "Test", Banner url: "https://test.jpg", Additional info link: "https://test.com", Holder name: "Agent test" Brand name: "Test", Number: "1111111111111117", Expiration month: "6", Expiration year: "18", CVV: "123".
Expected	The system must redirect you to the same view (create advertisement) but showing "The credit card must not be expired" validation error.
Outcome	The outcome is not the one expected. The system allowed to create the advertisement.
Notes	Tester notes: - The expiration month meant to be tested is not in the past, so the system should allow the creation of this advertisement. - This test says: "create newspaper view"

Test <#005>	
Description	Once you are in the create chirp view, you press the save button inserting the following data: Title: "Test", Banner url: "https://test.jpg", Additional info link:

	"https://test.com", Holder name: "Agent test" Brand name: "Test", Number: "111111111111117", Expiration month: "10", Expiration year: "18", CVV: "123".
Expected	The system must redirect you to your advertisement list view which will show the new advertisement.
Outcome	The outcome is the one expected. The system allowed to create the advertisement and returned to the advertisements list
Notes	Tester note: This test says: "create chirp view".

Test <#006>	
Description	Once you are in the newspaper list view, you press the "details" button in the first newspaper, in the detailed view you press the "add an ad to this newspaper" button, it will redirect you to the advertisements list view, in the first row, you must click on "use" button.
Expected	The system must redirect you to your advertisement list view but the button "use" now is "don't use this ad".
Outcome	The outcome is the one expected. The button besides the ad that I used appears.
Notes	Tester notes: - The Ad I created in the previous test, which is the one I used for this test, was not in the first row, it was in the second page of advertisements. - The ad in the first row was already in use for that newspaper, so it was impossible to see the "use this ad" button.

Test <#007>	
Description	Before doing any other thing, you must set the webpage language to "Spanish", then, once you are in the create advertisement view, you press the "Cancelar" button.
Expected	The system must redirect you to your advertisement list view.
Outcome	The outcome is the one expected. When pressing the cancel button, the list of my advertisements is shown.
Notes	

Test <#008>	
Description	Before doing any other thing, you must set the webpage language to "Spanish", then, once you are in the create advertisement view, you press the "Guardar" button without data in any field.
Expected	The system must redirect you to the same view (create advertisement) but showing validation messages in fields.
Outcome	The outcome is the one expected. When pressing the cancel button, the list of my advertisements is shown.
Notes	
Test <#009>	
Description	Before doing any other thing, you must set the webpage language to "Spanish", then, once you are in the create newspaper view, you press the "Guardar" button inserting the following data: Título: "Test" Imagen: "https://test.jpg", Hipervínculo de información adicional: "https://test.com", Nombre del portador: "Agent test" Nombre de la marca: "Test", Número: "111111111111117", Mes de caducidad: "6", Año de caducidad: "18", CVV: "123"

Expected	The system must redirect you to the same view (create advertisement) but showing “La tarjeta de crédito no debe estar caducada” validation error.
Outcome	The outcome is not the one expected. The system allowed to create the advertisement.
Notes	Tester note: - The expiration month meant to be tested is not in the past, so the system should allow the creation of this advertisement. - This test says: “create newspaper view”

Test <#010>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the create newspaper view, you press the “Guardar” button inserting the following data: Título: “<script>alarm('Hacked!');</script>”, Imagen: “https://test.jpg”, Hipervínculo de información adicional: “https://test.com”, Nombre del portador: “Agent test” Nombre de la marca: “Test”, Número: “1111111111111117”, Mes de caducidad: “7”, Año de caducidad: “18”, CVV: “123”
Expected	The system must redirect you to the same view (create advertisement) but showing “HTML inseguro” validation error.
Outcome	The outcome is the one expected. The “Insecure HTML” validation error appears.
Notes	Tester note: This test says: “create newspaper view”

Test <#011>	
Description	Once you are in the create chirp view, you press the save button inserting the following data: Título: “test”, Imagen: “https://test.jpg”, Hipervínculo de información adicional: “https://test.com”, Nombre del portador: “Agent test” Nombre de la marca: “Test”, Número: “1111111111111117”, Mes de caducidad: “7”, Año de caducidad: “18”, CVV: “123”.
Expected	The system must redirect you to your advertisement list view which will show the new advertisement.
Outcome	The outcome is the one expected. The system allowed to create the advertisement and returned to the advertisements list
Notes	Tester note: This test says: “create chirp view”

Test <#012>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the newspaper list view, you press the “detalles” button in the first newspaper, in the detailed view you press the “Poner un anuncio a este periódico” button, it will redirect you to the advertisements list view, in the first row, you must click on “usar” button.
Expected	The system must redirect you to your advertisement list view but the button “usar” now is “no usar”.
Outcome	The outcome is the one expected. The button besides the ad that I used appears.
Notes	Tester notes: - The Ad I created in the previous test, which is the one I used for this test, was not in the first row, it was in the second page of advertisements. - The ad in the first row was already in use for that newspaper, so it was impossible to see the “use this ad” button.


Use case 015 – List newspapers with an advertisement

Description

An unauthenticated user logs in the system as an agent, he or she goes to his or her advertisements, once there he or she lists his or her advertisements and clicks the button “Newspapers with this ad” to see the newspapers that contains the selected advertisement.


Access

Login > **Username:** agent1; **Password:** agent1 > Agent functions dropdown > My advertisements > “Newspapers with this ad”.



Title	Banner URL	Additional information link	EDIT	NEWSPAPERS WITH THIS AD	NEWSPAPERS WITHOUT THIS AD
Cocacola		https://www.cocacolae.com/home/	EDIT	NEWSPAPERS WITH THIS AD	NEWSPAPERS WITHOUT THIS AD
Kas		https://www.pepsico.es/brands/kas/	EDIT	NEWSPAPERS WITH THIS AD	NEWSPAPERS WITHOUT THIS AD
Pepsi		http://www.pepsi.com/es-es	EDIT	NEWSPAPERS WITH THIS AD	NEWSPAPERS WITHOUT THIS AD
Red Bull		https://www.redbull.com/es-es/	EDIT	NEWSPAPERS WITH THIS AD	NEWSPAPERS WITHOUT THIS AD
Superlopez		https://es-es.facebook.com/Superlopez-270750483064416/	EDIT	NEWSPAPERS WITH THIS AD	NEWSPAPERS WITHOUT THIS AD

Tests

Test <#001>	
Description	Expected
<p>You must click “Newspapers with this ad” button in Advertisement with title “Superlopez”, once this is done, you get into the newspaper list view with the selected advertisement.</p> 	<p>You must be redirected to the list of newspapers with the advertisement, where you can see 2 pages and 5 newspapers.</p>
Outcome	The outcome is the expected.
Notes	

Test <#002>	
Description	You must click “Newspapers with this ad” button in Advertisement with title “Superlopez”, once this is done, you get into the newspaper list view with the selected advertisement and click in the button of the second page.
Expected	You must be redirected to the second page of the list, which only has a newspaper.
Outcome	The outcome is the expected.
Notes	

Test <#003>	
Description	You must click “Newspapers with this ad” button in Advertisement with title “Superlopez”, once this is done, you get into the newspaper list view with the selected advertisement and press the button to sort any of its attributes.
Expected	You must see newspapers sorted by the clicked attribute.
Outcome	The outcome is the expected.
Notes	

Test <#004>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, you must click “Periódicos con este anuncio” button in Advertisement with title “Superlopez”, once this is done, you get into the newspaper list view with the selected advertisement.
Expected	You must be redirected to the list of newspapers with the advertisement, where you can see 2 pages and 5 newspapers.
Outcome	The outcome is the expected.
Notes	

Test <#005>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, you must click “Periódicos con este anuncio” button in Advertisement with title “Superlopez”, once this is done, you get into the newspaper list view with the selected advertisement and click in the button of the second page.
Expected	You must be redirected to the second page of the list, which only has a newspaper.
Outcome	The outcome is the expected.
Notes	

Test <#006>	
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, you must click “Periódicos con este anuncio” button in Advertisement with title “Superlopez”, once this is done, you get into the newspaper list view with the selected advertisement and press the button to sort any of its attributes.
Expected	You must see advertisements sorted by the clicked attribute.
Outcome	The outcome is the expected.
Notes	


Use case 016 – List newspapers without an advertisement

Description

An unauthenticated user logs in the system as an agent, he or she goes to his or her advertisements, once there he or she lists his or her advertisements and clicks the button “Newspapers without this ad” to see the newspapers that does not contain the selected advertisement.

Access

Login > **Username:** agent1; **Password:** agent1 > Agent functions dropdown > My advertisements > “Newspapers without this ad”.




Tests

Test <#001>	
Description	Expected
<p>You must click “Newspapers without this ad” button in Advertisement with title “Cocacola”, once this is done, you get into the newspaper list view without the selected advertisement.</p> A screenshot of the same 'List of advertisements' page as before, but now the 'NEWSPAPERS WITHOUT THIS AD' button for the CocaCola ad is highlighted with a red oval.	<p>You must be redirected to the list of newspapers with the advertisement, where you can see 2 pages and 5 newspapers.</p>

Outcome	I can see the same newspaper in both list (advertised and not advertised) Screenshots in test 4
Notes	

Test <#002>	
Description	You must click “Newspapers without this ad” button in Advertisement with title “Cocacola”, once this is done, you get into the newspaper list view without the selected advertisement and click in the button of the second page.
Expected	You must be redirected to the second page of the list, which only has two newspapers.
Outcome	The system only shows a newspaper in the second page.
Notes	

Test <#003>	
Description	You must click “Newspapers without this ad” button in Advertisement with title “Cocacola”, once this is done, you get into the newspaper list view without the selected advertisement and press the button to sort any of its attributes.
Expected	You must see newspapers sorted by the clicked attribute.
Outcome	The outcome is the expected.
Notes	

Test <#004>													
Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, you must click “Periódicos sin este anuncio” button in Advertisement with title “Cocacola”, once this is done, you get into the newspaper list view without the selected advertisement.												
Expected	You must be redirected to the list of newspapers without the advertisement, where you can see 2 pages and 5 newspapers.												
Outcome	I can see the same newspaper in both list (advertised and not advertised)												
 <p>The screenshot shows a web browser window with the URL localhost:9443/Acme-Newspaper/nnewspaper/servlet/list.do?advertisementId=31589&isAdvertisement=True. The page title is "Acme - Newspaper". The main content is titled "Lista de periódicos". Below it, there are three news items with small thumbnail images and a "DETALLES" button for each.</p> <table border="1"> <thead> <tr> <th>Titular</th> <th>Fecha de publicación</th> <th>Publico</th> </tr> </thead> <tbody> <tr> <td>El Informatico</td> <td>09/04/2018 00:00</td> <td></td> </tr> <tr> <td>The big hamburger</td> <td>09/04/2018 00:00</td> <td></td> </tr> <tr> <td>New hacker attacks!</td> <td>08/04/2018 00:00</td> <td></td> </tr> </tbody> </table>		Titular	Fecha de publicación	Publico	El Informatico	09/04/2018 00:00		The big hamburger	09/04/2018 00:00		New hacker attacks!	08/04/2018 00:00	
Titular	Fecha de publicación	Publico											
El Informatico	09/04/2018 00:00												
The big hamburger	09/04/2018 00:00												
New hacker attacks!	08/04/2018 00:00												

Titulo	Fecha de publicación	Público
El Informatico	09/04/2018 00:00	
The big hamburger	09/03/2018 00:00	
New hacker attacks!	08/04/2018 00:00	
The big pizza	04/04/2018 00:00	
Nessie	03/11/2012 00:00	

Notes

Test <#005>

Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, you must click “Periódicos sin este anuncio” button in Advertisement with title “Cocacola”, once this is done, you get into the newspaper list view without the selected advertisement and click in the button of the second page.
Expected	You must be redirected to the second page of the list, which only has two newspapers.
Outcome	The system only shows a newspaper in the second page.
Notes	

Test <#006>

Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, you must click “Periódicos sin este anuncio” button in Advertisement with title “Cocacola”, once this is done, you get into the newspaper list view with the selected advertisement and press the button to sort any of its attributes.
Expected	You must see newspapers sorted by the clicked attribute.
Outcome	The outcome is the expected.
Notes	

Use case 017 – Remove an article

Description

An authenticated administrator goes to article list and delete an article that he or she thinks is unappropriated.

Access

Main menu > Search for articles



Tests

Test <#001>



Description

You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.

Then press in main menu the option "Search for articles", you must be redirected to article list, now to press the button delete in the first article of the list and you will delete it.

Title	Summary	Display	Delete
[GUIA] Como sobrevivir en la ETSII	Si has sido aceptado recientemente en nuestra escuela, este artículo te ayudará a pasar tus primeros días.	DISPLAY	DELETE
Charla del premio Nobel, John Doe	El próximo 5 de mayo el premio Nobel John Doe dará una conferencia en nuestra escuela sobre gestión de proyectos informáticos.	DISPLAY	DELETE
Primer día de runner	En este artículo encontrarás información para tu primer día corriendo por la ciudad. ¡Adelante!	DISPLAY	DELETE
5 consejos para perder peso	Con estos cinco consejos y un poco de constancia conseguirás bajar de peso con nuestro hobby favorito.	DISPLAY	DELETE

Expected	You must be redirected to the detailed view of the newspaper called “El informático”, the article deleted belonged to that newspaper, so you can see that now this article not appear in newspaper’s article list. Also, you can go to the view “Search for articles” and prove that the article does not appear there either.
Outcome	The outcome is the one expected. The page redirected to the newspaper that owned the article, and the articles’ list doesn’t contain the deleted article.
Notes	

Test <#002>	
Description	<p>Now before test that use case you must set language to “Spanish”. You must log in the system like “admin1” introducing in login view “admin1” like user name and “admin1” like password.</p> 
Expected	<p>Then press in main menu the option “Búsqueda de artículos”, you must be redirected to article list, now to press the button delete in the first article of the list and you will delete it.</p> 
Notes	

	article not appear in newspaper's article list. Also, you can go to the view "Búsqueda de artículos" and prove that the article does not appear there either.
Outcome	The outcome is not the one expected. The page redirected to the newspaper that owned the article, and the articles' list doesn't contain the deleted article, but the newspaper is not the one expected in the test.
Notes	Tester note: In my version of the project, the articles' list only contains 2 pages of articles, which differs from the screenshot, that shows 3 pages.

Use case 018 – Remove an unappropriated newspaper

Description

An authenticated administrator goes to newspaper list and delete a newspaper that he or she thinks is unappropriated. Remove a newspaper, implies removing all the articles of which it is composed.



Access

Main menu > Newspapers



Tests

Test <#001>	
Description	You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.

	 <p>Copyright © 2018 Acme Inc. LANGUAGE</p> <p>Terms & Conditions Cookie Policy</p>																		
<p>Then press in main menu the option “Newspaper”, you must be redirected to newspaper list, now to press the button delete in the second newspaper of the list, called “The big pizza”, that has only an article titled “Come hasta que no puedes mas!”, press delete button to clean it.</p>																			
	 <table border="1"> <thead> <tr> <th>Title</th> <th>Publication date</th> <th>Public</th> </tr> </thead> <tbody> <tr> <td>EI Informatico</td> <td>2018/04/09 00:00</td> <td></td> <td></td> <td></td> </tr> <tr> <td>The big pizza</td> <td>2018/04/04 00:00</td> <td></td> <td></td> <td></td> </tr> <tr> <td>The big hamburger</td> <td>2018/01/09 00:00</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Title	Publication date	Public	EI Informatico	2018/04/09 00:00				The big pizza	2018/04/04 00:00				The big hamburger	2018/01/09 00:00			
Title	Publication date	Public																	
EI Informatico	2018/04/09 00:00																		
The big pizza	2018/04/04 00:00																		
The big hamburger	2018/01/09 00:00																		
Expected	You must be redirected to the newspaper list view again, but like you can see the newspaper not appear. It has been deleted no the system, his articles have been deleted too, you can prove it going to “Search for articles” in the nav menu and searching for the article with the bowser tool.																		
Outcome	The outcome is, at least, half the one expected. The page redirected to the newspaper list and the deleted newspaper does not appear anymore. However, the articles’ list doesn’t show the requested article before deleting the newspaper, so it is impossible to test that the article has been correctly removed.																		
Notes	Tester note: The newspaper called “The big pizza” does not appear in the 2 nd position, but the 3 rd .																		

Test <#002>	
Description	Now before test that use case you must set language to “Spanish”. You must log in the system like “admin1” introducing in login view “admin1” like user name and “admin1” like password.

	<p>Then press in main menu the option “Periódicos”, you must be redirected to newspaper list, now to press the button delete in the second newspaper of the list, called “The big pizza”, that has only an article titled “Come hasta que no puedes mas!”, press delete button to clean it.</p>
Expected	You must be redirected to the newspaper list view again, but like you can see the newspaper not appear. It has been deleted no the system, his articles have been deleted too, you can prove it going to “Búsqueda de artículos” in the nav menu and searching for the article with the bowser tool.
Outcome	The outcome is, at least, half the one expected. The page redirected to the newspaper list and the deleted newspaper does not appear anymore. However, the articles’ list doesn’t show the requested article before deleting the newspaper, so it is impossible to test that the article has been correctly removed.
Notes	Tester note: To delete the same newspaper I was asked, I had to re-populate the database, which is not indicated anywhere. Also, the newspaper was in the 3 rd position again, not the 2 nd .

Use case 019 – Dashboard

Description


An authenticated administrator can display a dashboard with the following information:

- ✓ The average and the standard deviation of newspapers created per user.
- ✓ The average and the standard deviation of articles written by writer.

- ✓ The average and the standard deviation of articles per newspaper.
- ✓ The newspapers that have at least 10% more articles than the average.
- ✓ The newspapers that have at least 10% fewer articles than the average.
- ✓ The ratio of users who have ever created a newspaper.
- ✓ The ratio of users who have ever written an article.
- ✓ The average number of follow-ups per article.
- ✓ The average number of follow-ups per article up to one week after the corresponding newspaper's been published.
- ✓ The average number of follow-ups per article up to two weeks after the corresponding newspaper's been published.
- ✓ The average and the standard deviation of the number of chirps per user.
- ✓ The ratio of users who have posted above 75% the average number of chirps per user.
- ✓ The ratio of public versus private newspapers.
- ✓ The average number of articles per private newspapers.
- ✓ The average number of articles per public newspapers.
- ✓ The ratio of subscribers per private newspaper versus the total number of customers.
- ✓ The average ratio of private versus public newspapers per publisher.
- ✓ The ratio of newspapers that have at least one advertisement versus the newspapers that haven't any.
- ✓ The ratio of advertisements that have taboo words.
- ✓ The average number of newspapers per volume.
- ✓ The ratio of subscriptions to volumes versus subscriptions to newspapers.


Access

Main menu > Administrator Functions > Dashboard



Tests

Test <#001>	
Description	You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.



Then press in main menu the option “Administrator functions”, and in the select menu press the option “Dashboard”.



Expected	You must be redirected to Dashboard view, where you can see system statistics.
Outcome	The system shows us the dashboard view, with its statistics.
Notes	

Test <#002>	
Description	Now before test that use case you must set language to “Spanish”. You must log in the system like “admin1” introducing in login view “admin1” like user name and “admin1” like password.

<p>Then press in main menu the option “Funciones de administrador”, and in the select menu press the option “Dashboard”.</p>	
Expected	You must be redirected to Dashboard view, where you can see system statistics.
Outcome	The system shows us the dashboard view, with its statistics.
Notes	

Use case 020 – Manage a list of taboo words

Description

An authenticated administrator can manage a list of taboo words to the system.

Access

Main menu > Administrator Functions > Configuration



Tests

Test <#001>

Description

You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.

Acme ✎ Newspaper

Login

User name:
admin1

Password:

LOGIN

Copyright © 2018 Acme Inc
LANGUAGE

Terms & Conditions
Cookie Policy

Then press in main menu the option "Administrator functions", and in the select menu press the option "Configuration". The you will see a view with the actual configuration, press "edit".

Acme ✎ Newspaper

Administrator functions ▾ User list Newspapers Search articles Message folders admin

Configuration

Cookies warning (English): This page uses cookies for its internal operations, by continuing, we will assume that you accept these cookies.
Cookies warning (Spanish): Esta página usa cookies para realizar su correcto funcionamiento; si continua navegando, asumiremos que acepta estas cookies.

Name of the business: Acme ✎ Newspaper
Number of results shown in tables: 5
Taboo words: viagra, cialis, sex, porno

CONFIGURATE SLIDES
EDIT

Copyright © 2018 Acme Inc
LANGUAGE

Terms & Conditions
Cookie Policy

Now you will be redirected to a form view where you can edit taboo words, when try to change or add some taboo word and they will be update pressing the button "save".

Acme ✎ Newspaper

Administrator functions ▾ User list Newspapers Search articles Message folders admin

Edit configuration

All fields are required

Cookies warning (English): This page uses cookies for its internal operations, by continuing, we will assume that you accept these cookies.
Cookies warning (Spanish): Esta página usa cookies para realizar su correcto funcionamiento; si continua navegando, asumiremos que acepta estas cookies.

Number of results shown in tables: 5

Taboo words:
viagra, cialis, sex, porno

Name of the business: Acme
Newspaper

SAVE CANCEL

Expected

You must be redirected to Configuration view, with the new taboo words saved.

Outcome

The outcome is the one expected. The taboo word has been correctly saved and appears in the configuration view.

Notes

Tester note: There is no hint on how to create new taboo words in the form, regarding the pattern.

Test <#002>

Description

Now before test that use case you must set language to "Spanish". You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.

The screenshot shows the Acme Newspaper login interface. At the top, there's a navigation bar with links for 'Entrar', 'Registrarse como usuario', 'Registrarse como cliente', 'Lista de usuarios', 'Periódicos', and 'Busqueda de artículos'. Below the navigation is a title 'Acme ✎ Newspaper' and a main heading 'Entrada en el sistema'. The form fields include 'Usuario' (with 'admin1' entered) and 'Contraseña' (with 'admin1' entered). A red 'LOGIN' button is at the bottom. At the bottom of the page, there's a footer with 'Copyright © 2018 Acme Inc' and 'IDIOMA' buttons, along with links for 'Términos y Condiciones' and 'Política de Cookies'.

Then press in main menu the option "Funciones de administrador", and in the select menu press the option "Configuración". The you will see a view with the actual configuration, press "editar".

The screenshot shows the 'Configuración' (Configuration) page. The top navigation bar includes 'Funciones de administrador', 'Lista de usuarios', 'Periódicos', 'Busqueda de artículos', 'Carpeta de mensajes', and 'admins'. The main content area has a heading 'Configuración'. It displays a list of taboo words: 'tabú', 'vagia', 'cialis', 'sex', 'sexo'. Below the list are two buttons: 'CONFIGURAR DIAPPOSITIVAS' and 'EDITAR'. The 'EDITAR' button is circled in green. The footer contains 'Copyright © 2018 Acme Inc', 'IDIOMA' buttons, and links for 'Términos y Condiciones' and 'Política de Cookies'.

Now you will be redirected to a form view where you can edit taboo words, when try to change or add some taboo word and they will be update pressing the button "guardar".

The screenshot shows the 'Edit configuration' form. The top navigation bar includes 'Administrator functions', 'User list', 'Newspapers', 'Search for articles', 'Message folder', and 'admins'. The main content area has a heading 'Edit configuration'. It shows a text input field containing 'tabú', 'vagia', 'cialis', 'sex', 'sexo'. Below the input field is a 'Name of taboos' section with 'Acme' and 'Newspaper' selected. At the bottom are 'SAVE' and 'CANCEL' buttons. The 'SAVE' button is circled in green.

Expected

You must be redirected to Configuration view, with the new taboo words saved.

Outcome

The outcome is the one expected. The taboo word has been correctly saved and appears in the configuration view.

Notes

Tester note: There is no hint on how to create new taboo words in the form, regarding the pattern.


Use case 021 – List the articles that contain taboo words

Description

An authenticated administrator can list articles that contain taboo words.

Access

Main menu > Administrator Functions > List Taboo Articles



Tests

Test <#001>

Description You must log in the system like “admin1” introducing in login view “admin1” like user name and “admin1” like password.

The screenshot shows the login interface of the Acme Newspaper application. At the top, there's a red header bar with the title 'Acme Newspaper'. Below it is a white form for logging in. It has two input fields: 'User name' containing 'admin1' and 'Password' containing 'admin1'. A red 'LOGIN' button is at the bottom of the form. At the very bottom of the page is a red footer bar with the text 'Copyright © 2018 Acme Inc.' and 'LANGUAGE' on the left, and 'Terms & Conditions' and 'Cookie Policy' on the right.

Then press in main menu the option “Administrator functions”, and in the select menu press the option “List taboo articles”.




Expected	You must be redirected to taboo article list.
Outcome	The outcome is the one expected. The list of articles with taboo words appears.
Notes	

Test <#002>

Description Now before test that use case you must set language to "Spanish". You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.

Then press in main menu the option "Funciones de administrador", and in the select menu press the option "Listar Artículos tabú".



Expected	You must be redirected to taboo article list.
Outcome	The outcome is the one expected. The list of articles with taboo words appears.
Notes	


Use case 023 – List the newspapers that contain taboo words

Description

An authenticated administrator can list newspapers that contain taboo words.


Access

Main menu > Administrator Functions > List taboo Newspapers



Tests

Test <#001>

Description	<p>You must log in the system like “admin1” introducing in login view “admin1” like user name and “admin1” like password.</p> 
Expected	You must be redirected to taboo newspaper list.
Outcome	The outcome is the one expected. The list of newspapers with taboo words appears.
Notes	

Test <#002>

Description	<p>Now before test that use case you must set language to "Spanish". You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.</p> 
	<p>Then press in main menu the option "Funciones de administrador", and in the select menu press the option "Listar Periódicos tabú".</p> 
Expected	You must be redirected to taboo newspaper list.
Outcome	The outcome is the one expected. The list of newspapers with taboo words appears.
Notes	


Use case 024 – List advertisements containing taboo words in its title

Description

An authenticated administrator can list the advertisements that contain taboo words in its title.

Access

Main menu > Administrator Functions > List taboo advertisements



Tests

Test <#001>

Description

You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.

Acme  Newspaper

Login

User name:
admin1

Password:
admin1

LOGIN

Copyright © 2018 Acme Inc.

LANGUAGE

Terms & Conditions
Cookie Policy

Then press in main menu the option “Administrator functions”, and in the select menu press the option “List taboo advertisements”.

Acme  Newspaper

BREAKING NEWS

Welcome to Acme-Newspaper
The best place to read newspaper online!

Dashboard Configuration List taboo Chars List taboo Newspapers List taboo Articles List taboo advertisements

Copyright © 2018 Acme Inc.

LANGUAGE

Terms & Conditions
Cookie Policy

Expected	You must be redirected to taboo advertisement list.
Outcome	The outcome is the one expected. The list of advertisements with taboo words appears.
Notes	

Test <#002>

Description

Now before test that use case you must set language to “Spanish”. You must log in the system like “admin1” introducing in login view “admin1” like user name and “admin1” like password.

Acme  Newspaper

Entrar Registrarse como usuario Registrarse como cliente Lista de usuarios Periódicos Busqueda de artículos

Entrada en el sistema

Usuario:
admin1

Contraseña:
admin1


LOGIN

Copyright © 2018 Acme Inc.

IDIOMA

Terminos y Condiciones
Política de Cookies

Then press in main menu the option “Funciones de administrador”, and in the select menu press the option “Listar anuncios tabú”.



Expected	You must be redirected to taboo advertisement list.
Outcome	The outcome is the one expected. The list of advertisements with taboo words appears.
Notes	

Use case 025 – Remove an unappropriated advertisement

Description

An authenticated administrator goes to advertisement list and delete an advertisement that he or she thinks is unappropriated.

Access

Main menu > Advertisement



Tests

Test <#001>

Description


You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.

A screenshot of the 'Acme - Newspaper' login page. The page has a red header with the site logo and navigation links for 'Login', 'Register as user', 'Register as customer', 'User list', 'Newspapers', and 'Search for articles'. The main content area is titled 'Login' and contains two input fields: 'User name' with the value 'admin1' and 'Password' with several asterisks. Below these fields is a red 'LOGIN' button. At the bottom of the page, there are copyright information ('Copyright © 2018 Acme Inc.') and language selection ('LANGUAGE').

Then press in main menu "Administrator functions>List advertisement" you must be redirected to advertisement list, now to press the button delete in the first advertisement of the list and you will be deleted it.

Expected	You must be redirected to Taboo advertisement list, that is other view when you can delete advertisement in the same way.
Outcome	The outcome is the one expected. The list of advertisements with taboo words appears.
Notes	

Test <#002>	
Description	<p>Now before test that use case you must set language to "Spanish". You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.</p> <p>Then press in main menu "Funciones de Administrador /Lista de anuncios" you must be redirected to advertisement list, now to press the button "borrar" in the first advertisement of the list and you will be deleted it.</p>

	
Expected	You must be redirected to Taboo advertisement list, that is other view when you can delete advertisement in the same way.
Outcome	The outcome is the one expected. The list of advertisements with taboo words appears.
Notes	Tester note: The advertisement I was meant to delete was already deleted in the previous test, so I had to delete another one.

Use case 026 – Broadcast a message to the actors of the system

Description

An authenticated administrator broadcast a message to the actors of the system.

Access

Main menu > Message Folder



Tests

Test <#002>

Description

You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.

Entrada en el sistema

Usuario:
admin

Contraseña:
admin1

LOGIN

Copyright © 2018 Acme Inc.
IDIOMA

Términos y Condiciones
Política de Cookies

Then press in main menu the option "Message Folder" and select "SEND A MESSAGE"

Messenger service

Administrator functions User list Newspapers Volumes Search for articles Message folders admin

Name	Message folder children	Messages
in box	OPEN FOLDER	SEE MESSAGES
notification box	OPEN FOLDER	SEE MESSAGES
out box	OPEN FOLDER	SEE MESSAGES
spam box	OPEN FOLDER	SEE MESSAGES
trash box	OPEN FOLDER	SEE MESSAGES


Showing 1 to 5 of 5 results

CREATE SEND A MESSAGE

Copyright © 2018 Acme Inc.
IDIOMA

Terms & Conditions
Cookie Policy

Now, fill the form with the same parameters (priority select: "HIGH"; subject: "Standard message for everybody"; body: "That is a standard message for every

	<p>actor in the system"; and check "Broadcast"). When the form is full filled, press save button and it will be broadcast to every actor in the system.</p> 
Expected	You must be redirected to outbox folder. You also test that use case login in the system with some actor and you will have the message in the inbox folder of this actor.
Outcome	The result is the expected one; however, after logging in as some other actor, the message is in the notification box (which should be the expected behaviour), not in the in box.
Notes	

Test <#002>

<p>Description</p>	<p>Now before test that use case you must set language to “Spanish”. You must log in the system like “admin1” introducing in login view “admin1” like user name and “admin1” like password.</p> <p>Then press in main menu the option “Carpeta de Mensajes” and select “ENVIAR NUEVO MENSAJE”</p> <p>Now, fill the form with the same parameters (priority select: “HIGH”; Asunto: “Standard message for everybody”; Cuerpo: “That is a standard message for every actor in the system”; and check “Emision”). When the form is full filled, press save button and it will be broadcast to every actor in the system.</p>
<p>Expected</p>	<p>You must be redirected to outbox folder. You also test that use case login in the system with some actor and you will have the message in the inbox folder of this actor.</p>
<p>Outcome</p>	<p>The result is the expected one; however, after logging in as some other actor, the message is in the notification box (which should be the expected behaviour), not in the in box. Another thing to take into account is that the “broadcast” checkbox is translated as “difundido”.</p>

Use case 027 – Remove an unappropriated chirp

Description

An authenticated administrator removes a chirp that he or she thinks its unappropriated.



Access

Main menu > User List > Display User



Name	Surname	Postal address	Phone number	Email	Birth date	
User 1	User	San Anton Spurs Street	03587789	user1@mail.com	1987/04/11	DISPLAY
User 2	User	Oklahoma Thunder Street	03582389	user2@mail.com	1992/07/15	DISPLAY
User 3	User	Oklahoma Thunder Street	03582389	user3@mail.com	1991/07/10	DISPLAY
User 4	User	Oklahoma Thunder Street	03582389	user4@mail.com	1992/07/15	DISPLAY
User 5	User	Oklahoma Thunder Street	03582389	user5@mail.com	1990/12/15	DISPLAY

Showing 1 to 5 of 5 entries

Tests

Test <#001>	
Description	You must log in the system like “admin1” introducing in login view “admin1” like user name and “admin1” like password.
	
	<p>Go to “User List” and press display in the first user, now you must be redirected to the profile of that user, go a little down and you will see the created chirps list of the user selected, press delete in the first one and you will be deleted it.</p> 
Expected	At the end of the use case you must be redirected to the taboo chirp list.
Outcome	The outcome is the one expected. The list of chirps with taboo words appears.
Notes	

Test <#002>

Description	<p>Now before test that use case you must set language to “Spanish”. You must log in the system like “admin1” introducing in login view “admin1” like user name and “admin1” like password.</p>
	
	<p>Go to “User List” and press display in the first user, now you must be redirected to the profile of that user, go a little down and you will see the created chirps list of the user selected, press delete in the first one and you will be deleted it.</p> 
Expected	At the end of the use case you must be redirected to the taboo chirp list.
Outcome	The outcome is the one expected. The list of chirps with taboo words appears.
Notes	


Use case 028 – List the chirps that contain taboo words

Description



An authenticated administrator can list chirps that contain taboo words.


Access

Main menu > Administrator Functions > List taboo Chirps



Tests

Test <#001>	
Description	You must log in the system like “admin1” introducing in login view “admin1” like user name and “admin1” like password.
	
	Then press in main menu the option “Administrator functions”, and in the select menu press the option “List taboo chirps”.
	
Expected	You must be redirected to taboo chirps list.
Outcome	The outcome is the one expected. The list of chirps with taboo words appears.
Notes	

Test <#002>	
Description	<p>Now before test that use case you must set language to "Spanish". You must log in the system like "admin1" introducing in login view "admin1" like user name and "admin1" like password.</p> 
Expected	You must be redirected to taboo chirps list.
Outcome	The outcome is the one expected. The list of articles with taboo words appears.
Notes	

Use case 029 – Not authenticated list volumes and its newspapers

Description

An actor who is not authenticated list the volumes in the system and browse their newspapers as long as they are authorized (for instance, a private newspaper cannot be fully displayed to unauthenticated actors).

Access

Main menu > Volumes



Tests

Test <#001>

Description

Go to "Volumes" in main menu and you will be redirected to volumes list. Press "display" in the first one, and you will see the detailed view of a volume, with its newspapers .

Test <#002>

Expected	You must be redirected to detailed view of a volume.
Outcome	The outcome is the one expected
Notes	

Acme ✎ Newspaper

List of volumes

< 1 2 >

Title	Description	Year	Action
Extra extra!	Hot news!	2018	DISPLAY
My volume	This is my personal volume of newspapers.	2018	DISPLAY
Newspaper news!	Come and see the news!	2018	DISPLAY
Newspapers copilation	See the copilation of newspapers!	2018	DISPLAY
The best volume	See the best volume of acme newspaper!	2018	DISPLAY

Showng 1 to 5 of 5 entries

Copyright © 2018 Acme Inc
LANGUAGE

Terms & Conditions
Cookie Policy

Note that you can see public and not public newspapers, the differences are that in not public newspaper you can display it but not its articles.

Acme ✎ Newspaper

Detailed view of a volume

Extra extra!

Description
Hot news!

Year
2018

List of newspapers
< 1 >
2 items found, displaying all items

Title	Publication date	Action
New hacker attack!	2018/04/08 00:00	+ Public DETAILS
The big pizza	2018/04/07 00:00	+ Public DETAILS

Showing 1 to 2 entries
BACK TO THE LIST

Copyright © 2018 Acme Inc
LANGUAGE

Terms & Conditions
Cookie Policy

Test <#002>

Description	Go to “Volúmenes” in main menu and you will be redirected to volumes list. Press “mostrar” in the first one, and you will see the detailed view of a volume, with its newspapers .
--------------------	--

Lista de volúmenes

Título	Descripción	Año	Opciones
Extra extra!	Not news!	2008	MOSTRAR
My volume	This is my personal volume of newspapers	2008	MOSTRAR
Newspaper need	Come and see the need!	2008	MOSTRAR
Newspaper copulation	See the copulation of newspaper!	2008	MOSTRAR
The best volume	See the best volume of acme newspaper!	2008	MOSTRAR

Note that you can see public and not public newspapers, the differences are that in not public newspaper you can display it but not its articles.

Vista detallada de un volumen

Extra extra!

Descripción		Año	Lista de periódicos												
Not news!		2008	2 resultados encontrados, mostrando todos los registros. <table border="1"> <thead> <tr> <th>Título</th> <th>Fecha de publicación</th> <th>Público</th> <th>Opciones</th> </tr> </thead> <tbody> <tr> <td>Newshader attack!</td> <td>08/04/2008 00:00</td> <td><input checked="" type="radio"/></td> <td>DETALLES</td> </tr> <tr> <td>The big pizza</td> <td>07/04/2008 00:00</td> <td><input type="radio"/></td> <td>DETALLES</td> </tr> </tbody> </table>	Título	Fecha de publicación	Público	Opciones	Newshader attack!	08/04/2008 00:00	<input checked="" type="radio"/>	DETALLES	The big pizza	07/04/2008 00:00	<input type="radio"/>	DETALLES
Título	Fecha de publicación	Público	Opciones												
Newshader attack!	08/04/2008 00:00	<input checked="" type="radio"/>	DETALLES												
The big pizza	07/04/2008 00:00	<input type="radio"/>	DETALLES												

Expected You must be redirected to detailed view of a volume.

Outcome The outcome is the one expected

Notes

Use case 030 – Send message

Description

An unauthenticated user logs in the system as admin, he or she goes to his or her message folders, once there he or she clicks on send a message, fulfil the message and sent it.

Access

Login > **Username:** admin1; **Password:** admin1 > Message folders > “Send a message” button.

The image contains two screenshots of a web application interface. The top screenshot shows a 'Login' page with fields for 'User name' and 'Password', and a red 'LOGIN' button. The bottom screenshot shows a 'Welcome!' page with a large 'BREAKING NEWS' banner and a 'Message folders' link in the top navigation bar.

Screenshot 1: Login Page

- URL: <https://localhost:8443/Acme-Newspaper/security/login.do>
- Header: Acme Newspaper
- Navigation: Login (circled), Register as user, Register as customer, Register as agent, User list, Newspapers, Volumes, Search for articles
- Form:
 - User name: [Redacted]
 - Password: [Redacted]
- Buttons: LOGIN
- Footer: Copyright © 2018 Acme Inc., LANGUAGE, Terms & Conditions, Cookie Policy

Screenshot 2: Welcome Page

- URL: <https://localhost:8443/Acme-Newspaper/>
- Header: Acme Newspaper
- Navigation: Administrator functions, User list, Newspapers, Volumes, Search for articles, Message folders (circled), admin1, LANG
- Content: BREAKING NEWS, Welcome to Acme-Newspaper!, The best place to read newspapers online!
- Footer: Copyright © 2018 Acme Inc., LANGUAGE, Terms & Conditions, Cookie Policy

Messenger service

https://localhost:8443/Acme-Newspaper/messageFolder/list.do

Name	Message folder children	Messages
in box	OPEN FOLDER	SEE MESSAGES
notification box	OPEN FOLDER	SEE MESSAGES
out box	OPEN FOLDER	SEE MESSAGES
spam box	OPEN FOLDER	SEE MESSAGES
trash box	OPEN FOLDER	SEE MESSAGES


Showing 1 to 5 of 5 entries


[CREATE](#) [SEND A MESSAGE](#)


Tests


Test <#001>	
Description	Once you are in the send message view, you press the cancel button.
Expected	The system must redirect you to the message folders list.
	<p>Send a message</p> <p>Subject: _____</p> <p>Body: _____</p> <p>Sent to: Choose your option</p> <p><input type="checkbox"/> Broadcast</p> <p>SAVE CANCEL</p> <p>Copyright © 2018 Acme Inc LANGUAGE</p> <p>Terms & Conditions Cookie Policy</p>
Outcome	The result is the expected one.
Notes	

Test <#002>

Description	Once you are in the send message view, you press the save button without data in any field.
Expected	The system must redirect you to the same view (send message) but showing validation messages in fields.  A screenshot of a web browser window titled "Send a message". The URL is https://localhost:3443/Acme-Newspaper/message/edit.do. The form has several validation errors: "Error on the inputs", "Priority: LOW" (with a dropdown menu), "Subject: Must not be blank" (with a text input field), "Body: Must not be blank" (with a text input field), "Sent to: Choose your option" (with a dropdown menu), and "Broadcast" (with an unchecked checkbox). The browser status bar shows "Error on the inputs".
Outcome	The result is the expected one; however, no error message is shown for the recipient.
Notes	

Test <#003>	
Description	Once you are in the send message view, you press the save button inserting the following data: Priority: NEUTRAL, Subject: "<script>alarm('Hacked!'); </script>", Body: "This is a test", Send to: "user1@mail.com", and the broadcast unchecked .
Expected	The system must redirect you to the same view (send message) but showing "Insecure HTML" validation error.  A screenshot of a web browser window titled "Send a message". The URL is https://localhost:3443/Acme-Newspaper/message/edit.do. The form has validation errors: "Error on the inputs", "Priority: NEUTRAL" (with a dropdown menu), "Subject: <script> alarm('hacked')</script>" (with a text input field containing a script tag), "Body: test" (with a text input field), "Sent to: user1@mail.com" (with a dropdown menu), and "Broadcast" (with an unchecked checkbox). The browser status bar shows "Insecure HTML".
Outcome	The result is the expected one.
Notes	

Test <#004>	
Description	Once you are in the send message view, you press the save button inserting the following data: Priority: NEUTRAL , Subject: "Favourite quote!", Body: "No gods or kings, only the man.", Send to: "user1@mail.com", and the Broadcast unchecked.
Expected	The system must redirect you to the out box messages list.
	
Outcome	The result is the expected one; however, no message is present in the recipient's in box.
Notes	

Test <#005>	
Description	Once you are in the out box, you press the "move" button of the message sent previously, change the message folder to spam box.
Expected	The system must redirect you to the spam box messages list.
	
Outcome	The result is the expected one.
Notes	

Test <#006>	
Description	Once you are in the spam box, you press the delete button of the message sent previously.
Expected	The system must redirect you to the same view but without the message (moved to trash box).
Outcome	The result is the expected one.
Notes	

Test <#007>	
Description	Once you are in the trash box, you press the delete button of the message deleted previously.
Expected	The system must redirect you to the same view but without the message deleted definitely.
Outcome	The deleted message is not in the trash box, so it cannot be permanently deleted. Maybe it is already deleted.
Notes	

Test <#008>

Description	Once you are in the send message view, you press the save button inserting the following data: Priority: NEUTRAL, Subject: "Favourite quote!", Body: "No gods or kings, only the man." and the Broadcast checkbox checked.
Expected	The system must redirect you to the out box messages list and the administrator must have the message in notification box.
Outcome	The result is the expected one.
Notes	

Test <#009>

Description	Before doing any other thing, you must set the webpage language to "Spanish", then, once you are in the send message view, you press the "Cancelar" button.
Expected	The system must redirect you to the message folders view.
Outcome	The result is the expected one.
Notes	


Test <#010>	
Description	Details
Expected	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the send message view, you press the “Enviar” button without data in any field.
Outcome	The system must redirect you to the same view (send message) but showing validation messages in fields.
Notes	

Test <#011>	
Description	Details
Expected	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the create article view, you press the “Guardar” button inserting the following data: Prioridad: NEUTRAL, Asunto: “<script>alarm('Hacked!'); </script>”, Cuerpo del mensaje: “This is a test”, Enviado a: “user1@mail.com”, and the Emisión unchecked.
Outcome	The system must redirect you to the same view (send message) but showing “HTML inseguro” validation error.
Notes	

Test <#012>	
Description	Before doing any other thing, you must set the webpage language to "Spanish", then, once you are in the create article view, you press the "Guardar" button inserting the following data: Prioridad: NEUTRAL, Asunto: "Favourite quote!", Cuerpo del mensaje: "No gods or kings, only the man.", Send to: "user1@mail.com", and the Emisión unchecked.
Expected	The system must redirect you to the out box messages list. 
Outcome	The result is the expected one, however, no message is present in the recipient's in box.
Notes	

Test <#013>

Description Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the out box, you press the “Mover” button of the message sended previously, change the message folder to spam box.




Mover un mensaje

spam box

ENVIAR CANCELAR

Copyright © 2018 Acme Inc. IDIOMA Términos y Condiciones Política de Cookies

Expected The system must redirect you to the spam box messages list.



Lista de mensajes

spam box

< 1 >

Prioridad	Asunto	Cuerpo del mensaje	Fecha de recepción	Envío por	
LOW	Favourite quote!	No gods or kings, only the man.	01/05/2018 18:01	administrator1@mail.com	BORRAR MOVER

CREAR

Copyright © 2018 Acme Inc. Términos y Condiciones Política de Cookies

Outcome The result is the expected one.

Notes

Test <#014>

Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the spam box, you press the “borrar” button of the message sended previously.
Expected	The system must redirect you to the same view but without the message (moved to trash box).
Outcome	The result is the expected one.
Notes	

Test <#015>

Description	Before doing any other thing, you must set the webpage language to “Spanish”, then, once you are in the trash box, you press the “borrar” button of the message deleted previously.
Expected	The system must redirect you to the same view but without the message deleted definitely.
Outcome	The deleted message is not in the trash box, so it cannot be permanently deleted. Maybe it is already deleted.
Notes	

Test <#016>	
Description	Details
	<p>Before doing any other thing, you must set the webpage language to "Spanish", then, once you are in the send message view, you press the save button inserting the following data: Prioridad: NEUTRAL, Asunto: "Favourite quote!", Cuerpo del mensaje: "No gods or kings, only the man.", Enviado a: "user1@mail.com", and the Emisión checked.</p> 
Expected	The system must redirect you to the out box messages list and the administrator must have the message in notification box.
Outcome	The result is the expected one.
Notes	

Use case 031 – Register as a customer

Description

An unauthenticated goes to the register view and fills the form, once the form is filled, he or she presses the register as customer button.


Access

Main Menu > Register as customer.




Tests


Test <#001>	
Description	The form must be filled in with the following data: Name : 'Juan'; Surname : 'David Pérez'; Phone number : '650353637'; Postal address : '123 Walk Street, USA'; Email : ' juanda@gmail.com '; Birthdate : '16/04/1996' Username : 'juanda'; Password : 'davidjuan'; Confirm password : 'davidjuan'. You must also accept Terms & Conditions .
Expected	At the end of the use case, the system must redirect you to the main view.
Outcome	The outcome is the one expected. The system creates the new agent and returns to the main view.
Notes	Tester note: The button to register as a customer is not where the screenshot shows, it's elsewhere.

Test <#002>	
Description	The form must be blank, only check the “I accept Terms & Conditions” box, otherwise the “Register” button will be inaccessible.
Expected	At the end of the use case, the system must redirect you to the same form to register a customer, but each field must have its validation error.
	 <p>The screenshot shows a web browser window with the title "Customer register". The URL bar shows "https://localhost:8443/Acme-Newspaper/actor/customer/register.do". The page has a red header bar with the text "Acme □ Newspaper". Below it is a white form titled "Customer register". The form contains several input fields, each with a red validation message below it:</p> <ul style="list-style-type: none"> Name*: Must not be blank Surname*: Must not be blank Phone number Postal address Email*: Must not be blank Birth date: dd/MM/yyyy Cannot be null User name*: Size must be from 5 to 32 Password*: Size must be from 5 to 32 Confirm password*
Outcome	The outcome is the one expected. Validation messages appear in the fields.
Notes	

Test <#003>	
Description	Once you access the form, you must press the “Cancel” button.
Expected	You must be redirected to main view.
Outcome	The outcome is the one expected. When pressing the cancel button, the main view is shown.
Notes	In this test, fields content can be both filled or blank.

Test <#004>	
Description	The form must be filled in with the following data: Name : ‘Juan’; Surname : ‘David Pérez’; Phone number : ‘650353637’; Postal address : ‘<script>alarm('Hacked!'); </script>’; Email : ‘ juanda@gmail.com ’; Birthdate : ‘16/04/1996’ Username : ‘juanda’; Password : ‘davidjuan’; Confirm password : ‘davidjuan’. You must also accept Terms & Conditions .
Expected	At the end of the use case, the system must redirect you to the register customer form with an error message in “Postal Address” field where you can read “Insecure HTML”

	
Outcome	The outcome is the one expected. The “Insecure HTML” validation error appears.
Notes	

Test <#005>	
Description	Before accessing the form, language must be set to “Spanish”, after this, the form must be filled in with the following data: Name : ‘Juan’; Surname : ‘David Pérez’; Phone number : ‘650353637’; Postal address : ‘123 Walk Street, USA’; Email : ‘ juanda@gmail.com ’; Birthdate : ‘16/04/1996’ Username : ‘juanda’; Password : ‘davidjuan’; Confirm password : ‘davidjuan’. You must also accept Terms & Conditions
Expected	At the end of the use case, the system must redirect you to the main view.
Outcome	The outcome is not the one expected. The system remains in the same form, along a message that says: “El usuario ya existe”, and the customer is not created. 
Notes	

Use case 032 – Subscribe newspapers as customer with credit card

Description

Subscribe to a private newspaper as a customer.

Access

Go to Login and Authenticate as Customer with the following data: Username: “customer1”, Password: “customer1”. Then go to Newspaper list and click the “The Big Hamburger” Details button.

Finally select subscribe button.


Main menu > Login > Newspaper List > Newspaper Details > Subscribe




Tests

Test <#001>	
Description	The subscribe form must be filled with the following data: Holder Name: 'John Strip', Brand Name: 'MasterCard', Number: '4711674499519753', Expiration month: '10', Expiration year: '20', CCV: '990'. Then click on Customer functions > Subscribed newspaper
Expected	You must see "The Big Hamburger" in the list.
	
Outcome	The outcome is the expected, but the system doesn't check if a credit card is valid. If I fill the year with 17, I can subscribe it successfully.
Notes	

Test <#002>	
Description	After the first test successful, then, go to the List of newspaper again, but this time click on "Details" button of "The big pizza", and click on "Subscribe". Click on "Use this card", and "Save". Then click on "Customer functions" > "Subscribed newspapers"
Expected	You must see "The big pizza" and "The big hamburger" in the list.
Outcome	The outcome is the expected.
Notes	
	

Test <#003>	
Description	Once “Details” button is pressed, fill or left fields in blank and click “Cancel” button.
Expected	You must be redirected to newspaper list.
	
Outcome	The outcome is the expected.
Notes	

Test <#004>	
Description	The form must be blank
Expected	At the end of the use case, the system must redirect you to the same form, but each field must have its validation error.
Outcome	The outcome is the expected.
Notes	

Test <#005>	
Description	The subscribe form must be filled with the following data: Holder Name: ‘John Strip’, Brand Name: ‘<script>alarm('Hacked!'); </script>’, Number: ‘4711674499519753’, Expiration month: ‘10’, Expiration year: ‘20’, CCV: ‘990’.
Expected	At the end of the use case, the system must redirect you to the same form with an error message in “Brand Name” field where you can read “Insecure HTML”
	
Outcome	The outcome is the expected.
Notes	

Test <#006>	
Description	Before accessing newspapers, you must select Spanish language. The subscribe form must be filled with the following data: Nombre del portador: 'John Strip', Nombre de la marca: 'MasterCard', Número: '4711674499519753', Mes de caducidad: '10', Año de caducidad: '20', CCV: '990'. Then click on "Funciones de cliente" > "Periódicos a los que estoy suscrito"
Expected	You must see "The Big Hamburger" in the list.
Outcome	The outcome is the expected.
Notes	

Test <#007>	
Description	Before accessing newspapers, you must select Spanish language. After the first test successful, then, go to the List of newspaper again, but this time click on "Detalles" button of "The big pizza", and click on "Suscribirse". Click on "Usar esta tarjeta", and "Guardar". Then click on "Funciones de cliente" > "Periódicos a los que estoy suscrito".
Expected	You must see "The big pizza" and "The big hamburger" in the list.
Outcome	The outcome is the expected.

Test <#008>	
Description	Before accessing newspapers, you must select Spanish language. Once "Detalles" button is pressed, fill or left fields in blank and click "Cancelar" button.
Expected	You must be redirected to newspaper list
Outcome	The outcome is the expected.
Notes	

Test <#009>	
Description	Before accessing newspapers, you must select Spanish language. The form must be blank.
Expected	At the end of the use case, the system must redirect you to the same form, but each field must have its validation error.
Outcome	The outcome is the expected.
Notes	

Test <#010>	
Description	Before accessing newspapers, you must select Spanish language. The subscribe form must be filled with the following data: Nombre del portador: ‘John Strip’, Nombre de la marca: ‘<script>alarm('Hacked!');</script>’, Número: ‘4711674499519753’, Mes de caducidad: ‘10’, Año de caducidad: ‘20’, CCV: ‘990’.
Expected	At the end of the use case, the system must redirect you to the same form with an error message in “Brand Name” field where you can read “Insecure HTML”
Outcome	The outcome is the expected.
Notes	

Use case 033 – Change owns newspaper to public or private

Description


Change own newspaper to public or private as User.

Access


Go to Login and Authenticate as User with the following data: Username: “user1”, Password: “user1”. Then go to “User functions” -> “My newspapers not published”, and click the “Edit” button from the first entry.



Tests

Test <#001>	
Description	Uncheck the “Public” button and save.
	 <p>The screenshot shows the 'Create/Edit a newspaper' page. At the bottom of the form, there is a 'Public' checkbox which is currently unchecked. A blue box highlights this checkbox. Below the checkbox are three buttons: 'SAVE IT!', 'DELETE', and 'CANCEL'.</p>
Expected	You must be redirected to your not published newspapers list, and newspaper must not be public.
Outcome	The outcome is not the one expected. The published newspapers list is shown instead of the non published newspaper list
Notes	

Test <#002>	
Description	After the first test complete, go again to edit form but this time check the “Public” button and save.
Expected	You must be redirected to your not published newspapers list, and newspaper must be public.
Outcome	The outcome is not the one expected. The published newspapers list is shown instead of the non published newspaper list
Notes	

Test <#003>	
Description	Click on the cancel button of the edit form.
Expected	You must be redirected to your not published newspapers list.
	
Outcome	The outcome is not the one expected. The published newspapers list is shown instead of the non published newspaper list
Notes	

Test <#004>	
Description	Uncheck the “Public” button and save.
Expected	Before accessing list of your newspapers, you must select Spanish language. You must be redirected to your not published newspapers list, and newspaper must not be public.
Outcome	The outcome is not the one expected. The published newspapers list is shown instead of the non published newspaper list
Notes	

Test <#005>	
Description	After the fourth test complete: <u>Go again to edit form but this time check the “Public” button and save.</u>
Expected	You must be redirected to your not published newspapers list, and newspaper must be public.
Outcome	The outcome is not the one expected. The published newspapers list is shown instead of the non published newspaper list
Notes	

Test <#006>	
Description	Before accessing list of your newspapers, you must select Spanish language. After that, go to the specified edit form. Click on the cancel button of the edit form.
Expected	You must be redirected to your not published newspapers list.

Outcome	The outcome is not the one expected. The published newspapers list is shown instead of the non published newspaper list
Notes	

Use case 034 – Subscribe volume as customer with credit card

Description

Subscribe to volume as a customer.

Access


Go to Login and Authenticate as Customer with the following data: Username: “customer1”, Password: “customer1”. Then go to Volumes list, and click the “Test Volume 1” Display button .

Finally select subscribe button.

Main menu > Login > Volumes > Display > Subscribe



Tests

Test <#001>	
Description	The subscribe form must be filled with the following data: Holder Name: 'John Strip', Brand Name: 'MasterCard', Number: '4711674499519753', Expiration month: '10', Expiration year: '20', CCV: '990'. Then click on Customer functions > My subscribed volumes
Expected	You must see "Test Volume 1" in the list.
	
Outcome	The outcome is the expected.
Notes	

Test <#002>	
Description	After the first test successful, then, go to the List of volumes again, but this time click on "Display" button of "Test volume 2", and click on "Subscribe". Click on "Use this card", and "Save". Then click on "Customer functions" > "Subscribed volumes"
Expected	You must see "Test Volume 1" and "Test Volume 2" in the list.
	
Outcome	The system doesn't show that option (use this card)
Notes	

Test <#003>	
Description	Once “Display” button is pressed, fill or left fields in blank and click “Cancel” button.
Expected	You must be redirected to volumes list
Outcome	The outcome is the expected.
Notes	

Test <#004>	
Description	The form must be blank
Expected	At the end of the use case, the system must redirect you to the same form, but each field must have its validation error.
Outcome	The outcome is the expected.
Notes	

Test <#005>	
Description	The subscribe form must be filled with the following data: Holder Name: ‘John Strip’, Brand Name: ‘<script>alarm('Hacked!'); </script>’, Number: ‘4711674499519753’, Expiration month: ‘10’, Expiration year: ‘20’, CCV: ‘990’.
Expected	At the end of the use case, the system must redirect you to the same form with an error message in “Brand Name” field where you can read “Insecure HTML”
	 <p>The screenshot shows a 'Subscribe to a volume' form. At the top, there's a red error message: 'Error in parameters. Required fields are indicated with *'. Below it, a note says 'Type your credit card information'. A text input field for 'Brand Name' contains the value '<script>alarm('Hacked!'); </script>'. This value is highlighted with a blue rectangular selection. The rest of the form includes fields for 'Name', 'Number', 'Expiry date', 'CCV', and buttons for 'SUBMIT' and 'CANCEL'.</p>
Outcome	The outcome is the expected.
Notes	


Test <#006>

Description	Before accessing newspapers, you must select Spanish language. The subscribe form must be filled with the following data: Nombre del portador: 'John Strip', Nombre de la marca: 'MasterCard', Número: '4711674499519753', Mes de caducidad: '10', Año de caducidad: '20', CCV: '990'. Then click on "Funciones de cliente" > "Mis volúmenes suscritos"
Expected	You must see "Test Volume 1" in the list.
Outcome	The outcome is the expected.
Notes	

Test <#007>

Description	Before accessing newspapers, you must select Spanish language. After the first test successful, then, go to the List of newspaper again, but this time click on "Mostar" button of "The big pizza", and click on "Suscribirse". Click on "Usar esta tarjeta", and "Guardar". Then click on "Funciones de cliente" > "Mis volúmenes suscritos".
Expected	You must see "The big pizza" and "The big hamburger" in the list.
Outcome	The system doesn't show this option (use this card)

Test <#008>

Description	Before accessing newspapers, you must select Spanish language. Once "Mostar" button is pressed, fill or left fields in blank and click "Cancelar" button.
Expected	You must be redirected to volumes list. 
Outcome	The outcome is the expected.
Notes	

Test <#009>	
Description	Before accessing newspapers, you must select Spanish language. The form must be blank.
Expected	At the end of the use case, the system must redirect you to the same form, but each field must have its validation error.
Outcome	The outcome is the expected.
Notes	

Test <#010>	
Description	Before accessing volumes, you must select Spanish language. The subscribe form must be filled with the following data: Nombre del portador: 'John Strip', Nombre de la marca: '<script>alarm('Hacked!');</script>', Número: '4711674499519753', Mes de caducidad: '10', Año de caducidad: '20', CCV: '990'.
Expected	At the end of the use case, the system must redirect you to the same form with an error message in "Brand Name" field where you can read "Insecure HTML"
Outcome	The outcome is the expected.
Notes	

Use case 035 – Create new volumes as user

Description

Create new volume with newspapers, authenticated as user in the system.

Access

Go to Login and Authenticate as User with the following data: Username: “user1”, Password: “user1”. Then go to Volumes list, and click the “Create” button .


Main menu > Login > Volume List > Create

The screenshot shows a web application interface for managing volumes. At the top, there's a navigation bar with links for User functions, User list, Newspapers, Volumes, Search for articles, Message folders, and user. Below the navigation is a search bar. The main content area is titled "List of volumes". It contains a table with two rows of data:

Title	Description	Year	Actions
Test Volume 1	Test Volume description 1	2018	DISPLAY EDIT
Test Volume 2	Test Volume description 2	2018	DISPLAY EDIT

At the bottom left of the table, there's a red box highlighting a "CREATE" button. The footer of the page includes copyright information (Copyright © 2008 Acme Inc), language selection (LANGUAGE), and links for Terms & Conditions and Cookie Policy.


Tests

Test <#001>	
Description	The create form must be filled with the following data: Title: ‘Best volume’, Description: ‘News compilation’, Newspapers: “El informático”, “The big pizza”. Then click on User functions > My created volumes
Expected	You must be redirected to “Best volume” details view. 
Outcome	The outcome is not the one expected. After creating the volume, the new volume is displayed and the 2 newspapers that have been added appear listed, just as it should be. However, when listing “my created volumes” and trying to access to page 2 of the list, the pagination does not work correctly and will show the first page again, making it impossible to access to the volume we have just created.
Notes	

Test <#002>	
Description	The create form must be filled with the following data: Title: “”, Description: “”, Newspapers: “El informático”, “The big pizza”.
Expected	You must be redirected to the same form, but parameters errors must be shown.

	<p>Acme  Newspaper</p> <p>Create / edit a volume</p> <p><small>Error in the parameters Required fields are indicated with *.</small></p> <p><small>Name</small> <input type="text"/></p> <p><small>Description</small> <input type="text"/></p> <p><small>Must not be blank</small> <input type="text"/> <small>Message</small> <small>El Informatico. The big pizza</small></p> <p><small>SAVE CANCEL</small></p>	
Outcome	The outcome is the one expected. Message errors appear in the fields that have been left in blank.	
Notes		

Test <#003>

Description	<p>Before accessing newspapers, you must select Spanish language.</p> <p>The create form must be filled with the following data:</p> <p>Titulo: ‘Best volume’, Descripción: ‘News compilation’, Periódicos: “El informático”, “The big pizza”.</p> 
Expected	Then click on Funciones de usuario > Mis volúmenes creados
Outcome	<p>You must be redirected to “Best volume” details view.</p> <p>The outcome is not the one expected. After creating the volume, the new volume is displayed and the 2 newspapers that have been added appear listed, just as it should be. However, when listing “Mis volúmenes creados” and trying to access to page 2 of the list, the pagination does not work correctly and will show the first page again, making it impossible to access to the volume we have just created.</p>
Notes	

Test <#004>

Description	<p>The create form must be filled with the following data:</p> <p>Title: „, Description: „, Newspapers: “El informático”, “The big pizza”.</p>
Expected	You must be redirected to the same form, but parameters errors must be shown.
Outcome	The outcome is the one expected. Message errors appear in the fields that have been left in blank.

Use case 036 – Create a follow up

Description

A user creates a follow Up in one of the article that he or she has created.



Access


Main menu > Newspapers





Tests

Test <#001>

Description	You must be login as "user1" with the password "user1", then press Newspapers in main menu, now select "details" in newspaper called "El Informático".
	
Once in the detailed newspaper view click the title of the article "5 consejos para perder peso corriendo"	
	
go to its follow-Ups and press button "create".	
	
Fill the form with "new" in all the fields like the picture and then press the button "save".	

	
Expected	You must be redirected to the detailed view of the article “5 consejos para perder peso corriendo”, where you can see the new follow-Up created.
Outcome	The outcome is the one expected. The new follow Up appears listed in the detailed view of the article
Notes	

Test <#002>

Description	<p>Put now language into “Spanish”, and we are going to repeat process in test 1; First at all log like “user1”, with “user1” like password, then go to “periódicos” and press “mostrar” in “El Informático”,</p>																		
	 <p>Lista de periódicos</p> <table border="1"> <thead> <tr> <th>Titulo</th> <th>Fecha de publicación</th> <th>Público</th> </tr> </thead> <tbody> <tr> <td>El Informatico</td> <td>09/04/2018 00:00</td> <td></td> </tr> <tr> <td>The big hamburger</td> <td>09/04/2018 00:00</td> <td></td> </tr> <tr> <td>New hacker attack!</td> <td>08/04/2018 00:00</td> <td></td> </tr> <tr> <td>The big pizza</td> <td>04/04/2018 00:00</td> <td></td> </tr> <tr> <td>Nessie</td> <td>03/11/2012 00:00</td> <td></td> </tr> </tbody> </table> <p>Showing 1 to 5 of 5 entries</p> <p>and display the article “5 consejos para perder peso”,</p>	Titulo	Fecha de publicación	Público	El Informatico	09/04/2018 00:00		The big hamburger	09/04/2018 00:00		New hacker attack!	08/04/2018 00:00		The big pizza	04/04/2018 00:00		Nessie	03/11/2012 00:00	
Titulo	Fecha de publicación	Público																	
El Informatico	09/04/2018 00:00																		
The big hamburger	09/04/2018 00:00																		
New hacker attack!	08/04/2018 00:00																		
The big pizza	04/04/2018 00:00																		
Nessie	03/11/2012 00:00																		
	 <p>El Informatico</p> <p>Descripción</p> <p>El Informatico es el periódico oficial de la Escuela Técnica Superior de Ingeniería Informática de la Universidad de Sevilla. Siguiendo y mantente al día sobre las últimas novedades de la escuela!</p> <p>Fecha de publicación</p> <p>09/04/2018 00:00</p> <p>Lista de artículos</p> <p>< 1 2 ></p> <p>5 registros encontrados, mostrando todos los registros 1</p> <table border="1"> <thead> <tr> <th>Titulo</th> <th>Sumario</th> </tr> </thead> <tbody> <tr> <td>5 consejos para perder peso corriendo</td> <td>Con estos cinco consejos y un poco de co...</td> </tr> <tr> <td>ES/IA/Como sobrevivir en la ETSI</td> <td>Sí has sido aceptado recientemente en nu...</td> </tr> <tr> <td>Charla del premio Nobel John Doe</td> <td>El próximo 5 de mayo el premio Nobel Joh...</td> </tr> <tr> <td>Concurso de fotografía en la etsi</td> <td>Ponte a prueba!</td> </tr> <tr> <td>Primer día de clase</td> <td>En este artículo encontrarás información...</td> </tr> </tbody> </table> <p>Showing 1 to 5 of 5 entries</p>	Titulo	Sumario	5 consejos para perder peso corriendo	Con estos cinco consejos y un poco de co...	ES/IA/Como sobrevivir en la ETSI	Sí has sido aceptado recientemente en nu...	Charla del premio Nobel John Doe	El próximo 5 de mayo el premio Nobel Joh...	Concurso de fotografía en la etsi	Ponte a prueba!	Primer día de clase	En este artículo encontrarás información...						
Titulo	Sumario																		
5 consejos para perder peso corriendo	Con estos cinco consejos y un poco de co...																		
ES/IA/Como sobrevivir en la ETSI	Sí has sido aceptado recientemente en nu...																		
Charla del premio Nobel John Doe	El próximo 5 de mayo el premio Nobel Joh...																		
Concurso de fotografía en la etsi	Ponte a prueba!																		
Primer día de clase	En este artículo encontrarás información...																		
	<p>and its follow-Ups press “crear” button. Now fill the form with “new” in all the fields like test 1 and press “Guardar”.</p>																		
Expected	<p>You must be redirected to the detailed view of the article “5 consejos para perder peso corriendo”, where you can see the new follow-Up created.</p>																		
Outcome	<p>The outcome is the one expected. The new follow Up appears listed in the detailed view of the article</p>																		
Notes																			


Use case 037 – List created follow ups

Description

A user lists his or her created follow-ups.

Access

Main menu > User functions > Created FollowUps



Tests

Test <#001>	
Description	You must log in the system like “user1” with the password “user1” too. Now press User Functions > Created FollowUps.
Expected	You must be redirected to a view with follow-ups created by user1.
Outcome	The outcome is the one expected. The list of follow ups whose creator is “user1” is shown.
Notes	

Test <#002>	
Description	You must log in the system like “user1” with the password “user1” too. Now press Funciones de Usuario > FollowUps creados .
Expected	You must be redirected to a view with follow-ups created by user1.
Outcome	The outcome is the one expected. The list of follow ups whose creator is “user1” is shown.
Notes	

Use case 038 – Edit message folders

Description

A user modifies his message folders. (You must be logged with “user1”, “user1”)

Access

Main menu > User functions > Message Folders

Test <#001>	
Description	Once you are in the message folder view, try to edit inbox folder
Expected	The system doesn't allow to edit inbox folder because button to edit it doesn't appear.
Outcome	The outcome is not the one expected. The edit button appears, and the message folder can be edited.
Notes	

Test <#002>	
Description	Once you are in the message folder view, create a new folder, with a random name. After this, you will be redirected to message folder list, go to your created folder and click on edit. Change the name to another random name.
Expected	You are redirected to message folders list and the name edited is correctly changed.
Outcome	The outcome is the one expected.
Notes	

Additional tests

Test <#001>	
Description	Accept Cookie Policy: to do that you must enter in the system for the first time. And you will get the button to accept in the main view. Also, you can open a private window in the browser to get this button.
Expected	The system save that you accept cookie policy and this option never reappears.
Outcome	The outcome is the one expected.
Notes	Note that once you accept cookies, this button will never appear again.

