

Sanor Examples

Presentation Framework for Typst

Demonstrating Key Features

Basic Animation

-
-
-

- First item appears
-
-

- First item appears
- Second item appears
-

- First item appears
- Second item appears
- Third item appears

- First item appears
- Second item appears
- Third item appears

All items are now visible!

Apply vs Once

This content stays visible (apply)

This content stays visible (apply) This appears only briefly (once)

This content stays visible (apply)

This content stays visible (apply)
step - temporary content is gone

Next

Content Modification

Hello World

Object System

Normal Box

Normal
Box

Normal Box

Complex Animation

A

B

C

A

B

C



A

B

C



Processing step by step

A

B

C



Processing step by step

A

B

C



Processing step by step

Code Presentation

```
#import "@preview/sanor:0.2.1": *
```

```
#slide(s => ([  
  #let tag = tag.with(s)  
  #tag("content")[Hello Sanor!]  
  #s.push(apply("content"))  
], s))
```

```
#import "@preview/sanor:0.2.1": *
```

```
#slide(s => ([  
  #let tag = tag.with(s)  
  #tag("content")[Hello Sanor!]  
  #s.push(apply("content"))  
], s))
```


Mathematical Animation

$$E = mc^2$$

$$E = mc^2$$

Einstein's famous equation

$$E = mc^2$$

Einstein's famous equation

State Management

This text changes appearance

This text changes

This text changes appearance

This text changes

Simultaneous Changes

Center content

Left side content

Center content

Right side content

Left side content

Center content

Right side content

Custom States

Demo Text

Demo Text

Demo Text

Step 1: Introduction

Thank You!

For exploring Sanor examples

Visit the [documentation](#) for more features