This is the first slide in presentate

This is the first slide in presentate

You can see this time the heading has numbered!

This is the first slide in presentate

You can see this time the heading has numbered!

By default, page, equation figure, quote, and heading counters are frozen.

This is the first slide in presentate

You can see this time the heading has numbered!

By default, page, equation figure, quote, and heading counters are frozen. By the way, you can change the layout by alter function

For example, the following equation:

For example, the following equation:

$$E = mc^2 (1)$$

$$a^2 + b^2 = c^2 (2)$$

For example, the following equation:

$$E = mc^2 (1)$$

$$a^2 + b^2 = c^2 (2)$$

It is shown with the same number!

For example, the following equation:

$$E = mc^2 (1)$$

$$a^2 + b^2 = c^2 (2)$$

It is shown with the same number! However, it is still not referencable. Typst will complain you about the labeled content occurring multiple times in the document.

For example, the following equation:

$$E = mc^2 (1)$$

$$a^2 + b^2 = c^2 (2)$$

It is shown with the same number! However, it is still not referencable. Typst will complain you about the labeled content occurring multiple times in the document. So I hacked with self.subslide:

Equation 1 is from Eistein.

Equation 2 is from Pythagoras.

### 1.2 More equations

$$KE = \frac{1}{2}mv^2 \tag{3}$$

#### 1.2 More equations

$$KE = \frac{1}{2}mv^2 \tag{3}$$

As mentioned in Section 1.1, the equation numbering is working!