Supplementary figure 2.331

```
$ ffq -1 2 GSM3665017 -o metadata.json
{
    "GSM3665017": {
        "accession": "GSM3665017",
        "supplementary_files": [
            {
                "filename": "GSM3665017_KC_PBL_barcodes.tsv.gz",
                "url": "ftp.ncbi.nlm.nih.gov/geo/samples/GSM3665nnn/GSM3665017/suppl/GSM3665017
_KC_PBL_barcodes.tsv.gz",
                "size": "10325"
            },
            {
                "filename": "GSM3665017 KC PBL genes.tsv.gz",
                "url": "ftp.ncbi.nlm.nih.gov/geo/samples/GSM3665nnn/GSM3665017/suppl/GSM3665017
_KC_PBL_genes.tsv.gz",
                "size": "257279"
            },
            {
                "filename": "GSM3665017_KC_PBL_matrix.mtx.gz",
                "url": "ftp.ncbi.nlm.nih.gov/geo/samples/GSM3665nnn/GSM3665017/suppl/GSM3665017
_KC_PBL_matrix.mtx.gz",
                "size": "9403249"
            }
        ],
        "platform": {
            "accession": "GPL18573",
            "title": "Illumina NextSeq 500 (Homo sapiens)"
        "sample": {
            "SRS4474996": {
                "accession": "SRS4474996",
                "title": "scRNA data of peripheral blood mononuclear cells from healthy donor_s
ample 2_KC",
                "organism": "Homo sapiens",
                "attributes": {
                    "source_name": "peripheral blood",
                    "subject status": "healthy donor",
                    "tissue": "whole blood",
                    "cell type": "peripheral blood mononuclear cells (PBMCs)",
                    "ENA-SPOT-COUNT": "232553680",
                    "ENA-BASE-COUNT": "22790260640",
                    "ENA-FIRST-PUBLIC": "2019-03-13",
                    "ENA-LAST-UPDATE": "2019-03-13"
                "experiment": "SRX5506685"
            }
       }
   }
}
```