Supplementary figure 2.277

```
$ ffq -l 2 GSM3529821 -o metadata.json

{
    "GSM3529821": {
        "accession": "GSM3529821",
        "supplementary_files": [
            {
                "filename": "GSM3529821_barcodes.tsv.gz",
                "url": "ftp.ncbi.nlm.nih.gov/geo/samples/GSM3529nnn/GSM3529821/suppl/GSM3529821
_barcodes.tsv.gz",
                "size": "27990"
            },
            {
                "filename": "GSM3529821_genes.tsv.gz",
                "url": "ftp.ncbi.nlm.nih.gov/geo/samples/GSM3529nnn/GSM3529821/suppl/GSM3529821
_genes.tsv.gz",
                "size": "259446"
            },
            {
                "filename": "GSM3529821_matrix.mtx.gz",
                "url": "ftp.ncbi.nlm.nih.gov/geo/samples/GSM3529nnn/GSM3529821/suppl/GSM3529821
_matrix.mtx.gz",
                "size": "51226488"
            }
        ],
        "platform": {
            "accession": "GPL16791",
            "title": "Illumina HiSeq 2500 (Homo sapiens)"
        },
        "sample": {
            "SRS4185885": {
                "accession": "SRS4185885",
                "title": "Activated myeloid cells at day 1 pi",
                "organism": "Homo sapiens",
                "attributes": {
                    "source_name": "Activated myeloid cells infected with TB40/E at 1 dpi",
                    "cell type": "Activated myeloid cells",
                    "virus": "TB40/E",
                    "time point": "Day 1 post-infection",
                    "ENA-SPOT-COUNT": "301474803",
                    "ENA-BASE-COUNT": "29544530694",
                    "ENA-FIRST-PUBLIC": "2019-03-14",
                    "ENA-LAST-UPDATE": "2019-03-14"
                },
                "experiment": "SRX5178631"
            }
        }
    }
}
```