```
# paperpush submission file for arxiv  -*- mode: yaml -*-
# arXiv - Open-access archive for scholarly articles
#
# Edit the values below, then:
#   - to validate against venue guidelines: `paperpush validate arxiv.sub.txt`
#   - to fill out submission portal: `paperpush submit arxiv.sub.txt`
# Lines starting with '#' are comments and are ignored.
#
# To fill this in through a form instead, open it in the paperpush web page:
#   - run:  paperpush web arxiv.sub.txt   (use this file's path)
#   - or visit https://paperpush.onrender.com and drag this file onto the page
#
# To fill this out with AI from your manuscript files:
#   - run this prompt in an AI agent (e.g. Claude Code):  /paperpush-autofill arxiv.sub.txt
#   - or run:  paperpush autofill --engine api -p MANUSCRIPT_DIR arxiv.sub.txt

@venue: arxiv
# submission guide: https://info.arxiv.org/help/submit/index.html

# ------------------------------------------------------------------------
# Files
# ------------------------------------------------------------------------

# Manuscript file (file, REQUIRED)
#   Path to the submission. arXiv prefers a LaTeX source bundle (a .zip or .tar.gz of the .tex,
figures, and .bbl); a single PDF is accepted for PDF-only submissions. The file is uploaded,
processed, and confirmed on the Files step.
manuscript_file:

# Keep all uploaded files (boolean, optional)
#   Only applies to LaTeX source submissions (.tex/.zip). Set to yes to keep every file in the
uploaded bundle, including any arXiv's processor flags as removable (e.g. a bundled .pdf or
auxiliary files); set to no to let arXiv delete the files it auto-selects for removal.
keep_all_files:

# ------------------------------------------------------------------------
# Manuscript details
# ------------------------------------------------------------------------

# Title (text, REQUIRED)
#   The full title of the article.
title:

# Abstract (textarea, REQUIRED)
#   Plain-text abstract as it should appear on the arXiv abstract page.
#   at least 20 characters
abstract: |


# Primary archive (choice, REQUIRED)
#   The top-level arXiv archive your work belongs to. This is the value of the submission form's
archive drop-down (#select_arch), so use the archive code (e.g. 'cs' for Computer Science, 'q-bio'
for Quantitative Biology, 'stat' for Statistics).
#   options: astro-ph | cond-mat | cs | econ | eess | gr-qc | hep-ex | hep-lat | hep-ph | hep-th |
```

```
math | math-ph | nlin | nucl-ex | nucl-th | physics | q-bio | q-fin | quant-ph | stat
primary_archive:

# Primary subject category (text, REQUIRED)
#   The specific subject class within the primary archive, as the value of the form's subject-
class drop-down (#select_sc). Use the full category code, e.g. 'cs.AI' (Artificial Intelligence),
'q-bio.GN' (Genomics), or 'stat.ML' (Machine Learning). It must belong to the chosen
primary_archive. See https://arxiv.org/category_taxonomy for the full list.
#   options: run 'paperpush options arxiv.primary_category' to list the choices
primary_category:

# Cross-list archives (multichoice, optional)
#   Optional. Additional top-level archives to cross-list the paper under, comma-separated (e.g.
'cs, stat'). Same archive codes as primary_archive, with no limit on how many. Each entry is
paired positionally with the matching entry in crosslist_categories and added on the metadata step
after the primary category.
#   select 0-any, comma-separated
#   options: astro-ph | cond-mat | cs | econ | eess | gr-qc | hep-ex | hep-lat | hep-ph | hep-th |
math | math-ph | nlin | nucl-ex | nucl-th | physics | q-bio | q-fin | quant-ph | stat
crosslist_archives:

# Cross-list categories (multichoice, optional)
#   Optional. Additional subject categories to cross-list the paper under, comma-separated (e.g.
'cs.LG, stat.ML'). Same category codes as primary_category, with no limit on how many. Each entry
is paired positionally with the matching entry in crosslist_archives and added on the metadata
step after the primary category.
#   select 0-any, comma-separated
#   options: run 'paperpush options arxiv.crosslist_categories' to list the choices
crosslist_categories:

# Comments (textarea, optional)
#   Optional. Free-text comments shown on the abstract page, conventionally the page/figure count
and notes (e.g. '10 pages, 4 figures; submitted to JOSS').
comments: |


# Report number (text, optional)
#   Optional. Author-assigned report or preprint number, if any.
report_number:

# Journal reference (text, optional)
#   Optional. Full bibliographic reference once the article has been published in a journal.
journal_reference:

# ACM classification (text, optional)
#   Optional. ACM Computing Classification System code(s), semicolon-separated (e.g. 'F.2.2;
I.2.7'). Relevant mainly for cs submissions.
acm_class:

# MSC classification (text, optional)
#   Optional. Mathematics Subject Classification code(s), comma-separated (e.g. '14J60, 14F05').
Relevant mainly for math submissions.
msc_class:
```

```
# DOI (text, optional)
#   Optional. DOI of a published version of this article, if one exists.
doi:

# ---------------------------------------------------------------------
# Authors
# ---------------------------------------------------------------------

# Authors (authorlist, REQUIRED)
#   One author per line, in order. Format: Name. The arXiv metadata form has a single *Author(s)
box that takes a comma-separated list of names, so a name is all that is recorded -- no emails,
affiliations, ORCIDs, or corresponding-author marker. Use the form 'Firstname Lastname' for each
name (first names first, no 'et al.').
authors: |


# ---------------------------------------------------------------------
# Additional information
# ---------------------------------------------------------------------

# License (choice, REQUIRED)
#   Distribution license for the submission. The arXiv perpetual, non-exclusive license is the
minimum arXiv requires; the Creative Commons options grant broader reuse. The runner selects the
matching radio on the license step; it is shown again on the review page, so you can confirm it
before the final submit.
#   options: arXiv.org perpetual, non-exclusive license 1.0 | CC BY 4.0 | CC BY-SA 4.0 | CC BY-NC-
SA 4.0 | CC BY-NC-ND 4.0 | CC0 1.0
license:

# vim: set filetype=yaml :
```